

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -ACADIAN
 BRANCH
 PARISH
 RELATION
 ACADIAN
 OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|--------------|
| | A000 | 0102 | BUSE1030001 | 1 1 1 | 8.00 9.00 | | 21 | 797 | 210 20 00000 |
| | A000 | 0102 | AHSC1000001 | 1 1 | 8.00 10.30 | | 21 | 797 | 210 20 00000 |
| | A000 | 0102 | AHMA1000001 | 11111 | 9.00 11.00 | 1 | 4 | 797 | 210 20 00000 |
| | A000 | 0102 | AHEN1000001 | 1 1 1 | 9.00 11.00 | 1 | 2 | 797 | 210 20 00000 |
| | A000 | 0102 | AHRE1000001 | 1 1 1 | 9.00 11.00 | 1 | 1 | 797 | 210 20 00000 |
| 8 | A000 | 0102 | AHSC1000002 | 1 1 1 | 9.00 11.00 | 1 | 6 | 797 | 210 20 00000 |
| | A000 | 0102 | CPTR1002002 | 1 1 | 9.30 11.00 | | 1 | 797 | 210 20 00000 |
| | A000 | 0102 | BUSM1050001 | 1 1 | 10.00 12.00 | 1 | 13 | 797 | 210 20 00000 |
| | A000 | 0102 | ISYS1650001 | 1 1 1 | 10.30 12.00 | | 4 | 797 | 210 20 00000 |
| | A000 | 0102 | BUSE1045001 | 1 1 1 | 11.10 12.10 | 1 | 11 | 797 | 210 20 00000 |
| | A000 | 0102 | SPPR2998002 | 1 | 11.10 12.10 | 1 | 3 | 797 | 210 20 00000 |
| | A000 | 0102 | DVEN0090001 | 1 1 | 12.00 14.00 | | 2 | 797 | 210 20 00000 |
| | A000 | 0102 | DVEN0091001 | 1 1 | 12.00 14.00 | 1 | 7 | 797 | 210 20 00000 |
| | A000 | 0102 | DVMA0090001 | 1 1 | 12.00 14.00 | 1 | 13 | 797 | 210 20 00000 |
| | A000 | 0102 | DVRE0090001 | 1 1 | 12.00 14.00 | 1 | 2 | 797 | 210 20 00000 |
| | A000 | 0102 | DVRE0091001 | 1 1 | 12.00 14.00 | 1 | 6 | 797 | 210 20 00000 |
| 8 | A000 | 0102 | DVRE0092001 | 1 1 | 12.00 14.00 | 1 | 6 | 797 | 210 20 00000 |
| 8 | A000 | 0102 | ISYS1440001 | 11111 | 13.00 14.00 | 1 | 14 | 797 | 210 20 00000 |
| 8 | A000 | 0102 | ORNT1000001 | 1 | 13.00 14.00 | 1 | 31 | 797 | 210 20 00000 |
| | A000 | 0102 | ORNT1000002 | 1 1 | 14.00 15.00 | | 26 | 797 | 210 20 00000 |
| 8 | A000 | 0102 | CPTR1000001 | 1 1 | 14.00 15.30 | 1 | 19 | 797 | 210 20 00000 |
| 8 | A000 | 0102 | CPTR1002001 | 1 1 | 14.00 15.30 | 1 | 17 | 797 | 210 20 00000 |
| | A000 | 0102 | JOBS2450001 | 1 1 | 14.30 15.30 | | 11 | 797 | 210 20 00000 |
| | A000 | 0102 | JOBS2450002 | 1 1 | 14.30 15.30 | 1 | 5 | 797 | 210 20 00000 |
| | A000 | 0104 | MAST1110001 | 1 | 8.00 9.00 | | 7 | 1,081 | 210 20 00000 |
| | A000 | 0104 | BOTH1120001 | 1 1 | 8.00 9.30 | | 21 | 1,081 | 210 20 00000 |
| | A000 | 0104 | MAST1120001 | 1 | 9.00 11.00 | | 7 | 1,081 | 210 20 00000 |
| | A000 | 0104 | CPTR1310001 | 1 1 | 9.30 11.30 | | 8 | 1,081 | 210 20 00000 |
| | A000 | 0104 | BOTH1230001 | 1 1 | 13.00 14.30 | | 17 | 1,081 | 210 20 00000 |
| | A000 | 0105 | MAST1130001 | 1 1 | 8.00 9.30 | | 9 | 1,364 | 210 25 00000 |
| | A000 | 0105 | MACH1350001 | 1 1 | 9.30 11.00 | | 3 | 1,364 | 210 25 00000 |
| | A000 | 0105 | BOTH2110001 | 1 1 | 9.30 11.00 | | 7 | 1,364 | 210 25 00000 |
| | A000 | 0105 | KYBD1010001 | 1 1 | 9.30 11.00 | 1 | 9 | 1,364 | 210 25 00000 |
| | A000 | 0105 | CPTR1320001 | 1 1 1 | 9.30 11.30 | | 5 | 1,364 | 210 25 00000 |
| | A000 | 0105 | KYBD1111001 | 1 1 | 9.30 12.00 | | 5 | 1,364 | 210 25 00000 |
| | A000 | 0105 | MAST2110001 | 1 1 | 9.30 12.00 | 1 | 13 | 1,364 | 210 25 00000 |
| | A000 | 0105 | ISYS1440002 | 1 1 1 | 13.00 14.00 | | 1 | 1,364 | 210 25 00000 |
| | A000 | 0105 | KYBD1111002 | 11111 | 14.00 15.00 | | 3 | 1,364 | 210 25 00000 |
| | A000 | 0106 | ACCT1200001 | 1 1 1 | 7.50 9.30 | | 19 | 1,241 | 210 24 00000 |
| | A000 | 0106 | ACCT1500001 | 1 1 | 8.00 10.00 | | 9 | 1,241 | 210 24 00000 |
| | A000 | 0106 | ACCT1100001 | 1 1 1 | 9.30 11.10 | | 26 | 1,241 | 210 24 00000 |
| | A000 | 0106 | OSYS2530001 | 1 1 1 | 14.00 15.00 | | 2 | 1,241 | 210 24 00000 |
| | A000 | 0106 | SPPR2998001 | 1 | 14.00 15.00 | 1 | 9 | 1,241 | 210 24 00000 |
| | A000 | 0107 | HNUR2133001 | 11 | 7.30 10.30 | | 18 | 1,084 | 210 30 00000 |
| | A000 | 0107 | HNUR2813001 | 11 | 10.30 12.00 | | 18 | 1,084 | 210 30 00000 |
| | A000 | 0107 | HNUR2723001 | 11 | 12.30 14.00 | | 18 | 1,084 | 210 30 00000 |
| | A000 | 0107 | HNUR2611001 | 11 | 14.00 15.30 | | 18 | 1,084 | 210 30 00000 |
| | A000 | 0108 | HNUR1320001 | 1 | 8.00 10.00 | | 12 | 1,379 | 210 30 00000 |
| | A000 | 0108 | HNUR1211003 | 1 1 | 8.00 13.00 | 1 | 15 | 1,379 | 210 30 00000 |
| | A000 | 0108 | MAST2130001 | 1 1 1 | 12.00 15.00 | 1 | 4 | 1,379 | 210 30 00000 |
| | A000 | 0114 | HNUR1211002 | 1 1 1 | 8.00 10.30 | | 20 | 828 | 210 20 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -ACADIAN
 BRANCH
 PARISH
 RELATION

ACADIAN
 OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|------------|---------------------|----------------------|----------|-------|
| | A000 | 0114 | HNUR1211001 | 1 1 | 8.00 13.00 | | 7 | 210 20 | 00000 | |
| | A000 | 0114 | MAST1210001 | 1 1 1 | 12.00 14.00 | | 9 | 210 20 | 00000 | |
| | A000 | 0114 | MAST1230001 | 1 1 | 13.00 15.30 | | 11 | 210 20 | 00000 | |
| | A000 | 0114 | HCOR1160001 | 1 1 | 14.00 15.00 | | 15 | 210 20 | 00000 | |
| 4 | A000 | 0115 | CADD1210001 | 11111 | 8.00 15.00 | | 1 | 210 15 | 00000 | |
| 4 | A000 | 0115 | CADD2300001 | 11111 | 8.00 15.00 | 1 | 1 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT11110001 | 11111 | 8.00 15.00 | 1 | 4 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1120001 | 11111 | 8.00 15.00 | 1 | 4 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1130001 | 11111 | 8.00 15.00 | 1 | 2 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1140001 | 11111 | 8.00 15.00 | 1 | 2 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1150001 | 11111 | 8.00 15.00 | 1 | 2 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1160001 | 11111 | 8.00 15.00 | 1 | 1 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1161001 | 11111 | 8.00 15.00 | 1 | 2 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1210001 | 11111 | 8.00 15.00 | 1 | 1 | 210 15 | 00000 | |
| 4 | A000 | 0115 | DRFT1220001 | 11111 | 8.00 15.00 | 1 | 2 | 210 15 | 00000 | |
| 4 | 8 | A000 | 0115 | DRFT1230001 | 11111 | 8.00 15.00 | 1 | 3 | 210 15 | 00000 |
| 4 | 8 | A000 | 0115 | DRFT2320001 | 11111 | 8.00 15.00 | 1 | 1 | 210 15 | 00000 |
| 4 | 8 | A000 | 0115 | DRFT2330001 | 11111 | 8.00 15.00 | 1 | 2 | 210 15 | 00000 |
| 4 | 8 | A000 | 0115 | DRFT2411001 | 11111 | 8.00 15.00 | 1 | 2 | 210 15 | 00000 |
| 4 | 8 | A000 | 0115 | DRFT2511001 | 11111 | 8.00 15.00 | 1 | 1 | 210 15 | 00000 |
| | B000 | 0200 | MAST1220001 | 1 1 | 8.00 11.00 | | 17 | 110 30 | 00000 | |
| | B000 | 0200 | HPHM2000001 | 1 | 8.00 11.00 | | 13 | 110 30 | 00000 | |
| | B000 | 0201 | MTTC2710001 | 11111 | 8.00 12.00 | | 2 | 210 20 | 00000 | |
| 4 | B000 | 0201 | MTTC2110001 | 11111 | 8.00 14.50 | 1 | 8 | 210 20 | 00000 | |
| 4 | B000 | 0201 | MTTC2120001 | 11111 | 8.00 14.50 | 1 | 9 | 210 20 | 00000 | |
| 4 | B000 | 0201 | MTTC2210001 | 11111 | 8.00 14.50 | 1 | 9 | 210 20 | 00000 | |
| 4 | 8 | B000 | 0201 | MTTC2220001 | 11111 | 8.00 14.50 | 1 | 5 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2230001 | 11111 | 8.00 14.50 | 1 | 5 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2310001 | 11111 | 8.00 14.50 | 1 | 2 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2320001 | 11111 | 8.00 14.50 | 1 | 3 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2331001 | 11111 | 8.00 14.50 | 1 | 4 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2410001 | 11111 | 8.00 14.50 | 1 | 2 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2420001 | 11111 | 8.00 14.50 | 1 | 2 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2431001 | 11111 | 8.00 14.50 | 1 | 4 | 210 20 | 00000 |
| 4 | 8 | B000 | 0201 | MTTC2510001 | 11111 | 8.00 14.50 | 1 | 4 | 210 20 | 00000 |
| 4 | B000 | 0202 | DPET1120001 | 11111 | 8.00 14.50 | | 7 | 210 20 | 00000 | |
| 4 | B000 | 0202 | DPET1130001 | 11111 | 8.00 14.50 | 1 | 7 | 210 20 | 00000 | |
| 4 | B000 | 0202 | DPET1140001 | 11111 | 8.00 14.50 | 1 | 7 | 210 20 | 00000 | |
| 4 | B000 | 0202 | DPET1141001 | 11111 | 8.00 14.50 | 1 | 3 | 210 20 | 00000 | |
| 4 | B000 | 0202 | DPET1150001 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | B000 | 0202 | DPET1210001 | 11111 | 8.00 14.50 | 1 | 3 | 210 20 | 00000 | |
| 4 | B000 | 0202 | DPET1220001 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | B000 | 0202 | DPET1231001 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | 8 | B000 | 0202 | DPET1240001 | 11111 | 8.00 14.50 | 1 | 8 | 210 20 | 00000 |
| 4 | 8 | B000 | 0202 | DPET1310001 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 |
| 4 | 8 | B000 | 0202 | DPET1320001 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 |
| 4 | 8 | B000 | 0202 | DPET1330001 | 11111 | 8.00 14.50 | 1 | 2 | 210 20 | 00000 |
| 4 | 8 | B000 | 0202 | DPET2110001 | 11111 | 8.00 14.50 | 1 | 5 | 210 20 | 00000 |
| 4 | 8 | B000 | 0202 | DPET2130001 | 11111 | 8.00 14.50 | 1 | 4 | 210 20 | 00000 |
| 4 | 8 | B000 | 0202 | DPET2140001 | 11111 | 8.00 14.50 | 1 | 4 | 210 20 | 00000 |
| 4 | 8 | B000 | 0202 | DPET2210001 | 11111 | 8.00 14.50 | 1 | 3 | 210 20 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -ACADIAN
 BRANCH
 PARISH
 RELATION
 ACADIAN
 OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| 4 | 8 | B000 0202 | DPET2220001 | 11111 | 8.00 14.50 | 1 | 3 | 3,972 | 210 20 | 00000 |
| 4 | 8 | B000 0202 | DPET2240001 | 11111 | 8.00 14.50 | 1 | 3 | 3,972 | 210 20 | 00000 |
| 4 | | B000 0203 | AUTO1110001 | 11111 | 8.00 14.50 | | 4 | 5,004 | 210 20 | 00000 |
| 4 | | B000 0203 | AUTO1120001 | 11111 | 8.00 14.50 | 1 | 4 | 5,004 | 210 20 | 00000 |
| 4 | | B000 0203 | AUTO1130001 | 11111 | 8.00 14.50 | 1 | 4 | 5,004 | 210 20 | 00000 |
| 4 | | B000 0203 | AUTO1440001 | 11111 | 8.00 14.50 | 1 | 7 | 5,004 | 210 20 | 00000 |
| 4 | | B000 0203 | AUTO1500001 | 11111 | 8.00 14.50 | 1 | 7 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1510001 | 11111 | 8.00 14.50 | 1 | 7 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1520001 | 11111 | 8.00 14.50 | 1 | 7 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1530001 | 11111 | 8.00 14.50 | 1 | 7 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1540001 | 11111 | 8.00 14.50 | 1 | 4 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1650001 | 11111 | 8.00 14.50 | 1 | 3 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1660001 | 11111 | 8.00 14.50 | 1 | 3 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1700001 | 11111 | 8.00 14.50 | 1 | 3 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1710001 | 11111 | 8.00 14.50 | 1 | 3 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1720001 | 11111 | 8.00 14.50 | 1 | 3 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1730001 | 11111 | 8.00 14.50 | 1 | 3 | 5,004 | 210 20 | 00000 |
| 4 | 8 | B000 0203 | AUTO1740001 | 11111 | 8.00 14.50 | 1 | 3 | 5,004 | 210 20 | 00000 |
| 4 | | B000 0204 | AUTO1100001 | 11111 | 8.00 14.50 | | 4 | 485 | 110 20 | 00000 |
| 4 | | B000 0205 | CTDP1110001 | 11111 | 7.00 15.00 | | 6 | 466 | 110 20 | 00000 |
| 4 | | B000 0205 | CTDP1110002 | 11111 | 7.00 15.00 | 1 | 6 | 466 | 110 20 | 00000 |
| 4 | | B000 0205 | CTDP1120001 | 11111 | 7.00 15.00 | 1 | 6 | 466 | 110 20 | 00000 |
| 4 | | B000 0205 | CTDP1120002 | 11111 | 7.00 15.00 | 1 | 6 | 466 | 110 20 | 00000 |
| 4 | | B000 0207 | CTDP1131001 | 11111 | 7.00 15.00 | | 6 | 4,739 | 210 15 | 00000 |
| 4 | | B000 0207 | CTDP1131002 | 11111 | 7.00 15.00 | 1 | 6 | 4,739 | 210 15 | 00000 |
| 4 | | B000 0208 | WELD2230001 | 11111 | 8.00 14.30 | | 1 | 6,156 | 210 24 | 00000 |
| 4 | | B000 0208 | WELD1110001 | 11111 | 8.00 14.50 | 1 | 3 | 6,156 | 210 24 | 00000 |
| 4 | | B000 0208 | WELD1120001 | 11111 | 8.00 14.50 | 1 | 5 | 6,156 | 210 24 | 00000 |
| 4 | | B000 0208 | WELD1130001 | 11111 | 8.00 14.50 | 1 | 9 | 6,156 | 210 24 | 00000 |
| 4 | | B000 0208 | WELD1140001 | 11111 | 8.00 14.50 | 1 | 6 | 6,156 | 210 24 | 00000 |
| 4 | | B000 0208 | WELD1210001 | 11111 | 8.00 14.50 | 1 | 6 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD1310001 | 11111 | 8.00 14.50 | 1 | 7 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD1410001 | 11111 | 8.00 14.50 | 1 | 8 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD1411001 | 11111 | 8.00 14.50 | 1 | 5 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD1412001 | 11111 | 8.00 14.50 | 1 | 3 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD1420001 | 11111 | 8.00 14.50 | 1 | 1 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD1511001 | 11111 | 8.00 14.50 | 1 | 2 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD1512001 | 11111 | 8.00 14.50 | 1 | 2 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2110001 | 11111 | 8.00 14.50 | 1 | 4 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2111001 | 11111 | 8.00 14.50 | 1 | 3 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2113001 | 11111 | 8.00 14.50 | 1 | 2 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2210001 | 11111 | 8.00 14.50 | 1 | 1 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2220001 | 11111 | 8.00 14.50 | 1 | 1 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2221001 | 11111 | 8.00 14.50 | 1 | 2 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2222001 | 11111 | 8.00 14.50 | 1 | 1 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2310001 | 11111 | 8.00 14.50 | 1 | 1 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2311001 | 11111 | 8.00 14.50 | 1 | 3 | 6,156 | 210 24 | 00000 |
| 4 | 8 | B000 0208 | WELD2320001 | 11111 | 8.00 14.50 | 1 | 2 | 6,156 | 210 24 | 00000 |

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 92

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 58
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 150

TOTAL NUMBER OF RECORDS READ 150
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 150
NUMBER OF JOINT-CLASS RECORDS 107
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-ACADIAN

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *CLASSROOM FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 3 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 70 |
| WEEKLY STUDENT CONTACT HOURS | 1241 | | 1241 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 270 | 150 | 420 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 408 | | 408 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 6300 | 3500 | 9800 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 8340 | | 8340 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 2482 | | 2482 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 151.1 | .0 | 97.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 39.4 | .0 | 25.3 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 29.8 | .0 | 29.8 |
| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
| CLASSROOM | | | |
| TOTAL NUMBER OF ROOMS | | | 3 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 70 |
| WEEKLY STUDENT CONTACT HOURS | 1241 | | 1241 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 270 | 150 | 420 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 408 | | 408 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 6300 | 3500 | 9800 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 8340 | | 8340 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 2482 | | 2482 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 151.1 | .0 | 97.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 39.4 | .0 | 25.3 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 29.8 | .0 | 29.8 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *LABORATORY FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 16 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 373 |
| WEEKLY STUDENT CONTACT HOURS | 13444 | | 13444 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1440 | 800 | 2240 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 6603 | | 6603 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 33570 | 18650 | 52220 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 133320 | | 133320 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 26889 | | 26889 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 458.5 | .0 | 294.8 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 80.1 | .0 | 51.5 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 20.2 | .0 | 20.2 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASS LABORATORY | | | |
| TOTAL NUMBER OF ROOMS | | | 16 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 373 |
| WEEKLY STUDENT CONTACT HOURS | 13444 | | 13444 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1440 | 800 | 2240 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 6603 | | 6603 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 33570 | 18650 | 52220 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 133320 | | 133320 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 26889 | | 26889 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 458.5 | .0 | 294.8 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 80.1 | .0 | 51.5 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 20.2 | .0 | 20.2 |

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY