

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-CHARLES B. COREIL  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 A0103	AUTO500 001	111111	9.00 15.00		1	869	110 35	00000
4	A000 A0103	AUTO510 001	111111	9.00 15.00	1	1	869	110 35	00000
4	A000 A0103	AUTO520 001	111111	9.00 15.00	1	1	869	110 35	00000
4	A000 A0103	AUTO530 001	111111	9.00 15.00	1	2	869	110 35	00000
4	A000 A0103	AUTO540 001	111111	9.00 15.00	1	3	869	110 35	00000
4	A000 A0103	AUTO600 001	111111	9.00 15.00	1	15	869	110 35	00000
4	A000 A0103	AUTO610 001	111111	9.00 15.00	1	15	869	110 35	00000
4	A000 A0103	AUTO620 001	111111	9.00 15.00	1	15	869	110 35	00000
4	8 A000 A0103	AUTO630 001	111111	9.00 15.00	1	15	869	110 35	00000
4	8 A000 A0103	AUTO640 001	111111	9.00 15.00	1	15	869	110 35	00000
4	8 A000 A0103	AUTO650 001	111111	9.00 15.00	1	15	869	110 35	00000
4	8 A000 A0103	AUTO660 001	111111	9.00 15.00	1	15	869	110 35	00000
4	8 A000 A0103	AUTO850 001	111111	9.00 15.00	1	11	869	110 35	00000
8	A000 A0103	AUTO510 003	111111	11.00 14.30	1	1	869	110 35	00000
8	A000 A0103	AUTO520 003	111111	11.00 14.30	1	1	869	110 35	00000
8	A000 A0103	AUTO530 003	111111	11.00 14.30	1	1	869	110 35	00000
8	A000 A0103	AUTO540 003	111111	11.00 14.30	1	1	869	110 35	00000
8	A000 A0103	AUTO500 002	111111	12.30 15.00	1	1	869	110 35	00000
8	A000 A0103	AUTO510 002	111111	12.30 15.00	1	1	869	110 35	00000
8	A000 A0103	AUTO520 002	111111	12.30 15.00	1	1	869	110 35	00000
8	A000 A0103	AUTO540 002	111111	12.30 15.00	1	1	869	110 35	00000
8	A000 A0103	AUTO530 002	111111	12.30 15.30	1	1	869	110 35	00000
4	B000 W0101	ELEC311 001	111111	8.00 14.30		2	486	110 30	00000
4	B000 W0101	ELEC440 001	111111	8.00 14.30	1	10	486	110 30	00000
4	B000 W0102	ELEC120 001	111111	8.00 14.30		8	2,758	210 32	00000
4	B000 W0102	ELEC210 001	111111	8.00 14.30	1	8	2,758	210 32	00000
4	B000 W0102	ELEC220 001	111111	8.00 14.30	1	1	2,758	210 32	00000
4	B000 W0102	ELEC330 001	111111	8.00 14.30	1	13	2,758	210 32	00000
4	B000 W0102	ELEC410 001	111111	8.00 14.30	1	10	2,758	210 32	00000
4	8 B000 W0102	ELEC420 001	111111	8.00 14.30	1	12	2,758	210 32	00000
4	8 B000 W0102	ELEC430 001	111111	8.00 14.30	1	5	2,758	210 32	00000
4	8 B000 W0102	ELEC460 001	111111	8.00 14.30	1	7	2,758	210 32	00000
	C000 M0101	ACCT300 001		8.00 8.50		2	2,212	210 30	00000
	C000 M0101	JOBS450 001	1 1	8.00 9.15		15	2,212	210 30	00000
	C000 M0101	ACCT200 001	1 1	8.00 9.50		3	2,212	210 30	00000
	C000 M0101	ACCT300 001	1 1	8.00 9.50	1	2	2,212	210 30	00000
4	C000 M0101	ORNT000 001	1 1	8.00 21.15		18	2,212	210 30	00000
	C000 M0101	ORNT000 004		9.00 9.50		15	2,212	210 30	00000
	C000 M0101	AHEN000 002	1 1	9.25 10.40		1	2,212	210 30	00000
	C000 M0101	DVEN090 002	1 1	9.25 10.40	1	1	2,212	210 30	00000
	C000 M0101	DVEN091 002	1 1	9.25 10.40	1	1	2,212	210 30	00000
	C000 M0101	DVEN092 002	1 1	9.25 10.40	1	1	2,212	210 30	00000
	C000 M0101	ENGL050 001	1 1	9.25 10.40	1	4	2,212	210 30	00000
	C000 M0101	ACCT100 001	1 1	10.00 11.50		3	2,212	210 30	00000
	C000 M0101	ACCT100 002	1 1	10.00 11.50	1	16	2,212	210 30	00000
	C000 M0101	ACCT100 001		10.00 11.50		3	2,212	210 30	00000
	C000 M0101	ACCT115 001		10.00 11.50	1	16	2,212	210 30	00000
	C000 M0101	BUSM050 001	1 1	10.50 12.05		8	2,212	210 30	00000
	C000 M0101	MATH050 001	1 1	10.50 12.05	1	3	2,212	210 30	00000
	C000 M0101	OSYS250 001	1 1	10.50 12.05	1	1	2,212	210 30	00000
	C000 M0101	AHEN000 001	1 1	13.00 14.50		2	2,212	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-CHARLES B. COREIL  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	C000	M0101	AHRE000 001	1 1	13.00 14.50	1	4	2,212	210 30	00000
	C000	M0101	DVEN090 001	1 1	13.00 14.50	1	3	2,212	210 30	00000
	C000	M0101	DVEN091 001	1 1	13.00 14.50	1	5	2,212	210 30	00000
	C000	M0101	DVRE092 001	1 1	13.00 14.50	1	2	2,212	210 30	00000
	C000	M0101	ENGL030 002	1	13.00 14.50		1	2,212	210 30	00000
	C000	M0101	AHEN000 002	1 1	13.30 14.45		1	2,212	210 30	00000
	C000	M0101	BUSE030 001	1 1	13.30 14.45	1	10	2,212	210 30	00000
	C000	M0101	DVEN090 002	1 1	13.30 14.45	1	1	2,212	210 30	00000
	C000	M0101	DVEN091 002	1 1	13.30 14.45	1	1	2,212	210 30	00000
	C000	M0101	DVEN092 002	1 1	13.30 14.45	1	1	2,212	210 30	00000
	C000	M0101	ENGL030 001	1 1	13.30 14.45	1	3	2,212	210 30	00000
	C000	M0101	ENGL030 002	1111	15.00 15.30		1	2,212	210 30	00000
	C000	M0101	ORNT000 002	1	16.00 18.00		18	2,212	210 30	00000
	C000	M0101	ORNT000 003	1	16.00 18.00	1	9	2,212	210 30	00000
	C000	M0102	CPTR000 001	1 1	7.30 8.50		9	483	110 30	00000
	C000	M0102	CPTR002 001	1 1	7.30 8.50	1	7	483	110 30	00000
	C000	M0102	ACCT200 001	1	8.00 8.50		3	483	110 30	00000
	C000	M0102	MAST130 001	1 1	8.00 9.15		12	483	110 30	00000
	C000	M0102	OSYS100 001	1 1	8.00 9.15	1	1	483	110 30	00000
	C000	M0102	KYBD000 001	1 1 1	9.00 9.50		1	483	110 30	00000
	C000	M0102	KYBD010 001	1 1 1	9.00 9.50	1	8	483	110 30	00000
	C000	M0102	CPTR000 002	1 1	9.25 10.40		14	483	110 30	00000
	C000	M0102	CPTR002 002	1 1	9.25 10.40	1	3	483	110 30	00000
	C000	M0102	CPTR300 001	1 1	10.00 11.50		1	483	110 30	00000
	C000	M0102	KYBD111 002	1 1	10.00 11.50	1	3	483	110 30	00000
	C000	M0102	KYBD210 002	1 1	10.00 11.50	1	2	483	110 30	00000
	C000	M0102	ISYS450 001	1	10.00 11.50		1	483	110 30	00000
	C000	M0102	KYBD111 002	1	11.00 11.50	1	3	483	110 30	00000
	C000	M0102	KYBD210 002	1	11.00 11.50	1	2	483	110 30	00000
	C000	M0102	ISYS450 001	1 1	12.15 13.30		1	483	110 30	00000
	C000	M0102	OSYS100 002	1 1	12.15 13.30	1	12	483	110 30	00000
	C000	M0102	KYBD010 002	1 1 1	13.00 13.50		2	483	110 30	00000
	C000	M0102	KYBD110 001	1	13.00 13.50	1	2	483	110 30	00000
	C000	M0102	KYBD210 001	1	13.00 13.50	1	1	483	110 30	00000
	C000	M0102	KYBD110 001	1 1	13.00 14.50		2	483	110 30	00000
	C000	M0102	KYBD210 001	1 1	13.00 14.50	1	1	483	110 30	00000
	C000	M0102	CPTR000 003	1 1	13.40 14.55		16	483	110 30	00000
	C000	M0102	CPTR002 003	1 1	13.40 14.55	1	1	483	110 30	00000
	C000	M0103	DVRE091 001	1 1	13.00 14.50		9	5,700	210 30	00000
	C000	M0103	CPTR000 004	1	15.30 17.15		14	5,700	210 30	00000
	C000	M0103	CPTR002 004	1	15.30 17.15	1	1	5,700	210 30	00000
	C000	M0103	CPTR000 004	1 1	16.40 17.30	1	14	5,700	210 30	00000
	C000	M0103	CPTR002 004	1 1	16.40 17.30	1	1	5,700	210 30	00000
	C000	M0104	BOTH210 001	1 1 1	7.30 9.00		1	336	110 22	00000
	C000	M0104	MAST210 001	1 1 1	7.30 9.00	1	17	336	110 22	00000
	C000	M0104	AHMA000 002	1 1	7.30 9.15		2	336	110 22	00000
	C000	M0104	DVMA090 002	1 1	7.30 9.15	1	9	336	110 22	00000
	C000	M0104	DVMA091 002	1 1	7.30 9.15	1	2	336	110 22	00000
	C000	M0104	AHRE000 002	1 1	7.30 21.15	1	1	336	110 22	00000
	C000	M0104	MAST110 002	1 1	8.00 10.45	1	3	336	110 22	00000
	C000	M0104	AHMA000 003	1 1 1	9.00 9.50		2	336	110 22	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-CHARLES B. COREIL  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	C000	M0104	DVMA090 003	1 1 1	9.00 9.50	1	8	336	110 22	00000
	C000	M0104	DVRE091 003	1 1 1	9.00 9.50	1	2	336	110 22	00000
	C000	M0104	MACH350 002	1 1 1	9.00 9.50	1	2	336	110 22	00000
	C000	M0104	MAST230 001	1 1	9.25 11.45		6	336	110 22	00000
	C000	M0104	BOTH300 001	1	10.00 10.50		5	336	110 22	00000
	C000	M0104	MEDL300 001	1	10.00 10.50	1	3	336	110 22	00000
	C000	M0104	BOTH300 001	1 1	10.00 11.50		5	336	110 22	00000
	C000	M0104	MEDL300 001	1 1	10.00 11.50	1	3	336	110 22	00000
	C000	M0104	MACH350 003	1 1 1	13.00 13.50		1	336	110 22	00000
	C000	M0104	AHMA000 003	1	13.00 14.50	1	2	336	110 22	00000
	C000	M0104	DVMA090 003	1	13.00 14.50	1	8	336	110 22	00000
	C000	M0104	DVRE091 003	1	13.00 14.50	1	2	336	110 22	00000
	C000	M0104	MAST110 001	1 1 1	13.00 15.00	1	5	336	110 22	00000
	C000	M0104	AHMA000 001	1 1	13.00 15.00	1	1	336	110 22	00000
	C000	M0104	DVMA090 001	1 1	13.00 15.00	1	13	336	110 22	00000
	C000	M0104	CPTR310 001	1 1	13.15 15.00		9	336	110 22	00000
	C000	M0104	MACH350 001	1 1	13.40 14.55	1	1	336	110 22	00000
	C000	M0104	BOTH210 002	1 1	15.00 17.30		2	336	110 22	00000
	C000	M0104	MAST210 002	1 1	15.00 17.30	1	15	336	110 22	00000
4	8	D000	I0007	WELD110 001	11111	8.00 14.50	4	4,370	730	00000
4	8	D000	I0007	WELD111 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD112 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD113 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD114 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD210 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD210 002	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD230 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD310 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD310 002	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD311 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD322 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD410 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD411 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD412 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD420 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD510 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD511 001	11111	8.00 14.50	1	4,370	730	00000
4	8	D000	I0007	WELD512 001	11111	8.00 14.50	1	4,370	730	00000
4		D000	I0102	WELD110 001	11111	8.00 14.50	3	475	110 20	00000
4		D000	I0102	WELD120 001	11111	8.00 14.50	1	475	110 20	00000
4		D000	I0102	WELD130 001	11111	8.00 14.50	1	475	110 20	00000
4		D000	I0102	WELD140 001	11111	8.00 14.50	1	475	110 20	00000
		D000	I0102	WELD110 002	11111	12.30 14.50	1	475	110 20	00000
		D000	I0102	WELD210 002	11111	12.30 14.50	1	475	110 20	00000
4		E000	B0110	HNUR123 001	111	6.45 15.15	10	675	110 40	00000
4		E000	B0110	HNUR723 001	111	6.45 15.15	1	675	110 40	00000
4		E000	B0110	HNUR813 001	111	6.45 15.15	1	675	110 40	00000
4		E000	B0110	HEKG011 001	1111	8.00 22.40	1	675	110 40	00000
		E000	B0110	HNUR123 001	1	10.00 10.50	1	675	110 40	00000
		E000	B0110	HNUR460 001	1 1	12.00 13.30	1	675	110 40	00000
		E000	B0110	HNUR813 001	1	13.00 14.45	1	675	110 40	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-CHARLES B. COREIL  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	E000 B0111	HNUR123 002	111	6.45 15.15		9	675	140 15	00000
4	E000 B0111	HNUR133 002	111	6.45 15.15	1	6	675	140 15	00000
4	8 E000 B0111	HNUR523 001	111	6.45 15.15	1	17	675	140 15	00000
4	8 E000 B0111	HNUR713 001	111	6.45 15.15	1	19	675	140 15	00000
	E000 B0111	HNUR523 001	1	8.00 8.50		17	675	140 15	00000
	E000 B0111	HNUR713 001	1	8.00 9.50		19	675	140 15	00000
	8 E000 B0111	HNUR133 002	1 1	8.00 10.50	1	6	675	140 15	00000
	8 E000 B0111	HNUR123 002	1	10.00 10.50	1	9	675	140 15	00000
	E000 B0111	HNUR723 001	1	13.00 14.50		12	675	140 15	00000
	E000 B0111	HNUR123 002	11111	13.45 14.45	1	9	675	140 15	00000
4	E000 B0114	HNUR133 001	111	6.45 15.15		6	752	140 15	00000
4	E000 B0114	HCOR212 001	1	6.45 15.15		10	752	140 15	00000
4	E000 B0114	HCOR212 002	1	6.45 15.15	1	10	752	140 15	00000
	E000 B0114	AHSC000 001	1 1	7.30 9.15		17	752	140 15	00000
	E000 B0114	HNUR133 001	1 1	8.00 10.50		6	752	140 15	00000
	E000 B0114	HPHL022 001	1111	8.00 11.00	1	6	752	140 15	00000
	E000 B0114	MAST222 001	1 1 1	8.00 12.00	1	5	752	140 15	00000
4	E000 B0114	HPHL022 001	1	8.00 14.00	1	6	752	140 15	00000
	E000 B0114	MAST210 001	1 1	9.00 10.50		4	752	140 15	00000
	E000 B0114	MAST220 001	1 1	9.10 10.50		14	752	140 15	00000
	E000 B0114	HMDT170 001	1	12.00 12.50		21	752	140 15	00000
	E000 B0114	MAST110 001	1	12.00 12.50		15	752	140 15	00000
	E000 B0114	HMDT170 002	1	12.00 12.50		15	752	140 15	00000
	E000 B0114	HPHL022 001	1111	12.00 14.40	1	6	752	140 15	00000
8	E000 B0114	HCOR120 001	1 1	13.00 13.50	1	25	752	140 15	00000
	E000 B0114	MAST120 001	1 1	13.00 13.50		15	752	140 15	00000
	E000 B0114	HCOR160 001	1	13.00 13.50	1	3	752	140 15	00000
	E000 B0114	MAST220 001	1 1	14.00 14.50		14	752	140 15	00000
	E000 B0114	BOTH120 002	1 1	15.00 15.50		6	752	140 15	00000
8	E000 B0114	HCOR120 002	1 1	15.00 15.50	1	18	752	140 15	00000
	E000 B0115	HPHM200 001	1 1 1	8.00 8.50		14	752	140 15	00000
	E000 B0115	HPHM503 001	1 1	8.00 11.30		14	752	140 15	00000
	E000 B0115	HPHM300 001	1 1 1	9.00 9.50		14	752	140 15	00000
	E000 B0115	HPHM400 001	1 1 1	10.00 10.50		14	752	140 15	00000
	E000 B0115	HPHM503 001	1 1 1	11.45 13.15		14	752	140 15	00000
	E000 B0115	HPHM513 001	1 1	12.00 15.30		14	752	140 15	00000
	E000 B0115	HPHM513 001	1 1 1	13.30 15.00		14	752	140 15	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 60

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 42  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 102

TOTAL NUMBER OF RECORDS READ 190  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 190  
NUMBER OF JOINT-CLASS RECORDS 124  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			337
WEEKLY STUDENT CONTACT HOURS	9976		9976
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1170	650	1820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2600		2600
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	30330	16850	47180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	72620		72620
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	19952		19952
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	222.2	.0	142.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	65.8	.0	42.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.5	.0	27.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			292
WEEKLY STUDENT CONTACT HOURS	7205		7205
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2082		2082
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	26280	14600	40880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	64850		64850
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14410		14410
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	231.3	.0	148.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.8	.0	35.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.2	.0	22.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			45
WEEKLY STUDENT CONTACT HOURS	2771		2771
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	518		518
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4050	2250	6300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7770		7770
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5542		5542
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	191.9	.0	123.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	136.8	.0	88.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	71.3	.0	71.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			102
WEEKLY STUDENT CONTACT HOURS	2893		2893
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	766		766
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9180	5100	14280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24020		24020
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5786		5786
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	212.8	.0	136.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	63.0	.0	40.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.1	.0	24.1

## SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			102
WEEKLY STUDENT CONTACT HOURS	2893		2893
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	766		766
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9180	5100	14280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24020		24020
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5786		5786
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	212.8	.0	136.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	63.0	.0	40.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.1	.0	24.1

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY