

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000 1001	ACCT100 001	11111	8.00 8.50		6	770	210 15	00000	
	A000 1001	DVMA090 001	11111	8.00 8.50	1	8	770	210 15	00000	
	A000 1001	ORNT000 003	11111	8.00 8.50	1	1	770	210 15	00000	
	A000 1001	CPTR000 001	1 1 1	8.00 8.50	1	3	770	210 15	00000	
	A000 1001	ACCT200 001	11111	9.00 9.50		9	770	210 15	00000	
	A000 1001	DVMA091 001	11111	9.00 9.50	1	2	770	210 15	00000	
	A000 1001	CPTR000 002	1 1	9.00 9.50	1	2	770	210 15	00000	
4	A000 1001	ORNT000 001	111	9.00 15.00	1	6	770	210 15	00000	
	A000 1001	ACCT300 001	11111	10.00 10.50	1	2	770	210 15	00000	
	A000 1001	ACCT400 001	11111	11.00 11.50		3	770	210 15	00000	
	A000 1001	DVMA090 003	11111	11.00 11.50	1	6	770	210 15	00000	
	A000 1001	ISYS440 001	11111	11.00 11.50	1	2	770	210 15	00000	
	A000 1001	ORNT000 004	11111	11.00 11.50	1	1	770	210 15	00000	
	A000 1001	BUSM050 001	11111	13.00 13.50		15	770	210 15	00000	
8	A000 1001	ORNT000 005	11111	13.00 13.50	1	13	770	210 15	00000	
8	A000 1001	OSYS250 001	1 1 1	13.00 13.50	1	4	770	210 15	00000	
8	A000 1001	CPTR000 002	1 1 1	13.00 14.15	1	2	770	210 15	00000	
8	A000 1001	ORNT000 006	11111	14.00 14.50	1	4	770	210 15	00000	
8	A000 1001	CPTR000 003	1 1	14.25 15.40	1	20	770	210 15	00000	
	A000 1112	HNUR460 001	11111	8.00 11.00		11	2,625	210 30	00000	
	A000 1112	HNUR460 002	11111	8.00 11.00	1	9	2,625	210 30	00000	
4	A000 1112	HNUR123 001	11111	8.00 14.30	1	11	2,625	210 30	00000	
4	A000 1112	HNUR123 002	11111	8.00 14.30	1	9	2,625	210 30	00000	
4	8	A000 1112	HNUR523 001	11111	8.00 14.30	1	11	2,625	210 30	00000
4	8	A000 1112	HNUR523 002	11111	8.00 14.30	1	9	2,625	210 30	00000
8	A000 1112	HNUR611 001	11111	12.00 14.30	1	11	2,625	210 30	00000	
8	A000 1112	HNUR611 002	11111	12.00 14.30	1	9	2,625	210 30	00000	
4	A000 2010	HCOR212 001	11111	6.00 14.03		15	675	210 12	00000	
4	8	A000 2010	HCOR212 002	11111	6.00 14.30	1	17	675	210 12	00000
8	A000 2010	BOTH120 001	11111	8.00 9.00	1	11	675	210 12	00000	
8	A000 2010	HCOR110 001	11111	8.00 9.30	1	10	675	210 12	00000	
8	A000 2010	HNUR211 001	11111	8.00 11.00	1	15	675	210 12	00000	
4	8	A000 2010	HCOR120 001	11111	8.00 14.30	1	17	675	210 12	00000
4	8	A000 2010	HEKG011 001	11111	8.00 16.00	1	18	675	210 12	00000
8	A000 2010	HPHL011 001	11111	9.30 14.00	1	16	675	210 12	00000	
8	A000 2010	HPHL022 001	11111	9.30 14.00	1	16	675	210 12	00000	
4	8	A000 2010	HCOR120 002	11111	9.30 15.00	1	9	675	210 12	00000
8	A000 2010	HMDT170 001	11111	11.30 14.30	1	19	675	210 12	00000	
8	A000 2010	HNUR211 002	11111	11.30 14.30	1	16	675	210 12	00000	
8	A000 2010	HCOR160 001	11111	14.00 15.00	1	13	675	210 12	00000	
8	A000 2010	HMDT170 002	11111	14.00 15.00	1	11	675	210 12	00000	
	A000 3001	MAST210 001	11111	8.00 8.50		17	770	210 15	00000	
	A000 3001	BUSE045 001	1 1 1	8.00 8.50	1	2	770	210 15	00000	
	A000 3001	JOBS450 001	1 1	8.00 9.15		8	770	210 15	00000	
	A000 3001	OSYS100 001	1 1 1	9.00 9.50		7	770	210 15	00000	
	A000 3001	CSRV000 001	1 1	9.25 10.40		10	770	210 15	00000	
	A000 3001	BUSE030 001	1 1 1	10.00 10.50		10	770	210 15	00000	
	A000 3001	BOTH240 001	1 1	10.50 12.05		10	770	210 15	00000	
	A000 3001	BOTH110 001	1 1 1	11.00 11.30		10	770	210 15	00000	
	A000 3001	OSYS530 001	1 1 1	11.00 11.50	1	2	770	210 15	00000	
	A000 3001	DVEN090 001	11111	13.00 13.50		2	770	210 15	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	3001	DVEN091 001	11111	13.00 13.50	1	10	770	210 15 00000
	A000	3001	DVRE090 001	11111	13.00 13.50	1	1	770	210 15 00000
	A000	3001	DVRE091 001	11111	13.00 13.50	1	5	770	210 15 00000
8	A000	3001	DVRE092 001	11111	13.00 13.50	1	6	770	210 15 00000
	A000	3001	DVRE090 002	11111	14.30 16.00		1	770	210 15 00000
	A000	3001	DVRE091 002	11111	14.30 16.00	1	5	770	210 15 00000
4	A000	4001	HCOR212 003	11111	8.30 15.00		11	500	210 15 00000
4	A000	4001	HCOR212 004	11111	8.30 15.00	1	10	500	210 15 00000
4	8	A000	HNUR211 003	11111	8.30 15.00	1	11	500	210 15 00000
4	8	A000	HNUR211 004	11111	8.30 15.00	1	10	500	210 15 00000
	A000	5001	CDYC110 001	1 1 1	8.00 8.50		8	330	210 10 00000
	A000	5001	CDYC140 001	1 1	8.00 9.15		8	330	210 10 00000
	A000	5001	CDYC151 001	11111	8.00 10.00	1	3	330	210 10 00000
8	A000	5001	CDYC241 001	11111	8.00 10.00	1	7	330	210 10 00000
8	A000	5001	CDYC341 001	11111	8.00 10.00	1	6	330	210 10 00000
8	A000	5001	CDYC211 001	11111	8.00 12.00	1	1	330	210 10 00000
8	A000	5001	CDYC120 001	1 1 1	9.00 9.50	1	8	330	210 10 00000
	A000	5001	CDYC130 001	1 1 1	10.00 10.50		10	330	210 10 00000
	A000	5001	CDYC310 001	1 1	10.50 12.05		9	330	210 10 00000
	A000	5001	CDYC110 002	1 1 1	12.00 12.50		4	330	210 10 00000
	A000	5001	CDYC140 002	1 1	12.15 13.30		4	330	210 10 00000
8	A000	5001	CDYC330 001	1 1	12.15 13.30	1	16	330	210 10 00000
8	A000	5001	CDYC420 001	11111	13.00 13.50	1	7	330	210 10 00000
8	A000	5001	CDYC320 001	1 1	13.40 14.55	1	9	330	210 10 00000
	A000	5001	CDYC220 001	1 1 1	14.00 14.50		9	330	210 10 00000
	A000	5001	ZPDV938 001	1 1	16.00 19.00		11	330	210 10 00000
	A000	5001	ZPDV927 001	1 1	16.00 19.00		11	330	210 10 00000
4	B000	1003	WELD120 003	11111	8.00 15.00		2	1,950	720 20 00000
4	B000	1003	WELD110 003	11111	8.30 15.00	1	12	1,950	720 20 00000
4	B000	1003	WELD140 003	11111	8.30 15.00	1	2	1,950	720 20 00000
4	B000	1003	WELD210 003	11111	8.30 15.00	1	12	1,950	720 20 00000
4	B000	1003	WELD310 003	11111	8.30 15.00	1	2	1,950	720 20 00000
4	8	B000	WELD410 003	11111	8.30 15.00	1	11	1,950	720 20 00000
4	8	B000	WELD411 003	11111	8.30 15.00	1	3	1,950	720 20 00000
	B000	1004	MACH350 001	1 1 1	8.00 8.50		2	840	210 15 00000
	B000	1004	ISYS650 001	11111	8.00 9.15	1	3	840	210 15 00000
	B000	1004	BOTH300 001	1 1 1	9.00 9.50	1	14	840	210 15 00000
	B000	1004	KYBD010 001	1 1	9.25 10.40		13	840	210 15 00000
	B000	1004	KYBD111 001	11111	10.00 10.50	1	7	840	210 15 00000
	B000	1004	CPTR002 001	1 1 1	11.00 11.50		13	840	210 15 00000
	B000	1004	JOBS450 003	11111	14.00 14.50		2	840	210 15 00000
	B000	1004	JOBS450 002	1 1 1	14.00 14.50	1	2	840	210 15 00000
	B000	1004	WKEY060 001	1 1 1	14.00 14.50	1	2	840	210 15 00000
4	B000	1005	WELD110 001	11111	8.00 15.00		3	4,700	720 25 00000
4	B000	1005	WELD110 002	11111	8.00 15.00	1	1	4,700	720 25 00000
4	B000	1005	WELD111 001	11111	8.00 15.00	1	1	4,700	720 25 00000
4	B000	1005	WELD112 001	11111	8.00 15.00	1	5	4,700	720 25 00000
4	B000	1005	WELD113 001	11111	8.00 15.00	1	7	4,700	720 25 00000
4	B000	1005	WELD114 001	11111	8.00 15.00	1	5	4,700	720 25 00000
4	B000	1005	WELD120 001	11111	8.00 15.00	1	2	4,700	720 25 00000
4	B000	1005	WELD130 001	11111	8.00 15.00	1	2	4,700	720 25 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	B000	1005	WELD140 001	11111	8.00 15.00	1	2	4,700	720 25 00000	
4	B000	1005	WELD210 001	11111	8.00 15.00	1	3	4,700	720 25 00000	
4	B000	1005	WELD210 002	11111	8.00 15.00	1	5	4,700	720 25 00000	
4	B000	1005	WELD220 001	11111	8.00 15.00	1	1	4,700	720 25 00000	
4	B000	1005	WELD221 001	11111	8.00 15.00	1	1	4,700	720 25 00000	
4	8	B000	1005	WELD230 001	11111	8.00 15.00	1	4	4,700	720 25 00000
4	8	B000	1005	WELD310 001	11111	8.00 15.00	1	1	4,700	720 25 00000
4	8	B000	1005	WELD310 002	11111	8.00 15.00	1	2	4,700	720 25 00000
4	8	B000	1005	WELD311 001	11111	8.00 15.00	1	4	4,700	720 25 00000
4	8	B000	1005	WELD320 001	11111	8.00 15.00	1	1	4,700	720 25 00000
4	8	B000	1005	WELD321 001	11111	8.00 15.00	1	1	4,700	720 25 00000
4	8	B000	1005	WELD322 001	11111	8.00 15.00	1	1	4,700	720 25 00000
4	8	B000	1005	WELD410 001	11111	8.00 15.00	1	3	4,700	720 25 00000
4	8	B000	1005	WELD411 001	11111	8.00 15.00	1	2	4,700	720 25 00000
4	8	B000	1005	WELD412 001	11111	8.00 15.00	1	6	4,700	720 25 00000
4	8	B000	1005	WELD420 001	11111	8.00 15.00	1	1	4,700	720 25 00000
4	8	B000	1005	WELD510 001	11111	8.00 15.00	1	9	4,700	720 25 00000
4	8	B000	1005	WELD511 001	11111	8.00 15.00	1	5	4,700	720 25 00000
4	8	B000	1005	WELD512 001	11111	8.00 15.00	1	4	4,700	720 25 00000
	B000	1005	WELD993 002	11111	18.00 21.00		16	4,700	720 25 00000	
	B000	1015	CLRP121 002	11111	8.00 11.00		3	5,350	720 20 00000	
	B000	1015	CLRP131 002	11111	8.00 11.00	1	3	5,350	720 20 00000	
	B000	1015	CLRP110 002	1111	8.00 11.00	1	3	5,350	720 20 00000	
4	B000	1015	CLRP110 001	11111	8.00 15.00	1	6	5,350	720 20 00000	
4	B000	1015	CLRP111 001	11111	8.00 15.00	1	4	5,350	720 20 00000	
4	B000	1015	CLRP121 001	11111	8.00 15.00	1	7	5,350	720 20 00000	
4	8	B000	1015	CLRP121 004	11111	8.00 15.00	1	5	5,350	720 20 00000
4	8	B000	1015	CLRP130 001	11111	8.00 15.00	1	6	5,350	720 20 00000
4	8	B000	1015	CLRP131 001	11111	8.00 15.00	1	6	5,350	720 20 00000
4	8	B000	1015	CLRP140 001	11111	8.00 15.00	1	6	5,350	720 20 00000
4	8	B000	1015	CLRP140 002	11111	8.00 15.00	1	2	5,350	720 20 00000
4	8	B000	1015	CLRP150 001	11111	8.00 15.00	1	4	5,350	720 20 00000
4	8	B000	1015	CLRP210 001	11111	8.00 15.00	1	1	5,350	720 20 00000
4	8	B000	1015	CLRP220 001	11111	8.00 15.00	1	3	5,350	720 20 00000
4	8	B000	1015	CLRP230 001	11111	8.00 15.00	1	2	5,350	720 20 00000
4	8	B000	1015	CLRP311 001	11111	8.00 15.00	1	1	5,350	720 20 00000
4	8	B000	1015	CLRP320 001	11111	8.00 15.00	1	3	5,350	720 20 00000
	8	B000	1015	CLRP121 003	11111	12.00 15.00	1	1	5,350	720 20 00000
	8	B000	1015	CLRP131 003	11111	12.00 15.00	1	1	5,350	720 20 00000
	8	B000	1015	CLRP110 003	1111	12.00 15.00	1	1	5,350	720 20 00000
4	B000	2011	CARP110 001	11111	8.00 15.00		3	2,604	720 20 00000	
4	B000	2011	CARP110 002	11111	8.00 15.00	1	6	2,604	720 20 00000	
4	B000	2011	CARP120 001	11111	8.00 15.00	1	3	2,604	720 20 00000	
4	B000	2011	CARP130 001	11111	8.00 15.00	1	4	2,604	720 20 00000	
4	B000	2011	CARP140 001	11111	8.00 15.00	1	4	2,604	720 20 00000	
4	B000	2011	CARP150 001	11111	8.00 15.00	1	6	2,604	720 20 00000	
4	B000	2011	CARP220 001	11111	8.00 15.00	1	3	2,604	720 20 00000	
4	B000	2011	CARP230 001	11111	8.00 15.00	1	1	2,604	720 20 00000	
4	8	B000	2011	CARP310 001	11111	8.00 15.00	1	1	2,604	720 20 00000
4	8	B000	2011	CARP320 001	11111	8.00 15.00	1	2	2,604	720 20 00000
4	8	B000	2011	CARP620 001	11111	8.00 15.00	1	5	2,604	720 20 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 73

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 65
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 138

TOTAL NUMBER OF RECORDS READ 153
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 153
NUMBER OF JOINT-CLASS RECORDS 119
NUMBER OF ALTERNATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L. T. C. -EVANGELINE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			144
WEEKLY STUDENT CONTACT HOURS	7683		7683
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1460		1460
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12960	7200	20160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24126		24126
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15366		15366
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	180.2	.0	115.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	118.6	.0	76.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.7	.0	63.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			144
WEEKLY STUDENT CONTACT HOURS	7683		7683
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1460		1460
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12960	7200	20160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24126		24126
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15366		15366
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	180.2	.0	115.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	118.6	.0	76.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.7	.0	63.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY