

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0100	CDYC1341002	1 1 1	9.00 11.50		1	405	110 18	00000
	A000	0101	HNUR2220001	11111	7.00 12.00		10	760	210 20	00000
	A000	0101	HNUR2220002	11111	7.00 12.00	1	8	760	210 20	00000
	A000	0101	HNUR2220003	11111	7.00 12.00	1	8	760	210 20	00000
8	A000	0101	HNUR2222001	11111	7.00 12.00	1	8	760	210 20	00000
8	A000	0101	HNUR2222002	11111	7.00 12.00	1	10	760	210 20	00000
8	A000	0101	HNUR2230001	11111	7.00 12.00	1	10	760	210 20	00000
8	A000	0101	HPHM1400001	11111	8.00 10.00	1	21	760	210 20	00000
4	8	A000	HPHM1513001	11111	8.00 15.30	1	21	760	210 20	00000
8	A000	0101	HPHM1300001	11111	10.00 12.00	1	19	760	210 20	00000
4	8	A000	HPHM1503001	11111	10.00 15.30	1	21	760	210 20	00000
8	A000	0101	HPHM1200001	11111	13.00 15.30	1	19	760	210 20	00000
	A000	0102	CDYC1341002	1 1 1	9.00 11.50		1	1,024	210 20	00000
	A000	0103	HNUR2113001	11111	7.00 12.00		8	544	210 11	00000
8	A000	0103	HNUR2113002	11111	7.00 12.00	1	10	544	210 11	00000
8	A000	0103	HNUR2113003	11111	7.00 12.00	1	8	544	210 11	00000
8	A000	0103	HNUR2113004	11111	7.00 12.00	1	7	544	210 11	00000
8	A000	0103	HNUR2222003	11111	7.00 12.00	1	8	544	210 11	00000
8	A000	0103	HNUR2230002	11111	7.00 12.00	1	10	544	210 11	00000
8	A000	0103	HNUR2230003	11111	7.00 12.00	1	9	544	210 11	00000
8	A000	0103	HNUR2232001	11111	7.00 12.00	1	10	544	210 11	00000
8	A000	0103	HNUR2232002	11111	7.00 12.00	1	10	544	210 11	00000
8	A000	0103	HNUR2232003	11111	7.00 12.00	1	9	544	210 11	00000
4	8	A000	JOBS2450001	11111	8.00 13.50	1	36	544	210 11	00000
8	A000	0103	HNUR1460001	11111	13.00 15.00	1	38	544	210 11	00000
8	A000	0103	HNUR2523001	11111	13.00 15.00	1	8	544	210 11	00000
8	A000	0103	HNUR2523002	11111	13.00 15.00	1	7	544	210 11	00000
8	A000	0103	HNUR2523003	11111	13.00 15.00	1	7	544	210 11	00000
8	A000	0103	HNUR2813001	11111	13.00 15.00	1	7	544	210 11	00000
8	A000	0103	HNUR2813002	11111	13.00 15.00	1	8	544	210 11	00000
8	A000	0103	HNUR2813003	11111	13.00 15.00	1	7	544	210 11	00000
8	A000	0105	ORNT1000001	111	8.00 12.50		212	1,680	110 90	00000
	A000	0105	HNUR1460002	11111	13.00 15.00		1	1,680	110 90	00000
	A000	0105	HNUR1300001	111	15.15 17.15		79	1,680	110 90	00000
4	A000	0105A	SURG1311001	1 1 1	8.00 14.00		6	238	210 7	00000
4	A000	0105A	SURG1311002	1 1 1	8.00 14.00	1	5	238	210 7	00000
	A000	0106	CDYC1210001	1 1	12.15 13.30		3	986	210 20	00000
	A000	0106	CDYC1332001	1 1 1	13.00 13.50		1	986	210 20	00000
	A000	0106	CDYC1420001	1 1 1	14.00 14.50		2	986	210 20	00000
	A000	0106	CDYC1410001	1 1	14.00 15.50		1	986	210 20	00000
	A000	0107	CPTR1002001	1 1 1	8.00 8.50		18	620	210 20	00000
	A000	0107	CSRV1000002	1 1	8.00 9.15		21	620	210 20	00000
	A000	0107	KYBD1010001	1 1 1	9.00 9.50		19	620	210 20	00000
	A000	0107	CPTR1002006	1 1	9.25 10.45		21	620	210 20	00000
	A000	0107	BOTH2110001	1 1 1	10.00 10.50		13	620	210 20	00000
	A000	0107	MACH1350001	1 1 1	10.00 10.50	1	3	620	210 20	00000
	A000	0107	KYBD1111001	1111	11.00 11.50		20	620	210 20	00000
	A000	0107	CPTR1002004	1 1 1	13.00 13.50		18	620	210 20	00000
	A000	0107	BOTL1300001	1 1	13.40 14.55		8	620	210 20	00000
	A000	0107	CULN1110001	1 1 1	14.00 14.50		23	620	210 20	00000
	A000	0108A	SURG2300001	1	8.00 10.00		4	440	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0108A	SURG2300002	1	8.00 10.00	1	5	440	210 15 00000
4	A000	0108A	SURG1311001	1 1 1	8.00 14.00	1	6	440	210 15 00000
4	A000	0108A	SURG1311002	1 1 1	8.00 14.00	1	5	440	210 15 00000
4	A000	0108A	SURG1201002	1 1	8.00 14.00		5	440	210 15 00000
	A000	0110	SURG1101001	1	8.00 11.00		6	1,034	210 20 00000
	A000	0110	SURG1101002	1	8.00 11.00	1	5	1,034	210 20 00000
4	A000	0110	SURG1311001	1 1 1	8.00 14.00	1	6	1,034	210 20 00000
4	A000	0110	SURG1311002	1 1 1	8.00 14.00	1	5	1,034	210 20 00000
4	A000	0110	SURG1201001	1 1	8.00 14.00		6	1,034	210 20 00000
4	A000	0110	SURG1201002	1 1	8.00 14.00	1	5	1,034	210 20 00000
4	8	A000	0110B	SURG1311001	1 1 1	8.00 14.00	6	252	215 00000
4	8	A000	0110B	SURG1311002	1 1 1	8.00 14.00	5	252	215 00000
4	8	A000	0110B	SURG1201002	1 1	8.00 14.00	5	252	215 00000
	A000	0112	CULN1140001	11111	8.00 8.50		24	2,752	630 120 00000
	A000	0112	CULN1220001	1 1 1	8.00 8.50	1	9	2,752	630 120 00000
	A000	0112	CULN1110002	1 1	8.00 9.15		11	2,752	630 120 00000
	A000	0112	JOBS2450005	1 1	8.00 9.15	1	5	2,752	630 120 00000
4	A000	0112	CULN1321003	1 1	8.00 13.30	1	1	2,752	630 120 00000
	A000	0112	CULN1170001	11111	9.00 9.50	1	20	2,752	630 120 00000
	A000	0112	CULN1160001	1 1 1	10.00 10.50		7	2,752	630 120 00000
	A000	0112	CULN1130001	11111	10.00 11.50	1	24	2,752	630 120 00000
	A000	0112	CULN1240001	11111	12.00 13.05		14	2,752	630 120 00000
	A000	0112	CULN2430002	11111	14.00 14.50		1	2,752	630 120 00000
	A000	0112	JOBS2450007	11111	14.30 15.30	1	1	2,752	630 120 00000
	A000	0112	CULN1321001	11111	15.00 15.50	1	9	2,752	630 120 00000
	A000	0112A	CULN2430001	1 1 1	10.00 11.50		14	483	110 15 00000
	A000	0112A	CULN2310001	11111	12.00 13.50		10	483	110 15 00000
	A000	0112A	ORNT1000004	1 1	14.30 15.30		5	483	110 15 00000
	A000	0112B	CULN1140001	11111	8.00 8.50		24	3,648	210 20 00000
	A000	0112B	CULN1240001	11111	12.00 13.05		14	3,648	210 20 00000
	A000	0112B	CULN2310001	11111	12.00 13.50	1	10	3,648	210 20 00000
	A000	0114	ACCT1100001	1111	8.00 8.50		21	945	210 30 00000
	A000	0114	ACCT1200001	1111	9.00 9.50		12	945	210 30 00000
	A000	0114	BUSE1030001	1 1 1	10.00 10.50		19	945	210 30 00000
	A000	0114	ACCT1300001	1 1	10.50 12.30		15	945	210 30 00000
	A000	0114	BUSM1050001	1 1 1	11.00 12.05		24	945	210 30 00000
	A000	0114	ZPDV0940001	1	17.30 20.30		14	945	210 30 00000
	A000	0201	OSYS1100001	1 1 1	8.00 8.50		18	576	210 20 00000
	A000	0201	CPTR1002005	1 1	8.00 9.15		17	576	210 20 00000
	A000	0201	BOTH1230001	1 1 1	9.00 9.50		19	576	210 20 00000
	A000	0201	HURM1100001	1 1	9.25 10.40		16	576	210 20 00000
	A000	0201	BUSE1045001	1 1 1	10.00 10.50		21	576	210 20 00000
	A000	0201	JOBS2450002	1 1	10.50 11.40		17	576	210 20 00000
	A000	0201	BOTH1210001	1 1 1	11.00 11.50		20	576	210 20 00000
	A000	0201	CPTR1320001	1111	13.00 13.50		16	576	210 20 00000
	A000	0201	BOTL1210001	1 1 1	14.00 14.50		7	576	210 20 00000
	A000	0201	OSYS1100002	1 1 1	14.00 14.50	1	11	576	210 20 00000
	A000	0203	BOTH1240001	1 1 1	8.00 8.50		20	589	210 20 00000
	A000	0203	WKEY0070002	1 1	8.00 9.50		1	589	210 20 00000
	A000	0203	WKEY0071002	1 1	8.00 9.50	1	1	589	210 20 00000
	A000	0203	CSRV1000001	1 1 1	9.00 9.50		24	589	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0203	BOTH1300003	1 1	9.25 10.40		18	589	210 20 00000	
	A000	0203	IAMT2110001	1 1 1	10.00 10.50		3	589	210 20 00000	
	A000	0203	BOTH1120002	1 1	10.50 12.05		16	589	210 20 00000	
	A000	0203	WCLA1100001	1 1 1	11.00 12.05		3	589	210 20 00000	
	A000	0203	CPTR1002007	1 1	12.15 13.30		15	589	210 20 00000	
	A000	0203	BOTH1250001	1 1	12.15 14.00	1	2	589	210 20 00000	
	A000	0203	WKEY0070001	1 1 1	13.00 13.50		7	589	210 20 00000	
	A000	0203	WKEY0071001	1 1 1	13.00 13.50	1	4	589	210 20 00000	
	A000	0203	WKEY0081001	1 1 1	13.00 13.50	1	1	589	210 20 00000	
	A000	0203	WKEY0070003	1 1 1	14.00 14.50		1	589	210 20 00000	
	A000	0203	WKEY0080003	1 1 1	14.00 14.50	1	2	589	210 20 00000	
	A000	0203	ZPDV0906001	1 1	17.00 19.00		8	589	210 20 00000	
	A000	0300	AHMA1000001	1111	8.00 8.50		4	459	110 30 00000	
	A000	0300	AHSC1000001	1111	8.00 8.50	1	16	459	110 30 00000	
	A000	0300	DVMA0090001	1111	8.00 8.50	1	9	459	110 30 00000	
	A000	0300	DVMA0091001	1111	8.00 8.50	1	5	459	110 30 00000	
8	A000	0300	ORNT1000002	111	8.00 12.50	1	37	459	110 30 00000	
8	A000	0300	AHMA1000002	1111	9.00 9.50	1	3	459	110 30 00000	
8	A000	0300	AHSC1000002	1111	9.00 9.50	1	12	459	110 30 00000	
8	A000	0300	DVMA0090002	1111	9.00 9.50	1	14	459	110 30 00000	
8	A000	0300	DVMA0091002	1111	9.00 9.50	1	5	459	110 30 00000	
	A000	0300	AHMA1000003	1111	10.00 10.50		1	459	110 30 00000	
	A000	0300	AHSC1000003	1111	10.00 10.50	1	8	459	110 30 00000	
	A000	0300	DVMA0090003	1111	10.00 10.50	1	19	459	110 30 00000	
	A000	0300	DVMA0091003	1111	10.00 10.50	1	4	459	110 30 00000	
	A000	0300	AHSC1000004	1111	13.00 13.50		6	459	110 30 00000	
	A000	0300	DVMA0090004	1111	13.00 13.50	1	9	459	110 30 00000	
	A000	0300	DVMA0091004	1111	13.00 13.50	1	4	459	110 30 00000	
	A000	0300	AHSC1000005	1111	14.00 14.50		5	459	110 30 00000	
	A000	0300	DVMA0090005	1111	14.00 14.50	1	2	459	110 30 00000	
	A000	0300	DVMA0091005	1111	14.00 14.50	1	3	459	110 30 00000	
	A000	0301	AHMA1000001	1111	8.00 8.50		4	1,000	110 20 00000	
	A000	0301	AHSC1000001	1111	8.00 8.50	1	16	1,000	110 20 00000	
	A000	0301	DVMA0090001	1111	8.00 8.50	1	9	1,000	110 20 00000	
8	A000	0301	DVMA0091001	1111	8.00 8.50	1	5	1,000	110 20 00000	
4	8	A000	0301	JOBS2450003	11111	8.00 13.50	1	7	1,000	110 20 00000
	8	A000	0301	AHMA1000002	1111	9.00 9.50	1	3	1,000	110 20 00000
	8	A000	0301	AHSC1000002	1111	9.00 9.50	1	12	1,000	110 20 00000
	8	A000	0301	DVMA0090002	1111	9.00 9.50	1	14	1,000	110 20 00000
	8	A000	0301	DVMA0091002	1111	9.00 9.50	1	5	1,000	110 20 00000
	A000	0301	AHMA1000003	1111	10.00 10.50		1	1,000	110 20 00000	
	A000	0301	AHSC1000003	1111	10.00 10.50	1	8	1,000	110 20 00000	
	A000	0301	DVMA0090003	1111	10.00 10.50	1	19	1,000	110 20 00000	
	8	A000	0301	DVMA0091003	1111	10.00 10.50	1	4	1,000	110 20 00000
	A000	0301	AHSC1000004	1111	13.00 13.50		6	1,000	110 20 00000	
	A000	0301	DVMA0090004	1111	13.00 13.50	1	9	1,000	110 20 00000	
	A000	0301	DVMA0091004	1111	13.00 13.50	1	4	1,000	110 20 00000	
	A000	0301	AHSC1000005	1111	14.00 14.50		5	1,000	110 20 00000	
	A000	0301	DVMA0090005	1111	14.00 14.50	1	2	1,000	110 20 00000	
	A000	0301	DVMA0091005	1111	14.00 14.50	1	3	1,000	110 20 00000	
	A000	0302	CLTS2450001	1 1	9.00 10.30		14	459	210 20 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0302	HPHL1011002	1 1	12.45 15.15		13	459	210 20 00000	
	A000	0302	CLTS2080001	1 1	13.00 15.00	1	14	459	210 20 00000	
	A000	0302	ZTEC0309111	1	17.00 21.00		19	459	210 20 00000	
	A000	0302	ZTEC0309211	11	17.00 21.00		20	459	210 20 00000	
8	A000	0402	BUSM1050001	1 1 1	11.00 12.05		24	704	210 15 00000	
8	A000	0402	CSRV1000003	1 1 1	13.00 13.50		25	704	210 15 00000	
	A000	0402	SPPR2991001	1 1	13.00 13.50		3	704	210 15 00000	
	A000	0404	SPPR2991002	1 1	8.00 8.50		4	680	210 21 00000	
	A000	0404	ACCT1500001	111	8.00 9.15		7	680	210 21 00000	
	A000	0404	BOTH1120001	1 1 1	9.00 9.50	1	21	680	210 21 00000	
	A000	0404	BOTH1300002	1 1	9.25 10.40		19	680	210 21 00000	
	A000	0404	BOTH1300001	1 1 1	10.00 10.50		19	680	210 21 00000	
	A000	0404	KYBD1010003	1 1	10.50 12.05		17	680	210 21 00000	
	A000	0404	CPTR1002003	1 1 1	11.00 11.50		22	680	210 21 00000	
	A000	0404	KYBD1111002	1111	13.00 13.50		12	680	210 21 00000	
	A000	0404	KYBD1010002	1 1 1	13.00 13.50	1	8	680	210 21 00000	
4	A000	0408	WELD1120001	11111	6.30 12.15		6	1,540	210 30 00000	
4	A000	0408	WELD1110001	11111	6.30 12.45	1	10	1,540	210 30 00000	
4	A000	0408	WELD1130001	11111	6.30 12.45	1	5	1,540	210 30 00000	
4	A000	0408	WELD1140001	11111	6.30 12.45	1	10	1,540	210 30 00000	
4	A000	0408	WELD1210001	11111	6.30 12.45	1	9	1,540	210 30 00000	
4	A000	0408	WELD1310001	11111	6.30 12.45	1	3	1,540	210 30 00000	
4	8	A000	0408	WELD1410001	11111	6.30 12.45	1	12	1,540	210 30 00000
4	8	A000	0408	WELD1411001	11111	6.30 12.45	1	12	1,540	210 30 00000
4	8	A000	0408	WELD1412001	11111	6.30 12.45	1	3	1,540	210 30 00000
4	8	A000	0408	WELD1420001	11111	6.30 12.45	1	4	1,540	210 30 00000
4	8	A000	0408	WELD1510001	11111	6.30 12.45	1	1	1,540	210 30 00000
4	8	A000	0408	WELD1511001	11111	6.30 12.45	1	2	1,540	210 30 00000
4	8	A000	0408	WELD1512001	11111	6.30 12.45	1	1	1,540	210 30 00000
4	8	A000	0408	WELD2110001	11111	6.30 12.45	1	6	1,540	210 30 00000
4	8	A000	0408	WELD2111001	11111	6.30 12.45	1	6	1,540	210 30 00000
4	8	A000	0408	WELD2113001	11111	6.30 12.45	1	1	1,540	210 30 00000
4	8	A000	0408	WELD2210001	11111	6.30 12.45	1	5	1,540	210 30 00000
4	8	A000	0408	WELD2221001	11111	6.30 12.45	1	1	1,540	210 30 00000
4	8	A000	0408	WELD2230001	11111	6.30 12.45	1	6	1,540	210 30 00000
4	8	A000	0408	WELD2310001	11111	6.30 12.45	1	5	1,540	210 30 00000
4	8	A000	0408	WELD2311001	11111	6.30 12.45	1	6	1,540	210 30 00000
4	8	A000	0408	WELD2320001	11111	6.30 12.45	1	1	1,540	210 30 00000
4	8	A000	0408	WELD2440001	11111	6.30 12.45	1	6	1,540	210 30 00000
4	8	A000	0408	WELD2441001	11111	6.30 12.45	1	5	1,540	210 30 00000
4	8	A000	0408	WELD2991001	11111	6.30 12.45	1	1	1,540	210 30 00000
4	8	A000	0408	ORNT1000001	111	8.00 12.50	1	212	1,540	210 30 00000
4	A000	0409	BARB1110001	11111	8.00 14.45		4	1,485	210 12 00000	
4	A000	0409	BARB1120001	11111	8.00 14.45	1	4	1,485	210 12 00000	
4	A000	0409	BARB1120002	11111	8.00 14.45	1	1	1,485	210 12 00000	
4	A000	0409	BARB1131001	11111	8.00 14.45	1	5	1,485	210 12 00000	
4	A000	0409	BARB1160001	11111	8.00 14.45	1	1	1,485	210 12 00000	
4	8	A000	0409	BARB1160002	11111	8.00 14.45	1	4	1,485	210 12 00000
4	8	A000	0409	BARB1211001	11111	8.00 14.45	1	5	1,485	210 12 00000
4	8	A000	0409	BARB1220001	11111	8.00 14.45	1	1	1,485	210 12 00000
4	8	A000	0409	BARB1220002	11111	8.00 14.45	1	2	1,485	210 12 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0409	BARB1321002	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1330002	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1341001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1350001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1420001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1430001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1441001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1441002	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB1441003	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2111001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2120001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2120002	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2120003	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2131001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2131002	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2131003	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2630001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2991002	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2993001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2993002	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2995001	111111	8.00 14.45	1	1,485	210 12	00000
4	8	A000 0409	BARB2995002	111111	8.00 14.45	1	1,485	210 12	00000
8		A000 0411	ORNT1000001	111	8.00 12.50	212	1,705	110 40	00000
		A000 0413	AHEN1000001	1111	8.00 8.50	1	1,430	210 30	00000
		A000 0413	AHRE1000001	1111	8.00 8.50	1	1,430	210 30	00000
		A000 0413	DVEN0091001	1111	8.00 8.50	1	1,430	210 30	00000
		A000 0413	DVEN0092001	1111	8.00 8.50	1	1,430	210 30	00000
		A000 0413	DVMA0092001	1111	8.00 8.50	1	1,430	210 30	00000
		A000 0413	DVRE0091001	1111	8.00 8.50	1	1,430	210 30	00000
		A000 0413	DVRE0092001	1111	8.00 8.50	1	1,430	210 30	00000
		A000 0413	DVEN0090008	1	8.00 11.00	1	1,430	210 30	00000
		A000 0413	AHEN1000002	1111	9.00 9.50	1	1,430	210 30	00000
		A000 0413	AHRE1000002	1111	9.00 9.50	1	1,430	210 30	00000
		A000 0413	DVEN0091002	1111	9.00 9.50	1	1,430	210 30	00000
		A000 0413	DVMA0092002	1111	9.00 9.50	1	1,430	210 30	00000
		A000 0413	DVRE0090002	1111	9.00 9.50	1	1,430	210 30	00000
8		A000 0413	DVRE0091002	1111	9.00 9.50	1	1,430	210 30	00000
8		A000 0413	DVRE0092002	1111	9.00 9.50	1	1,430	210 30	00000
		A000 0413	AHRE1000003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	DVEN0090003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	DVEN0091003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	DVEN0092003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	DVMA0092003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	DVRE0090003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	DVRE0091003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	DVRE0092003	1111	10.00 10.50	1	1,430	210 30	00000
		A000 0413	AHRE1000004	1111	13.00 13.50	1	1,430	210 30	00000
		A000 0413	DVEN0091004	1111	13.00 13.50	1	1,430	210 30	00000
		A000 0413	DVEN0092004	1111	13.00 13.50	1	1,430	210 30	00000
		A000 0413	DVMA0092004	1111	13.00 13.50	1	1,430	210 30	00000
		A000 0413	DVRE0092004	1111	13.00 13.50	1	1,430	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	A000	0413	DVRE0090008	1	13.00 16.00	1	1	1,430	210 30	00000	
	A000	0413	AHRE1000005	1111	14.00 14.50	1	2	1,430	210 30	00000	
	A000	0413	DVMA0092005	1111	14.00 14.50	1	2	1,430	210 30	00000	
	A000	0413	DVRE0090005	1111	14.00 14.50	1	1	1,430	210 30	00000	
	A000	0413	DVRE0091005	1111	14.00 14.50	1	2	1,430	210 30	00000	
	A000	0413	DVRE0092005	1111	14.00 14.50	1	1	1,430	210 30	00000	
	A000	0413	AHEN1000006	1111	15.00 15.50	1	1	1,430	210 30	00000	
	A000	0413	DVEN0091006	1111	15.00 15.50	1	1	1,430	210 30	00000	
	A000	0413	DVMA0092006	1111	15.00 15.50	1	2	1,430	210 30	00000	
	A000	0413	DVRE0092006	1111	15.00 15.50	1	1	1,430	210 30	00000	
	A000	0415	HNUR2113001	111111	7.00 12.00		8	472	210 15	00000	
	A000	0415	HNUR2113002	111111	7.00 12.00	1	10	472	210 15	00000	
8	A000	0415	HNUR2113003	111111	7.00 12.00	1	8	472	210 15	00000	
8	A000	0415	HNUR2113004	111111	7.00 12.00	1	7	472	210 15	00000	
8	A000	0415	SURG2300001	1	8.00 10.00	1	4	472	210 15	00000	
8	A000	0415	SURG2300002	1	8.00 10.00	1	5	472	210 15	00000	
8	A000	0415	ORNT1000001	111	8.00 12.50		212	472	210 15	00000	
4	8	A000	0415	SURG1201002	1 1	8.00 14.00	1	5	472	210 15	00000
4	A000	0500	CPTR1000001	111111	8.00 14.30		3	4,709	210 22	00000	
4	A000	0500	ELEC1120001	111111	8.00 14.30	1	7	4,709	210 22	00000	
4	A000	0500	ELEC1210001	111111	8.00 14.30	1	8	4,709	210 22	00000	
4	A000	0500	ELEC1220001	111111	8.00 14.30	1	10	4,709	210 22	00000	
4	A000	0500	ELEC1230001	111111	8.00 14.30	1	5	4,709	210 22	00000	
4	8	A000	0500	ELEC1311001	111111	8.00 14.30	1	14	4,709	210 22	00000
4	8	A000	0500	ELEC1330001	111111	8.00 14.30	1	7	4,709	210 22	00000
4	8	A000	0500	ELEC1410001	111111	8.00 14.30	1	3	4,709	210 22	00000
4	8	A000	0500	ELEC1420001	111111	8.00 14.30	1	7	4,709	210 22	00000
4	8	A000	0500	ELEC1430001	111111	8.00 14.30	1	7	4,709	210 22	00000
4	8	A000	0500	ELEC1440001	111111	8.00 14.30	1	4	4,709	210 22	00000
4	8	A000	0500	ELEC2460001	111111	8.00 14.30	1	4	4,709	210 22	00000
4	8	A000	0500	ELEC2542001	111111	8.00 14.30	1	3	4,709	210 22	00000
4	8	A000	0500	ELEC2991001	111111	8.00 14.30	1	3	4,709	210 22	00000
4	8	A000	0500	ELEC2993001	111111	8.00 14.30	1	1	4,709	210 22	00000
4	8	A000	0500	ELEC2996001	111111	8.00 14.30	1	1	4,709	210 22	00000
	A000	0500	ZTEC0604001	1 1	18.00 21.00		1	4,709	210 22	00000	
	A000	0500	ZTEC0605001	1 1	18.00 21.00	1	1	4,709	210 22	00000	
	A000	0500	ZTEC0606001	1 1	18.00 21.00	1	1	4,709	210 22	00000	
	A000	0500	ZTEC0607001	1 1	18.00 21.00	1	4	4,709	210 22	00000	
	A000	0500	ZTEC0608001	1 1	18.00 21.00	1	1	4,709	210 22	00000	
4	A000	0500C	CPTR2710001	111111	8.00 14.50		12	315	110 15	00000	
4	A000	0500C	ELTR2840001	111111	8.00 14.50	1	3	315	110 15	00000	
4	A000	0500C	ETRN1220001	111111	8.00 14.50	1	6	315	110 15	00000	
4	8	A000	0500C	ETRN1250001	111111	8.00 14.50	1	15	315	110 15	00000
4	8	A000	0500C	ETRN2110001	111111	8.00 14.50	1	5	315	110 15	00000
4	8	A000	0500C	ETRN2120001	111111	8.00 14.50	1	12	315	110 15	00000
4	8	A000	0500C	ETRN2130001	111111	8.00 14.50	1	11	315	110 15	00000
4	8	A000	0500C	IDEL2720001	111111	8.00 14.50	1	4	315	110 15	00000
4	8	A000	0500D	ELTR2800001	111111	8.00 14.50		23	342	215	00000
4	8	A000	0500D	ETRN1120001	111111	8.00 14.50	1	17	342	215	00000
4	8	A000	0500D	ETRN1130001	111111	8.00 14.50	1	17	342	215	00000
4	8	A000	0500D	ETRN1210001	111111	8.00 14.50	1	17	342	215	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 7

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	A000 0500D	ETRN1230001	11111	8.00 14.50	1	6	342	215	00000
4	8	A000 0500D	ETRN1240001	11111	8.00 14.50	1	7	342	215	00000
4	8	A000 0500D	MATH1110001	11111	8.00 14.50	1	9	342	215	00000
4		A000 0501	CLTS2912001	11111	7.00 15.30		2	2,394	210 20	00000
4		A000 0501	CLTS2922001	11111	7.00 15.30	1	2	2,394	210 20	00000
4		A000 0501	CLTS2922003	11111	7.00 15.30	1	2	2,394	210 20	00000
4		A000 0501	CLTS2932002	11111	7.00 15.30	1	2	2,394	210 20	00000
4		A000 0501	CLTS2932003	11111	7.00 15.30	1	1	2,394	210 20	00000
4		A000 0501	CLTS2942002	11111	7.00 15.30	1	2	2,394	210 20	00000
4		A000 0501	CLTS2942003	11111	7.00 15.30	1	1	2,394	210 20	00000
4		A000 0501	JOBS2450006	11111	8.00 13.50	1	10	2,394	210 20	00000
	8	A000 0501	CLTS1030001	1 1 1	8.30 9.35	1	9	2,394	210 20	00000
	8	A000 0501	MAST1210001	1 1 1	8.30 9.45	1	11	2,394	210 20	00000
		A000 0501	CLTS2450001	1 1	9.00 10.30		14	2,394	210 20	00000
	8	A000 0501	CLTS2710001	1 1	9.00 11.15	1	21	2,394	210 20	00000
		A000 0501	CLTS2410001	1 1 1	9.45 10.50		26	2,394	210 20	00000
	8	A000 0501	HCOR1160001	1	10.00 10.50	1	11	2,394	210 20	00000
		A000 0501	HPHL1011001	1 1	10.35 13.35		11	2,394	210 20	00000
		A000 0501	CHEM1410001	1 1 1	11.00 12.05		24	2,394	210 20	00000
	8	A000 0501	CLTS1030002	1 1 1	11.00 12.05	1	8	2,394	210 20	00000
		A000 0501	CLTS2910001	1	12.30 15.30		4	2,394	210 20	00000
		A000 0501	HPHL1011002	1 1	12.45 15.15		13	2,394	210 20	00000
		A000 0501	CLTS2411001	1	13.00 15.00		25	2,394	210 20	00000
		A000 0501	CLTS2080001	1 1	13.00 15.00		14	2,394	210 20	00000
		A000 0501	CLTS2080002	1 1	13.00 15.00	1	14	2,394	210 20	00000
		A000 0503A	AUTO1500002	11111	8.00 11.00		1	2,080	210 20	00000
		A000 0503A	AUTO1510002	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1520002	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1530002	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1540005	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1630005	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1640005	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1650005	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1660005	11111	8.00 11.00	1	1	2,080	210 20	00000
		A000 0503A	AUTO1540002	1111	8.00 11.00	1	1	2,080	210 20	00000
4		A000 0503A	MTTC2120001	11111	8.00 14.45	1	9	2,080	210 20	00000
4	8	A000 0503A	AUTO1500001	11111	8.00 14.50	1	16	2,080	210 20	00000
4	8	A000 0503A	AUTO1500004	11111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1500007	11111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1510001	11111	8.00 14.50	1	16	2,080	210 20	00000
4	8	A000 0503A	AUTO1510004	11111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1510007	11111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1520001	11111	8.00 14.50	1	16	2,080	210 20	00000
4	8	A000 0503A	AUTO1520004	11111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1530001	11111	8.00 14.50	1	16	2,080	210 20	00000
4	8	A000 0503A	AUTO1530004	11111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1540001	11111	8.00 14.50	1	16	2,080	210 20	00000
4	8	A000 0503A	AUTO1540004	11111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1600001	11111	8.00 14.50	1	15	2,080	210 20	00000
4	8	A000 0503A	AUTO1600004	11111	8.00 14.50	1	13	2,080	210 20	00000
4	8	A000 0503A	AUTO1600007	11111	8.00 14.50	1	1	2,080	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 8

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	A000 0503A	AUTO1610001	111111	8.00 14.50	1	15	2,080	210 20	00000
4	8	A000 0503A	AUTO1610004	111111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1610007	111111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1620001	111111	8.00 14.50	1	15	2,080	210 20	00000
4	8	A000 0503A	AUTO1620004	111111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1620007	111111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1630001	111111	8.00 14.50	1	15	2,080	210 20	00000
4	8	A000 0503A	AUTO1630004	111111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1630007	111111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1640001	111111	8.00 14.50	1	15	2,080	210 20	00000
4	8	A000 0503A	AUTO1640004	111111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1640007	111111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1650001	111111	8.00 14.50	1	14	2,080	210 20	00000
4	8	A000 0503A	AUTO1650004	111111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1650007	111111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1660001	111111	8.00 14.50	1	15	2,080	210 20	00000
4	8	A000 0503A	AUTO1660004	111111	8.00 14.50	1	12	2,080	210 20	00000
4	8	A000 0503A	AUTO1660007	111111	8.00 14.50	1	1	2,080	210 20	00000
4	8	A000 0503A	AUTO1800001	111111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1800004	111111	8.00 14.50	1	8	2,080	210 20	00000
4	8	A000 0503A	AUTO1810001	111111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1810004	111111	8.00 14.50	1	8	2,080	210 20	00000
4	8	A000 0503A	AUTO1830001	111111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1840004	111111	8.00 14.50	1	9	2,080	210 20	00000
4	8	A000 0503A	AUTO1850001	111111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1850004	111111	8.00 14.50	1	8	2,080	210 20	00000
4	8	A000 0503A	AUTO1820001	1111	8.00 14.50	1	11	2,080	210 20	00000
4	8	A000 0503A	AUTO1820004	1111	8.00 14.50	1	8	2,080	210 20	00000
4	8	A000 0503A	AUTO1830004	1111	8.00 14.50	1	9	2,080	210 20	00000
4	8	A000 0503A	AUTO1840001	1111	8.00 14.50	1	11	2,080	210 20	00000
		A000 0503B	AUTO1500002	111111	8.00 11.00		1	396	110 20	00000
		A000 0503B	AUTO1510002	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1520002	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1530002	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1540005	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1630005	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1640005	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1650005	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1660005	111111	8.00 11.00	1	1	396	110 20	00000
		A000 0503B	AUTO1540002	1111	8.00 11.00	1	1	396	110 20	00000
4		A000 0503B	MTTC2210001	111111	8.00 14.45	1	7	396	110 20	00000
4	8	A000 0503B	AUTO1500001	111111	8.00 14.50	1	16	396	110 20	00000
4	8	A000 0503B	AUTO1500004	111111	8.00 14.50	1	11	396	110 20	00000
4	8	A000 0503B	AUTO1500007	111111	8.00 14.50	1	1	396	110 20	00000
4	8	A000 0503B	AUTO1510001	111111	8.00 14.50	1	16	396	110 20	00000
4	8	A000 0503B	AUTO1510004	111111	8.00 14.50	1	12	396	110 20	00000
4	8	A000 0503B	AUTO1510007	111111	8.00 14.50	1	1	396	110 20	00000
4	8	A000 0503B	AUTO1520001	111111	8.00 14.50	1	16	396	110 20	00000
4	8	A000 0503B	AUTO1520004	111111	8.00 14.50	1	12	396	110 20	00000
4	8	A000 0503B	AUTO1530001	111111	8.00 14.50	1	16	396	110 20	00000
4	8	A000 0503B	AUTO1530004	111111	8.00 14.50	1	12	396	110 20	00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 9

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0503B	AUTO1540001	111111	8.00 14.50	1	16	396	110 20 00000
4	8	A000 0503B	AUTO1540004	111111	8.00 14.50	1	12	396	110 20 00000
4	8	A000 0503B	AUTO1600001	111111	8.00 14.50	1	15	396	110 20 00000
4	8	A000 0503B	AUTO1600004	111111	8.00 14.50	1	13	396	110 20 00000
4	8	A000 0503B	AUTO1600007	111111	8.00 14.50	1	1	396	110 20 00000
4	8	A000 0503B	AUTO1610001	111111	8.00 14.50	1	15	396	110 20 00000
4	8	A000 0503B	AUTO1610004	111111	8.00 14.50	1	12	396	110 20 00000
4	8	A000 0503B	AUTO1610007	111111	8.00 14.50	1	1	396	110 20 00000
4	8	A000 0503B	AUTO1620001	111111	8.00 14.50	1	15	396	110 20 00000
4	8	A000 0503B	AUTO1620004	111111	8.00 14.50	1	11	396	110 20 00000
4	8	A000 0503B	AUTO1620007	111111	8.00 14.50	1	1	396	110 20 00000
4	8	A000 0503B	AUTO1630001	111111	8.00 14.50	1	15	396	110 20 00000
4	8	A000 0503B	AUTO1630004	111111	8.00 14.50	1	12	396	110 20 00000
4	8	A000 0503B	AUTO1630007	111111	8.00 14.50	1	1	396	110 20 00000
4	8	A000 0503B	AUTO1640001	111111	8.00 14.50	1	15	396	110 20 00000
4	8	A000 0503B	AUTO1640004	111111	8.00 14.50	1	12	396	110 20 00000
4	8	A000 0503B	AUTO1640007	111111	8.00 14.50	1	1	396	110 20 00000
4	8	A000 0503B	AUTO1650001	111111	8.00 14.50	1	14	396	110 20 00000
4	8	A000 0503B	AUTO1650004	111111	8.00 14.50	1	11	396	110 20 00000
4	8	A000 0503B	AUTO1650007	111111	8.00 14.50	1	1	396	110 20 00000
4	8	A000 0503B	AUTO1660001	111111	8.00 14.50	1	15	396	110 20 00000
4	8	A000 0503B	AUTO1660004	111111	8.00 14.50	1	12	396	110 20 00000
4	8	A000 0503B	AUTO1660007	111111	8.00 14.50	1	1	396	110 20 00000
4	8	A000 0503B	AUTO1800001	111111	8.00 14.50	1	11	396	110 20 00000
4	8	A000 0503B	AUTO1800004	111111	8.00 14.50	1	8	396	110 20 00000
4	8	A000 0503B	AUTO1810001	111111	8.00 14.50	1	11	396	110 20 00000
4	8	A000 0503B	AUTO1810004	111111	8.00 14.50	1	8	396	110 20 00000
4	8	A000 0503B	AUTO1830001	111111	8.00 14.50	1	11	396	110 20 00000
4	8	A000 0503B	AUTO1840004	111111	8.00 14.50	1	9	396	110 20 00000
4	8	A000 0503B	AUTO1850001	111111	8.00 14.50	1	11	396	110 20 00000
4	8	A000 0503B	AUTO1850004	111111	8.00 14.50	1	8	396	110 20 00000
4	8	A000 0503B	AUTO1820001	1111	8.00 14.50	1	11	396	110 20 00000
4	8	A000 0503B	AUTO1820004	1111	8.00 14.50	1	8	396	110 20 00000
4	8	A000 0503B	AUTO1830004	1111	8.00 14.50	1	9	396	110 20 00000
4	8	A000 0503B	AUTO1840001	1111	8.00 14.50	1	11	396	110 20 00000
		A000 0503G	AUTO1500002	111111	8.00 11.00		1	5,135	210 20 00000
		A000 0503G	AUTO1510002	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1520002	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1530002	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1540005	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1630005	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1640005	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1650005	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1660005	111111	8.00 11.00	1	1	5,135	210 20 00000
		A000 0503G	AUTO1540002	1111	8.00 11.00	1	1	5,135	210 20 00000
4		A000 0503G	MTTC2220001	111111	8.00 14.45	1	9	5,135	210 20 00000
4	8	A000 0503G	AUTO1500001	111111	8.00 14.50	1	16	5,135	210 20 00000
4	8	A000 0503G	AUTO1500004	111111	8.00 14.50	1	11	5,135	210 20 00000
4	8	A000 0503G	AUTO1500007	111111	8.00 14.50	1	1	5,135	210 20 00000
4	8	A000 0503G	AUTO1510001	111111	8.00 14.50	1	16	5,135	210 20 00000
4	8	A000 0503G	AUTO1510004	111111	8.00 14.50	1	12	5,135	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 10

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0503G	AUTO1510007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1520001	111111	8.00 14.50	1	16	5,135 210 20	00000
4	8	A000 0503G	AUTO1520004	111111	8.00 14.50	1	12	5,135 210 20	00000
4	8	A000 0503G	AUTO1530001	111111	8.00 14.50	1	16	5,135 210 20	00000
4	8	A000 0503G	AUTO1530004	111111	8.00 14.50	1	12	5,135 210 20	00000
4	8	A000 0503G	AUTO1540001	111111	8.00 14.50	1	16	5,135 210 20	00000
4	8	A000 0503G	AUTO1540004	111111	8.00 14.50	1	12	5,135 210 20	00000
4	8	A000 0503G	AUTO1600001	111111	8.00 14.50	1	15	5,135 210 20	00000
4	8	A000 0503G	AUTO1600004	111111	8.00 14.50	1	13	5,135 210 20	00000
4	8	A000 0503G	AUTO1600007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1610001	111111	8.00 14.50	1	15	5,135 210 20	00000
4	8	A000 0503G	AUTO1610004	111111	8.00 14.50	1	12	5,135 210 20	00000
4	8	A000 0503G	AUTO1610007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1620001	111111	8.00 14.50	1	15	5,135 210 20	00000
4	8	A000 0503G	AUTO1620004	111111	8.00 14.50	1	11	5,135 210 20	00000
4	8	A000 0503G	AUTO1620007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1630001	111111	8.00 14.50	1	15	5,135 210 20	00000
4	8	A000 0503G	AUTO1630004	111111	8.00 14.50	1	12	5,135 210 20	00000
4	8	A000 0503G	AUTO1630007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1640001	111111	8.00 14.50	1	15	5,135 210 20	00000
4	8	A000 0503G	AUTO1640004	111111	8.00 14.50	1	12	5,135 210 20	00000
4	8	A000 0503G	AUTO1640007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1650001	111111	8.00 14.50	1	14	5,135 210 20	00000
4	8	A000 0503G	AUTO1650004	111111	8.00 14.50	1	11	5,135 210 20	00000
4	8	A000 0503G	AUTO1650007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1660001	111111	8.00 14.50	1	15	5,135 210 20	00000
4	8	A000 0503G	AUTO1660004	111111	8.00 14.50	1	12	5,135 210 20	00000
4	8	A000 0503G	AUTO1660007	111111	8.00 14.50	1	1	5,135 210 20	00000
4	8	A000 0503G	AUTO1800001	111111	8.00 14.50	1	11	5,135 210 20	00000
4	8	A000 0503G	AUTO1800004	111111	8.00 14.50	1	8	5,135 210 20	00000
4	8	A000 0503G	AUTO1810001	111111	8.00 14.50	1	11	5,135 210 20	00000
4	8	A000 0503G	AUTO1810004	111111	8.00 14.50	1	8	5,135 210 20	00000
4	8	A000 0503G	AUTO1830001	111111	8.00 14.50	1	11	5,135 210 20	00000
4	8	A000 0503G	AUTO1840004	111111	8.00 14.50	1	9	5,135 210 20	00000
4	8	A000 0503G	AUTO1850001	111111	8.00 14.50	1	11	5,135 210 20	00000
4	8	A000 0503G	AUTO1850004	111111	8.00 14.50	1	8	5,135 210 20	00000
4	8	A000 0503G	AUTO1820001	1111	8.00 14.50	1	11	5,135 210 20	00000
4	8	A000 0503G	AUTO1820004	1111	8.00 14.50	1	8	5,135 210 20	00000
4	8	A000 0503G	AUTO1830004	1111	8.00 14.50	1	9	5,135 210 20	00000
4	8	A000 0503G	AUTO1840001	1111	8.00 14.50	1	11	5,135 210 20	00000
		A000 0503H	AUTO1500002	111111	8.00 11.00		1	550 210 5	00000
		A000 0503H	AUTO1510002	111111	8.00 11.00	1	1	550 210 5	00000
		A000 0503H	AUTO1520002	111111	8.00 11.00	1	1	550 210 5	00000
		A000 0503H	AUTO1530002	111111	8.00 11.00	1	1	550 210 5	00000
		A000 0503H	AUTO1540005	111111	8.00 11.00	1	1	550 210 5	00000
		A000 0503H	AUTO1630005	111111	8.00 11.00	1	1	550 210 5	00000
		A000 0503H	AUTO1640005	111111	8.00 11.00	1	1	550 210 5	00000
		A000 0503H	AUTO1650005	111111	8.00 11.00	1	1	550 210 5	00000
	8	A000 0503H	AUTO1660005	111111	8.00 11.00	1	1	550 210 5	00000
	8	A000 0503H	AUTO1540002	1111	8.00 11.00	1	1	550 210 5	00000
4	8	A000 0503H	MTTC2230001	111111	8.00 14.45	1	2	550 210 5	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 11

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	A000 0503H	AUTO1500001	111111	8.00 14.50	1	16	550	210 5	00000
4	8	A000 0503H	AUTO1500004	111111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1500007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1510001	111111	8.00 14.50	1	16	550	210 5	00000
4	8	A000 0503H	AUTO1510004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1510007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1520001	111111	8.00 14.50	1	16	550	210 5	00000
4	8	A000 0503H	AUTO1520004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1530001	111111	8.00 14.50	1	16	550	210 5	00000
4	8	A000 0503H	AUTO1530004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1540001	111111	8.00 14.50	1	16	550	210 5	00000
4	8	A000 0503H	AUTO1540004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1600001	111111	8.00 14.50	1	15	550	210 5	00000
4	8	A000 0503H	AUTO1600004	111111	8.00 14.50	1	13	550	210 5	00000
4	8	A000 0503H	AUTO1600007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1610001	111111	8.00 14.50	1	15	550	210 5	00000
4	8	A000 0503H	AUTO1610004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1610007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1620001	111111	8.00 14.50	1	15	550	210 5	00000
4	8	A000 0503H	AUTO1620004	111111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1620007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1630001	111111	8.00 14.50	1	15	550	210 5	00000
4	8	A000 0503H	AUTO1630004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1630007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1640001	111111	8.00 14.50	1	15	550	210 5	00000
4	8	A000 0503H	AUTO1640004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1640007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1650001	111111	8.00 14.50	1	14	550	210 5	00000
4	8	A000 0503H	AUTO1650004	111111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1650007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1660001	111111	8.00 14.50	1	15	550	210 5	00000
4	8	A000 0503H	AUTO1660004	111111	8.00 14.50	1	12	550	210 5	00000
4	8	A000 0503H	AUTO1660007	111111	8.00 14.50	1	1	550	210 5	00000
4	8	A000 0503H	AUTO1800001	111111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1800004	111111	8.00 14.50	1	8	550	210 5	00000
4	8	A000 0503H	AUTO1810001	111111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1810004	111111	8.00 14.50	1	8	550	210 5	00000
4	8	A000 0503H	AUTO1830001	111111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1840004	111111	8.00 14.50	1	9	550	210 5	00000
4	8	A000 0503H	AUTO1850001	111111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1850004	111111	8.00 14.50	1	8	550	210 5	00000
4	8	A000 0503H	AUTO1820001	1111	8.00 14.50	1	11	550	210 5	00000
4	8	A000 0503H	AUTO1820004	1111	8.00 14.50	1	8	550	210 5	00000
4	8	A000 0503H	AUTO1830004	1111	8.00 14.50	1	9	550	210 5	00000
4	8	A000 0503H	AUTO1840001	1111	8.00 14.50	1	11	550	210 5	00000
		A000 0503K	AUTO1500002	111111	8.00 11.00	1	1	220	210 5	00000
		A000 0503K	AUTO1510002	111111	8.00 11.00	1	1	220	210 5	00000
		A000 0503K	AUTO1520002	111111	8.00 11.00	1	1	220	210 5	00000
		A000 0503K	AUTO1530002	111111	8.00 11.00	1	1	220	210 5	00000
		A000 0503K	AUTO1540005	111111	8.00 11.00	1	1	220	210 5	00000
		A000 0503K	AUTO1630005	111111	8.00 11.00	1	1	220	210 5	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 12

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0503K	AUTO1640005	111111	8.00 11.00	1	220	210 5	00000
	A000	0503K	AUTO1650005	111111	8.00 11.00	1	220	210 5	00000
8	A000	0503K	AUTO1660005	111111	8.00 11.00	1	220	210 5	00000
8	A000	0503K	AUTO1540002	1111	8.00 11.00	1	220	210 5	00000
4 8	A000	0503K	MTTC2310001	111111	8.00 14.45	1	220	210 5	00000
4 8	A000	0503K	AUTO1500001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1500004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1500007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1510001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1510004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1510007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1520001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1520004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1530001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1530004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1540001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1540004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1600001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1600004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1600007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1610001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1610004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1610007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1620001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1620004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1620007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1630001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1630004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1630007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1640001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1640004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1640007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1650001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1650004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1650007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1660001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1660004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1660007	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1800001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1800004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1810001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1810004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1830001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1840004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1850001	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1850004	111111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1820001	1111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1820004	1111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1830004	1111	8.00 14.50	1	220	210 5	00000
4 8	A000	0503K	AUTO1840001	1111	8.00 14.50	1	220	210 5	00000
8	A000	0503N	AUTO1500002	111111	8.00 11.00	1	165	215	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 13

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000	0503N	AUTO1510002	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1520002	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1530002	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1540005	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1630005	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1640005	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1650005	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1660005	111111	8.00 11.00	1	165	215	00000
8	A000	0503N	AUTO1540002	1111	8.00 11.00	1	165	215	00000
4	8	A000	0503N	AUTO1500001	111111	8.00 14.50	16	215	00000
4	8	A000	0503N	AUTO1500004	111111	8.00 14.50	11	215	00000
4	8	A000	0503N	AUTO1500007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1510001	111111	8.00 14.50	16	215	00000
4	8	A000	0503N	AUTO1510004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1510007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1520001	111111	8.00 14.50	16	215	00000
4	8	A000	0503N	AUTO1520004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1530001	111111	8.00 14.50	16	215	00000
4	8	A000	0503N	AUTO1530004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1540001	111111	8.00 14.50	16	215	00000
4	8	A000	0503N	AUTO1540004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1600001	111111	8.00 14.50	15	215	00000
4	8	A000	0503N	AUTO1600004	111111	8.00 14.50	13	215	00000
4	8	A000	0503N	AUTO1600007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1610001	111111	8.00 14.50	15	215	00000
4	8	A000	0503N	AUTO1610004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1610007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1620001	111111	8.00 14.50	15	215	00000
4	8	A000	0503N	AUTO1620004	111111	8.00 14.50	11	215	00000
4	8	A000	0503N	AUTO1620007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1630001	111111	8.00 14.50	15	215	00000
4	8	A000	0503N	AUTO1630004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1630007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1640001	111111	8.00 14.50	15	215	00000
4	8	A000	0503N	AUTO1640004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1640007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1650001	111111	8.00 14.50	14	215	00000
4	8	A000	0503N	AUTO1650004	111111	8.00 14.50	11	215	00000
4	8	A000	0503N	AUTO1650007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1660001	111111	8.00 14.50	15	215	00000
4	8	A000	0503N	AUTO1660004	111111	8.00 14.50	12	215	00000
4	8	A000	0503N	AUTO1660007	111111	8.00 14.50	1	215	00000
4	8	A000	0503N	AUTO1800001	111111	8.00 14.50	11	215	00000
4	8	A000	0503N	AUTO1800004	111111	8.00 14.50	8	215	00000
4	8	A000	0503N	AUTO1810001	111111	8.00 14.50	11	215	00000
4	8	A000	0503N	AUTO1810004	111111	8.00 14.50	8	215	00000
4	8	A000	0503N	AUTO1830001	111111	8.00 14.50	11	215	00000
4	8	A000	0503N	AUTO1840004	111111	8.00 14.50	9	215	00000
4	8	A000	0503N	AUTO1850001	111111	8.00 14.50	11	215	00000
4	8	A000	0503N	AUTO1850004	111111	8.00 14.50	8	215	00000
4	8	A000	0503N	AUTO1820001	1111	8.00 14.50	11	215	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 14

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	A000 0503N	AUTO1820004	1111	8.00 14.50	1	8	165	215	00000
4	8	A000 0503N	AUTO1830004	1111	8.00 14.50	1	9	165	215	00000
4	8	A000 0503N	AUTO1840001	1111	8.00 14.50	1	11	165	215	00000
	8	A000 0503Q	AUTO1500002	11111	8.00 11.00		1	336	740	00000
	8	A000 0503Q	AUTO1510002	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1520002	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1530002	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1540005	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1630005	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1640005	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1650005	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1660005	11111	8.00 11.00	1	1	336	740	00000
	8	A000 0503Q	AUTO1540002	1111	8.00 11.00	1	1	336	740	00000
4	8	A000 0503Q	AUTO1500001	11111	8.00 14.50	1	16	336	740	00000
4	8	A000 0503Q	AUTO1500004	11111	8.00 14.50	1	11	336	740	00000
4	8	A000 0503Q	AUTO1500007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1510001	11111	8.00 14.50	1	16	336	740	00000
4	8	A000 0503Q	AUTO1510004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1510007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1520001	11111	8.00 14.50	1	16	336	740	00000
4	8	A000 0503Q	AUTO1520004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1530001	11111	8.00 14.50	1	16	336	740	00000
4	8	A000 0503Q	AUTO1530004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1540001	11111	8.00 14.50	1	16	336	740	00000
4	8	A000 0503Q	AUTO1540004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1600001	11111	8.00 14.50	1	15	336	740	00000
4	8	A000 0503Q	AUTO1600004	11111	8.00 14.50	1	13	336	740	00000
4	8	A000 0503Q	AUTO1600007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1610001	11111	8.00 14.50	1	15	336	740	00000
4	8	A000 0503Q	AUTO1610004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1610007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1620001	11111	8.00 14.50	1	15	336	740	00000
4	8	A000 0503Q	AUTO1620004	11111	8.00 14.50	1	11	336	740	00000
4	8	A000 0503Q	AUTO1620007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1630001	11111	8.00 14.50	1	15	336	740	00000
4	8	A000 0503Q	AUTO1630004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1630007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1640001	11111	8.00 14.50	1	15	336	740	00000
4	8	A000 0503Q	AUTO1640004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1640007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1650001	11111	8.00 14.50	1	14	336	740	00000
4	8	A000 0503Q	AUTO1650004	11111	8.00 14.50	1	11	336	740	00000
4	8	A000 0503Q	AUTO1650007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1660001	11111	8.00 14.50	1	15	336	740	00000
4	8	A000 0503Q	AUTO1660004	11111	8.00 14.50	1	12	336	740	00000
4	8	A000 0503Q	AUTO1660007	11111	8.00 14.50	1	1	336	740	00000
4	8	A000 0503Q	AUTO1800001	11111	8.00 14.50	1	11	336	740	00000
4	8	A000 0503Q	AUTO1800004	11111	8.00 14.50	1	8	336	740	00000
4	8	A000 0503Q	AUTO1810001	11111	8.00 14.50	1	11	336	740	00000
4	8	A000 0503Q	AUTO1810004	11111	8.00 14.50	1	8	336	740	00000
4	8	A000 0503Q	AUTO1830001	11111	8.00 14.50	1	11	336	740	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 15

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0503Q	AUTO1840004	111111	8.00 14.50	1	9	740	00000
4	8	A000 0503Q	AUTO1850001	111111	8.00 14.50	1	11	740	00000
4	8	A000 0503Q	AUTO1850004	111111	8.00 14.50	1	8	740	00000
4	8	A000 0503Q	AUTO1820001	1111	8.00 14.50	1	11	740	00000
4	8	A000 0503Q	AUTO1820004	1111	8.00 14.50	1	8	740	00000
4	8	A000 0503Q	AUTO1830004	1111	8.00 14.50	1	9	740	00000
4	8	A000 0503Q	AUTO1840001	1111	8.00 14.50	1	11	740	00000
4		A000 0504	MTTC2210002	111111	8.00 14.45		6	210 20	00000
4		A000 0504	MTTC2230002	111111	8.00 14.45	1	1	210 20	00000
4		A000 0504	MTTC2320001	111111	8.00 14.45	1	5	210 20	00000
4		A000 0504	MTTC2331001	111111	8.00 14.45	1	3	210 20	00000
4		A000 0504	MTTC2410001	111111	8.00 14.45	1	4	210 20	00000
4		A000 0504	MTTC2420001	111111	8.00 14.45	1	6	210 20	00000
4		A000 0504	MTTC2431001	111111	8.00 14.45	1	5	210 20	00000
4	8	A000 0504	MTTC2510001	111111	8.00 14.45	1	5	210 20	00000
4	8	A000 0504	MTTC2710001	111111	8.00 14.45	1	5	210 20	00000
4		A000 0506	WELD1120001	111111	6.30 12.15		6	210 40	00000
4		A000 0506	WELD1110001	111111	6.30 12.45	1	10	210 40	00000
4		A000 0506	WELD1130001	111111	6.30 12.45	1	5	210 40	00000
4		A000 0506	WELD1140001	111111	6.30 12.45	1	10	210 40	00000
4		A000 0506	WELD1210001	111111	6.30 12.45	1	9	210 40	00000
4		A000 0506	WELD1310001	111111	6.30 12.45	1	3	210 40	00000
4		A000 0506	WELD1410001	111111	6.30 12.45	1	12	210 40	00000
4	8	A000 0506	WELD1411001	111111	6.30 12.45	1	12	210 40	00000
4	8	A000 0506	WELD1412001	111111	6.30 12.45	1	3	210 40	00000
4	8	A000 0506	WELD1420001	111111	6.30 12.45	1	4	210 40	00000
4	8	A000 0506	WELD1510001	111111	6.30 12.45	1	1	210 40	00000
4	8	A000 0506	WELD1511001	111111	6.30 12.45	1	2	210 40	00000
4	8	A000 0506	WELD1512001	111111	6.30 12.45	1	1	210 40	00000
4	8	A000 0506	WELD2110001	111111	6.30 12.45	1	6	210 40	00000
4	8	A000 0506	WELD2111001	111111	6.30 12.45	1	6	210 40	00000
4	8	A000 0506	WELD2113001	111111	6.30 12.45	1	1	210 40	00000
4	8	A000 0506	WELD2210001	111111	6.30 12.45	1	5	210 40	00000
4	8	A000 0506	WELD2221001	111111	6.30 12.45	1	1	210 40	00000
4	8	A000 0506	WELD2230001	111111	6.30 12.45	1	6	210 40	00000
4	8	A000 0506	WELD2310001	111111	6.30 12.45	1	5	210 40	00000
4	8	A000 0506	WELD2311001	111111	6.30 12.45	1	6	210 40	00000
4	8	A000 0506	WELD2320001	111111	6.30 12.45	1	1	210 40	00000
4	8	A000 0506	WELD2440001	111111	6.30 12.45	1	6	210 40	00000
4	8	A000 0506	WELD2441001	111111	6.30 12.45	1	5	210 40	00000
4	8	A000 0506	WELD2991001	111111	6.30 12.45	1	1	210 40	00000
	8	A000 0506A	ZTEC0309001	11	17.00 21.00		15	215	00000
		A000 0601A	INCT2110001	1 1	8.00 10.40		16	110 20	00000
		A000 0601A	CPTR1002002	1 1 1	9.00 9.50		18	110 20	00000
		A000 0601A	INCT1210001	1 1 1	10.00 11.50		18	110 20	00000
		A000 0601A	INCT1900001	1 1	10.50 11.50		16	110 20	00000
		A000 0601A	INCT2110002	1 1 1	13.00 14.50		7	110 20	00000
		A000 0601A	ZHLT0409001	11	17.30 21.00		8	110 20	00000
		A000 0601E	INCT1100001	1 1 1	8.00 9.50		16	215 20	00000
		A000 0601E	INCT2120001	1 1	8.00 10.40		18	215 20	00000
		A000 0601E	CPTR1300001	1 1	10.00 11.50		7	215 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 16

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0601E	CPTR1310001	1 1	10.00 11.50	1	5	644	215 20	00000
	A000	0601E	CPTR1010002	1 1	10.50 12.15		14	644	215 20	00000
	A000	0601E	CPTR1010001	1 1 1	13.00 14.50		13	644	215 20	00000
	A000	0601G	INCT2070001	1 1 1	8.00 9.50		21	748	210 15	00000
	A000	0601G	INCT2020001	1 1	8.00 10.40		20	748	210 15	00000
	A000	0601G	INCT2545001	1 1 1	10.00 11.30		21	748	210 15	00000
8	A000	0601G	INCT2991001	1	10.00 11.50	1	3	748	210 15	00000
	A000	0601G	INCT2060001	1 1	10.50 12.05		22	748	210 15	00000
	A000	0601G	INCT2855001	1 1	13.00 14.50		16	748	210 15	00000
	A000	0601H	INCT11110001	1 1 1	8.00 9.50		19	456	210 15	00000
	A000	0601H	JOBS2450004	1 1	9.25 10.40		16	456	210 15	00000
	A000	0601H	INCT2902001	1 1 1	10.00 11.50		5	456	210 15	00000
	A000	0601H	KYBD1000001	1 1	10.50 12.05		16	456	210 15	00000
	A000	0601H	INCT1200001	1 1 1	13.00 14.50		17	456	210 15	00000
	A000	0601H	INCT1800001	1 1	13.40 16.00		14	456	210 15	00000
4	A000	0603	CADD1210001	11111	8.00 14.50		19	3,111	210 30	00000
4	A000	0603	CADD2300001	11111	8.00 14.50	1	4	3,111	210 30	00000
4	A000	0603	CADD2310001	11111	8.00 14.50	1	5	3,111	210 30	00000
4	8	A000	DRFT1110001	11111	8.00 14.50	1	18	3,111	210 30	00000
4	8	A000	DRFT1120001	11111	8.00 14.50	1	19	3,111	210 30	00000
4	8	A000	DRFT1140001	11111	8.00 14.50	1	14	3,111	210 30	00000
4	8	A000	DRFT1150001	11111	8.00 14.50	1	2	3,111	210 30	00000
4	8	A000	DRFT1161001	11111	8.00 14.50	1	16	3,111	210 30	00000
4	8	A000	DRFT1210001	11111	8.00 14.50	1	2	3,111	210 30	00000
4	8	A000	DRFT1220001	11111	8.00 14.50	1	1	3,111	210 30	00000
4	8	A000	DRFT2310001	11111	8.00 14.50	1	6	3,111	210 30	00000
4	8	A000	DRFT2320001	11111	8.00 14.50	1	7	3,111	210 30	00000
4	8	A000	DRFT2330001	11111	8.00 14.50	1	9	3,111	210 30	00000
4	8	A000	DRFT2411001	11111	8.00 14.50	1	11	3,111	210 30	00000
4	8	A000	DRFT2411002	11111	8.00 14.50	1	1	3,111	210 30	00000
4	8	A000	DRFT2431001	11111	8.00 14.50	1	1	3,111	210 30	00000
4	8	A000	DRFT2431002	11111	8.00 14.50	1	1	3,111	210 30	00000
4	8	A000	DRFT2441001	11111	8.00 14.50	1	5	3,111	210 30	00000
4	8	A000	DRFT2541001	11111	8.00 14.50	1	1	3,111	210 30	00000
4	8	A000	DRFT1130001	1 1 1	8.00 14.50	1	13	3,111	210 30	00000
	A000	0605	GRPH1420001	11111	8.00 9.50		1	2,967	210 20	00000
	A000	0605	GRPH2320002	11111	8.00 9.50	1	1	2,967	210 20	00000
	A000	0605	GRPH1350002	1 1 1	8.00 11.50	1	7	2,967	210 20	00000
	A000	0605	GRPH1300002	1 1 1	8.00 11.50	1	6	2,967	210 20	00000
	A000	0605	GRPH1400002	1	8.00 11.50	1	4	2,967	210 20	00000
	A000	0605	GRPH2996001	11111	8.30 11.00	1	2	2,967	210 20	00000
	A000	0605	GRPH2995001	1 1 1	9.00 11.00	1	9	2,967	210 20	00000
8	A000	0605	GRPH2330002	11111	10.00 11.50	1	2	2,967	210 20	00000
8	A000	0605	GRPH2993001	1 1	10.00 11.50	1	2	2,967	210 20	00000
8	A000	0605	GRPH2130002	11111	11.00 12.00	1	2	2,967	210 20	00000
	A000	0605	GRPH2110001	11111	12.00 13.50		1	2,967	210 20	00000
	A000	0605	GRPH2310001	11111	12.00 13.50	1	2	2,967	210 20	00000
	A000	0605	GRPH1100001	1 1 1	12.00 14.50	1	19	2,967	210 20	00000
	A000	0605	GRPH1200001	1 1	12.00 14.50		18	2,967	210 20	00000
	A000	0605	GRPH1100003	1 1 1	12.00 15.50		1	2,967	210 20	00000
	A000	0605	GRPH1350003	1 1 1	12.00 15.50	1	1	2,967	210 20	00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 17

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0605	GRPH1200003	1 1	12.00 15.50		1	2,967	210 20 00000	
	A000	0605	GRPH1400001	1	12.00 15.50		5	2,967	210 20 00000	
	A000	0605	GRPH2120002	11111	14.00 15.50	1	2	2,967	210 20 00000	
	A000	0607	CIVL2700001	1 1 1	7.00 8.00		16	546	110 20 00000	
	A000	0607	CIVL1120002	1 1	7.00 8.00		5	546	110 20 00000	
	A000	0607	CIVL1120001	1 1 1	8.00 9.20		12	546	110 20 00000	
	A000	0607	CIVL1121001	1	8.00 12.05		12	546	110 20 00000	
	A000	0607	CIVL1411001	1	8.00 12.05	1	17	546	110 20 00000	
4	A000	0607	CIVL1141001	1	8.00 14.30		8	546	110 20 00000	
	A000	0607	CIVL1410001	1 1 1	9.30 11.00		18	546	110 20 00000	
	A000	0607	CIVL1240001	1 1 1	11.00 12.00		15	546	110 20 00000	
	A000	0607	CIVL1470001	1	13.00 16.50		23	546	110 20 00000	
8	A000	0607	CIVL2551001	1	13.00 16.50	1	17	546	110 20 00000	
	A000	0607	CIVL1430001	1 1	13.30 15.30		16	546	110 20 00000	
	A000	0607	CIVL1121002	1	14.00 17.50		5	546	110 20 00000	
	A000	0607	CIVL1330001	1 1	17.00 18.50		11	546	110 20 00000	
	A000	0607A	CIVL1470001	1	13.00 16.50		23	576	210 15 00000	
8	A000	0607A	CIVL2551001	1	13.00 16.50	1	17	576	210 15 00000	
8	A000	0607C	CIVL1121001	1	8.00 12.05		12	120	215 00000	
4	8	A000	0607C	CIVL1141001	1	8.00 14.30	8	120	215 00000	
8	A000	0607C	CIVL1121002	1	14.00 17.50		5	120	215 00000	
4	A000	0609	HACR1150001	11111	8.00 14.30		3	3,055	210 20 00000	
4	A000	0609	HACR1160001	11111	8.00 14.30	1	3	3,055	210 20 00000	
4	A000	0609	HACR1170001	11111	8.00 14.30	1	3	3,055	210 20 00000	
4	A000	0609	HACR1210001	11111	8.00 14.30	1	2	3,055	210 20 00000	
4	A000	0609	HACR1230001	11111	8.00 14.30	1	8	3,055	210 20 00000	
4	A000	0609	HACR1240001	11111	8.00 14.30	1	9	3,055	210 20 00000	
4	8	A000	0609	HACR1410001	11111	8.00 14.30	1	7	3,055	210 20 00000
4	8	A000	0609	HACR1420001	11111	8.00 14.30	1	7	3,055	210 20 00000
4	8	A000	0609	HACR2510001	11111	8.00 14.30	1	2	3,055	210 20 00000
4	8	A000	0609	HACR2560001	11111	8.00 14.30	1	9	3,055	210 20 00000
4	8	A000	0609	HACR2910001	11111	8.00 14.30	1	2	3,055	210 20 00000
4	8	A000	0609	HACR2995001	11111	8.00 14.30	1	2	3,055	210 20 00000
4	A000	0609A	HACR1220001	11111	8.00 14.30		3	255	210 12 00000	
4	A000	0609A	HACR2520001	11111	8.00 14.30	1	2	255	210 12 00000	
4	A000	0609A	HACR2530001	11111	8.00 14.30	1	4	255	210 12 00000	
4	A000	0609A	HACR2540001	11111	8.00 14.30	1	5	255	210 12 00000	
4	A000	0609A	HACR2550001	11111	8.00 14.30	1	4	255	210 12 00000	
4	8	A000	0609A	HACR2810001	11111	8.00 14.30	1	8	255	210 12 00000
4	8	A000	0609A	HACR2820001	11111	8.00 14.30	1	6	255	210 12 00000
4	8	A000	0609A	HACR2830001	11111	8.00 14.30	1	4	255	210 12 00000
4	8	A000	0609A	HACR2920001	11111	8.00 14.30	1	1	255	210 12 00000
4	8	A000	0609A	HACR2930001	11111	8.00 14.30	1	1	255	210 12 00000
4	A000	0609A	ZTEC0402001	11	17.00 21.00		7	255	210 12 00000	
4	G000	0104	AMTP2210001	11111	8.00 14.25		8	566	110 15 00000	
4	G000	0104	AMTP2230001	11111	8.00 14.25	1	5	566	110 15 00000	
4	G000	0104	AMTP2240001	11111	8.00 14.25	1	6	566	110 15 00000	
4	8	G000	0104	AMTP2250001	11111	8.00 14.25	1	6	566	110 15 00000
4	8	G000	0104	AMTP2280001	11111	8.00 14.25	1	6	566	110 15 00000
4	8	G000	0104	AMTP2290001	11111	8.00 14.25	1	7	566	110 15 00000
4	G000	0104	AMTP2991001	1 1	14.30 15.30		5	566	110 15 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 18

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	G000	0105	AMTA2010001	11111	8.00 14.25		445	110 15	00000
4	G000	0105	AMTA2020001	11111	8.00 14.25	1	445	110 15	00000
4	G000	0105	AMTA2031001	11111	8.00 14.25	1	445	110 15	00000
4	8	G000	0105	AMTA2060001	11111	8.00 14.25 1	445	110 15	00000
4	8	G000	0105	AMTA2080001	11111	8.00 14.25 1	445	110 15	00000
4	8	G000	0105	AMTA2130001	11111	8.00 14.25 1	445	110 15	00000
4	8	G000	0105	AMTA2140001	11111	8.00 14.25 1	445	110 15	00000
4	G000	0113	AMTG1010001	11111	8.00 14.25		615	110 15	00000
4	8	G000	0113	AMTG1020001	11111	8.00 14.25 1	615	110 15	00000
4	8	G000	0113	AMTG1030001	11111	8.00 14.25 1	615	110 15	00000
4	8	G000	0113	AMTG1040001	11111	8.00 14.25 1	615	110 15	00000
4	8	G000	0113	AMTG1050001	11111	8.00 14.25 1	615	110 15	00000
4	8	G000	0113	AMTG1060001	11111	8.00 14.25 1	615	110 15	00000
4	8	G000	0113	AMTG1070001	11111	8.00 14.25 1	615	110 15	00000
4	8	G000	0113	AMTG1080001	11111	8.00 14.25 1	615	110 15	00000
4	8	G000	0113	AMTG1090001	11111	8.00 14.25 1	615	110 15	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	533
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	540
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	1073
TOTAL NUMBER OF RECORDS READ	883
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	883
NUMBER OF JOINT-CLASS RECORDS	715
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

## SPACE UTILIZ - SUMMARY PAGE

## L. T. C. - LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	37332	100	37432
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6119	22	6141
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43470	24150	67620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	118874	440	119314
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	74664	200	74864
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	309.0	2.0	199.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	171.8	.8	110.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	62.8	45.5	62.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	37332	100	37432
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6119	22	6141
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43470	24150	67620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	118874	440	119314
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	74664	200	74864
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	309.0	2.0	199.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	171.8	.8	110.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	62.8	45.5	62.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	108460	414	108874
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27447	114	27561
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84870	47150	132020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	481001	2332	483333
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	216920	828	217748
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	554.5	4.1	357.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	255.6	1.8	164.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.1	35.5	45.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	108460	414	108874
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27447	114	27561
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84870	47150	132020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	481001	2332	483333
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	216920	828	217748
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	554.5	4.1	357.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	255.6	1.8	164.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.1	35.5	45.1

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY