

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -LAFOURCHE
 BRANCH
 PARISH
 RELATION LAFOURCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0112	KYBD1111001	1 1	8.00 9.00		17	240 21	00000	
	A000	0112	ISYS1440001	1 1	9.15 10.15		11	240 21	00000	
	A000	0112	BOTH2110001	1	10.00 13.00		1	240 21	00000	
	A000	0112	MACH1350001	1	10.00 13.00	1	2	240 21	00000	
	A000	0112	OSYS1100001	1 1	10.30 12.00		19	240 21	00000	
	A000	0112	BUSE1045001	1 1	10.45 13.15		5	240 21	00000	
	A000	0112	KYBD1010001	1 1	12.30 14.00		14	240 21	00000	
	A000	0112	BOTH1300001	1 1	14.00 15.30		11	240 21	00000	
	A000	0112	BOTH1210001	1 1	14.00 15.30		5	240 21	00000	
	A000	0114	HMDT1170001	1 1 1	8.00 9.00		5	110 24	00000	
	A000	0114	HCOR1120001	1 1	8.00 9.00		5	110 24	00000	
	A000	0114	MAST1210001	1 1 1	9.00 10.00		5	110 24	00000	
	A000	0114	HEKG1011001	1 1	9.00 11.00		5	110 24	00000	
	A000	0114	BOTH1250001	1 1 1	12.30 13.30		12	110 24	00000	
	A000	0116	KYBD1010999	1	8.00 9.00		4	240 22	00000	
	A000	0116	CPTR1002999	1	9.00 10.00		1	240 22	00000	
	A000	0116	ACCT1100001	1 1 1	9.30 12.00	1	16	240 22	00000	
	A000	0116	CPTR1320W09	1 1 1	13.00 14.30		17	240 22	00000	
	A000	0116	PSYC2015001	1	15.00 18.00		9	240 22	00000	
8	A000	0117	ORNT1000001	1	8.00 10.00		32	110 15	00000	
	A000	0122	BOTH1300002	1 1 1	8.00 9.10		13	110 20	00000	
	A000	0122	HNUR1211001	1 1	8.30 11.30		11	110 20	00000	
	A000	0122	HNUR1361001	1 1 1	9.20 10.50		12	110 20	00000	
	A000	0122	SURG2300001	1	9.30 12.30	1	5	110 20	00000	
	A000	0122	HNUR1300001	1 1 1	11.00 14.00	1	11	110 20	00000	
	A000	0122	ORNT1000002	11111	14.00 15.00		2	110 20	00000	
	A000	0126	DVRE0091001	1 1	8.00 10.00		4	210 10	00000	
	A000	0126	DVRE0092001	1 1	8.00 10.00	1	5	210 10	00000	
8	A000	0126	JOBS2450001	1 1	8.00 10.00		17	210 10	00000	
8	A000	0126	CPTR1000E09	1 1	10.00 11.30		16	210 10	00000	
8	A000	0126	CPTR1002E09	1 1	10.00 11.30	1	21	210 10	00000	
	A000	0126	DVEN0091001	1 1	10.00 12.00		8	210 10	00000	
	A000	0126	DVEN0092001	1 1	10.00 12.00	1	4	210 10	00000	
	A000	0126	DVMA0090001	1 1	12.00 14.00		12	210 10	00000	
	A000	0126	DVMA0091001	1 1	12.00 14.00	1	3	210 10	00000	
8	A000	0126	DVMA0092001	1 1	12.00 14.00	1	5	210 10	00000	
8	A000	0126	CSRV1000001	1 1	12.30 14.00		20	210 10	00000	
	A000	0126	BUSE1030001	1 1	14.00 15.30		13	210 10	00000	
4	A000	0130	CTDP1110301	11111	7.00 15.00		8	110 16	00000	
4	A000	0130	CTDP1120301	11111	7.00 15.00	1	8	110 16	00000	
4	A000	0130	CTDP1131301	11111	7.00 15.00	1	8	110 16	00000	
4	8	A000	0130	CTDP1140301	11111	7.00 15.00	1	8	110 16	00000
4	8	A000	0130	CTDP1211301	11111	7.00 15.00	1	8	110 16	00000
4	A000	0131	WELD1100001	11111	7.30 14.00		12	110 16	00000	
4	A000	0131	WELD1120001	11111	7.30 14.00	1	1	110 16	00000	
4	A000	0131	WELD1140001	11111	7.30 14.00	1	8	110 16	00000	
4	8	A000	0131	WELD1210001	11111	7.30 14.00	1	14	110 16	00000
4	8	A000	0131	WELD1310001	11111	7.30 14.00	1	2	110 16	00000
4	8	A000	0131	WELD1410001	11111	7.30 14.00	1	13	110 16	00000
4	8	A000	0131	WELD2110001	11111	7.30 14.00	1	9	110 16	00000
4	8	A000	0131	WELD2230001	11111	7.30 14.00	1	1	110 16	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -LAFOURCHE
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0134	ORNT1000003	11111	7.30 8.00		5	3,128	210 18 00000	
	A000	0134	AUTO1100001	11111	7.30 10.30	1	12	3,128	210 18 00000	
	A000	0134	AUTO1220001	11111	7.30 10.30	1	1	3,128	210 18 00000	
	A000	0134	AUTO1230001	11111	7.30 10.30	1	1	3,128	210 18 00000	
	A000	0134	AUTO1630001	11111	7.30 10.30	1	1	3,128	210 18 00000	
4	A000	0134	AUTO1550001	11111	7.30 14.00	1	1	3,128	210 18 00000	
4	A000	0134	AUTO1820001	11111	7.30 14.00	1	1	3,128	210 18 00000	
4	A000	0134	AUTO1830001	11111	7.30 14.00	1	1	3,128	210 18 00000	
4	A000	0134	ZMVI1001001	1	7.30 15.00	1	1	3,128	210 18 00000	
	A000	0134	AUTO1300001	11111	11.00 14.00	1	2	3,128	210 18 00000	
8	A000	0134	AUTO1310001	11111	11.00 14.00	1	2	3,128	210 18 00000	
8	A000	0134	AUTO1400001	11111	11.00 14.00	1	18	3,128	210 18 00000	
8	A000	0134	AUTO1410001	11111	11.00 14.00	1	18	3,128	210 18 00000	
8	A000	0134	AUTO2993001	11111	11.00 14.00	1	2	3,128	210 18 00000	
8	A000	0134	ORNT1000004	11111	12.00 12.30	1	9	3,128	210 18 00000	
4	A000	0135	WELD1411001	11111	7.30 14.00		7	2,990	210 24 00000	
4	A000	0135	WELD1412001	11111	7.30 14.00	1	3	2,990	210 24 00000	
4	A000	0135	WELD1420001	11111	7.30 14.00	1	1	2,990	210 24 00000	
4	A000	0135	WELD1512001	11111	7.30 14.00	1	1	2,990	210 24 00000	
4	A000	0135	WELD2112001	11111	7.30 14.00	1	1	2,990	210 24 00000	
4	A000	0135	WELD2311001	11111	7.30 14.00	1	1	2,990	210 24 00000	
4	A000	0135	WELD2991001	11111	7.30 14.00	1	3	2,990	210 24 00000	
	A000	0136	CARP2120001	11111	8.00 13.00		2	3,025	210 16 00000	
	A000	0136	CARP2131001	11111	8.00 13.00	1	7	3,025	210 16 00000	
	A000	0136	CARP2230001	11111	8.00 13.00	1	7	3,025	210 16 00000	
	A000	0136	CARP2310001	11111	8.00 13.00	1	7	3,025	210 16 00000	
8	A000	0136	CARP2320001	11111	8.00 13.00	1	2	3,025	210 16 00000	
8	A000	0136	CARP2993001	11111	8.00 13.00	1	5	3,025	210 16 00000	
8	A000	0136	CARP2995001	11111	8.00 13.00	1	2	3,025	210 16 00000	
	A000	0139	OILG2420001	1	12.00 15.00		14	420	215 16 00000	
4	A100	SC01	WELD2310503	11111	7.00 15.00		2	4,160	210 22 00000	
	A100	SC01	WELD1100502	11111	7.30 10.30	1	8	4,160	210 22 00000	
	A100	SC01	WELD1120502	11111	7.30 10.30	1	1	4,160	210 22 00000	
	A100	SC01	WELD1140502	11111	7.30 10.30	1	9	4,160	210 22 00000	
	A100	SC01	WELD1210502	11111	7.30 10.30	1	8	4,160	210 22 00000	
4	A100	SC01	WELD1100501	11111	7.30 14.30	1	4	4,160	210 22 00000	
4	8	A100	SC01	WELD1210501	11111	7.30 14.30	1	4	4,160	210 22 00000
4	8	A100	SC01	WELD1410501	11111	7.30 14.30	1	2	4,160	210 22 00000
	8	A100	SC01	WELD1310502	11111	11.30 14.30	1	1	4,160	210 22 00000
	A100	SC04	HEMS1110501	11111	7.30 10.30		4	1,288	110 30 00000	
	A100	SC04	HEMS1120501	11111	7.30 10.30	1	4	1,288	110 30 00000	
	A100	SC07	KYBD1111W09	1 1 1	8.00 9.30		7	540	210 15 00000	
	A100	SC07	BUSE1030W09	1 1 1	9.40 10.40		10	540	210 15 00000	
	A100	SC15	CPTR1000999	1	8.00 9.00		1	1,833	210 16 00000	
	A100	SC15	ACCT1300V09	1 1 1	8.00 9.15	1	4	1,833	210 16 00000	
	A100	SC15	DVMA0090501	1 1	8.00 9.20		1	1,833	210 16 00000	
	A100	SC15	DVRE0090501	1 1	8.00 9.20	1	1	1,833	210 16 00000	
	A100	SC15	DVRE0092501	1 1	8.00 9.20	1	1	1,833	210 16 00000	
	A100	SC15	KYBD1010501	1 1	8.00 9.30	1	3	1,833	210 16 00000	
	A100	SC15	JOBS2450W09	1 1	9.30 10.30		5	1,833	210 16 00000	
	A100	SC15	ACCT1100501	1 1	9.30 12.00	1	9	1,833	210 16 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -LAFOURCHE
 BRANCH
 PARISH
 RELATION

LAFOURCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A100	SC15	BOTH2110W09	1 1 1	9.40 10.40		1	1,833	210 16 00000	
	A100	SC15	MACH1350W09	1 1 1	9.40 10.40	1	5	1,833	210 16 00000	
8	A100	SC15	BUSM1050V09	1 1 1	11.15 12.30		25	1,833	210 16 00000	
	A100	SC15	BOTH1300501	1 1	12.30 14.00		3	1,833	210 16 00000	
	A100	SC15	ACCT1500501	1 1	12.30 15.00	1	2	1,833	210 16 00000	
	A100	SC15	CPTR1320W09	1 1	12.30 15.00	1	5	1,833	210 16 00000	
	A100	SC15	ISYS1650W09	1 1	12.30 15.00	1	3	1,833	210 16 00000	
	A100	SC15	ORNT1000W09	1 1	12.45 14.15		7	1,833	210 16 00000	
	A100	SC18	DPET1120501	11111	7.30 10.30		11	7,396	210 22 00000	
	A100	SC18	DPET1140501	11111	7.30 10.30	1	3	7,396	210 22 00000	
	A100	SC18	ORNT1000502	11111	7.30 10.30	1	11	7,396	210 22 00000	
	A100	SC18	DPET1120502	11111	11.10 14.10		13	7,396	210 22 00000	
	A100	SC18	DPET1140502	11111	11.10 14.10	1	4	7,396	210 22 00000	
8	A100	SC18	DPET1240502	11111	11.10 14.10	1	4	7,396	210 22 00000	
	A100	SC18	ORNT1000503	11111	11.10 14.10	1	13	7,396	210 22 00000	
	N000	N100	OILG1011001	1	7.30 10.30		11	652	210 20 00000	
	N000	N100	OILG2123001	1	7.30 10.30		10	652	210 20 00000	
	N000	N100	OILG2348001	1	12.00 15.00		10	652	210 20 00000	
	N000	N100	OILG1410001	1	12.00 15.00		6	652	210 20 00000	
	N000	N100	OILG2440001	1	12.00 15.00		6	652	210 20 00000	
	N000	N200	OILG2113001	1	7.30 10.30		3	726	110 20 00000	
	N000	N200	OILG1310001	1	7.30 11.30		8	726	110 20 00000	
	N000	N200	OILG1320001	1	7.30 11.30	1	7	726	110 20 00000	
	N000	N200	OILG2430001	1	7.30 12.30		12	726	110 20 00000	
	N000	N200	OILG2630001	1	12.00 15.00		10	726	110 20 00000	
4	N000	N300	ELEC1120001	11111	7.30 14.00		11	652	110 20 00000	
4	N000	N300	ELEC1210001	11111	7.30 14.00	1	13	652	110 20 00000	
4	N000	N300	ELEC1220001	11111	7.30 14.00	1	3	652	110 20 00000	
4	8	N000	N300	ELEC1230001	11111	7.30 14.00	1	6	652	110 20 00000
4	8	N000	N300	ELEC2460001	11111	7.30 14.00	1	9	652	110 20 00000
4	8	N000	N300	ELEC2520001	11111	7.30 14.00	1	3	652	110 20 00000
4	8	N000	N300	ELEC2540001	11111	7.30 14.00	1	1	652	110 20 00000
4	8	N000	N300	ELEC2720001	11111	7.30 14.00	1	1	652	110 20 00000
4	N000	N400	ELEC1311001	11111	7.30 14.00		4	1,218	210 22 00000	
4	N000	N400	ELEC1330001	11111	7.30 14.00	1	6	1,218	210 22 00000	
4	N000	N400	ELEC1410001	11111	7.30 14.00	1	2	1,218	210 22 00000	
4	N000	N400	ELEC1420001	11111	7.30 14.00	1	5	1,218	210 22 00000	
4	N000	N400	ELEC1430001	11111	7.30 14.00	1	4	1,218	210 22 00000	
4	N000	N400	ELEC1440001	11111	7.30 14.00	1	5	1,218	210 22 00000	

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 42

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 31
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 73

TOTAL NUMBER OF RECORDS READ 141
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 141
NUMBER OF JOINT-CLASS RECORDS 82
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			310
WEEKLY STUDENT CONTACT HOURS	5819		5819
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	856		856
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27900	15500	43400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15700		15700
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11638		11638
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	63.4	.0	40.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.7	.0	26.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.1	.0	74.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
--	------------------------	--------------------------	--------------------------

CLASSROOM

TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			310
WEEKLY STUDENT CONTACT HOURS	5819		5819
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	856		856
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27900	15500	43400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15700		15700
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11638		11638
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	63.4	.0	40.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.7	.0	26.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.1	.0	74.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			237
WEEKLY STUDENT CONTACT HOURS	5847		5847
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	971		971
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21330	11850	33180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19041		19041
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11695		11695
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	77.1	.0	49.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.8	.0	35.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.4	.0	61.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			237
WEEKLY STUDENT CONTACT HOURS	5847		5847
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	971		971
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21330	11850	33180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19041		19041
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11695		11695
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	77.1	.0	49.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.8	.0	35.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.4	.0	61.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY