

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1103	OADM1100 A	1 1 1	9.00 9.50		26	958	210 19	00000
	ADMN 1103	BUSI1080 A	1 1	9.25 10.40		20	958	210 19	00000
	ADMN 1103	OADM1210 A	1 1 1	10.00 10.50		11	958	210 19	00000
	ADMN 1103	BUSI2300 A	1 1	10.50 12.05		27	958	210 19	00000
	ADMN 1103	BUSI1030 B	1 1 1	13.00 13.50		26	958	210 19	00000
	ADMN 1103	OADM1450 N	1	17.30 20.05		9	958	210 19	00000
	ADMN 1104	ACCT1210 A	1 1 1	8.00 8.50		23	958	210 19	00000
	ADMN 1104	OADM1450 A	1 1 1	9.00 9.50		18	958	210 19	00000
	ADMN 1104	OADM2640 A	1 1	9.25 10.40		5	958	210 19	00000
	ADMN 1104	OADM1650 A	1 1 1	10.00 10.50		2	958	210 19	00000
	ADMN 1104	OADM1330 A	1 1	10.50 12.05		20	958	210 19	00000
	ADMN 1104	OADM1500 A	1 1 1	11.00 11.50		18	958	210 19	00000
	ADMN 1104	OADM2530 A	1 1 1	12.00 12.50		19	958	210 19	00000
	ADMN 1104	ACCT1510 A	1 1	12.15 13.30		10	958	210 19	00000
4	ADMN 1142	CULN1210 A	1 1	7.30 14.20		13	715	210 14	00000
8	ADMN 1142	CULN1160 A	1 1	8.00 11.50		23	715	210 14	00000
	ADMN 1142	CULN2450 A	1	8.00 12.00		8	715	210 14	00000
4	ADMN 1142	CDEV20015 B	1	8.00 16.30		3	715	210 14	00000
	ADMN 1142	CULN2310 A	1	9.00 11.50		5	715	210 14	00000
8	ADMN 1142	CULN1130 A	1	9.00 12.50		28	715	210 14	00000
	ADMN 1142	CULN1230 A	1 1	12.00 14.35		14	715	210 14	00000
4	ADMN 1144	CULN2010 A	1	7.00 13.00		7	981	210 20	00000
4	ADMN 1144	CULN1210 A	1 1	7.30 14.20		13	981	210 20	00000
8	ADMN 1144	CULN1130 A	1	9.00 12.50	1	28	981	210 20	00000
8	ADMN 1144	CULN1120 A	1	10.00 12.50	1	9	981	210 20	00000
8	ADMN 1144	CULN1010 A	1 1	12.00 13.45		32	981	210 20	00000
	ADMN 1151	CULN1220 A	1 1	7.00 8.25		28	1,900	680 51	00000
4	ADMN 1151	CULN1210 A	1 1	7.30 14.20	1	13	1,900	680 51	00000
	ADMN 1151	CULN1160 A	1 1	8.00 11.50		23	1,900	680 51	00000
	ADMN 1151	CULN2450 A	1	8.00 12.00		8	1,900	680 51	00000
	ADMN 1151	CULN2310 A	1	9.00 11.50		5	1,900	680 51	00000
	ADMN 1151	CULN1120 A	1	10.00 12.50		9	1,900	680 51	00000
	ADMN 1151	CULN1230 A	1 1	12.00 14.35		14	1,900	680 51	00000
	ADMN 1151	CULN2400 A	1 1	12.00 16.00	1	13	1,900	680 51	00000
	ADMN 1152	CULN2440 A			1	8	703	210 14	00000
	ADMN 1152	CULN2400 A	1 1	12.00 16.00		13	703	210 14	00000
	ADMN 1200	TSMA0092 R	1 1 1	7.00 7.50		20	514	110 30	00000
	ADMN 1200	TSMA0092 S	1 1 1	7.00 7.50	1	22	514	110 30	00000
	ADMN 1200	TSMA0093 C	1 1 1	8.00 8.50		24	514	110 30	00000
	ADMN 1200	TSMA0092 G	1 1	8.00 9.15		27	514	110 30	00000
	ADMN 1200	MATH1100 B	1 1 1	9.00 9.50		26	514	110 30	00000
	ADMN 1200	ENGL1010 O	1 1	9.25 10.40		25	514	110 30	00000
	ADMN 1200	TSMA0093 E	1 1 1	10.00 10.50		23	514	110 30	00000
	ADMN 1200	TSMA0093 H	1 1 1	11.00 11.50		22	514	110 30	00000
	ADMN 1200	TSMA0092 E	1 1 1	12.00 12.50		28	514	110 30	00000
	ADMN 1200	TSMA0092 K	1 1	13.00 14.15		22	514	110 30	00000
	ADMN 1200	TSEN0093 N	1 1	16.30 17.45		8	514	110 30	00000
	ADMN 1200	ENGL1010 N	1	18.00 19.15		23	514	110 30	00000
	ADMN 1202	PSYC2010 B	1 1 1	8.00 8.50		34	514	110 24	00000
	ADMN 1202	PSYC2010 C	1 1 1	9.00 9.50		33	514	110 24	00000
	ADMN 1202	PSYC2010 D	1 1 1	11.00 11.50		35	514	110 24	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1202	PSYC2010 G	1 1	12.00 13.15		32	514	110 24	00000
	ADMN 1202	CDEV30008 A	1 1	17.30 21.00		13	514	110 24	00000
	ADMN 1204	ANUR2620 A	1 1	9.00 9.50		6	514	110 24	00000
	ADMN 1204	ANUR2320 A	1 1	10.00 11.50		6	514	110 24	00000
	ADMN 1204	ANUR1441 A	1 1	12.30 14.20		6	514	110 24	00000
	ADMN 1204	LEIS5002 A	1 1	18.00 21.00		5	514	110 24	00000
	ADMN 1205	ITEC2999 A			1	7	1,597	240 30	00000
	ADMN 1205	ITEC2110 A	1 1 1	8.30 9.50		32	1,597	240 30	00000
	ADMN 1205	ITEC2120 A	1 1	8.30 10.30		16	1,597	240 30	00000
	ADMN 1205	ITEC2840 A	1 1 1	10.00 10.50		25	1,597	240 30	00000
	ADMN 1205	ITEC1200 A	1 1	10.50 12.50		25	1,597	240 30	00000
	ADMN 1205	ITEC1100 A	1 1 1	11.00 11.50		32	1,597	240 30	00000
	ADMN 1205	ITEC1100 A	1	12.00 13.50		32	1,597	240 30	00000
	ADMN 1205	ITEC1300 N	1	17.00 19.30		21	1,597	240 30	00000
	ADMN 1205	ITEC2010 N	1	17.30 20.30		12	1,597	240 30	00000
	ADMN 1206	ANUR2430 A	1 1	8.00 8.50		12	1,001	110 35	00000
	ADMN 1206	ANUR2430 B	1 1	8.00 8.50	1	34	1,001	110 35	00000
	ADMN 1206	ANUR3050 A	1 1	9.00 11.50		40	1,001	110 35	00000
	ADMN 1206	ANUR3230 A	1 1	12.30 14.20		40	1,001	110 35	00000
	ADMN 1206	ACNA1110 A	1111	15.30 19.30		23	1,001	110 35	00000
	ADMN 1206	ACNA1120 A	1111	15.30 19.30	1	23	1,001	110 35	00000
8	ADMN 1206	ACNA1140 A	1111	15.30 19.30	1	23	1,001	110 35	00000
8	ADMN 1206	ACNA1160 A	1111	15.30 19.30	1	23	1,001	110 35	00000
	ADMN 1207	ITEC1000 F	1 1	9.25 10.40		30	1,137	240 35	00000
	ADMN 1207	ITEC1000 B	1 1 1	10.00 10.50		31	1,137	240 35	00000
	ADMN 1207	ITEC1210 A	1 1 1	11.00 11.50		26	1,137	240 35	00000
	ADMN 1207	ITEC1000 E	1 1 1	12.00 12.50		31	1,137	240 35	00000
	ADMN 1207	ITEC1000 G	1 1	12.15 13.30		28	1,137	240 35	00000
	ADMN 1207	MEDL1300 N	1 1	17.30 20.05		29	1,137	240 35	00000
	ADMN 1207	ITEC1000 N	1	17.30 20.05		13	1,137	240 35	00000
	ADMN 1208	PSYC2335 A	1 1	8.00 9.15		12	1,032	110 45	00000
	ADMN 1208	ANUR1010 A	1 1 1	8.00 9.50		45	1,032	110 45	00000
8	ADMN 1208	NLAB1010 A	1	8.00 9.50	1	45	1,032	110 45	00000
	ADMN 1208	HIST2020 C	1 1	9.25 10.40		36	1,032	110 45	00000
	ADMN 1208	ANUR1030 A	1 1 1	10.00 10.50		45	1,032	110 45	00000
	ADMN 1208	HIST2010 D	1 1	10.50 12.05		29	1,032	110 45	00000
	ADMN 1208	ANUR1050 A	1 1 1	11.00 11.50		45	1,032	110 45	00000
	ADMN 1208	PSYC2010 F	1 1	12.15 13.30		33	1,032	110 45	00000
	ADMN 1208	ANUR1020 A	1 1 1	12.30 14.20		45	1,032	110 45	00000
8	ADMN 1208	HIST2020 B	1 1	13.00 14.15	1	35	1,032	110 45	00000
	ADMN 1208	HIST2020 N	1	17.30 20.10		32	1,032	110 45	00000
	ADMN 1208	PSYC2010 M	1	17.30 20.10		34	1,032	110 45	00000
	ADMN 1209	ITEC2998 A			1	2	1,337	240 32	00000
	ADMN 1209	ITEC1000 A	1 1 1	8.00 8.50		31	1,337	240 32	00000
	ADMN 1209	ITEC1320 A	1 1	9.25 10.40		30	1,337	240 32	00000
	ADMN 1209	ITEC1000 C	1 1 1	11.00 11.50		29	1,337	240 32	00000
	ADMN 1209	ITEC1005 A	1 1 1	12.00 12.50		28	1,337	240 32	00000
	ADMN 1209	ITEC1550 A	1 1	12.15 13.30		18	1,337	240 32	00000
	ADMN 1209	ITEC1000 D	1 1 1	13.00 13.50		27	1,337	240 32	00000
	ADMN 1209	MEDL1360 N	1 1	17.30 20.05		31	1,337	240 32	00000
	ADMN 1209	MEDL1400 N	1 1	17.30 20.05		12	1,337	240 32	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1210	BUSI1210 A	1 1 1	9.00 9.50		23	480	110 30	00000
	ADMN 1210	TSMA0092 H	1 1	9.25 10.40		23	480	110 30	00000
	ADMN 1210	MATH1020 A	1 1 1	10.00 10.50		22	480	110 30	00000
	ADMN 1210	TSMA0092 J	1 1	10.50 12.05		26	480	110 30	00000
	ADMN 1210	HIST1210 C	1 1 1	12.00 12.50		22	480	110 30	00000
	ADMN 1210	MATH1100 J	1 1	12.15 13.30		23	480	110 30	00000
	ADMN 1210	TSEN0091 N	1 1	17.20 18.35		20	480	110 30	00000
	ADMN 1210	TSEN0091 M	1 1	18.45 20.00		18	480	110 30	00000
	ADMN 1212	ACCT1150 A	1 1 1	9.00 9.50		14	504	110 24	00000
	ADMN 1212	BUSI1030 A	1 1	10.50 12.05		25	504	110 24	00000
	ADMN 1212	ACCT1250 N	1	17.30 20.05		17	504	110 24	00000
	ADMN 1212	CDEV20048 A	1	17.30 20.30		11	504	110 24	00000
	ADMN 1214	ACCT1110 A	1 1 1	8.00 8.50		22	528	110 22	00000
	ADMN 1214	ACCT1400 A	1 1 1	9.00 9.50		8	528	110 22	00000
	ADMN 1214	ACCT1300 A	1 1	9.25 10.40		25	528	110 22	00000
	ADMN 1214	ACCT1200 A	1 1 1	10.00 10.50		26	528	110 22	00000
	ADMN 1215	MATH1100 H	1 1 1	8.00 8.50		26	651	110 30	00000
	ADMN 1215	HIST2010 B	1 1 1	9.00 9.50		27	651	110 30	00000
	ADMN 1215	TSMA0092 I	1 1	9.25 10.40		30	651	110 30	00000
	ADMN 1215	HIST2010 C	1 1 1	10.00 10.50		29	651	110 30	00000
	ADMN 1215	MATH1100 G	1 1	10.50 12.05		26	651	110 30	00000
	ADMN 1215	MATH1100 D	1 1 1	11.00 11.50		29	651	110 30	00000
	ADMN 1215	TSMA0093 G	1 1 1	12.00 12.50		26	651	110 30	00000
	ADMN 1215	TSMA0093 I	1 1	12.15 13.30		21	651	110 30	00000
	ADMN 1215	TSMA0093 N	1 1	17.20 18.35		23	651	110 30	00000
	ADMN 1215	MATH1100 N	1 1	17.20 18.35		9	651	110 30	00000
	ADMN 1215	MATH1100 M	1 1	18.45 20.00		13	651	110 30	00000
	ADMN 1215	TSMA0092 Q	1 1	18.45 20.00		24	651	110 30	00000
	ADMN 1217	TSMA0093 B	1 1 1	8.00 8.50		28	718	110 30	00000
	ADMN 1217	MATH1100 E	1 1	8.00 9.15		26	718	110 30	00000
	ADMN 1217	TSMA0093 D	1 1 1	9.00 9.50		26	718	110 30	00000
	ADMN 1217	MATH1100 F	1 1	9.25 10.40		25	718	110 30	00000
	ADMN 1217	MATH1100 C	1 1 1	10.00 10.50		28	718	110 30	00000
	ADMN 1217	PSYC2010 E	1 1	10.50 12.05		37	718	110 30	00000
	ADMN 1217	TSMA0093 F	1 1 1	11.00 11.50		23	718	110 30	00000
	ADMN 1217	ARTS1200 A	1 1	12.15 13.30		24	718	110 30	00000
	ADMN 1217	TSMA0092 M	1 1	16.00 17.15		28	718	110 30	00000
	ADMN 1217	TSMA0092 N	1 1	17.20 18.35		27	718	110 30	00000
	ADMN 1217	HIST2010 N	1 1	17.30 18.45		26	718	110 30	00000
	ADMN 1217	TSMA0092 O	1 1	18.45 20.00		20	718	110 30	00000
	ADMN 1234	ANUR2620 A	1 1	9.00 9.50		6	1,639	210 16	00000
8	ADMN 1234	ANUR1030 A	1 1 1	10.00 10.50		45	1,639	210 16	00000
	ADMN 1234	ANUR1441 A	1 1	12.30 14.20		6	1,639	210 16	00000
	ADMN 1234	ANUR2621 A	1	12.30 14.20		6	1,639	210 16	00000
	ADMN 1234	ACNA1140 A	1111	15.30 19.30		23	1,639	210 16	00000
	ADMN 1238	ANUR2430 A	1 1	8.00 8.50		12	830	210 16	00000
8	ADMN 1238	ANUR2430 B	1 1	8.00 8.50	1	34	830	210 16	00000
8	ADMN 1238	NLAB1010 A	1	8.00 9.50	1	45	830	210 16	00000
8	ADMN 1238	ANUR3050 A	1 1	9.00 11.50	1	40	830	210 16	00000
8	ADMN 1238	ANUR2320 A	1 1	10.00 11.50	1	6	830	210 16	00000
	ADMN 1238	ANUR1441 A	1 1	12.30 14.20		6	830	210 16	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	ADMN 1238	ANUR3230 A	1 1	12.30 14.20	1	40	830	210 16	00000
	AVCR 0805	ENGL1010 B	1 1 1	8.00 8.50		25	742	110 30	00000
	AVCR 0805	TSEN0091 E	1 1	8.00 9.15		23	742	110 30	00000
	AVCR 0805	ENGL1020 A	1 1	9.25 10.40		26	742	110 30	00000
	AVCR 0805	HIST1210 B	1 1 1	10.00 10.50		31	742	110 30	00000
	AVCR 0805	TSEN0091 G	1 1	10.50 12.05		26	742	110 30	00000
	AVCR 0805	ENGL1010 H	1 1 1	11.00 11.50		25	742	110 30	00000
	AVCR 0805	ENGL1020 B	1 1 1	12.00 12.50		21	742	110 30	00000
	AVCR 0805	JOBS2450 C	1 1	12.15 13.05		19	742	110 30	00000
	AVCR 0805	JOBS2450 D	1 1	13.40 14.30		20	742	110 30	00000
	AVCR 0814	TSRE0091 A	1 1 1	8.00 8.50		22	480	210 25	00000
	AVCR 0814	TSRE0091 D	1 1	8.00 9.15		24	480	210 25	00000
	AVCR 0814	TSRE0091 E	1 1	9.25 10.40		24	480	210 25	00000
	AVCR 0814	TSRE0091 B	1 1 1	10.00 10.50		23	480	210 25	00000
	AVCR 0814	TSRE0091 F	1 1	10.50 12.05		23	480	210 25	00000
	AVCR 0814	TSRE0091 C	1 1 1	12.00 12.50		18	480	210 25	00000
	AVCR 0814	TSRE0091 G	1 1	12.15 13.30		22	480	210 25	00000
	AVCR 0814	TSRE0091 I	1 1	13.00 14.15		24	480	210 25	00000
	AVCR 0814	TSRE0091 H	1 1	13.40 14.55		24	480	210 25	00000
	AVCR 0814	TSRE0091 N	1 1	17.30 18.45		24	480	210 25	00000
	AVCR 0818	TSEN0091 A	1 1 1	8.00 8.50		20	720	110 28	00000
	AVCR 0818	ENGL1010 G	1 1	8.00 9.15		27	720	110 28	00000
	AVCR 0818	ENGL1010 C	1 1 1	9.00 9.50		27	720	110 28	00000
	AVCR 0818	SKIL1000 A	1 1	9.25 10.40		15	720	110 28	00000
	AVCR 0818	TSEN0091 D	1 1 1	10.00 10.50		25	720	110 28	00000
	AVCR 0818	TSEN0093 F	1 1	10.50 12.05		23	720	110 28	00000
	AVCR 0818	TSEN0093 B	1 1 1	11.00 11.50		18	720	110 28	00000
	AVCR 0818	ENGL2535 B	1 1	12.00 12.50		24	720	110 28	00000
	AVCR 0818	TSEN0091 F	1 1 1	13.00 13.50		21	720	110 28	00000
	AVCR 0820	TSEN0093 E	1 1	9.25 10.40		23	720	110 28	00000
	AVCR 0820	ENGL1010 E	1 1 1	10.00 10.50		27	720	110 28	00000
	AVCR 0820	TSEN0091 H	1 1 1	11.00 11.50		24	720	110 28	00000
	AVIA 0400	AMTP2200 A	111111	8.00 12.00		12	19,594	210 49	00000
	AVIA 0400	AMTP2210 A	111111	8.00 12.00	1	12	19,594	210 49	00000
	AVIA 0400	AMTP2290 A	111111	8.00 12.00	1	12	19,594	210 49	00000
4	AVIA 0400	AMTA2140 A	1111	8.00 14.30	1	1	19,594	210 49	00000
4	AVIA 0400	AMTG1010 A	1111	8.00 14.30	1	25	19,594	210 49	00000
8	AVIA 0400	AMTA2010 A	1111	9.30 14.30	1	17	19,594	210 49	00000
8	AVIA 0400	AMTA2060 A	1111	9.30 14.30	1	15	19,594	210 49	00000
8	AVIA 0400	AMTA2070 A	1111	9.30 14.30	1	18	19,594	210 49	00000
8	AVIA 0400	AMTA2090 A	1111	9.30 14.30	1	17	19,594	210 49	00000
	AVIA 0400	AMTA2040 A	1111	14.35 15.55		23	19,594	210 49	00000
4	AVIA 0404	AMTA2140 A	1111	8.00 14.30		1	647	210 13	00000
4	8 AVIA 0404	AMTG1010 A	1111	8.00 14.30	1	25	647	210 13	00000
4	8 AVIA 0404	AMTG1050 A	1111	8.00 14.30	1	24	647	210 13	00000
4	8 AVIA 0404	AMTG1070 A	1111	8.00 14.30	1	25	647	210 13	00000
4	8 AVIA 0404	AMTG1080 A	1111	8.00 14.30	1	25	647	210 13	00000
4	8 AVIA 0404	AMTG1090 A	1111	8.00 14.30	1	24	647	210 13	00000
	AVIA 0408	AMTA2010 A	1111	9.30 14.30		17	508	110 15	00000
8	AVIA 0408	AMTA2060 A	1111	9.30 14.30	1	15	508	110 15	00000
8	AVIA 0408	AMTA2070 A	1111	9.30 14.30	1	18	508	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	AVIA 0408	AMTA2090 A	1111	9.30 14.30	1	17	508	110 15	00000	
	AVIA 0408	AMTA2040 A	1111	14.35 15.55		23	508	110 15	00000	
	AVIA 0409	AMTP2200 A	11111	8.00 12.00		12	497	110 12	00000	
8	AVIA 0409	AMTP2210 A	11111	8.00 12.00	1	12	497	110 12	00000	
8	AVIA 0409	AMTP2290 A	11111	8.00 12.00	1	12	497	110 12	00000	
	AVIA 0412	AMTP2200 A	11111	8.00 12.00		12	471	210 9	00000	
8	AVIA 0412	AMTP2210 A	11111	8.00 12.00	1	12	471	210 9	00000	
8	AVIA 0412	AMTP2290 A	11111	8.00 12.00	1	12	471	210 9	00000	
4	8	AVIA 0415	AMTG1010 A	1111	8.00 14.30		25	1,271	210 8	00000
4		AVIA 0418	AMTA2140 A	1111	8.00 14.30		1	753	210 15	00000
	AVIA 0418	AMTA2010 A	1111	9.30 14.30	1	17	753	210 15	00000	
8	AVIA 0418	AMTA2070 A	1111	9.30 14.30	1	18	753	210 15	00000	
8	AVIA 0418	AMTA2090 A	1111	9.30 14.30	1	17	753	210 15	00000	
	AVIA 0418	AMTA2040 A	1111	14.35 15.55		23	753	210 15	00000	
	CPTR 0101	PTEC1320 A	1 1 1	7.45 8.50		14	638	110 25	00000	
	CPTR 0101	PTEC1310 B	1 1	7.45 9.30		16	638	110 25	00000	
	CPTR 0101	PTEC1310 A	1 1 1	9.50 10.55		17	638	110 25	00000	
	CPTR 0101	PTEC1310 C	1 1	10.30 12.10		26	638	110 25	00000	
	CPTR 0101	PTEC1000 A	1 1	11.00 11.50		18	638	110 25	00000	
	CPTR 0101	PHSC1000 B	1 1 1	12.00 12.50		23	638	110 25	00000	
	CPTR 0101	PTEC1320 B	1 1	12.15 13.55		19	638	110 25	00000	
	CPTR 0101	PHSC1000 C	1 1 1	13.00 13.50		22	638	110 25	00000	
	CPTR 0103	PTEC2440 A	1 1 1	8.00 8.50		14	696	110 25	00000	
	CPTR 0103	PTEC1010 C	1 1	8.00 9.15		30	696	110 25	00000	
	CPTR 0103	PHSC1000 H	1 1 1	9.00 9.50		23	696	110 25	00000	
	CPTR 0103	PTEC1310 D	1 1 1	9.50 10.55		12	696	110 25	00000	
	CPTR 0103	PTEC2620 B	1 1	10.50 12.05		14	696	110 25	00000	
	CPTR 0103	PTEC2030 A	1 1 1	11.00 11.50		27	696	110 25	00000	
	CPTR 0103	PHSC1000 J	1 1	12.00 13.15		9	696	110 25	00000	
	CPTR 0103	PTEC2620B A	1	12.15 13.30		14	696	110 25	00000	
	CPTR 0103	PTEC1010 B	1 1 1	14.00 14.50		24	696	110 25	00000	
	CPTR 0103	PTEC2630 A	1 1	15.05 16.20		24	696	110 25	00000	
	CPTR 0103	PTEC2030 N	1 1	16.30 21.00		15	696	110 25	00000	
	CPTR 0106	PTEC1610 A	1 1 1	7.45 8.18		18	704	210 14	00000	
	CPTR 0106	PTEC1610B A	1 1 1	8.18 8.50		18	704	210 14	00000	
	CPTR 0106	PTEC2420 A	1 1 1	9.00 9.50		17	704	210 14	00000	
	CPTR 0106	PTEC2440 B	1 1	9.25 10.40		18	704	210 14	00000	
8	CPTR 0106	PTEC1010 A	1 1 1	10.00 10.50		31	704	210 14	00000	
	CPTR 0106	PTEC2070 A	1 1 1	11.00 11.50		19	704	210 14	00000	
	CPTR 0106	PTEC2630 W	1 1	15.05 16.20		15	704	210 14	00000	
	CPTR 0106	PTEC2620 N	1 1	16.30 21.00		14	704	210 14	00000	
	CPTR 0106	PTEC2620B N	1 1	21.00 22.30		13	704	210 14	00000	
	CPTR 0108	CADD1101 A	1111	8.00 9.50		16	704	210 14	00000	
	CPTR 0108	DRFT1101 A	1111	10.00 10.59		15	704	210 14	00000	
	CPTR 0108	DRFT1102 A	1111	12.00 12.50		16	704	210 14	00000	
	CPTR 0108	DRFT1103 A	1111	13.00 13.50		16	704	210 14	00000	
	CPTR 0108	DRFT1104 A	1111	14.00 14.50		17	704	210 14	00000	
	CPTR 0109	DRFT2305 A			1	4	686	210 14	00000	
	CPTR 0109	DRFT2303 A	11111	8.00 8.50		10	686	210 14	00000	
	CPTR 0109	DRFT2302 A	11111	9.00 9.50		8	686	210 14	00000	
	CPTR 0109	DRFT2402 A	11111	10.00 10.50		4	686	210 14	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	CPTR 0109	DRFT2404 A	11111	12.00 13.30		1	686	210 14	00000
	CPTR 0109	DRFT2401 A	11111	13.30 14.20		4	686	210 14	00000
	CPTR 0110	CADD1201 A	1111	8.00 9.50		7	704	210 14	00000
	CPTR 0110	DRFT1201 A	1111	10.00 10.55		5	704	210 14	00000
	CPTR 0110	DRFT1205 A	1111	12.00 12.50		15	704	210 14	00000
	CPTR 0110	DRFT2301 A	1111	13.00 14.15		13	704	210 14	00000
	CPTR 0111	BIOL1010 A	1 1 1	8.00 8.50		28	1,189	210 24	00000
	CPTR 0111	BIOL1010 D	1 1	8.00 9.15		26	1,189	210 24	00000
	CPTR 0111	BIOL1010 B	1 1 1	9.00 9.50		25	1,189	210 24	00000
	CPTR 0111	BIOL1011 C	1	9.25 11.15		3	1,189	210 24	00000
	CPTR 0111	BIOL1020 A	1 1 1	10.00 10.50		28	1,189	210 24	00000
	CPTR 0111	PHSC1000 I	1 1 1	11.00 11.50		22	1,189	210 24	00000
	CPTR 0111	BIOL1010 C	1 1 1	12.00 12.50		27	1,189	210 24	00000
	CPTR 0111	BIOL1010 F	1 1	12.15 13.30		27	1,189	210 24	00000
	CPTR 0111	BIOL1011 A	1	13.00 14.50		7	1,189	210 24	00000
	CPTR 0111	BIOL1011 B	1	13.00 14.50		2	1,189	210 24	00000
	CPTR 0114	PHSC1000 D	1 1 1	8.00 8.50		23	1,160	210 23	00000
	CPTR 0114	CHEM1010 B	1 1	8.00 9.15		15	1,160	210 23	00000
	CPTR 0114	CHEM1010 C	1 1 1	9.00 9.50		25	1,160	210 23	00000
	CPTR 0114	BIOL1010 E	1 1	9.25 10.40		30	1,160	210 23	00000
	CPTR 0114	PHSC1000 E	1 1 1	10.00 10.50		24	1,160	210 23	00000
	CPTR 0114	CHEM1010 A	1 1 1	11.00 11.50		22	1,160	210 23	00000
	CPTR 0114	CHEM1011 A	1	12.00 14.30		20	1,160	210 23	00000
	CPTR 0114	CHEM1011 B	1	12.30 15.00		9	1,160	210 23	00000
	CPTR 0114	CHEM1011 C	1	12.30 15.00		10	1,160	210 23	00000
	CPTR 0114	CHEM1010 N	1 1	17.00 18.15		9	1,160	210 23	00000
	CPTR 0114	CHEM1011 N	1	18.20 20.50		9	1,160	210 23	00000
	CPTR 0300	PTEC1610 B	1 1 1	7.45 8.18		13	2,507	210 30	00000
	CPTR 0300	PTEC2030 B	1 1	8.00 9.15		19	2,507	210 30	00000
	CPTR 0300	PTEC1610B B	1 1 1	8.18 8.50		13	2,507	210 30	00000
	CPTR 0300	PTEC2420B A	1	9.25 11.05		14	2,507	210 30	00000
	CPTR 0300	PTEC1010 A	1 1 1	10.00 10.50		31	2,507	210 30	00000
	CPTR 0300	PTEC2911 A	111	12.00 14.30		15	2,507	210 30	00000
	CPTR 0300	PTEC2420B C	1	13.50 15.10		10	2,507	210 30	00000
	CPTR 0300	PTEC2430 A	111	14.40 15.30		14	2,507	210 30	00000
	CPTR 0300	PTEC2430B A	11	15.40 16.30		13	2,507	210 30	00000
	CPTR 0300	PTEC2700 A	1 1	16.00 17.15	1	11	2,507	210 30	00000
	CPTR 0300	PTEC2430 N	111	16.30 17.20	1	17	2,507	210 30	00000
	CPTR 0300	PTEC2430B N	11	17.20 18.10		18	2,507	210 30	00000
	CPTR 0300	PTEC2911 N	111	18.20 20.50		16	2,507	210 30	00000
	CPTR 0302	PTEC1310 B	1 1	7.45 9.30		16	2,725	210 35	00000
	CPTR 0302	PTEC1010 C	1 1	8.00 9.15	1	30	2,725	210 35	00000
	CPTR 0302	PTEC1310 A	1 1 1	9.50 10.55		17	2,725	210 35	00000
	CPTR 0302	PTEC1310 D	1 1 1	9.50 10.55	1	12	2,725	210 35	00000
	CPTR 0302	PTEC1310 C	1 1	10.30 12.10		26	2,725	210 35	00000
	CPTR 0302	PTEC1000 A	1 1	11.00 11.50		18	2,725	210 35	00000
	CPTR 0302	PTEC2911 A	111	12.00 14.30		15	2,725	210 35	00000
	CPTR 0302	PTEC2620B A	1	12.15 13.30	1	14	2,725	210 35	00000
	CPTR 0302	PTEC1010 B	1 1 1	14.00 14.50		24	2,725	210 35	00000
8	CPTR 0308	PTEC1610B B	1 1 1	8.18 8.50		13	240	215	00000
	CPTR 0311	PTEC1320 A	1 1 1	7.45 8.50		14	1,723	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	CPTR 0311	PTEC1610B A	1 1 1	8.18 8.50	1	18	1,723	210 15	00000
	CPTR 0311	PTEC1320 B	1 1	12.15 13.55		19	1,723	210 15	00000
	CPTR 0311	PTEC2430 A	111	14.40 15.30		14	1,723	210 15	00000
	CPTR 0311	PTEC2430B A	11	15.40 16.30		13	1,723	210 15	00000
	CPTR 0311	PTEC2430 N	111	16.30 17.20		17	1,723	210 15	00000
	CPTR 0311	PTEC2430B N	11	17.20 18.10		18	1,723	210 15	00000
	CPTR 0311	PTEC2911 N	111	18.20 20.50		16	1,723	210 15	00000
	EMCH 0309	ELEC1122 B	1 1	8.00 10.00		26	1,145	210 23	00000
	EMCH 0309	ELEC1430 A	1 1	10.00 12.20		25	1,145	210 23	00000
	EMCH 0309	ELEC1122 A	1 1	12.30 14.45		24	1,145	210 23	00000
	EMCH 0309	ELEC1430 B	1 1	12.50 14.55	1	9	1,145	210 23	00000
	EMCH 0309	ELEC2220 A	1 1 1	13.00 14.20		18	1,145	210 23	00000
	EMCH 0309	ELEC1122 C	1 1	17.00 19.30		9	1,145	210 23	00000
	EMCH 0309X	INST1010 A	1 1	8.00 9.55		34	1,130	210 23	00000
8	EMCH 0309X	ELEC1122 B	1 1	8.00 10.00	1	26	1,130	210 23	00000
	EMCH 0309X	ELEC1430 A	1 1	10.00 12.20		25	1,130	210 23	00000
	EMCH 0309X	ELEC1122 A	1 1	12.30 14.45		24	1,130	210 23	00000
	EMCH 0309X	ELEC1430 B	1 1	12.50 14.55	1	9	1,130	210 23	00000
	EMCH 0309X	ELEC2220 B	1 1	17.00 19.00		18	1,130	210 23	00000
	EMCH 0309X	ELEC1122 C	1 1	17.00 19.30		9	1,130	210 23	00000
	EMCH 0310	ELEC1220 A	1 1 1	8.00 9.45		18	1,756	210 20	00000
	EMCH 0310	ELEC1220 B	1 1 1	10.00 11.45		20	1,756	210 20	00000
8	EMCH 0310	ELEC1220 C	1 1 1	10.00 11.45	1	20	1,756	210 20	00000
	EMCH 0310	ELEC2220 A	1 1 1	13.00 14.20		18	1,756	210 20	00000
	EMCH 0310	ELEC2220 B	1 1	17.00 19.00		18	1,756	210 20	00000
	EMCH 0312	CRMJ1120 A	1 1	8.00 9.15		41	1,177	110 36	00000
	EMCH 0312	CRMJ1110 A	1 1 1	9.00 9.50		40	1,177	110 36	00000
	EMCH 0312	CRMJ1322 A	1 1	9.25 10.40		44	1,177	110 36	00000
	EMCH 0312	CRMJ1230 A	1 1 1	10.00 10.50		42	1,177	110 36	00000
	EMCH 0312	CRMJ1220 B	1 1	10.50 12.05		44	1,177	110 36	00000
	EMCH 0312	CRMJ1110 B	1 1 1	11.00 11.50		44	1,177	110 36	00000
	EMCH 0312	CRMJ1220 A	1 1 1	12.00 12.50		48	1,177	110 36	00000
	EMCH 0312	CRMJ2520 A	1 1 1	13.00 13.50		35	1,177	110 36	00000
	EMCH 0312	CRMJ2552 A	1	13.00 13.50	1	18	1,177	110 36	00000
	EMCH 0312	CRMJ2510 N	1	17.00 20.45		16	1,177	110 36	00000
	EMCH 0313	ELEC1312 A	1 1	8.00 9.30		40	3,160	210 40	00000
	EMCH 0313	ELEC1230 A	1 1 1	10.00 11.45		22	3,160	210 40	00000
	EMCH 0313	ELEC1230 B	1 1	12.00 14.30		19	3,160	210 40	00000
	EMCH 0313	INST1010 D	1 1	12.30 14.25		20	3,160	210 40	00000
8	EMCH 0314	INST2812 A	1 1 1	8.00 9.20		17	483	210 10	00000
	EMCH 0315	INST2722 B	1 1	8.00 10.30		16	596	210 12	00000
	EMCH 0315	INST2722 A	1 1 1	12.30 14.15		15	596	210 12	00000
8	EMCH 0316	ELEC1312 A	1 1	8.00 9.30		40	587	110 26	00000
	EMCH 0316	ELEC1230 A	1 1 1	10.00 11.45		22	587	110 26	00000
	EMCH 0316	ELEC1230 B	1 1	12.00 14.30		19	587	110 26	00000
	EMCH 0320	INST1111 A	1 1 1	8.00 9.55		33	1,238	210 25	00000
	EMCH 0320	INST1010 A	1 1	8.00 9.55		34	1,238	210 25	00000
	EMCH 0320	INST1111 B	1 1 1	10.00 11.55		34	1,238	210 25	00000
	EMCH 0320	INST1010 B	1 1	10.00 11.55		33	1,238	210 25	00000
	EMCH 0320	INST1111 D	1 1 1	11.00 12.55		30	1,238	210 25	00000
8	EMCH 0320	INST1111 C	1 1 1	12.30 14.15	1	32	1,238	210 25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	EMCH 0320	INST1112 A	1 1 1	13.00 15.55	1	29	1,238	210 25	00000
4	EMCH 0324	ETRN1250 A	11111	8.00 15.00		4	1,091	210 22	00000
4	EMCH 0324	ETRN2112 A	11111	8.00 15.00	1	1	1,091	210 22	00000
4	EMCH 0324	ETRN2120 A	11111	8.00 15.00	1	4	1,091	210 22	00000
4	EMCH 0324	ETRN2130 A	11111	8.00 15.00	1	4	1,091	210 22	00000
4	EMCH 0324	ETRN2800 A	11111	8.00 15.00	1	12	1,091	210 22	00000
	EMCH 0324	ETRN1232 A	1 1	17.30 20.00		8	1,091	210 22	00000
	EMCH 0325	INST1111 A	1 1 1	8.00 9.55		33	2,724	210 45	00000
4	EMCH 0325	ETRN1250 A	11111	8.00 15.00	1	4	2,724	210 45	00000
4	EMCH 0325	ETRN2112 A	11111	8.00 15.00	1	1	2,724	210 45	00000
	EMCH 0325	INST1111 B	1 1 1	10.00 11.55	1	34	2,724	210 45	00000
8	EMCH 0325	INST1111 D	1 1 1	11.00 12.55	1	30	2,724	210 45	00000
8	EMCH 0325	INST1111 C	1 1 1	12.30 14.15	1	32	2,724	210 45	00000
8	EMCH 0325	INST1112 A	1 1 1	13.00 15.55	1	29	2,724	210 45	00000
	EMCH 0325	ETRN1232 A	1 1	17.30 20.00		8	2,724	210 45	00000
	EMCH 0327	INST2732 A	1 1 1	8.00 9.20		26	1,049	110 40	00000
	EMCH 0327	INST2420 A	1 1	8.00 10.10		29	1,049	110 40	00000
	EMCH 0327	INST1010 C	1 1 1	10.00 11.20		33	1,049	110 40	00000
	EMCH 0327	INST1410 A	1 1	14.30 16.30		26	1,049	110 40	00000
	EMCH 0327	INST1310 A	1 1	14.30 16.30		24	1,049	110 40	00000
	EMCH 0328	INST1010 C	1 1 1	10.00 11.20		33	1,131	210 23	00000
	EMCH 0328	INST1010 D	1 1	12.30 14.25		20	1,131	210 23	00000
	EMCH 0328	INST1310 A	1 1	14.30 16.30		24	1,131	210 23	00000
	EMCH 0328X	INST1010 C	1 1 1	10.00 11.20		33	2,157	210 25	00000
	EMCH 0328X	INST1010 B	1 1	10.00 11.55		33	2,157	210 25	00000
	EMCH 0328X	INST1010 D	1 1	12.30 14.25		20	2,157	210 25	00000
	EMCH 0328X	INST1310 A	1 1	14.30 16.30		24	2,157	210 25	00000
	MA01 A002	JOBS2450 B	1 1	10.50 11.40		21	625	110 42	00000
	MA03 A003	TSEN0093 D	1 1 1	9.00 9.50		26	625	110 30	00000
	MA03 A003	ENGL1010 F	1 1 1	10.00 10.50		27	625	110 30	00000
	MA03 A003	GART2110 A	1 1	12.15 14.40		15	625	110 30	00000
	MA03 A004	PHSC1000 F	1 1	9.25 10.40		23	625	110 30	00000
	MA03 A004	PHSC1000 G	1 1	10.50 12.05		26	625	110 30	00000
	MA03 A004	GAEC2300 A	1 1	18.00 21.00		14	625	110 30	00000
	MA05 A005	GAEC1100 A	1 1	18.00 21.00		23	625	110 30	00000
8	MA05 A005	GAEC1110 A	1 1	18.00 21.00	1	23	625	110 30	00000
	MA05 A006	GAEC1200 A	1 1	18.00 21.00		12	625	110 30	00000
	MA05 A006	GAEC1210 A	1 1	18.00 21.00	1	12	625	110 30	00000
	MA07 A007	GAEC1300 A	1 1	18.00 21.00		13	625	110 30	00000
	MA07 A008	GAEC2200 A	1 1	18.00 21.00		6	625	110 30	00000
	MECH 0601	COMA2040 A			1	1	552	210 11	00000
	MECH 0601	COMA2220 A			1	2	552	210 11	00000
8	MECH 0601	CULN1220 A	1 1	7.00 8.25		28	552	210 11	00000
8	MECH 0601	GART1010 A	1 1	8.00 9.25		20	552	210 11	00000
8	MECH 0601	CULN1130 A	1	9.00 12.50		28	552	210 11	00000
8	MECH 0601	GART1030 A	1 1 1	10.00 11.35		22	552	210 11	00000
	MECH 0601	GART2500 A	1	11.00 12.00		7	552	210 11	00000
8	MECH 0601	GART1020 A	1 1	12.15 14.40		21	552	210 11	00000
	MECH 0603	COMA2040 A			1	1	744	210 15	00000
	MECH 0603	GART1010 A	1 1	8.00 9.25		20	744	210 15	00000
	MECH 0603	GART1230 A	1 1	8.00 10.40		19	744	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	MECH 0603	GART1240 A	1 1 1	10.00 11.35		23	744	210 15	00000	
	MECH 0603	GART2500 A	1	11.00 12.00		7	744	210 15	00000	
	MECH 0603	GART1040 A	1 1 1	13.00 14.35		23	744	210 15	00000	
	MECH 0603	GART1210 A	1 1	15.45 18.25		9	744	210 15	00000	
	MECH 0611	COMA2050 A			1	1	552	210 11	00000	
	MECH 0611	COMA2340 A			1	4	552	210 11	00000	
	MECH 0611	GART2120 A	1 1 1	8.00 9.35		14	552	210 11	00000	
	MECH 0611	GART2210 A	1 1	8.00 10.40		10	552	210 11	00000	
8	MECH 0611	GART1030 A	1 1 1	10.00 11.35		22	552	210 11	00000	
8	MECH 0611	GART1020 A	1 1	12.15 14.40		21	552	210 11	00000	
	MECH 0611	GART1220 A	1 1 1	13.00 14.35		11	552	210 11	00000	
	METL 0103	MATH1100 I	1 1	10.50 12.05		24	870	210 44	00000	
	METL 0103	TSMA0093 K	1 1 1	11.00 11.50		12	870	210 44	00000	
4	METL 0106	WELD1120 A	11111	8.00 14.30		15	4,186	210 36	00000	
4	METL 0106	WELD1130 A	11111	8.00 14.30	1	15	4,186	210 36	00000	
4	METL 0106	WELD1310 A	11111	8.00 14.30	1	9	4,186	210 36	00000	
4	METL 0106	WELD1410 A	11111	8.00 14.30	1	8	4,186	210 36	00000	
4	8	METL 0106	WELD1411 A	11111	8.00 14.30	1	11	4,186	210 36	00000
4	8	METL 0106	WELD1420 A	11111	8.00 14.30	1	5	4,186	210 36	00000
4	8	METL 0106	WELD1510 A	11111	8.00 14.30	1	3	4,186	210 36	00000
4	8	METL 0106	WELD1514 A	11111	8.00 14.30	1	2	4,186	210 36	00000
4	8	METL 0106	WELD1515 A	11111	8.00 14.30	1	3	4,186	210 36	00000
4	8	METL 0106	WELD2110 A	11111	8.00 14.30	1	5	4,186	210 36	00000
4	8	METL 0106	WELD2111 A	11111	8.00 14.30	1	4	4,186	210 36	00000
4	8	METL 0106	WELD2210 A	11111	8.00 14.30	1	4	4,186	210 36	00000
4	8	METL 0106	WELD2221 A	11111	8.00 14.30	1	1	4,186	210 36	00000
4	8	METL 0106	WELD2222 A	11111	8.00 14.30	1	1	4,186	210 36	00000
4	8	METL 0106	WELD2230 A	11111	8.00 14.30	1	2	4,186	210 36	00000
4	8	METL 0106	WELD2310 A	11111	8.00 14.30	1	4	4,186	210 36	00000
4	8	METL 0106	WELD2311 A	11111	8.00 14.30	1	3	4,186	210 36	00000
4	METL 0111	WELD1110 A	11111	8.00 14.30		8	433	110 29	00000	
4	METL 0111	WELD1120 A	11111	8.00 14.30	1	15	433	110 29	00000	
4	METL 0111	WELD1210 A	11111	8.00 14.30	1	10	433	110 29	00000	
4	METL 0111	WELD2220 A	11111	8.00 14.30	1	1	433	110 29	00000	
4	MSOA 0101	HNUR1211 A	11111	8.00 14.30		10	1,920	210 100	00000	
4	MSOA 0101	HCOR2991 A	11111	8.00 15.00	1	10	1,920	210 100	00000	
4	MSOA 0102	HNUR2133 A	111	7.00 15.00		16	296	210 35	00000	
	MSOA 0102	HNUR1460 A	1 1 1	8.00 8.50	1	16	296	210 35	00000	
	MSOA 0102	HNUR2713 A	1 1	9.00 10.50		16	296	210 35	00000	
	MSOA 0102	HNUR2813 A	1 1	13.00 15.00		16	296	210 35	00000	
4	MSOA 0104	HNUR1211E V	11111	8.00 15.00		20	800	115 15	00000	
	MSOA 0201	OADM1100 A	1 1 1	8.00 8.50		18	907	210 20	00000	
	MSOA 0201	OADM1150 A	1 1	8.00 9.15		23	907	210 20	00000	
4	MSOA 0201	OADM1100E V	11111	8.00 15.00	1	1	907	210 20	00000	
4	MSOA 0201	OADM1150E V	11111	8.00 15.00	1	2	907	210 20	00000	
4	MSOA 0201	OADM1450E V	11111	8.00 15.00	1	2	907	210 20	00000	
	8	MSOA 0201	OADM1450 A	1 1	10.50 12.05	1	22	907	210 20	00000
	8	MSOA 0201	TSMA0092 A	1 1	12.00 12.50		36	907	210 20	00000
	MSOA 0203	OADM1100 A	1 1 1	8.00 8.50		18	730	210 20	00000	
	MSOA 0203	OADM1200 A	1 1 1	8.00 8.50	1	11	730	210 20	00000	
	MSOA 0203	OADM1150 A	1 1	8.00 9.15		23	730	210 20	00000	

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	MSOA 0203	OADM1100E V	111111	8.00 15.00	1	1	730	210 20	00000
4	MSOA 0203	OADM1150E V	111111	8.00 15.00	1	2	730	210 20	00000
4	MSOA 0203	OADM1450E V	111111	8.00 15.00	1	2	730	210 20	00000
8	MSOA 0203	OADM1450 A	1 1	10.50 12.05	1	22	730	210 20	00000
8	MSOA 0203	OADM1550 A	1 1	10.50 12.05	1	16	730	210 20	00000
	MSOA 0203	OADM1650 A	1 1 1	11.00 11.50		17	730	210 20	00000
	MSOA 0203	OADM1330 A	1 1 1	12.00 12.50		21	730	210 20	00000
	MSOA 0203	OADM2640 A	1 1 1	12.00 12.50	1	9	730	210 20	00000
	MSOA 0203	BUSI1080 A	1 1 1	13.00 13.50		12	730	210 20	00000
	MSOA 0207	ACCT1110 A	1 1 1	9.00 9.50		29	720	110 20	00000
	MSOA 0207	ACCT1150 A	1 1	9.25 10.40		28	720	110 20	00000
	MSOA 0207	ACCT1300 A	1 1 1	10.00 10.50		8	720	110 20	00000
	MSOA 0207	ACCT1400 A	1 1 1	10.00 10.50	1	7	720	110 20	00000
	MSOA 0207	OADM1330 A	1 1 1	12.00 12.50		21	720	110 20	00000
	MSOA 0207	OADM2640 A	1 1 1	12.00 12.50	1	9	720	110 20	00000
	MSOA 0207	BUSI1030 A	1 1	12.15 13.30		28	720	110 20	00000
	MSOA 0209	TSEN0091 A	1 1 1	9.00 9.50		12	367	110 10	00000
8	MSOA 0209	TSMA0092 A	1 1	12.00 12.50		36	367	110 10	00000
	MSOA 0300	MEDL1360 A	1 1 1	9.00 9.50		6	1,032	110 25	00000
	MSOA 0300	MEDL1300 A	1 1	9.25 10.40		23	1,032	110 25	00000
	MSOA 0300	MEDL1370 A	1 1 1	10.00 10.50		17	1,032	110 25	00000
	MSOA 0300	MEDL1340 A	1 1	10.50 12.05		22	1,032	110 25	00000
4	MSOA 0304	ELEC1122 A	111111	8.00 14.30		1	2,177	210 24	00000
4	MSOA 0304	ELEC1222 A	111111	8.00 14.30	1	3	2,177	210 24	00000
4	MSOA 0304	ELEC1230 A	111111	8.00 14.30	1	3	2,177	210 24	00000
4	MSOA 0304	ELEC1340 A	111111	8.00 14.30	1	4	2,177	210 24	00000
4	MSOA 0304	ELEC1422 A	111111	8.00 14.30	1	4	2,177	210 24	00000
4	MSOA 0304	ELEC1430 A	111111	8.00 14.30	1	2	2,177	210 24	00000
4	MSOA 0304	ELEC2460 A	111111	8.00 14.30	1	4	2,177	210 24	00000
4	MSOA 0304	ELEC2630 A	111111	8.00 14.30	1	2	2,177	210 24	00000
4	MSOA 0304	INST1111 A	111111	8.00 14.30	1	4	2,177	210 24	00000
4	MSOA 0304	INST1112 A	111111	8.00 14.30	1	3	2,177	210 24	00000
4	MSOA 0304	ETRN1112E V	111111	8.00 15.00	1	3	2,177	210 24	00000
4	MSOA 0401	WELD1110 A	111111	8.00 14.30		4	410	110 20	00000
4	MSOA 0401	WELD1120 A	111111	8.00 14.30	1	7	410	110 20	00000
4	MSOA 0401	WELD1130 A	111111	8.00 14.30	1	6	410	110 20	00000
4	MSOA 0401	WELD1210 A	111111	8.00 14.30	1	4	410	110 20	00000
4	MSOA 0401	WELD1310 A	111111	8.00 14.30	1	2	410	110 20	00000
4	MSOA 0401	WELD1410 A	111111	8.00 14.30	1	3	410	110 20	00000
4	MSOA 0401	WELD1411 A	111111	8.00 14.30	1	2	410	110 20	00000
4	MSOA 0401	WELD1420 A	111111	8.00 14.30	1	2	410	110 20	00000
4	8	MSOA 0401	WELD1510 A	8.00 14.30	1	1	410	110 20	00000
4	8	MSOA 0401	WELD2110 A	8.00 14.30	1	3	410	110 20	00000
4	8	MSOA 0401	WELD2210 A	8.00 14.30	1	2	410	110 20	00000
4	8	MSOA 0401	WELD2230 A	8.00 14.30	1	2	410	110 20	00000
4	8	MSOA 0401	WELD2310 A	8.00 14.30	1	5	410	110 20	00000
4	8	MSOA 0401	WELD2312 A	8.00 14.30	1	2	410	110 20	00000
4	8	MSOA 0401	WELD1110E V	8.00 15.00	1	20	410	110 20	00000
4	8	MSOA 0401	WELD1410E V	8.00 15.00	1	1	410	110 20	00000
4	MSOA 0405	WELD1110 A	111111	8.00 14.30		4	2,000	210 20	00000
4	MSOA 0405	WELD1120 A	111111	8.00 14.30	1	7	2,000	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 11

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	MSOA 0405	WELD1130 A	111111	8.00 14.30	1	6	2,000	210 20	00000
4	MSOA 0405	WELD1210 A	111111	8.00 14.30	1	4	2,000	210 20	00000
4	MSOA 0405	WELD1310 A	111111	8.00 14.30	1	2	2,000	210 20	00000
4	MSOA 0405	WELD1410 A	111111	8.00 14.30	1	3	2,000	210 20	00000
4	MSOA 0405	WELD1411 A	111111	8.00 14.30	1	2	2,000	210 20	00000
4	MSOA 0405	WELD1420 A	111111	8.00 14.30	1	2	2,000	210 20	00000
4	8 MSOA 0405	WELD1510 A	111111	8.00 14.30	1	1	2,000	210 20	00000
4	8 MSOA 0405	WELD2110 A	111111	8.00 14.30	1	3	2,000	210 20	00000
4	8 MSOA 0405	WELD2210 A	111111	8.00 14.30	1	2	2,000	210 20	00000
4	8 MSOA 0405	WELD2230 A	111111	8.00 14.30	1	2	2,000	210 20	00000
4	8 MSOA 0405	WELD2310 A	111111	8.00 14.30	1	5	2,000	210 20	00000
4	8 MSOA 0405	WELD2312 A	111111	8.00 14.30	1	2	2,000	210 20	00000
4	8 MSOA 0405	WELD1110E V	111111	8.00 15.00	1	20	2,000	210 20	00000
4	8 MSOA 0405	WELD1410E V	111111	8.00 15.00	1	1	2,000	210 20	00000
4	MSOA 0406	AUTO1002 A	111111	8.00 14.30	1	5	3,500	210 20	00000
4	MSOA 0406	AUTO1102 A	111111	8.00 14.30	1	1	3,500	210 20	00000
4	MSOA 0406	AUTO1202 A	111111	8.00 14.30	1	5	3,500	210 20	00000
4	MSOA 0406	AUTO1302 A	111111	8.00 14.30	1	5	3,500	210 20	00000
4	MSOA 0406	AUTO1502 A	111111	8.00 14.30	1	1	3,500	210 20	00000
4	MSOA 0406	AUTO1702 A	111111	8.00 14.30	1	2	3,500	210 20	00000
4	8 MSOA 0406	AUTO1002E V	111111	8.00 15.00	1	13	3,500	210 20	00000
4	8 MSOA 0406	AUTO1202E V	111111	8.00 15.00	1	1	3,500	210 20	00000
4	MSOA 0407	AUTO1002 A	111111	8.00 14.30	1	5	270	110 15	00000
4	MSOA 0407	AUTO1102 A	111111	8.00 14.30	1	1	270	110 15	00000
4	MSOA 0407	AUTO1202 A	111111	8.00 14.30	1	5	270	110 15	00000
4	MSOA 0407	AUTO1302 A	111111	8.00 14.30	1	5	270	110 15	00000
4	MSOA 0407	AUTO1502 A	111111	8.00 14.30	1	1	270	110 15	00000
4	MSOA 0407	AUTO1702 A	111111	8.00 14.30	1	2	270	110 15	00000
4	8 MSOA 0407	AUTO1002E V	111111	8.00 15.00	1	13	270	110 15	00000
4	8 MSOA 0407	AUTO1202E V	111111	8.00 15.00	1	1	270	110 15	00000
4	PLPS 0100	JOBS2450 P	111111	7.00 15.30	1	3	9,130	210 30	00000
4	PLPS 0100	WELD1130 P	111111	7.00 15.30	1	5	9,130	210 30	00000
4	PLPS 0100	WELD1210 P	111111	7.00 15.30	1	14	9,130	210 30	00000
4	PLPS 0100	WELD1310 P	111111	7.00 15.30	1	14	9,130	210 30	00000
4	8 PLPS 0100	WELD1420 P	111111	7.00 15.30	1	14	9,130	210 30	00000
4	8 PLPS 0100	WELD1510 P	111111	7.00 15.30	1	15	9,130	210 30	00000
4	8 PLPS 0100	WELD1514 P	111111	7.00 15.30	1	9	9,130	210 30	00000
4	8 PLPS 0100	WELD1515 P	111111	7.00 15.30	1	12	9,130	210 30	00000
4	8 PLPS 0100	WELD1516 P	111111	7.00 15.30	1	7	9,130	210 30	00000
4	8 PLPS 0100	WELD1517 P	111111	7.00 15.30	1	11	9,130	210 30	00000
4	8 PLPS 0100	WELD2110 P	111111	7.00 15.30	1	3	9,130	210 30	00000
4	8 PLPS 0100	WELD2210 P	111111	7.00 15.30	1	11	9,130	210 30	00000
4	8 PLPS 0100	WELD2220 P	111111	7.00 15.30	1	10	9,130	210 30	00000
4	8 PLPS 0100	WELD2221 P	111111	7.00 15.30	1	12	9,130	210 30	00000
4	8 PLPS 0100	WELD2222 P	111111	7.00 15.30	1	5	9,130	210 30	00000
4	8 PLPS 0100	WELD2230 P	111111	7.00 15.30	1	4	9,130	210 30	00000
4	8 PLPS 0100	WELD2311 P	111111	7.00 15.30	1	3	9,130	210 30	00000
4	8 PLPS 0100	WELD1410 P	111111	7.00 15.30	1	14	9,130	210 30	00000
4	PLPS 0101	AUTO1002 P	111111	7.00 15.30	1	5	6,848	210 18	00000
4	8 PLPS 0101	AUTO1612 P	111111	7.00 15.30	1	24	6,848	210 18	00000
4	8 PLPS 0101	AUTO1802 P	111111	7.00 15.30	1	25	6,848	210 18	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 12

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	PLPS 0101	AUTO1812 P	111111	7.00 15.30	1	25	210 18	00000
4	8	PLPS 0101	WELD1120 P	111111	7.00 15.30	1	5	210 18	00000
4		PLPS 0105	WELD1110 P	111111	7.00 14.30		5	210 12	00000
4		PLPS 0105	AUTO1002 P	111111	7.00 15.30	1	5	210 12	00000
4	8	PLPS 0105	AUTO1812 P	111111	7.00 15.30	1	25	210 12	00000
4	8	PLPS 0105	ITEC1000 P	111111	7.00 15.30	1	4	210 12	00000
4	8	PLPS 0105	WELD1120 P	111111	7.00 15.30	1	5	210 12	00000
		TB62 0062	TSMA0092 B	1 1 1	8.00 8.50		27	110 30	00000
		TB62 0062	TSMA0092 F	1 1	8.00 9.15		28	110 30	00000
		TB62 0062	TSMA0092 C	1 1 1	9.00 9.50		27	110 30	00000
		TB62 0062	TPSC9999 A	1 1	9.25 10.40		4	110 30	00000
		TB62 0062	TSMA0092 D	1 1 1	10.00 10.50		27	110 30	00000
		TB62 0062	TPMA9999 A	1 1	12.15 13.30		8	110 30	00000
		TB64 0064	TSEN0091 B	1 1 1	8.00 8.50		24	110 30	00000
		TB64 0064	TPEN9999 D	1 1	8.00 9.15		13	110 30	00000
		TB64 0064	TPEN9999 A	1 1 1	9.00 9.50		19	110 30	00000
		TB64 0064	TPEN9999 E	1 1	9.25 10.40		10	110 30	00000
		TB64 0064	TSEN0091 C	1 1 1	10.00 10.50		26	110 30	00000
		TB64 0064	TPEN9999 F	1 1	12.15 13.30		6	110 30	00000
		TB64 0064	TPEN9999 C	1 1 1	13.00 13.50		10	110 30	00000
	8	TRNS 0002	AUTO1002 A	111111	8.00 11.00		33	210 14	00000
	8	TRNS 0002	AUTO1402 B	111111	8.00 11.00	1	17	210 14	00000
4	8	TRNS 0002	AUTO1812 A	111111	8.00 14.30	1	24	210 14	00000
4	8	TRNS 0002	AUTO1812 B	111111	8.00 14.30	1	21	210 14	00000
4	8	TRNS 0002	AUTO1822 A	111111	8.00 14.30	1	27	210 14	00000
		TRNS 0002	AUTO1822 B	111111	15.00 17.30		12	210 14	00000
		TRNS 0003	CLRP2111 A	111111	8.00 11.00		14	210 14	00000
4	8	TRNS 0003	CLRP1140 A	111111	8.00 14.30	1	12	210 14	00000
4	8	TRNS 0003	CLRP1150 A	111111	8.00 14.30	1	23	210 14	00000
4	8	TRNS 0003	CLRP1311 A	111111	8.00 14.30	1	18	210 14	00000
	8	TRNS 0003	CLRP2121 A	111111	12.00 14.30	1	6	210 14	00000
		TRNS 0200	AUTO1002 A	111111	8.00 11.00		33	210 40	00000
		TRNS 0200	AUTO1402 B	111111	8.00 11.00	1	17	210 40	00000
4	8	TRNS 0200	AUTO1812 A	111111	8.00 14.30	1	24	210 40	00000
4	8	TRNS 0200	AUTO1812 B	111111	8.00 14.30	1	21	210 40	00000
4	8	TRNS 0200	AUTO1822 A	111111	8.00 14.30	1	27	210 40	00000
		TRNS 0200	AUTO1822 B	111111	15.00 17.30		12	210 40	00000
		TRNS 0300	CLRP2111 A	111111	8.00 11.00		14	210 40	00000
4		TRNS 0300	CLRP1140 A	111111	8.00 14.30	1	12	210 40	00000
4		TRNS 0300	CLRP1150 A	111111	8.00 14.30	1	23	210 40	00000
4	8	TRNS 0300	CLRP1311 A	111111	8.00 14.30	1	18	210 40	00000
	8	TRNS 0300	CLRP2121 A	111111	12.00 14.30	1	6	210 40	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	152
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	128
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	280
TOTAL NUMBER OF RECORDS READ	603
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	594
NUMBER OF JOINT-CLASS RECORDS	193
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	9

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			44
TOTAL NUMBER OF STATIONS (CAPACITY)			1180
WEEKLY STUDENT CONTACT HOURS	19732	1659	21391
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3960	2200	6160
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1578	199	1777
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	106200	59000	165200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	41238	5970	47208
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	39464	3319	42783
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	39.8	9.0	28.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	37.2	5.6	25.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	95.7	55.6	90.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			44
TOTAL NUMBER OF STATIONS (CAPACITY)			1180
WEEKLY STUDENT CONTACT HOURS	19732	1659	21391
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3960	2200	6160
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1578	199	1777
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	106200	59000	165200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	41238	5970	47208
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	39464	3319	42783
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	39.8	9.0	28.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	37.2	5.6	25.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	95.7	55.6	90.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			68
TOTAL NUMBER OF STATIONS (CAPACITY)			1656
WEEKLY STUDENT CONTACT HOURS	55917	813	56730
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6120	3400	9520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4100	123	4223
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	149040	82800	231840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	105709	2930	108639
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	111834	1627	113461
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	67.0	3.6	44.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	75.0	2.0	48.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	105.8	55.5	104.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			68
TOTAL NUMBER OF STATIONS (CAPACITY)			1656
WEEKLY STUDENT CONTACT HOURS	55917	813	56730
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6120	3400	9520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4100	123	4223
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	149040	82800	231840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	105709	2930	108639
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	111834	1627	113461
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	67.0	3.6	44.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	75.0	2.0	48.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	105.8	55.5	104.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY