

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/15/2013 16:12:51
 PAGE NUM 1

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	0002	0105	BSAD507 EMB	1	8.00 17.00	1	14	677	110 20 00000
4	0002	0105	FINC515 EMB	1	8.00 17.00	1 1	14	677	110 20 00000
4 8	0002	0105	MKTG501 EMB	1	8.00 17.00	1 1	14	677	110 20 00000
	0002	0201	IDST420 2T	1 1	9.00 10.20		24	720	210 40 00000
	0002	0201	UNIV101 5W2	1	12.15 13.35		33	720	210 40 00000
	0002	0202	OIS 200 2M	1 1 1	8.35 9.30		36	1,166	240 43 00000
	0002	0202	OIS 200 2T	1 1	9.00 10.20		38	1,166	240 43 00000
	0002	0202	OIS 200 3M	1 1 1	9.40 10.35		37	1,166	240 43 00000
	0002	0202	CIS 231 H3T	1 1	10.30 11.50		37	1,166	240 43 00000
	0002	0202	OIS 200 4T	1 1	12.00 13.20		38	1,166	240 43 00000
	0002	0205	CIS 420 5T	1 1	13.30 14.50		28	728	240 34 00000
	0002	0205	CIS 501 ER	1	18.00 20.55		17	728	240 34 00000
	0002	0207	CIS 150 1M	1 1 1	7.30 8.25		18	717	110 48 00000
	0002	0207	SPCH101 2M	1 1 1	8.35 9.30		30	717	110 48 00000
	0002	0207	SPCH101 2T1	1 1	9.00 10.20		30	717	110 48 00000
	0002	0207	SPCH101 3M	1 1 1	9.40 10.35		26	717	110 48 00000
	0002	0207	CIS 310 3T	1 1	10.30 11.50		25	717	110 48 00000
	0002	0207	MAC0330 4MW	1 1	10.45 12.05		23	717	110 48 00000
	0002	0207	CIS 320 4T	1 1	12.00 13.20		36	717	110 48 00000
	0002	0207	SPCH101 6MW	1 1	13.45 15.05		30	717	110 48 00000
	0002	0207	CIS 255 ET	1	18.00 20.50		27	717	110 48 00000
	0002	0207	FINC356 EM	1	18.00 20.55		23	717	110 48 00000
	0002	0208	FINC302 2T	1 1	9.00 10.20		46	706	210 45 00000
	0002	0208	SPCH101 3T	1 1	10.30 11.50		30	706	210 45 00000
	0002	0208	SPCH101 4M1	1 1	10.45 12.05		28	706	210 45 00000
	0003	0170	HPED227 3T	1 1	10.30 11.50		8	11,472	520 1200 00000
	0003	0202	MUS 191 4T	1 1	12.00 13.20		5	2,146	520 40 00000
	0003	0202	MUS 391 4T	1 1	12.00 13.20	1	1	2,146	520 40 00000
	0004	0118	HPED207 1T	1 1	7.30 8.50		19	17,858	520 119 00000
	0004	0118	HPED246 2T	1 1	9.00 10.20		28	17,858	520 119 00000
	0004	0118	HPED223 3T	1 1	10.30 11.50		13	17,858	520 119 00000
	0004	0118	HPED280 3T	1 1	10.30 11.50	1	22	17,858	520 119 00000
	0004	0144	HPED320 H2T	1	9.00 10.20	1	29	857	110 67 00000
	0004	0144	HPED412 H3T	1	10.30 11.50	1	21	857	110 67 00000
	0004	0144	HPED390 4MW	1 1	10.45 12.05		8	857	110 67 00000
	0004	0144	HPED270 5T	1 1	13.30 14.50		26	857	110 67 00000
	0004	0144	HPED270 CW	1	17.00 19.50		30	857	110 67 00000
	0005	0104	PHYS201 1M	1 1 1	7.30 8.25		24	1,960	110 110 00000
	0005	0104	GEOL101 1T	1 1	7.30 8.50		37	1,960	110 110 00000
	0005	0104	CHEM221 2M	1 1 1	8.35 9.30		42	1,960	110 110 00000
	0005	0104	CHEM105 2T	1 1	9.00 10.20		70	1,960	110 110 00000
	0005	0104	CHEM105 3M	1 1 1	9.40 10.35		74	1,960	110 110 00000
	0005	0104	GEOL101 3T1	1 1	10.30 11.50		60	1,960	110 110 00000
	0005	0104	CHEM435 4M	1 1 1	10.45 11.40		59	1,960	110 110 00000
	0005	0104	CHEM109 4T	1 1	12.00 13.20		99	1,960	110 110 00000
	0005	0104	BIOL370 5MW	1 1	12.15 13.35		25	1,960	110 110 00000
	0005	0104	CHEM109 6MW	1 1	13.45 15.05		24	1,960	110 110 00000
	0005	0104	CHEM109 6T	1 1	15.00 16.20		19	1,960	110 110 00000
	0005	0104	CHEM105 7MW	1 1	15.15 16.35		67	1,960	110 110 00000
	0005	0107	BIOL301 1T	1 1	7.30 8.50		15	1,152	210 24 00000
	0005	0107	BIOL283 3M	1 1 1	9.40 10.35		7	1,152	210 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 2

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0005	0107	BIOL284 6W	1	13.45 16.35		7	1,152	210 24 00000
	0005	0165	GEOL101 1M	1 1 1	7.30 8.25		25	1,222	110 66 00000
	0005	0165	GEOL102 1T	1 1	7.30 8.50		37	1,222	110 66 00000
	0005	0165	CHEM222 2M	1 1 1	8.35 9.30		21	1,222	110 66 00000
	0005	0165	CHEM106 2T	1 1	9.00 10.20		38	1,222	110 66 00000
	0005	0165	PHSC101 3M	1 1 1	9.40 10.35		63	1,222	110 66 00000
	0005	0165	GEOL101 3T	1 1	10.30 11.50		69	1,222	110 66 00000
	0005	0165	CHEM109 4MW	1 1	10.45 12.05		69	1,222	110 66 00000
	0005	0165	CHEM105 4T	1 1	12.00 13.20		68	1,222	110 66 00000
	0005	0165	CHEM101 6MW	1 1	13.45 15.05		20	1,222	110 66 00000
	0005	0207	CHEM437 6F	1	12.55 16.00		13	2,336	210 16 00000
	0005	0207	CHEM437 BT	1	16.30 19.20		16	2,336	210 16 00000
	0005	0210	GEOL300 4MW	1 1	10.45 12.05		6	529	110 24 00000
	0005	0210	PHSC103 6MW	1 1	13.45 15.05		15	529	110 24 00000
	0005	0211	CHEM110 56T	1 1	13.30 16.20		16	1,104	210 24 00000
	0005	0211	CHEM110 78M	1 1	15.15 18.05		17	1,104	210 24 00000
	0005	0213	CHEM113 56T	1	13.30 16.20		17	1,104	210 24 00000
	0005	0228	PHYS103 1T	1	7.30 10.20		24	1,081	210 32 00000
	0005	0228	PHYS203 1R	1	7.30 10.20		12	1,081	210 32 00000
	0005	0228	PHYS103 45T	1	12.00 14.50		22	1,081	210 32 00000
	0005	0228	PHYS103 56M	1	12.15 15.05		20	1,081	210 32 00000
	0005	0228	PHYS103 56W	1	12.15 15.05		20	1,081	210 32 00000
	0005	0240	CHEM305 5MW	1 1	12.15 13.35		8	759	210 12 00000
	0005	0244	CHEM327 2T	1	9.00 9.55		9	946	210 16 00000
	0005	0244	CHEM327 2T	1	9.00 11.50		9	946	210 16 00000
	0005	0244	CHEM226 56T	1 1	13.30 16.20		4	946	210 16 00000
	0005	0244	CHEM226 67M	1 1	13.45 16.35		9	946	210 16 00000
	0005	0246	CHEM303 2M	1 1 1	8.35 9.30		7	276	110 12 00000
	0005	0248	PHSC102 2T	1 1	9.00 10.20		21	529	110 24 00000
	0005	0248	CHEM300 4MW	1 1	10.45 12.05		17	529	110 24 00000
	0005	0248	CHEM319 DM	1	17.30 18.25		16	529	110 24 00000
	0005	0253	CHEM302 6MW	1 1	13.45 16.35		11	1,128	210 24 00000
	0005	0255	CHEM413 67M	1	13.45 16.35		9	660	210 12 00000
	0006	0101	ASTR102 2M	1 1 1	8.35 9.30		44	9,026	610 992 00000
	0006	0101	ASTR101 2T	1 1	9.00 10.20		100	9,026	610 992 00000
	0006	0101	PHYS101 3T	1 1	10.30 11.50		63	9,026	610 992 00000
	0006	0101	PSYC305 4T	1 1	12.00 13.20		63	9,026	610 992 00000
	0006	0101	GEOL101 5MW	1 1	12.15 13.35		94	9,026	610 992 00000
	0006	0105	MATH100 1M	1 1 1	7.30 8.25		26	841	110 80 00000
	0006	0105	MATH101 1TW	1 1	7.30 8.50		35	841	110 80 00000
	0006	0105	MATH100 2M1	1 1 1	8.35 9.30		26	841	110 80 00000
	0006	0105	MATH101 2TM	1 1	9.00 10.20		32	841	110 80 00000
	0006	0105	MATH100 3M	1 1 1	9.40 10.35		25	841	110 80 00000
	0006	0105	MATH101 3TW	1 1	10.30 11.50		35	841	110 80 00000
	0006	0105	MATH100 4M1	1 1 1	10.45 11.40		25	841	110 80 00000
	0006	0105	MATH101 4TW	1 1	12.00 13.20		30	841	110 80 00000
	0006	0105	MATH110 5MW	1 1	12.15 13.35		28	841	110 80 00000
	0006	0105	MATH101 5TW	1 1	13.30 14.50		35	841	110 80 00000
	0006	0105	MATH100 6M1	1 1	13.45 15.05		25	841	110 80 00000
	0006	0105	MATH214 BM	1	16.30 19.20		30	841	110 80 00000
	0006	0105	MATH407 CTR	1 1	17.00 18.50		13	841	110 80 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/15/2013 16:12:51
 PAGE NUM 3

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0105	MATH423 CW	1	17.00 19.55		4	841	110 80 00000
	0006	0117	MATH100 1M1	1 1 1	7.30 8.25		26	770	110 50 00000
	0006	0117	MATH100 2M	1 1 1	8.35 9.30		25	770	110 50 00000
	0006	0117	MATH102 2T	1 1	9.00 10.20		38	770	110 50 00000
	0006	0117	MATH100 3M1	1 1 1	9.40 10.35		26	770	110 50 00000
	0006	0117	MATH165 5MT	1 1	10.30 11.50		31	770	110 50 00000
	0006	0117	MATH100 4M	1 1 1	10.45 11.40		26	770	110 50 00000
	0006	0117	MATH106 4T	1 1	12.00 13.20		35	770	110 50 00000
	0006	0117	MATH165 5MT	1 1	12.15 13.35		31	770	110 50 00000
	0006	0117	MATH108 5TR	1 1	13.30 15.20		37	770	110 50 00000
	0006	0117	MATH100 6M	1 1	13.45 15.05		26	770	110 50 00000
	0006	0117	MATH265 7MW	1 1	15.15 17.05		14	770	110 50 00000
	0006	0117	MATH165 ATR	1 1	16.00 18.55		34	770	110 50 00000
	0006	0117	MATH102 EW	1	18.00 20.50		34	770	110 50 00000
	0006	0120	ENGL101 1T	1 1	7.30 8.50		25	904	210 26 00000
	0006	0120	ENGL368 2M	1 1 1	8.35 9.30		17	904	210 26 00000
	0006	0120	ENGL100 23T	1 1	9.00 10.20		18	904	210 26 00000
	0006	0120	ENGL100 23T	1 1	10.30 11.50		18	904	210 26 00000
	0006	0120	ENGL100 45M	1 1	10.45 12.05		17	904	210 26 00000
	0006	0120	ENGL368 4T	1 1	12.00 13.20		23	904	210 26 00000
	0006	0120	ENGL100 45M	1 1	12.15 13.35		17	904	210 26 00000
	0006	0120	ENGL310 5T	1 1	13.30 14.50		25	904	210 26 00000
	0006	0120	ENGL102 6MW	1 1	13.45 15.05		24	904	210 26 00000
	0006	0120	ENGL100 56T	1 1	15.00 16.20		6	904	210 26 00000
	0006	0120	ENGL101 6T2	1 1	15.00 16.20	1	18	904	210 26 00000
	0006	0120	ENGL101 7MW	1 1	15.15 16.35		23	904	210 26 00000
	0006	0131	ENGL264 2M	1 1 1	8.35 9.30		20	891	240 27 00000
	0006	0131	ENGL111 2T	1 1	9.00 10.20		9	891	240 27 00000
	0006	0131	ENGL265 H3M	1 1 1	9.40 10.35		14	891	240 27 00000
	0006	0131	ENGL112 3T	1 1	10.30 11.50		17	891	240 27 00000
	0006	0131	ENGL366 H4M	1	10.45 12.05	1	16	891	240 27 00000
	0006	0131	ENGL220 H4W	1	10.45 12.05	1	24	891	240 27 00000
	0006	0131	ENGL212 4T	1 1	12.00 13.20		24	891	240 27 00000
	0006	0131	ENGL212 5MW	1 1	12.15 13.35		26	891	240 27 00000
	0006	0131	ENGL368 5T	1 1	13.30 14.50		22	891	240 27 00000
	0006	0131	ENGL368 6MW	1 1	13.45 15.05		26	891	240 27 00000
	0006	0131	ENGL321 7MW	1 1	15.15 16.35		19	891	240 27 00000
	0006	0131	ENGL310 DT	1	17.30 20.20		24	891	240 27 00000
8	0006	0132	SOCI151 H2M	1 1 1	8.35 9.30	1	67	1,102	110 20 00000
8	0006	0132	HIST151 2T	1 1	9.00 10.20		80	1,102	110 20 00000
	0006	0132	ENGL101 3M1	1 1 1	9.40 10.35		28	1,102	110 20 00000
	0006	0132	ENGL101 3T1	1 1	10.30 11.50		28	1,102	110 20 00000
	0006	0132	ENGL101 4MW	1 1	10.45 12.05		28	1,102	110 20 00000
	0006	0132	ENGL101 4T1	1 1	12.00 13.20		28	1,102	110 20 00000
	0006	0132	ENGL101 5MW	1 1	12.15 13.35		28	1,102	110 20 00000
	0006	0132	ENGL101 5T1	1 1	13.30 14.50		28	1,102	110 20 00000
	0006	0132	ENGL101 6M1	1 1	13.45 15.05		24	1,102	110 20 00000
8	0006	0132	ENGL255 6T	1 1	15.00 16.20		34	1,102	110 20 00000
	0006	0133	ENGL101 1M	1 1 1	7.30 8.25		28	339	110 35 00000
	0006	0133	ENGL101 2M1	1 1 1	8.35 9.30		24	339	110 35 00000
	0006	0133	ENGL210 2T	1 1	9.00 10.20		30	339	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 4

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0133	ENGL101 H3M	1 1 1	9.40 10.35		27	339	110 35 00000
	0006	0133	ENGL101 3T	1 1	10.30 11.50		27	339	110 35 00000
	0006	0133	ENGL102 H4M	1 1 1	10.45 11.40		28	339	110 35 00000
	0006	0133	ENGL240 4T	1 1	12.00 13.20		17	339	110 35 00000
	0006	0133	MATH301 5MW	1 1	12.15 13.35		37	339	110 35 00000
	0006	0133	ENGL255 5T	1 1	13.30 14.50		35	339	110 35 00000
	0006	0134	MATH106 1M	1 1 1	7.30 8.25		35	538	110 38 00000
	0006	0134	ENGL102 2T1	1 1	9.00 10.20		26	538	110 38 00000
	0006	0134	MATH214 3M	1 1 1	9.40 10.35		31	538	110 38 00000
	0006	0134	MATH214 3T	1 1	10.30 11.50		35	538	110 38 00000
	0006	0134	MATH360 4T	1 1	12.00 13.20		10	538	110 38 00000
	0006	0134	MATH106 5MW	1 1	12.15 13.35		35	538	110 38 00000
	0006	0134	MATH214 XB	1111	14.00 15.30		20	538	110 38 00000
	0006	0138	UNIV101 2M	1	8.35 9.30		33	1,238	110 76 00000
	0006	0138	UNIV101 2W	1	8.35 9.30		31	1,238	110 76 00000
	0006	0138	UNIV101 2T	1	9.00 10.00		32	1,238	110 76 00000
	0006	0138	UNIV101 2R	1	9.00 10.00		33	1,238	110 76 00000
	0006	0138	UNIV101 3M	1	9.40 10.35		31	1,238	110 76 00000
	0006	0138	UNIV101 3W	1	9.40 10.35		30	1,238	110 76 00000
	0006	0138	UNIV101 3T	1	10.30 11.30		30	1,238	110 76 00000
	0006	0138	UNIV101 3R	1	10.30 11.30		32	1,238	110 76 00000
	0006	0138	UNIV101 4M	1	10.45 11.40		34	1,238	110 76 00000
	0006	0138	UNIV101 4W	1	10.45 11.40		34	1,238	110 76 00000
	0006	0138	UNIV101 4R	1	12.00 13.20		32	1,238	110 76 00000
	0006	0138	UNIV101 5M1	1	12.15 13.15		32	1,238	110 76 00000
	0006	0138	UNIV101 5W	1	12.15 13.15		30	1,238	110 76 00000
	0006	0138	UNIV101 5T	1	13.30 14.30		31	1,238	110 76 00000
	0006	0138	UNIV101 5R	1	13.30 14.30		30	1,238	110 76 00000
	0006	0138	UNIV101 6M	1	13.45 14.45		30	1,238	110 76 00000
	0006	0138	UNIV101 6W	1	13.45 14.45		24	1,238	110 76 00000
	0006	0138	UNIV101 6T	1	15.00 16.00		29	1,238	110 76 00000
8	0006	0140	CMPS107 H2B	1	9.00 10.20	1	30	905	240 31 00000
	0006	0140	CMPS108 H2A	1	9.00 10.20	1 1	24	905	240 31 00000
	0006	0140	CMPS107 H3A	1	9.40 10.35	1	29	905	240 31 00000
8	0006	0140	CMPS109 H3B	1	9.40 10.35	1 1	30	905	240 31 00000
	0006	0140	CMPS130 3T	1 1	10.30 11.50		20	905	240 31 00000
	0006	0140	CMPS130 4M	1 1 1	10.45 11.40		17	905	240 31 00000
	0006	0140	CMPS130 5T	1 1	13.30 14.50		15	905	240 31 00000
	0006	0142	UNIV101 2M1	1	8.35 9.30		30	1,260	210 85 00000
	0006	0142	UNIV101 2W1	1	8.35 9.30		30	1,260	210 85 00000
	0006	0142	UNIV101 2T1	1	9.00 10.00		32	1,260	210 85 00000
	0006	0142	UNIV101 2R1	1	9.00 10.00		31	1,260	210 85 00000
	0006	0142	UNIV101 3M1	1	9.40 10.35		32	1,260	210 85 00000
	0006	0142	UNIV101 3W1	1	9.40 10.35		28	1,260	210 85 00000
	0006	0142	UNIV101 3T1	1	10.30 11.30		32	1,260	210 85 00000
	0006	0142	UNIV101 3R1	1	10.30 11.30		30	1,260	210 85 00000
	0006	0142	UNIV101 4M1	1	10.45 11.40		32	1,260	210 85 00000
	0006	0142	UNIV101 4W1	1	10.45 11.40		30	1,260	210 85 00000
	0006	0142	UNIV101 5W1	1	12.15 13.15		30	1,260	210 85 00000
	0006	0142	UNIV101 6M1	1	13.45 14.45		30	1,260	210 85 00000
	0006	0142	UNIV101 6W1	1	13.45 15.05		11	1,260	210 85 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 5

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0148	CMPS221 2M	1 1 1	8.35 9.30		5	863	240 64 00000
	0006	0148	ENGL210 3T	1 1	10.30 11.50		34	863	240 64 00000
	0006	0148	MATH491 4M	1 1 1	10.45 11.40		7	863	240 64 00000
	0006	0148	ENGL101 4T2	1 1	12.00 13.20		28	863	240 64 00000
	0006	0148	ENGL101 5M2	1 1	12.15 13.35		28	863	240 64 00000
	0006	0148	MATH100 CTR	1	17.00 19.50		27	863	240 64 00000
	0006	0149	MATH100 CTR	1	17.00 19.50		27	830	240 31 00000
	0006	0206	ENGL210 1M	1 1 1	7.30 8.25		24	883	240 30 00000
	0006	0206	FREN102 2M	1 1 1	8.35 9.30		8	883	240 30 00000
	0006	0206	SPAN318 2T	1 1	9.00 10.20		7	883	240 30 00000
	0006	0206	SPAN101 3M	1 1 1	9.40 10.35		22	883	240 30 00000
	0006	0206	SPAN101 3T	1 1	10.30 11.50		19	883	240 30 00000
	0006	0206	SPAN201 4M	1 1 1	10.45 11.40		7	883	240 30 00000
	0006	0206	ENGL256 H4T	1	12.00 13.20	1	22	883	240 30 00000
	0006	0206	ENGL255 H4R	1	12.00 13.20	1	25	883	240 30 00000
	0006	0206	ENGL493 5MW	1 1	12.15 13.35		7	883	240 30 00000
	0006	0206	ENGL100 56T	1 1	13.30 14.50		6	883	240 30 00000
	0006	0206	ENGL101 6M4	1 1	13.45 15.05		24	883	240 30 00000
	0006	0206	ENGL101 BT	1 1	16.30 17.50		15	883	240 30 00000
	0006	0208	SPAN101 2T	1 1	9.00 10.20		14	550	110 40 00000
	0006	0208	SPAN102 3M	1 1 1	9.40 10.35		6	550	110 40 00000
	0006	0208	SPAN324 3T	1 1	10.30 11.50		3	550	110 40 00000
	0006	0208	SPAN202 4M	1 1 1	10.45 11.40		2	550	110 40 00000
	0006	0208	ENGL405 H4T	1	12.00 13.20	1	14	550	110 40 00000
	0006	0208	FREN101 5MW	1 1	12.15 13.35		12	550	110 40 00000
	0006	0208	SPAN101 5T	1 1	13.30 14.50		16	550	110 40 00000
	0006	0208	ENGL101 6T	1 1	15.00 16.20		25	550	110 40 00000
	0006	0210	GEOG376 H2T	1 1	9.00 10.20	1	6	828	110 50 00000
	0006	0210	UNIV101 3M2	1	9.40 10.35		30	828	110 50 00000
	0006	0210	UNIV101 3W2	1	9.40 10.35		31	828	110 50 00000
	0006	0210	GEOG376 H3T	1 1	10.30 11.50	1	26	828	110 50 00000
	0006	0210	FREN326 4MW	1 1	10.45 12.05		3	828	110 50 00000
	0006	0210	GOVT391 4T	1 1	12.00 13.20		30	828	110 50 00000
	0006	0210	GOVT355 5MW	1 1	12.15 13.35		27	828	110 50 00000
	0006	0210	ENGL101 5T4	1 1	13.30 14.50		27	828	110 50 00000
	0006	0210	GOVT250 EW	1	18.00 20.50		24	828	110 50 00000
	0006	0211	GOVT399 3T	1 1	10.30 11.50		28	838	110 64 00000
	0006	0211	HIST160 4MW	1 1	10.45 12.05		12	838	110 64 00000
	0006	0211	HIST150 4T	1 1	12.00 13.20		49	838	110 64 00000
	0006	0211	GOVT101 5MW	1 1	12.15 13.35		60	838	110 64 00000
	0006	0211	HIST311 EW	1	18.00 20.50		36	838	110 64 00000
	0006	0215	MATH214 2M	1 1 1	8.35 9.30		33	834	110 70 00000
	0006	0215	MATH101 2TW	1 1	9.00 10.20		33	834	110 70 00000
	0006	0215	MATH117 3M	1 1 1	9.40 10.35		35	834	110 70 00000
	0006	0215	MATH101 3TM	1 1	10.30 11.50		33	834	110 70 00000
	0006	0215	MATH106 4M	1 1 1	10.45 11.40		34	834	110 70 00000
	0006	0215	MATH101 4TM	1 1	12.00 13.20		33	834	110 70 00000
	0006	0215	ENGL102 5M1	1 1	12.15 13.35		28	834	110 70 00000
	0006	0215	MATH106 XB	1111	14.00 15.30		32	834	110 70 00000
	0006	0216	MATH117 1M	1 1 1	7.30 8.25		38	805	110 61 00000
	0006	0216	MATH116 XM1	11	9.00 10.20		29	805	110 61 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/15/2013 16:12:51
 PAGE NUM 6

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0216	MATH116 XM1	11	9.00 10.20		29	805	110 61 00000
	0006	0216	ENGL102 3T1	1 1	10.30 11.50		28	805	110 61 00000
	0006	0216	MATH117 4M	1 1 1	10.45 11.40		38	805	110 61 00000
	0006	0216	ENGL102 4T	1 1	12.00 13.20		29	805	110 61 00000
	0006	0216	MATH214 5MW	1 1	12.15 13.35		35	805	110 61 00000
	0006	0216	MATH117 5T	1 1	13.30 14.50		37	805	110 61 00000
	0006	0216	MATH102 6MW	1 1	13.45 15.05		37	805	110 61 00000
	0006	0216	MATH116 XM3	11	16.00 17.20		18	805	110 61 00000
	0006	0216	MATH116 XM3	11	16.00 17.20		18	805	110 61 00000
	0006	0217	MATH214 2T	1 1	9.00 10.20		29	831	110 36 00000
	0006	0217	MATH210 3T	1 1	10.30 11.50		28	831	110 36 00000
	0006	0217	ENGL366 4MW	1 1	10.45 12.05		24	831	110 36 00000
	0006	0217	MATH110 4T	1 1	12.00 13.20		25	831	110 36 00000
	0006	0217	MATH210 5MW	1 1	12.15 13.35		18	831	110 36 00000
	0006	0218	ENGL432 56W	1 1	12.15 15.05		7	253	210 8 00000
	0006	0219	HIST150 1T	1 1	7.30 8.50		71	1,118	110 75 00000
	0006	0219	GOVT101 2M	1 1 1	8.35 9.30		54	1,118	110 75 00000
	0006	0219	SOCI201 2T	1 1	9.00 10.20		47	1,118	110 75 00000
	0006	0219	GEOG104 3M	1 1 1	9.40 10.35		39	1,118	110 75 00000
	0006	0219	ENGL256 3T	1 1	10.30 11.50		28	1,118	110 75 00000
	0006	0219	HIST105 4MW	1 1	10.45 12.05		28	1,118	110 75 00000
	0006	0219	HIST255 4T	1 1	12.00 13.20		60	1,118	110 75 00000
	0006	0219	SOCI151 5MW	1 1	12.15 13.35		78	1,118	110 75 00000
	0006	0219	HIST101 6MW	1 1	13.45 15.05		81	1,118	110 75 00000
	0006	0219	HIST102 6T	1 1	15.00 16.20		74	1,118	110 75 00000
	0006	0219	HIST151 ER	1	18.00 20.55		45	1,118	110 75 00000
	0006	0220	ENGL101 2M	1 1 1	8.35 9.30		27	529	110 40 00000
	0006	0220	ENGL101 2T1	1 1	9.00 10.20		27	529	110 40 00000
	0006	0220	FREN201 3M	1 1 1	9.40 10.35		2	529	110 40 00000
	0006	0220	ENGL256 4MW	1 1	10.45 12.05		36	529	110 40 00000
	0006	0220	ENGL440 56M	1	12.15 15.05		10	529	110 40 00000
	0006	0220	ENGL210 5T	1 1	13.30 14.50		35	529	110 40 00000
	0006	0220	ENGL210 6T	1 1	15.00 16.20		17	529	110 40 00000
8	0006	0225	PSET131 7A7	1 1	13.30 16.20	1	29	665	210 18 00000
8	0006	0225	PSET131 7B7	1 1	13.30 16.20	1 1	29	665	210 18 00000
	0006	0225	PSET131 XT	1	17.45 20.30		23	665	210 18 00000
	0006	0227	MATH108 2MW	1 1	8.35 10.25		37	830	110 47 00000
	0006	0227	MATH106 2T	1 1	9.00 10.20		35	830	110 47 00000
	0006	0227	MATH106 3T	1 1	10.30 11.50		33	830	110 47 00000
	0006	0227	ENGL101 4M	1 1 1	10.45 11.40		29	830	110 47 00000
	0006	0227	ENGL255 5MW	1 1	12.15 13.35		32	830	110 47 00000
	0006	0229	SATC440 7A7	1 1	13.30 16.20		16	869	210 18 00000
8	0006	0229	SATC440 7B7	1 1	13.30 16.20	1	17	869	210 18 00000
	0006	0230	ENGL101 2T2	1 1	9.00 10.20		28	821	110 52 00000
	0006	0230	ENGL256 3M	1 1 1	9.40 10.35		35	821	110 52 00000
	0006	0230	ENGL102 4M1	1 1	10.45 12.05		28	821	110 52 00000
	0006	0230	ENGL210 4T	1 1	12.00 13.20		32	821	110 52 00000
	0006	0230	ENGL366 5M1	1 1	12.15 13.35		16	821	110 52 00000
	0006	0230	ENGL101 5T	1 1	13.30 14.50		27	821	110 52 00000
	0006	0233	SOCI151 2M	1 1 1	8.35 9.30		58	1,090	110 88 00000
	0006	0233	HIST255 2T	1 1	9.00 10.20		71	1,090	110 88 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/15/2013 16:12:51
 PAGE NUM 7

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0233	UNIV101 3M3	1	9.40 10.35		33	1,090	110 88 00000
	0006	0233	GEOG103 3T	1 1	10.30 11.50		59	1,090	110 88 00000
	0006	0233	ENGL101 4M1	1 1	10.45 12.05		27	1,090	110 88 00000
	0006	0233	GEOG103 4T	1 1	12.00 13.20		58	1,090	110 88 00000
	0006	0233	GEOG375 5MW	1 1	12.15 13.35		30	1,090	110 88 00000
	0006	0233	ENGL101 6M3	1 1	13.45 15.05		24	1,090	110 88 00000
	0006	0233	HIST371 EM	1	18.00 20.55		25	1,090	110 88 00000
	0006	0237	UNIV101 2T3	1	9.00 10.00		32	814	110 60 00000
	0006	0237	UNIV101 2R2	1	9.00 10.00		32	814	110 60 00000
	0006	0237	GOVT101 3M	1 1 1	9.40 10.35		47	814	110 60 00000
	0006	0237	HIST334 3T	1 1	10.30 11.50		35	814	110 60 00000
	0006	0237	SOCI324 4MW	1 1	10.45 12.05		35	814	110 60 00000
	0006	0237	HIST490 5MW	1 1	12.15 13.35		17	814	110 60 00000
	0006	0237	GOVT457 5T	1 1	13.30 14.50		21	814	110 60 00000
	0006	0237	HIST491 ET	1	18.00 20.50		21	814	110 60 00000
	0006	0239	HIST151 2M	1 1 1	8.35 9.30		76	1,267	110 78 00000
	0006	0239	HIST307 2T	1 1	9.00 10.20		42	1,267	110 78 00000
	0006	0239	ENGL102 3M	1 1 1	9.40 10.35		28	1,267	110 78 00000
	0006	0239	HIST151 3T	1 1	10.30 11.50		78	1,267	110 78 00000
	0006	0239	HIST150 4MW	1 1	10.45 12.05		80	1,267	110 78 00000
	0006	0239	HIST101 4T	1 1	12.00 13.20		81	1,267	110 78 00000
	0006	0239	ENGL101 5M1	1 1	12.15 13.35		28	1,267	110 78 00000
	0006	0239	HIST150 5T	1 1	13.30 14.50		78	1,267	110 78 00000
	0006	0239	HIST150 6MW	1 1	13.45 15.05		78	1,267	110 78 00000
	0006	0240	MATH165 2M	1 1 1	8.35 9.30		37	1,334	110 100 00000
	0006	0240	MATH165 2M	1 1	9.00 10.20		37	1,334	110 100 00000
	0006	0240	HIST256 3M	1 1 1	9.40 10.35		80	1,334	110 100 00000
	0006	0240	HIST102 3T	1 1	10.30 11.50		59	1,334	110 100 00000
	0006	0240	ENGL101 4M2	1 1	10.45 12.05		28	1,334	110 100 00000
	0006	0240	SOCI151 4T	1 1	12.00 13.20		78	1,334	110 100 00000
	0006	0240	HIST256 5MW	1 1	12.15 13.35		76	1,334	110 100 00000
	0006	0240	ENGL101 6M2	1 1	13.45 15.05		21	1,334	110 100 00000
	0006	0240	ENGL340 H6T	1 1	15.00 16.20	1	24	1,334	110 100 00000
	0006	0242	ENGL256 2M	1 1 1	8.35 9.30		33	825	110 59 00000
	0006	0242	HIST371 2T	1 1	9.00 10.20		45	825	110 59 00000
	0006	0242	ENGL101 3M	1 1 1	9.40 10.35		27	825	110 59 00000
	0006	0242	ENGL102 3T	1 1	10.30 11.50		28	825	110 59 00000
	0006	0242	ENGL102 4M2	1 1 1	10.45 11.40		26	825	110 59 00000
	0006	0242	HIST411 4T	1 1	12.00 13.20		33	825	110 59 00000
	0006	0242	ENGL485 5MW	1 1	12.15 13.35		8	825	110 59 00000
	0006	0242	ENGL101 5T3	1 1	13.30 14.50		27	825	110 59 00000
8	0006	0246	ENGL430 5T	1 1	13.30 14.50		11	154	310 1 00000
	0006	0247	MATH3 1M	1 1 1	7.30 8.25		39	829	110 57 00000
	0006	0247	MATH3 1M	1 1	7.30 8.50		39	829	110 57 00000
	0006	0247	MATH3 2M	1 1 1	8.35 9.30		39	829	110 57 00000
	0006	0247	MATH3 2M	1 1	9.00 10.20		39	829	110 57 00000
	0006	0247	ENGL210 3M	1 1 1	9.40 10.35		10	829	110 57 00000
	0006	0247	MATH3 4M	1 1	10.30 11.50		38	829	110 57 00000
	0006	0247	MATH3 4M	1 1 1	10.45 11.40		38	829	110 57 00000
	0006	0247	MATH3 5MT	1 1	12.00 13.20		37	829	110 57 00000
	0006	0247	MATH3 5MT	1 1	12.15 13.35		37	829	110 57 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 8

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0247	MATH3 XM	1111	15.00 16.20		37	829	110 57 00000
	0006	0249	ENGL256 4T	1 1	12.00 13.20		25	531	110 45 00000
	0006	0249	ENGL101 5M3	1 1	12.15 13.35		26	531	110 45 00000
	0006	0250	FREN101 2M	1 1 1	8.35 9.30		12	827	110 52 00000
	0006	0250	SOCI406 2T	1 1	9.00 10.20		11	827	110 52 00000
	0006	0250	SOCI205 H3M	1 1 1	9.40 10.35	1	22	827	110 52 00000
	0006	0250	UNIV101 3T2	1	10.30 11.30		26	827	110 52 00000
	0006	0250	UNIV101 4M2	1	10.45 11.40		31	827	110 52 00000
	0006	0250	SOCI372 45T	1	12.00 14.50		24	827	110 52 00000
	0006	0250	SOCI204 56M	1	12.15 15.05		46	827	110 52 00000
	0006	0250	SOCI386 56W	1	12.15 15.05		37	827	110 52 00000
	0006	0250	SOCI204 45R	1	12.30 15.20		45	827	110 52 00000
	0006	0250	FACS400 CT	1	17.00 19.50		15	827	110 52 00000
	0006	0252	ENGL325 2T	1 1	9.00 10.20		12	820	110 50 00000
	0006	0252	ENGL475 3T	1 1	10.30 11.50		13	820	110 50 00000
	0006	0252	ENGL460 4MW	1 1	10.45 12.05		12	820	110 50 00000
	0006	0252	ENGL210 4T1	1 1	12.00 13.20		22	820	110 50 00000
	0006	0252	ENGL102 5MW	1 1	12.15 13.35		27	820	110 50 00000
	0006	0252	ENGL101 5T2	1 1	13.30 14.50		28	820	110 50 00000
	0006	0252	ENGL101 6MW	1 1	13.45 15.05		11	820	110 50 00000
	0006	0252	ENGL101 6T1	1 1	15.00 16.20		18	820	110 50 00000
	0006	0253	MATH166 23M	1 1 1	8.35 10.15		16	552	310 42 00000
	0006	0253	PHIL400 2T	1 1	9.00 10.20		19	552	310 42 00000
	0006	0253	ENGL101 3T2	1 1	10.30 11.50		27	552	310 42 00000
	0006	0253	ENGL210 H4M	1	10.45 12.05	1	21	552	310 42 00000
	0006	0253	ENGL210 H4W	1	10.45 12.05	1	18	552	310 42 00000
	0006	0253	ENGL315 4T	1 1	12.00 13.20		27	552	310 42 00000
	0006	0253	ENGL102 5M2	1 1	12.15 13.35		28	552	310 42 00000
	0007	0116	COUN550 CT	1	17.00 19.50		16	834	350 37 00000
	0007	0116	PSYC529 CR	1	17.00 19.55		6	834	350 37 00000
	0007	0125	EDUC365 12M	1 1 1	7.30 9.30		25	2,262	210 50 00000
	0007	0125	EDUC312 3M	1 1 1	9.40 10.35		25	2,262	210 50 00000
	0007	0125	EDUC321 3T	1 1	10.30 11.50		18	2,262	210 50 00000
	0007	0125	FCED348 H4M	1	10.45 11.40	1	10	2,262	210 50 00000
	0007	0125	EDUC366 56T	1 1	13.30 16.20		10	2,262	210 50 00000
	0007	0125	EDUC403 BW	1	16.30 18.30		12	2,262	210 50 00000
	0007	0125	EDCI509 HCT	1	17.00 19.50		9	2,262	210 50 00000
	0007	0125	EDUC365 HCM	1	17.00 19.55		16	2,262	210 50 00000
	0007	0126	EDUC374 23M	1 1 1	8.35 10.35		10	733	210 42 00000
	0007	0126	EDUC402 23T	1 1	9.00 11.00		9	733	210 42 00000
	0007	0126	EDUC376 45M	1 1	10.45 13.35		15	733	210 42 00000
	0007	0126	FCED458 6MW	1 1	13.45 15.05		5	733	210 42 00000
	0007	0126	EDUC309 BT	1	16.30 19.20		26	733	210 42 00000
	0007	0126	EDCI560 CW	1	17.00 19.50		10	733	210 42 00000
	0007	0126	EDCI584 CM	1	17.00 19.55		4	733	210 42 00000
	0007	0126	EDCI586 CM	1	17.00 19.55	1	4	733	210 42 00000
	0007	0126	EDCI588 CM	1	17.00 19.55	1	2	733	210 42 00000
	0007	0126	EDCI581 CR	1	17.00 19.55		11	733	210 42 00000
	0007	0127	EDUC441 H3M	1 1	9.40 10.35	1	25	696	110 50 00000
	0007	0127	EDUC380 4M	1 1 1	10.45 11.40		22	696	110 50 00000
	0007	0127	EDUC313 4T	1 1	12.00 13.20		10	696	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/15/2013 16:12:51
 PAGE NUM 9

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0007	0127	EDUC368 5T	1 1	13.30 14.50		22	696	110 50 00000
	0007	0127	EDUC368 CT	1	17.00 19.50		15	696	110 50 00000
	0007	0127	EDUC421 CW	1	17.00 19.50		25	696	110 50 00000
	0007	0127	EDCI561 CM	1	17.00 19.55		14	696	110 50 00000
	0007	0127	EDCI582 CR	1	17.00 19.55		5	696	110 50 00000
	0007	0127	EDCI590 CR	1	17.00 19.55	1	4	696	110 50 00000
	0007	0128	EDUC392 3M	1 1 1	9.40 10.35		8	560	110 31 00000
	0007	0128	ENGL368 5MW	1 1	12.15 13.35		11	560	110 31 00000
	0007	0128	EDCI534 HCT	1	17.00 19.50		16	560	110 31 00000
	0007	0128	EDCI549 HCT	1	17.00 19.50	1	18	560	110 31 00000
	0007	0128	EDCI573 HCW	1	17.00 19.50		1	560	110 31 00000
	0007	0128	EDCI574 HCW	1	17.00 19.50	1	2	560	110 31 00000
	0007	0128	EDUC211 HCW	1	17.00 19.50	1	26	560	110 31 00000
	0007	0128	EDCI512 HCM	1	17.00 19.55		5	560	110 31 00000
	0007	0134	PSYC530 XM	1	13.00 15.00		5	947	110 30 00000
	0007	0134	EDCI597 HCT	1	17.00 19.50		6	947	110 30 00000
	0007	0141	EDUC380 3M	1 1 1	9.40 10.35		14	554	110 28 00000
	0007	0141	COUN545 CT	1	17.00 19.50		4	554	110 28 00000
	0007	0141	COUN546 CT	1	17.00 19.50	1	5	554	110 28 00000
	0007	0141	EDLE530 HCW	1	17.00 19.50		19	554	110 28 00000
	0007	0141	COUN521 CM	1	17.00 19.55		2	554	110 28 00000
	0007	0141	COUN520 CM2	1	17.00 20.55	1	3	554	110 28 00000
	0007	0142	EDUC251 2T	1 1	9.00 10.20		20	1,241	240 29 00000
	0007	0142	EDUC251 3T	1 1	10.30 11.50		21	1,241	240 29 00000
	0007	0218	PSYC514 XM	1	15.00 17.55		5	335	320 3 00000
	0007	0231	EDLE594 HTB			1 1	11	226	325 1 00000
	0007	0237	PSYC101 2T	1 1	9.00 10.20		85	1,092	110 91 00000
	0007	0237	PSYC212 3M	1 1 1	9.40 10.35		39	1,092	110 91 00000
	0007	0237	PSYC399 3R	1	10.30 11.50		50	1,092	110 91 00000
	0007	0237	PSYC219 4F	1	10.45 11.40		24	1,092	110 91 00000
	0007	0237	PSYC212 4MW	1 1	10.45 12.05		65	1,092	110 91 00000
	0007	0237	PSYC101 4T	1 1	12.00 13.20		89	1,092	110 91 00000
	0007	0237	PSYC301 6MW	1 1	13.45 15.05		51	1,092	110 91 00000
	0007	0237	EDCI506 HCW	1	17.00 19.50		25	1,092	110 91 00000
	0007	0237	PSYC205 DT	1	17.30 20.20		17	1,092	110 91 00000
	0007	0237	PSYC101 DR	1	17.30 20.25		85	1,092	110 91 00000
	0007	0250	PSYC303 3M	1 1 1	9.40 10.35		49	678	110 64 00000
	0007	0250	MAC0370 3T	1 1	10.30 11.50		26	678	110 64 00000
	0007	0250	MAC0101 4MW	1 1	10.45 12.05		32	678	110 64 00000
	0007	0250	PSYC211 5MW	1 1	12.15 13.35		48	678	110 64 00000
	0007	0250	COUN501 HCT	1	17.00 19.50	1	18	678	110 64 00000
	0007	0250	COUN523 CW	1	17.00 19.55		9	678	110 64 00000
	0007	0250	COUN534 CW	1	17.00 19.55	1	8	678	110 64 00000
	0007	0250	COUN535 CW	1	17.00 19.55	1	7	678	110 64 00000
	0007	0250	PSYC210 CR	1	17.00 19.55		30	678	110 64 00000
	0007	0251	FACS131 H2M	1	8.35 9.30	1	36	682	110 52 00000
	0007	0251	FACS464 2T	1 1	9.00 10.20		39	682	110 52 00000
	0007	0251	FACS332 3M	1 1 1	9.40 10.35		22	682	110 52 00000
	0007	0251	FACS460 H3T	1	10.30 11.50	1	45	682	110 52 00000
	0007	0251	FACS448 H4M	1	10.45 12.05	1	34	682	110 52 00000
	0007	0251	PSYC311 4T	1 1	12.00 13.20		33	682	110 52 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 10

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0007	0251	FACS477 5MW	1 1	12.15 13.35		23	682	110 52 00000
	0007	0251	FACS334 HTB	1	13.30 14.50	1	41	682	110 52 00000
	0007	0251	COUN513 CT	1	17.00 19.50		17	682	110 52 00000
	0007	0251	COUN500 HCW	1	17.00 19.50	1	16	682	110 52 00000
	0007	0251	COUN549 HCW	1	17.00 19.50	1 1	31	682	110 52 00000
	0007	0251	COUN502 CM	1	17.00 19.55		36	682	110 52 00000
	0007	0251	COUN519 CR	1	17.00 19.55		34	682	110 52 00000
	0007	0253	PSYC208 2M	1 1 1	8.35 9.30		27	678	110 64 00000
	0007	0253	PSYC401 2T	1 1	9.00 10.20		10	678	110 64 00000
	0007	0253	PSYC204 3M	1 1 1	9.40 10.35		50	678	110 64 00000
	0007	0253	PSYC208 4MW	1 1	10.45 12.05		31	678	110 64 00000
	0007	0253	FCED232 4T	1 1	12.00 13.20		24	678	110 64 00000
	0007	0253	PSYC312 5MW	1 1	12.15 13.35		5	678	110 64 00000
	0007	0253	PSYC210 5T	1 1	13.30 14.50		17	678	110 64 00000
	0007	0253	EDUC211 6MW	1 1	13.45 15.05		31	678	110 64 00000
	0007	0253	COUN505 HCT	1	17.00 19.50	1	36	678	110 64 00000
	0007	0253	COUN504 CW	1	17.00 19.50		17	678	110 64 00000
	0007	0253	EDCI513 HCM	1	17.00 19.55		8	678	110 64 00000
	0007	0253	EDUC313 HCM	1	17.00 19.55	1	2	678	110 64 00000
	0007	0253	COUN510 CR	1	17.00 19.55		27	678	110 64 00000
	0007	0254	PSYC204 2M	1 1 1	8.35 9.30		50	682	110 59 00000
	0007	0254	PSYC313 3M	1 1 1	9.40 10.35		46	682	110 59 00000
	0007	0254	PSYC206 4MW	1 1	10.45 12.05		46	682	110 59 00000
	0007	0254	EDUC313 5MW	1 1	12.15 13.35		24	682	110 59 00000
	0007	0254	EDUC250 5T	1 1	13.30 14.50		42	682	110 59 00000
	0007	0254	EDUC255 5T	1 1	13.30 14.50	1	9	682	110 59 00000
	0007	0254	PSYC209 6MW	1 1	13.45 15.05		25	682	110 59 00000
	0007	0254	PSYC206 AT	1	16.00 18.50		23	682	110 59 00000
	0007	0254	EDFR501 HCM	1	17.00 19.55		27	682	110 59 00000
	0007	0254	COUN511 CR	1	17.00 19.55		30	682	110 59 00000
	0007	0262	COUN520 CT	1	17.00 19.50		3	286	210 10 00000
	0007	0262	COUN520 CM1	1	17.00 19.55		6	286	210 10 00000
8	0007	0264	COUN520 CM	1	17.00 19.55		5	283	210 6 00000
	0007	0267	COUN521 CT	1	17.00 19.50		5	130	310 1 00000
	0010	0103	MACO251 3M	1 1 1	9.40 10.35		17	720	250 15 00000
	0010	0103	MACO455 3T	1 1	10.30 11.50		2	720	250 15 00000
	0010	0103	MACO251 4M	1 1 1	10.45 11.40		15	720	250 15 00000
	0010	0103	MACO252 6MW	1 1	13.45 15.05		8	720	250 15 00000
	0010	0105	COMD384 1M	1 1 1	7.30 8.25		19	725	110 40 00000
	0010	0105	SPCH101 1T	1 1	7.30 8.50		28	725	110 40 00000
	0010	0105	COMD386 2M	1 1 1	8.35 9.30		18	725	110 40 00000
	0010	0105	SPCH101 2T	1 1	9.00 10.20		30	725	110 40 00000
	0010	0105	COMD380 3M	1 1 1	9.40 10.35		20	725	110 40 00000
	0010	0105	SPCH101 3T1	1 1	10.30 11.50		29	725	110 40 00000
	0010	0105	COMD399 4MW	1 1	10.45 12.05		11	725	110 40 00000
	0010	0105	COMD279 5MW	1 1	12.15 13.35		28	725	110 40 00000
	0010	0105	SPCH101 5T	1 1	13.30 14.50		28	725	110 40 00000
	0010	0105	COMD330 67M	1	13.45 16.45		9	725	110 40 00000
	0010	0105	COMD390 EM	1	18.00 20.55		18	725	110 40 00000
	0010	0105	SPCH101 ER	1	18.00 20.55		24	725	110 40 00000
	0010	0106	SPCH101 1M	1 1 1	7.30 8.25		24	720	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 11

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	0106	MAC0350 2T	1 1	9.00 10.20		15	720	110 40 00000
	0010	0106	MAC0321 3T	1 1	10.30 11.50		13	720	110 40 00000
	0010	0106	MAC0322 4T	1 1	12.00 13.20		14	720	110 40 00000
	0010	0106	MAC0321 CW	1	17.00 19.50		11	720	110 40 00000
	0010	0106	SPCH101 EM	1	18.00 20.55		25	720	110 40 00000
	0010	0107	MAC0362 3T	1 1	10.30 11.50		10	1,147	530 20 00000
9	0010	0107	MAC0362 3T	1 1	10.30 11.50		10	1,147	530 20 00000
9	0010	0107	MAC0362 3T	1 1	10.30 11.50		10	1,147	530 20 00000
	0010	0107	MAC0430 5MW	1 1	12.15 13.35		13	1,147	530 20 00000
9	0010	0107	MAC0430 5MW	1 1	12.15 13.35		13	1,147	530 20 00000
89	0010	0107	MAC0430 5MW	1 1	12.15 13.35		13	1,147	530 20 00000
	0010	0107	MAC0499 5T	1 1	13.30 14.50		5	1,147	530 20 00000
9	0010	0107	MAC0499 5T	1 1	13.30 14.50		5	1,147	530 20 00000
9	0010	0107	MAC0499 5T	1 1	13.30 14.50		5	1,147	530 20 00000
	0010	0107	MAC0401 6T	1 1	15.00 16.20		21	1,147	530 20 00000
89	0010	0107	MAC0401 6T	1 1	15.00 16.20		21	1,147	530 20 00000
89	0010	0107	MAC0401 6T	1 1	15.00 16.20		21	1,147	530 20 00000
	0010	0108	ART 231 23M	1 1 1	8.35 10.35		13	1,911	210 20 00000
	0010	0108	ART 331 23T	1 1	9.00 11.50		6	1,911	210 20 00000
	0010	0108	ART 332 23T	1 1	9.00 11.50	1	1	1,911	210 20 00000
	0010	0108	ART 333 23T	1 1	9.00 11.50	1	1	1,911	210 20 00000
	0010	0108	ART 431 23T	1 1	9.00 11.50	1	1	1,911	210 20 00000
	0010	0108	ART 432 23T	1 1	9.00 11.50	1	2	1,911	210 20 00000
	0010	0108	ART 331 56M	1 1	12.15 15.05		4	1,911	210 20 00000
	0010	0108	ART 332 56M	1 1	12.15 15.05	1	1	1,911	210 20 00000
	0010	0108	ART 333 56M	1 1	12.15 15.05	1	1	1,911	210 20 00000
	0010	0108	ART 431 56M	1 1	12.15 15.05	1	3	1,911	210 20 00000
	0010	0109	ART 240 56T	1 1	13.30 16.20		13	1,217	210 20 00000
	0010	0109	ART 341 CTR	1 1	17.00 19.50		2	1,217	210 20 00000
	0010	0109	ART 342 CTR	1 1	17.00 19.50	1	4	1,217	210 20 00000
	0010	0109	ART 441 CTR	1 1	17.00 19.50	1	1	1,217	210 20 00000
	0010	0201	MUS 105 1T	1 1	7.30 8.50		75	1,311	110 60 00000
	0010	0201	COMD121 2M	1 1 1	8.35 9.30		32	1,311	110 60 00000
	0010	0201	ART 110 2T	1 1	9.00 10.20		66	1,311	110 60 00000
	0010	0201	MUS 105 3M	1 1 1	9.40 10.35		75	1,311	110 60 00000
	0010	0201	ART 110 4MW	1 1	10.45 12.05		67	1,311	110 60 00000
	0010	0201	MUS 105 5MW	1 1	12.15 13.35		75	1,311	110 60 00000
	0010	0201	MUS 105 6MW	1 1	13.45 15.05		64	1,311	110 60 00000
	0010	0203	ART 201 23M	1 1 1	8.35 10.35		17	988	110 20 00000
	0010	0203	ART 301 56M	1 1	12.15 15.05		7	988	110 20 00000
	0010	0203	ART 303 56M	1 1	12.15 15.05	1	3	988	110 20 00000
	0010	0203	ART 401 56M	1 1	12.15 15.05	1	3	988	110 20 00000
	0010	0203	ART 201 56T	1 1	13.30 16.20		17	988	110 20 00000
	0010	0203	ART 302 CTR	1 1	17.00 19.50		13	988	110 20 00000
	0010	0203	ART 402 CTR	1 1	17.00 19.50	1	2	988	110 20 00000
	0010	0203	ART 416 CTR	1 1	17.00 19.50	1	1	988	110 20 00000
	0010	0204	ART 261 23M	1 1 1	8.35 10.35		15	682	110 20 00000
	0010	0204	ART 261 56M	1 1	12.15 15.05		15	682	110 20 00000
	0010	0204	ART 361 78M	1 1	15.15 17.55		4	682	110 20 00000
	0010	0204	ART 362 78M	1 1	15.15 17.55	1	3	682	110 20 00000
	0010	0204	ART 461 78M	1 1	15.15 17.55	1	1	682	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 12

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	0204	ART 462 78M	1 1	15.15 17.55	1	2	682	110 20 00000
	0010	0205	ART 251 23M	1 1 1	8.35 10.35		19	712	110 21 00000
	0010	0205	ART 499 4T6	1 1	9.00 11.50		7	712	110 21 00000
	0010	0205	ART 499 4T1	1 1	12.00 13.20		1	712	110 21 00000
	0010	0205	ART 499 4T2	1 1	12.00 13.20	1	2	712	110 21 00000
	0010	0205	ART 499 4T3	1 1	12.00 13.20	1	3	712	110 21 00000
	0010	0205	ART 499 4T5	1 1	12.00 13.20	1	1	712	110 21 00000
	0010	0205	ART 499 4T6	1 1	12.00 13.20	1	7	712	110 21 00000
	0010	0205	ART 499 4T8	1 1	12.00 13.20	1	1	712	110 21 00000
	0010	0205	ART 252 56M	1 1	12.15 15.05		20	712	110 21 00000
	0010	0205	ART 251 78M	1 1	15.15 17.55		17	712	110 21 00000
	0010	0207	ART 211 23T	1 1	9.00 11.50		16	1,297	210 20 00000
	0010	0207	ART 311 56T	1 1	13.30 16.20		4	1,297	210 20 00000
	0010	0207	ART 313 56T	1 1	13.30 16.20	1	2	1,297	210 20 00000
	0010	0207	ART 411 56T	1 1	13.30 16.20	1	5	1,297	210 20 00000
	0010	0207	ART 413 56T	1 1	13.30 16.20	1	1	1,297	210 20 00000
	0010	0208	ART 357 23M	1 1 1	8.35 10.35		4	1,155	210 37 00000
	0010	0208	ART 454 23M	1 1 1	8.35 10.35	1	8	1,155	210 37 00000
	0010	0208	ART 254 23T	1 1	9.00 11.50		7	1,155	210 37 00000
	0010	0208	ART 355 23T	1 1	9.00 11.50	1	3	1,155	210 37 00000
	0010	0208	ART 451 23T	1 1	9.00 11.50	1	10	1,155	210 37 00000
	0010	0208	ART 359 56M	1 1	12.15 15.05		3	1,155	210 37 00000
	0010	0208	ART 370 56M	1 1	12.15 15.05	1	10	1,155	210 37 00000
	0010	0208	ART 452 56T	1 1	13.30 16.20		4	1,155	210 37 00000
	0010	0208	ART 457 56T	1 1	13.30 16.20	1	10	1,155	210 37 00000
	0010	0209	ART 221 23T	1 1	9.00 11.50		16	1,277	210 22 00000
	0010	0209	ART 308 CTR	1 1	17.00 19.50		7	1,277	210 22 00000
	0010	0209	ART 325 CTR	1 1	17.00 19.50	1	3	1,277	210 22 00000
	0010	0209	ART 326 CTR	1 1	17.00 19.50	1	2	1,277	210 22 00000
	0010	0209	ART 327 CTR	1 1	17.00 19.50	1	3	1,277	210 22 00000
	0010	0209	ART 424 CTR	1 1	17.00 19.50	1	3	1,277	210 22 00000
	0010	0210	FNAR301 2T	1 1	9.00 10.20		27	1,080	110 60 00000
	0010	0210	ART 110 3T	1 1	10.30 11.50		52	1,080	110 60 00000
	0010	0210	ART 280 4MW	1 1	10.45 12.05		36	1,080	110 60 00000
	0010	0210	ART 282 4T	1 1	12.00 13.20		45	1,080	110 60 00000
	0010	0210	ART 480 5T	1 1	13.30 14.50		26	1,080	110 60 00000
	0010	0210	ART 392 6MW	1 1	13.45 15.05		8	1,080	110 60 00000
	0010	0210	ART 393 6MW	1 1	13.45 15.05	1	3	1,080	110 60 00000
	0010	0210	ART 491 6MW	1 1	13.45 15.05	1	5	1,080	110 60 00000
	0010	0210	HUMA111 6R	1	15.00 16.20		24	1,080	110 60 00000
	0010	0212	MUS 270 2MW	1 1	8.35 9.30		5	725	210 40 00000
	0010	0212	MUS 101 2T	1 1	9.00 10.20		32	725	210 40 00000
	0010	0212	MUS 170 3MW	1 1	9.40 10.35		16	725	210 40 00000
	0010	0213	MUS 120 XM	1 1 1	7.55 9.30		16	725	210 40 00000
	0010	0213	MUS 340 3M	1 1 1	9.40 10.35		13	725	210 40 00000
	0010	0213	MUS 212 3T	1 1	10.30 11.50		14	725	210 40 00000
	0010	0213	MUS 218 4MW	1 1	10.45 11.40		16	725	210 40 00000
	0010	0213	MUS 109 4T	1 1	12.00 13.20		4	725	210 40 00000
	0010	0214	MUS 320 2M	1 1 1	8.35 9.30		47	870	210 65 00000
	0010	0214	MUS 407 2T	1 1	9.00 10.20		13	870	210 65 00000
	0010	0214	MUS 110 3T	1 1	10.30 11.50		5	870	210 65 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 13

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	0214	MUED385 4MW	1 1	10.45 11.40		3	870	210 65 00000
	0010	0214	MUS 105 4T	1 1	12.00 13.20		48	870	210 65 00000
	0010	0214	MUED383 5T	1 1	13.30 14.50		12	870	210 65 00000
	0010	0215	MUS 433 2F	1	8.35 9.30		4	1,170	220 100 00000
	0010	0215	MUS 301 2T	1 1	9.00 10.20		9	1,170	220 100 00000
	0010	0215	MUS 104 3M	1 1 1	9.40 10.35		19	1,170	220 100 00000
	0010	0215	MUED384 4MW	1 1	10.45 11.40		1	1,170	220 100 00000
	0010	0215	MUS 100 4F	1	10.45 11.40		23	1,170	220 100 00000
	0010	0215	MUS 300 4F	1	10.45 11.40	1	22	1,170	220 100 00000
	0010	0215	MUS 193 5MW	1 1	12.15 13.35		17	1,170	220 100 00000
	0010	0215	MUS 393 5MW	1 1	12.15 13.35	1	20	1,170	220 100 00000
	0010	0215	MUS 298 5T	1 1	13.30 14.50		5	1,170	220 100 00000
	0010	0215	MUS 398 5T	1 1	13.30 14.50	1	7	1,170	220 100 00000
	0010	0215	MUS 196 6T	1 1	15.00 16.20		9	1,170	220 100 00000
	0010	0215	MUS 386 6T	1 1	15.00 16.20	1	2	1,170	220 100 00000
	0010	0215	MUS 193 BT	1	16.30 19.20		4	1,170	220 100 00000
	0010	0215	MUS 393 BT	1	16.30 19.20	1	10	1,170	220 100 00000
8	0010	0220	MUED386 2F	1	8.35 9.30		3	143	310 1 00000
	0014	0113	MNGT368 2M	1 1 1	8.35 9.30		37	1,156	110 66 00000
	0014	0113	MKTG360 2T	1 1	9.00 10.20		49	1,156	110 66 00000
	0014	0113	MNGT368 4M	1 1 1	10.45 11.40		42	1,156	110 66 00000
	0014	0113	MKTG485 4T	1 1	12.00 13.20		25	1,156	110 66 00000
	0014	0113	BSAD490 56T	1	13.30 16.20		35	1,156	110 66 00000
	0014	0113	BSAD490 67M	1	13.45 16.40		28	1,156	110 66 00000
	0014	0113	BSAD490 ET	1	18.00 20.50		34	1,156	110 66 00000
	0014	0113	BSAD525 EW	1	18.00 20.50		35	1,156	110 66 00000
	0014	0113	MKTG501 ER	1	18.00 20.55		12	1,156	110 66 00000
	0014	0140	MKTG300 2T	1 1	9.00 10.20		54	3,058	110 122 00000
	0014	0140	BSAD101 3M	1 1 1	9.40 10.35		102	3,058	110 122 00000
	0014	0140	QBA 283 4MW	1 1	10.45 12.05		50	3,058	110 122 00000
	0014	0140	BSAD101 4T	1 1	12.00 13.20		103	3,058	110 122 00000
	0014	0140	QBA 283 6MW	1 1	13.45 15.05		22	3,058	110 122 00000
	0014	0140	MKTG300 EW	1	18.00 20.50		46	3,058	110 122 00000
	0014	0140	ACCT403 EM	1	18.00 20.55		44	3,058	110 122 00000
	0014	0208	ACCT306 3M	1 1 1	9.40 10.35		43	984	110 36 00000
	0014	0208	MNGT470 3T	1 1	10.30 11.50		38	984	110 36 00000
	0014	0208	MNGT450 6MW	1 1	13.45 15.05		43	984	110 36 00000
	0014	0208	BSAD325 ET	1	18.00 20.50		13	984	110 36 00000
	0014	0208	MNGT502 EW	1	18.00 20.50		14	984	110 36 00000
	0014	0208	MNGT475 EM	1	18.00 20.55		29	984	110 36 00000
	0014	0208	BSAD507 ER	1	18.00 20.55		21	984	110 36 00000
	0014	0209	MKTG420 3T	1 1	10.30 11.50		14	509	110 29 00000
	0014	0210	SPCH101 3M1	1 1 1	9.40 10.35		28	1,176	110 50 00000
	0014	0210	ACCT221 3T	1 1	10.30 11.50		27	1,176	110 50 00000
	0014	0210	ACCT221 4MW	1 1	10.45 12.05		25	1,176	110 50 00000
	0014	0210	FINC403 56T	1	13.30 16.20		27	1,176	110 50 00000
	0014	0210	FINC405 56R	1	13.30 16.40		15	1,176	110 50 00000
	0014	0210	SPCH300 H6A	1 1	13.45 15.05	1	30	1,176	110 50 00000
	0014	0210	FINC515 ET	1	18.00 20.50		18	1,176	110 50 00000
	0014	0210	MNGT330 EW	1	18.00 20.50		16	1,176	110 50 00000
	0014	0210	FINC520 EM	1	18.00 20.55		35	1,176	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 14

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0213	ACCT205 2M	1 1 1	8.35 9.30	57	1,195	110 80	00000
	0014	0213	MNGT301 2T	1 1	9.00 10.20	45	1,195	110 80	00000
	0014	0213	ECON211 3M	1 1 1	9.40 10.35	26	1,195	110 80	00000
	0014	0213	ECON211 4M	1 1 1	10.45 11.40	46	1,195	110 80	00000
	0014	0213	MNGT305 4T	1 1	12.00 13.20	40	1,195	110 80	00000
	0014	0213	MKTG470 5MW	1 1	12.15 13.35	29	1,195	110 80	00000
	0014	0213	MKTG470 6MW	1 1	13.45 15.05	14	1,195	110 80	00000
	0014	0213	ECON212 EW	1	18.00 20.50	21	1,195	110 80	00000
	0014	0213	MNGT420 ER	1	18.00 20.55	41	1,195	110 80	00000
	0014	0214	ACCT206 2M	1 1 1	8.35 9.30	53	1,226	110 73	00000
	0014	0214	ECON325 2T	1 1	9.00 10.20	40	1,226	110 73	00000
	0014	0214	MKTG300 3M	1 1 1	9.40 10.35	50	1,226	110 73	00000
	0014	0214	MKTG450 4M	1 1 1	10.45 11.40	41	1,226	110 73	00000
	0014	0214	ECON211 4T	1 1	12.00 13.20	53	1,226	110 73	00000
	0014	0214	ACCT206 5MW	1 1	12.15 13.35	57	1,226	110 73	00000
	0014	0214	ECON211 5T	1 1	13.30 14.50	59	1,226	110 73	00000
	0014	0214	MNGT368 EW	1	18.00 20.50	39	1,226	110 73	00000
	0014	0215	ECON212 3M	1 1 1	9.40 10.35	36	1,560	110 76	00000
	0014	0215	ECON212 4M	1 1 1	10.45 11.40	55	1,560	110 76	00000
	0014	0215	QBA 282 5MW	1 1	12.15 13.35	33	1,560	110 76	00000
	0014	0215	ECON435 6MW	1 1	13.45 15.05	31	1,560	110 76	00000
	0014	0217	BSAD324 1M	1 1 1	7.30 8.25	54	1,440	110 80	00000
	0014	0217	BSAD221 2M	1 1 1	8.35 9.30	76	1,440	110 80	00000
	0014	0217	QBA 282 3M	1 1 1	9.40 10.35	61	1,440	110 80	00000
	0014	0217	QBA 282 3T	1 1	10.30 11.50	53	1,440	110 80	00000
	0014	0217	SPCH101 4MW	1 1	10.45 12.05	30	1,440	110 80	00000
	0014	0217	CIS 231 4T	1 1	12.00 13.20	47	1,440	110 80	00000
	0014	0217	FINC302 5T	1 1	13.30 14.50	22	1,440	110 80	00000
	0014	0217	CIS 231 EW	1	18.00 20.50	37	1,440	110 80	00000
	0014	0217	BSAD501 EM	1	18.00 20.55	16	1,440	110 80	00000
	0014	0217	BSAD221 ER	1	18.00 20.55	74	1,440	110 80	00000
	0014	0219	MKTG350 2M	1 1 1	8.35 9.30	28	1,354	110 58	00000
	0014	0219	MKTG481 3M	1 1 1	9.40 10.35	37	1,354	110 58	00000
	0014	0219	SPCH101 3T2	1 1	10.30 11.50	28	1,354	110 58	00000
	0014	0219	ACCT407 4MW	1 1	10.45 12.05	54	1,354	110 58	00000
	0014	0219	SPCH391 5MW	1 1	12.15 13.35	17	1,354	110 58	00000
	0014	0219	ACCT315 ET	1	18.00 20.50	41	1,354	110 58	00000
	0014	0219	MKTG490 EW	1	18.00 20.50	15	1,354	110 58	00000
	0014	0219	ACCT351 EM	1	18.00 20.55	44	1,354	110 58	00000
	0014	0219	ACCT323 ER	1	18.00 20.55	40	1,354	110 58	00000
	0014	0220	MNGT370 2M	1 1 1	8.35 9.30	40	1,232	110 72	00000
	0014	0220	QBA 283 3M	1 1 1	9.40 10.35	48	1,232	110 72	00000
	0014	0220	FINC302 3T	1 1	10.30 11.50	53	1,232	110 72	00000
	0014	0220	MNGT301 4MW	1 1	10.45 12.05	47	1,232	110 72	00000
	0014	0220	MNGT301 5MW	1 1	12.15 13.35	45	1,232	110 72	00000
	0014	0220	MNGT367 EM	1	18.00 20.55	37	1,232	110 72	00000
	0014	0221	ACCT401 1T	1 1	7.30 8.50	27	1,200	110 44	00000
	0014	0221	ACCT205 2T	1 1	9.00 10.20	40	1,200	110 44	00000
	0014	0221	ACCT205 3M	1 1 1	9.40 10.35	45	1,200	110 44	00000
	0014	0221	MAC0101 3T	1 1	10.30 11.50	38	1,200	110 44	00000
	0014	0221	ACCT205 4MW	1 1	10.45 12.05	42	1,200	110 44	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 15

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0221	MAC0101 4T	1 1	12.00 13.20		26	1,200	110 44 00000
	0014	0221	ACCT322 5MW	1 1	12.15 13.35		32	1,200	110 44 00000
	0014	0221	ACCT500 ET	1	18.00 20.50		16	1,200	110 44 00000
	0017	0MEW	MATH101 1TW	1	7.30 8.25		35	1,750	250 35 00000
	0017	0MEW	MATH100 1M	1 1	7.30 8.50		26	1,750	250 35 00000
	0017	0MEW	MATH100 1M1	1 1	7.30 8.50	1	26	1,750	250 35 00000
	0017	0MEW	MATH101 2TM	1	8.35 9.30		32	1,750	250 35 00000
	0017	0MEW	MATH101 2TW	1	8.35 9.30		33	1,750	250 35 00000
	0017	0MEW	MATH100 2M	1 1	9.00 10.20		25	1,750	250 35 00000
	0017	0MEW	MATH100 2M1	1 1	9.00 10.20	1	26	1,750	250 35 00000
	0017	0MEW	MATH101 3TW	1	9.40 10.35		35	1,750	250 35 00000
	0017	0MEW	MATH100 3M	1 1	10.30 11.50		25	1,750	250 35 00000
	0017	0MEW	MATH100 3M1	1 1	10.30 11.50	1	26	1,750	250 35 00000
	0017	0MEW	MATH101 3TM	1	10.45 11.40		33	1,750	250 35 00000
	0017	0MEW	MATH100 4M	1 1	12.00 13.20		26	1,750	250 35 00000
	0017	0MEW	MATH100 4M1	1 1	12.00 13.20	1	25	1,750	250 35 00000
	0017	0MEW	MATH101 4TM	1	12.15 13.10		33	1,750	250 35 00000
	0017	0MEW	MATH101 4TW	1	12.15 13.10		30	1,750	250 35 00000
	0017	0MEW	MATH100 6M	1 1	13.30 14.50		26	1,750	250 35 00000
	0017	0MEW	MATH100 6M1	1 1	13.30 14.50	1	25	1,750	250 35 00000
	0017	0MEW	MATH101 5TW	1	13.45 14.40		35	1,750	250 35 00000
	0017	0125	GEOM305 2M	1 1 1	8.35 9.30		10	1,593	410 25 00000
	0017	0125	GEOM405 4M	1 1	10.45 12.05		10	1,593	410 25 00000
	0017	0125	GEOM405 4M	1 1	10.45 13.45		10	1,593	410 25 00000
	0017	0125	GEOM411 5T	1	13.30 15.20		14	1,593	410 25 00000
	0017	0125	GEOM411 5T	1	13.30 16.20		14	1,593	410 25 00000
	0019	0101	BIOL155 2M	1 1 1	8.35 9.30		16	3,135	110 308 00000
	0019	0101	BIOL155 2M1	1 1 1	8.35 9.30	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M2	1 1 1	8.35 9.30	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M3	1 1 1	8.35 9.30	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M4	1 1 1	8.35 9.30	1	15	3,135	110 308 00000
	0019	0101	BIOL155 2M5	1 1 1	8.35 9.30	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M6	1 1 1	8.35 9.30	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M7	1 1 1	8.35 9.30	1	14	3,135	110 308 00000
	0019	0101	BIOL155 2M8	1 1 1	8.35 9.30	1	16	3,135	110 308 00000
	0019	0101	BIOL105 2T	1 1	9.00 10.20		139	3,135	110 308 00000
	0019	0101	BIOL105 3M	1 1 1	9.40 10.35		96	3,135	110 308 00000
	0019	0101	BIOL105 3T	1 1	10.30 11.50		150	3,135	110 308 00000
	0019	0101	BIOL116 4M	1 1 1	10.45 11.40		155	3,135	110 308 00000
	0019	0101	BIOL155 4T	1 1	12.00 13.20		16	3,135	110 308 00000
	0019	0101	BIOL155 4T1	1 1	12.00 13.20	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T2	1 1	12.00 13.20	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T3	1 1	12.00 13.20	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T4	1 1	12.00 13.20	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T5	1 1	12.00 13.20	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T6	1 1	12.00 13.20	1	12	3,135	110 308 00000
	0019	0101	BIOL155 4T7	1 1	12.00 13.20	1	11	3,135	110 308 00000
	0019	0101	BIOL155 4T8	1 1	12.00 13.20	1	3	3,135	110 308 00000
	0019	0101	BIOL114 5MW	1 1	12.15 13.35		158	3,135	110 308 00000
	0019	0101	BIOL205 5T	1 1	13.30 14.50		144	3,135	110 308 00000
	0019	0101	BIOL106 6MW	1 1	13.45 15.05		19	3,135	110 308 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 16

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	0101	BIOL114 6T	1 1	15.00 16.20		118	3,135	110 308 00000
	0019	0101	BIOL105 7MW	1 1	15.15 16.35		60	3,135	110 308 00000
	0019	0101	BIOL155 2M1	1	18.00 20.00		16	3,135	110 308 00000
	0019	0101	BIOL155 2M2	1	18.00 20.00	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M3	1	18.00 20.00	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M4	1	18.00 20.00	1	15	3,135	110 308 00000
	0019	0101	BIOL155 2M5	1	18.00 20.00	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M6	1	18.00 20.00	1	16	3,135	110 308 00000
	0019	0101	BIOL155 2M7	1	18.00 20.00	1	14	3,135	110 308 00000
	0019	0101	BIOL155 2M8	1	18.00 20.00	1	16	3,135	110 308 00000
	0019	0101	BIOL155 4T	1	18.00 20.00	1	16	3,135	110 308 00000
	0019	0101	BIOL155 4T1	1	18.00 20.00	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T2	1	18.00 20.00	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T3	1	18.00 20.00	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T4	1	18.00 20.00	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T5	1	18.00 20.00	1	14	3,135	110 308 00000
	0019	0101	BIOL155 4T6	1	18.00 20.00	1	12	3,135	110 308 00000
	0019	0101	BIOL155 4T7	1	18.00 20.00	1	11	3,135	110 308 00000
	0019	0101	BIOL155 4T8	1	18.00 20.00	1	3	3,135	110 308 00000
	0019	0102	CULA250 1MR	1	7.30 8.25		14	1,104	110 119 00000
	0019	0102	CULA250 1MT	1	7.30 8.25	1	7	1,104	110 119 00000
	0019	0102	CULA230 XMR	1	8.35 9.30		8	1,104	110 119 00000
	0019	0102	CULA230 XMT	1	8.35 9.30	1	13	1,104	110 119 00000
	0019	0102	BIOL106 2T	1 1	9.00 10.20		58	1,104	110 119 00000
	0019	0102	BIOL106 3M	1 1 1	9.40 10.35		42	1,104	110 119 00000
	0019	0102	BIOL156 3T	1 1	10.30 11.50		10	1,104	110 119 00000
	0019	0102	BIOL156 3T1	1 1	10.30 11.50	1	20	1,104	110 119 00000
	0019	0102	CULA101 4T	1 1	12.00 13.20		49	1,104	110 119 00000
	0019	0102	BIOL106 5MW	1 1	12.15 13.35		26	1,104	110 119 00000
	0019	0102	BIOL203 5T	1 1	13.30 14.50		47	1,104	110 119 00000
	0019	0102	CULA101 6MW	1 1	13.45 15.05		46	1,104	110 119 00000
	0019	0102	CULA105 XT	1	15.00 16.20		42	1,104	110 119 00000
	0019	0102	CULA105 XR	1	15.00 16.20		43	1,104	110 119 00000
	0019	0201	BIOL156 3T1	1	12.15 15.05		20	1,017	210 32 00000
	0019	0201	BIOL156 3T	1	13.30 16.20		10	1,017	210 32 00000
	0019	0201	BIOL155 2M	1	18.00 20.00		16	1,017	210 32 00000
	0019	0201	BIOL585 ET	1	18.00 21.00		3	1,017	210 32 00000
	0019	0203	BIOL115 1MW	1 1	7.30 8.50		30	1,031	210 45 00000
	0019	0203	BIOL115 1T	1 1	7.30 8.50		34	1,031	210 45 00000
	0019	0203	BIOL115 2T	1 1	9.00 10.20		36	1,031	210 45 00000
	0019	0203	BIOL115 3MW	1 1	9.40 11.00		32	1,031	210 45 00000
	0019	0203	BIOL115 3T	1 1	10.30 11.50		34	1,031	210 45 00000
	0019	0203	BIOL115 4T	1 1	12.00 13.20		36	1,031	210 45 00000
	0019	0203	BIOL115 5T	1 1	13.30 14.50		33	1,031	210 45 00000
	0019	0203	BIOL115 6MW	1 1	13.45 15.05		27	1,031	210 45 00000
	0019	0204	BIOL204 2T	1	9.00 11.40		13	1,138	210 56 00000
	0019	0204	BIOL204 2R	1	9.00 11.40		14	1,138	210 56 00000
	0019	0204	BIOL441 5R	1	13.30 16.20		21	1,138	210 56 00000
	0019	0204	BIOL204 6W	1	13.45 16.35		27	1,138	210 56 00000
	0019	0209	BIOL460 3T	1 1	10.30 11.50		20	1,008	210 25 00000
	0019	0209	BIOL551 5R	1	13.30 16.20		13	1,008	210 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 17

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	0209	BIOL404 6MW	1 1	13.45 15.05		10	1,008	210 25 00000
	0019	0209	BIOL406 7W	1	15.15 16.35		1	1,008	210 25 00000
	0019	0209	BIOL404 6MW	1	17.00 19.50		10	1,008	210 25 00000
	0019	0211	BIOL155 2M	1	9.00 11.50		16	992	210 41 00000
	0019	0211	BIOL155 4T	1	9.00 11.50	1	16	992	210 41 00000
	0019	0211	BIOL155 2M1	1	9.00 11.50		16	992	210 41 00000
	0019	0211	BIOL155 4T1	1	9.00 11.50	1	14	992	210 41 00000
	0019	0211	BIOL155 2M5	1	9.40 12.30		16	992	210 41 00000
	0019	0211	BIOL155 4T5	1	9.40 12.30	1	14	992	210 41 00000
	0019	0211	BIOL155 2M2	1	13.30 16.20		16	992	210 41 00000
	0019	0211	BIOL155 4T2	1	13.30 16.20	1	14	992	210 41 00000
	0019	0211	BIOL155 2M4	1	13.30 16.20		15	992	210 41 00000
	0019	0211	BIOL155 4T4	1	13.30 16.20	1	14	992	210 41 00000
	0019	0211	BIOL155 2M3	1	13.45 16.35		16	992	210 41 00000
	0019	0211	BIOL155 4T3	1	13.45 16.35	1	14	992	210 41 00000
	0019	0211	BIOL155 2M8	1	17.00 19.50		16	992	210 41 00000
	0019	0211	BIOL155 4T8	1	17.00 19.50	1	3	992	210 41 00000
	0019	0211	BIOL155 2M6	1	18.00 20.50		16	992	210 41 00000
	0019	0211	BIOL155 4T6	1	18.00 20.50	1	12	992	210 41 00000
	0019	0211	BIOL155 2M7	1	18.00 20.50		14	992	210 41 00000
	0019	0211	BIOL155 4T7	1	18.00 20.50	1	11	992	210 41 00000
	0019	0301	CULA111 1MF	1	7.30 8.25		14	1,172	110 88 00000
	0019	0301	CULA111 1MW	1	7.30 8.25	1	15	1,172	110 88 00000
	0019	0301	CULA221 2MF	1	8.35 9.30		15	1,172	110 88 00000
	0019	0301	CULA221 2MW	1	8.35 9.30	1	13	1,172	110 88 00000
	0019	0301	BIOL320 2T	1 1	9.00 10.20		30	1,172	110 88 00000
	0019	0301	BIOL326 3T1	1 1	10.30 11.50		15	1,172	110 88 00000
	0019	0301	BIOL326 3T2	1 1	10.30 11.50	1	25	1,172	110 88 00000
	0019	0301	BIOL440 4T	1 1	12.00 13.20		36	1,172	110 88 00000
	0019	0301	CULA222 XMR	1	12.55 13.50		14	1,172	110 88 00000
	0019	0301	CULA222 XMT	1	12.55 13.50	1	14	1,172	110 88 00000
	0019	0301	CULA222 XMW	1	12.55 13.50	1	16	1,172	110 88 00000
	0019	0301	BIOL320 2T	1	13.30 16.20		30	1,172	110 88 00000
	0019	0301	CULA219 XMF	1	14.00 14.55		16	1,172	110 88 00000
	0019	0301	CULA219 XMR	1	14.00 14.55	1	11	1,172	110 88 00000
	0019	0301	CULA219 XMT	1	14.00 14.55	1	15	1,172	110 88 00000
	0019	0301	BIOL401 AM	1	16.00 17.20		19	1,172	110 88 00000
	0019	0301	BIOL501 AM	1	16.00 17.20	1	1	1,172	110 88 00000
	0019	0301	BIOL504 BW	1	16.30 19.20		8	1,172	110 88 00000
	0019	0304	BIOL371 XM	1 1 1	8.00 10.35		36	1,056	210 36 00000
	0019	0304	BIOL117 2T	1	9.00 11.50		36	1,056	210 36 00000
	0019	0304	BIOL326 3T1	1	12.15 15.05		15	1,056	210 36 00000
	0019	0304	BIOL326 3T2	1	13.30 16.20		25	1,056	210 36 00000
	0019	0304	BIOL117 5R	1	13.30 16.20		27	1,056	210 36 00000
	0019	0304	BIOL117 6W	1	13.45 16.35		36	1,056	210 36 00000
	0019	0304	BIOL117 BW	1	16.45 19.35		20	1,056	210 36 00000
	0019	0305	EGSC301 2T	1 1	9.00 10.20		12	1,053	240 30 00000
	0019	0305	GEOM303 3F	1	9.40 12.45		11	1,053	240 30 00000
	0019	0305	GEOM301 4MW	1 1	10.45 12.05		15	1,053	240 30 00000
	0019	0305	EGSC101 AT	1 1	16.00 19.00		20	1,053	240 30 00000
	0019	0306	GEOM401 2M	1 1 1	8.35 9.30		15	880	210 37 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 18

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	0306	GEOM101 3T	1 1	10.30 11.50		15	880	210 37 00000
	0019	0307	GEOM440 3T	1 1	10.30 11.50		8	1,137	210 20 00000
8	0019	0307	GEOM104 BW	1	16.30 17.50		50	1,137	210 20 00000
	0019	0309	GEOM201 XT	1 1	7.55 8.50		13	1,007	081 18 00000
	0019	0309	GEOM441 3T	1 1	10.30 11.50		5	1,007	081 18 00000
	0019	0309	GEOM203 XR	1	12.55 15.55		11	1,007	081 18 00000
	0019	0311	PSET121 7A7	1 1	7.30 10.20	1	28	556	110 30 00000
8	0019	0311	PSET121 7B7	1 1	7.30 10.20	1 1	28	556	110 30 00000
	0019	0311	SATC230 7A7	1 1	10.30 13.20	1	29	556	110 30 00000
8	0019	0311	SATC230 7B7	1 1	10.30 13.20	1 1	29	556	110 30 00000
	0019	0311	SATC385 7A7	1 1	13.30 16.20	1	16	556	110 30 00000
	0019	0311	SATC385 7B7	1 1	13.30 16.20	1 1	12	556	110 30 00000
	0019	0312	SATC230 7C7	1 1	10.30 13.20	1	29	555	110 30 00000
	0019	0314	PSET310 7A7	1 1	10.30 13.20	1	12	572	210 21 00000
	0019	0314	PSET310 7B7	1 1	10.30 13.20	1 1	10	572	210 21 00000
	0019	0332	PSET452 HTB			1	6	115	310 1 00000
	0019	0401	SATC295 HB1	1		1	16	930	240 33 00000
	0019	0401	PSET171 7A7	1 1	7.30 10.20	1	29	930	240 33 00000
8	0019	0401	PSET171 7B7	1 1	7.30 10.20	1 1	28	930	240 33 00000
	0019	0401	SATC420 7A7	1 1	10.30 13.20	1	21	930	240 33 00000
	0019	0401	SATC420 7B7	1 1	10.30 13.20	1 1	15	930	240 33 00000
	0019	0403	MAC0361 2T	1 1	9.00 10.20		15	944	110 26 00000
	0019	0403	CULA442 3T	1 1	10.30 11.50		21	944	110 26 00000
	0019	0403	CULA429 H6T	1 1	15.00 16.20	1	11	944	110 26 00000
	0019	0403	CULA382 7MW	1 1	15.15 16.35		18	944	110 26 00000
	0019	0405	SATC295 HTB	1		1	22	525	210 13 00000
	0019	0405	PSET305 7A7	1 1	10.30 13.20	1	15	525	210 13 00000
8	0019	0405	PSET305 7B7	1 1	10.30 13.20	1 1	19	525	210 13 00000
	0019	0406	DIET215 34T	1 1	10.30 13.20		14	1,084	210 30 00000
	0019	0406	DIET264 4MW	1 1	10.45 11.39		9	1,084	210 30 00000
	0019	0406	DIET264 4MW	1	11.40 14.40		9	1,084	210 30 00000
	0019	0408	CULA250 1MT	1	7.30 11.30		7	622	210 36 00000
	0019	0408	CULA221 2MW	1	7.30 11.30		13	622	210 36 00000
	0019	0408	CULA250 1MR	1	7.30 11.30		14	622	210 36 00000
	0019	0408	CULA221 2MF	1	7.30 11.30		15	622	210 36 00000
4	0019	0408	CULA279 XM	1	9.00 15.00		34	622	210 36 00000
	0019	0408	CULA222 XMT	1	12.30 16.30		14	622	210 36 00000
	0019	0408	CULA222 XMW	1	12.30 16.30		16	622	210 36 00000
	0019	0408	CULA222 XMR	1	12.30 16.30		14	622	210 36 00000
	0019	0408	CULA490 CM	1	17.00 21.15		19	622	210 36 00000
	0019	0408	CULA475 CW	1	17.00 21.15		19	622	210 36 00000
	0019	0408	CULA490 CM1	1	17.00 21.30		16	622	210 36 00000
	0019	0409	CULA230 XMT	1	7.30 11.30		13	1,733	210 60 00000
	0019	0409	CULA111 1MW	1	7.30 11.30		15	1,733	210 60 00000
	0019	0409	CULA230 XMR	1	7.30 11.30		8	1,733	210 60 00000
	0019	0409	CULA111 1MF	1	7.30 11.30		14	1,733	210 60 00000
	0019	0409	CULA219 XMT	1	12.30 16.30		15	1,733	210 60 00000
	0019	0409	CULA485 XT	1	12.30 16.30	1	8	1,733	210 60 00000
	0019	0409	CULA219 XMR	1	12.30 16.30		11	1,733	210 60 00000
	0019	0409	CULA219 XMF	1	12.30 16.30		16	1,733	210 60 00000
	0020	0101	MUED227 1T	1 1	7.30 8.50		14	4,843	210 100 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/15/2013 16:12:51

PAGE NUM 19

NICHOLLS STATE UNIVERSITY

BRANCH

PARISH

RELATION

LAFOURCHE

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0020	0101	MUS 191 6MW	1	11.50 12.45		60	4,843	210 100 00000
	0020	0101	MUS 391 6MW	1	11.50 12.45	1	35	4,843	210 100 00000
	0020	0101	MUS 191 6MW	1 1	13.45 15.05		60	4,843	210 100 00000
	0020	0101	MUS 391 6MW	1 1	13.45 15.05	1	35	4,843	210 100 00000
	0020	0101	MUS 296 6T	1 1	15.00 16.20		5	4,843	210 100 00000
	0020	0101	MUS 396 6T	1 1	15.00 16.20	1	10	4,843	210 100 00000
	0020	0101	MUS 350 BW	1	16.30 17.25		3	4,843	210 100 00000
	0021	0100	ATTR480 3T	1 1	10.30 11.50		8	963	110 35 00000
	0021	0100	EDCI557 HCW	1	17.00 19.50		21	963	110 35 00000
	0021	0100	PSYC506 HCW	1	17.00 19.50	1	29	963	110 35 00000
	0021	0113	ATTR325 2TF	1	8.35 10.35		6	627	210 28 00000
	0021	0113	ATTR325 2TF	1 1	9.00 10.20		6	627	210 28 00000
	0021	0113	ATTR250 3MW	1 1	9.40 10.35		7	627	210 28 00000
	0021	0113	ATTR422 34T	1 1	10.30 11.50		7	627	210 28 00000
	0021	0113	ATTR422 34T	1	12.00 13.20		7	627	210 28 00000
	0021	0114	ATTR498 2TW	1 1	9.00 10.20		9	591	110 43 00000
	0021	0114	COMD278 4M	1 1 1	10.45 11.40		42	591	110 43 00000
	0021	0114	DIET305 5MW	1 1	12.15 13.35		29	591	110 43 00000
	0021	0114	AHSC425 HCT	1	17.00 19.50		33	591	110 43 00000
	0021	0114	AHSC440 HCR	1	17.00 19.55		32	591	110 43 00000
	0021	0118	DIET450 HTB			1	11	952	110 63 00000
	0021	0118	DIET451 HTB			1	15	952	110 63 00000
	0021	0123	ATTR230 2M1	1 1	7.30 8.50		6	938	210 25 00000
	0021	0123	ATTR230 2M1	1 1	8.35 9.30		6	938	210 25 00000
	0021	0123	ATTR230 2M2	1 1	8.35 9.30	1	6	938	210 25 00000
	0021	0123	ATTR222 4MT	1 1	9.00 10.20		12	938	210 25 00000
	0021	0123	ATTR220 3M1	1 1	9.40 10.35		15	938	210 25 00000
	0021	0123	ATTR230 2M2	1 1	10.30 11.50		6	938	210 25 00000
	0021	0123	ATTR222 4MT	1 1	10.45 11.40		12	938	210 25 00000
	0021	0123	ATTR220 3M1	1	17.00 19.45		15	938	210 25 00000
	0021	0152	NURS255 XM	1	8.00 12.00		63	1,974	110 123 00000
	0021	0200	NURS371 XM	1	8.30 11.40		44	961	110 45 00000
	0021	0201	NURS427 HXM	1	8.00 12.00	1	49	961	110 76 00000
	0021	0201	NURS428 2WF	1 1	8.35 11.30		49	961	110 76 00000
4	0021	0202	NURS381 XT	1	8.30 14.40		44	961	110 76 00000
	0021	0213	NURS371 XM	1	8.30 11.40		44	660	110 41 00000
	0021	0214	NURS228 HXT	1	13.30 15.20		64	1,210	110 82 00000
	0021	0214	DIET200 6MW	1 1	13.45 15.05		77	1,210	110 82 00000
	0021	0216	DIET416 2MW	1 1	8.35 9.55		25	935	110 70 00000
	0021	0216	DIET111 2T	1 1	9.00 10.20		51	935	110 70 00000
	0021	0216	DIET390 4T	1 1	12.00 13.20		21	935	110 70 00000
	0021	0216	ATTR101 5W	1	12.15 13.35		49	935	110 70 00000
	0021	0216	DIET201 5T	1 1	13.30 14.50		27	935	110 70 00000
	0021	0216	DIET459 6R	1	15.00 16.50		22	935	110 70 00000
	0021	0216	DIET120 7M	1	15.15 16.35		28	935	110 70 00000
	0021	0218	NURS355 XM	1	8.00 12.10		61	1,155	110 83 00000
	0021	0221	NURS371 XM	1	8.30 11.40		44	960	110 65 00000
	0021	0221	NURS311 5T	1	13.30 14.50		47	960	110 65 00000
4	0021	0222	NURS355 XM	1	8.00 14.00		61	949	110 63 00000
	0021	0223	NURS381 XT	1	8.30 11.40		44	949	110 60 00000
	0021	0224	NURS420 XM	1	8.30 11.40		64	963	110 64 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 11/15/2013 16:12:51
 PAGE NUM 20

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION

LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0021	0224	NURS400 XT	1	9.00 12.00		64	963	110 64 00000
8	0021	0225	NURS255 XM	1	8.00 12.30		63	1,484	210 10 00000
8	0021	0228	NURS255 XM	1	8.00 12.30		63	943	110 10 00000
8	0021	0231	NURS225 XM	1 1	8.00 11.40		60	1,458	210 10 00000
8	0021	0234	NURS226 XT	1	8.00 12.00		63	1,485	210 10 00000
4 8	0021	0266	NURS355 XM	1	8.00 14.00		61	1,173	210 11 00000
	0021	0300	CULA231 H5W	1	12.15 13.35	1	31	708	110 49 00000
	0021	0300	CULA338 H6W	1	13.45 15.05	1	32	708	110 49 00000
	0021	0301	NURS225 XM	1	8.00 11.40		60	1,152	110 83 00000
	0021	0301	NURS226 XT	1	8.00 12.00		63	1,152	110 83 00000
4	0022	0151	ACCT500 EMB	1	8.00 17.00	1	15	720	110 48 00000
4	0022	0151	BSAD501 EMB	1	8.00 17.00	1 1	15	720	110 48 00000
4	0022	0151	CIS 501 EMB	1	8.00 17.00	1 1	15	720	110 48 00000
4	0022	0151	ECON500 EMB	1	8.00 17.00	1 1	15	720	110 48 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	11
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	25
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	8

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	44
TOTAL NUMBER OF RECORDS READ	- - - - -	983
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	969
NUMBER OF JOINT-CLASS RECORDS	- - - - -	135
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	41
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2013 16:12:51

PAGE NUM 1

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			138
TOTAL NUMBER OF STATIONS (CAPACITY)			6,812
WEEKLY STUDENT CONTACT HOURS	49,570	6,084	55,655
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,420	6,900	19,320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,788	500	3,288
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	613,080	340,600	953,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	186,620	29,134	215,754
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	99,141	12,169	111,310
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.4	7.2	17.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.2	3.6	11.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	53.1	41.8	51.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			138
TOTAL NUMBER OF STATIONS (CAPACITY)			6,812
WEEKLY STUDENT CONTACT HOURS	49,570	6,084	55,655
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,420	6,900	19,320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,788	500	3,288
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	613,080	340,600	953,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	186,620	29,134	215,754
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	99,141	12,169	111,310
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.4	7.2	17.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.2	3.6	11.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	53.1	41.8	51.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2013 16:12:51

PAGE NUM 2

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			88
TOTAL NUMBER OF STATIONS (CAPACITY)			2,157
WEEKLY STUDENT CONTACT HOURS	11,631	1,004	12,635
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,920	4,400	12,320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,342	193	1,535
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	194,130	107,850	301,980
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	53,194	5,948	59,142
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	23,262	2,008	25,270
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.9	4.4	12.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.0	1.9	8.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	43.7	33.8	42.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			84
TOTAL NUMBER OF STATIONS (CAPACITY)			1,988
WEEKLY STUDENT CONTACT HOURS	11,274	1,004	12,278
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,560	4,200	11,760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,272	193	1,465
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	178,920	99,400	278,320
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,194	5,948	52,142
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	22,548	2,008	24,556
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.8	4.6	12.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.6	2.0	8.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.8	33.8	47.1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2013 16:12:51

PAGE NUM 3

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			169
WEEKLY STUDENT CONTACT HOURS	357		357
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	70		70
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	15,210	8,450	23,660
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,000		7,000
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	714		714
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	19.4	.0	12.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	4.7	.0	3.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	10.2	.0	10.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*RESEARCH/NONCLASS LAB.			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			153
WEEKLY STUDENT CONTACT HOURS	1,160		1,160
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,170	650	1,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	100		100
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13,770	7,650	21,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,020		3,020
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,320		2,320
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	8.5	.0	5.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.8	.0	10.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.8	.0	76.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2013 16:12:51

PAGE NUM 4

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*SPECIAL USE FACILITIES			
TOTAL NUMBER OF ROOMS			34
TOTAL NUMBER OF STATIONS (CAPACITY)			1,841
WEEKLY STUDENT CONTACT HOURS	288		288
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,060	1,700	4,760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	42		42
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	165,690	92,050	257,740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,536		10,536
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	576		576
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.4	.0	.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.3	.0	.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	5.5	.0	5.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
ATHLETIC AND P.E.			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			1,756
WEEKLY STUDENT CONTACT HOURS	288		288
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	42		42
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	158,040	87,800	245,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,536		10,536
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	576		576
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	4.2	.0	2.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.4	.0	.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	5.5	.0	5.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY