

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 1

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0002	0201	IDST 420 2T	1 1	9.00 10.20		26	720	210 40	00000
	0002	0202	CIS 150 1T	1 1	7.30 8.50		15	1,166	240 43	00000
	0002	0202	OIS 200 2M	1 1 1	8.35 9.30		38	1,166	240 43	00000
	0002	0202	OIS 200 2T	1 1	9.00 10.20		38	1,166	240 43	00000
	0002	0205	CIS 420 5T	1 1	13.30 14.50		15	728	240 34	00000
	0002	0205	CIS 455 ET	1	18.00 20.50		8	728	240 34	00000
	0002	0205	CIS 501 ER	1	18.00 20.55		16	728	240 34	00000
	0002	0207	CIS 355 1M	1 1 1	7.30 8.25		7	717	110 48	00000
	0002	0207	CIS 320 1T	1 1	7.30 8.50		40	717	110 48	00000
	0002	0207	SPCH 1013M1	1 1 1	9.40 10.35		30	717	110 48	00000
	0002	0207	CIS 310 3T	1 1	10.30 11.50		27	717	110 48	00000
	0002	0207	SPCH 1014MW	1 1	10.45 12.05		30	717	110 48	00000
	0002	0207	SPCH 1015MW	1 1	12.15 13.35		29	717	110 48	00000
	0002	0207	SPCH 1017MW	1 1	15.15 16.35		30	717	110 48	00000
	0002	0207	FINC 356 EM	1	18.00 20.55		32	717	110 48	00000
	0002	0208	SPCH 101 2M	1 1 1	8.35 9.30		30	706	210 45	00000
	0002	0208	FINC 302 2T	1 1	9.00 10.20		29	706	210 45	00000
	0002	0208	SPCH 101 3M	1 1 1	9.40 10.35		30	706	210 45	00000
	0002	0208	SPCH 1013T1	1 1	10.30 11.50		30	706	210 45	00000
	0002	0208	SPCH 3024MW	1 1	10.45 12.05		20	706	210 45	00000
	0003	0170	HPED 227 3T	1 1	10.30 11.50		4	11,472	520 1200	00000
	0003	0202	MUS 191 4T	1	11.50 12.45		9	2,146	520 40	00000
	0003	0202	MUS 391 4T	1	11.50 12.45	1	1	2,146	520 40	00000
	0003	0202	MUS 191 4T	1 1	12.00 13.20		9	2,146	520 40	00000
	0003	0202	MUS 391 4T	1 1	12.00 13.20	1	1	2,146	520 40	00000
	0003	0202	MUS 191 4T	1 1	13.45 16.35		9	2,146	520 40	00000
	0003	0202	MUS 391 4T	1 1	13.45 16.35	1	1	2,146	520 40	00000
	0004	0118	HPED 207 1T	1 1	7.30 8.50		10	17,858	520 119	00000
	0004	0118	HPED 246 2T	1 1	9.00 10.20		26	17,858	520 119	00000
	0004	0118	HPED 223 3T	1 1	10.30 11.50		9	17,858	520 119	00000
	0004	0118	HPED 280 3T	1 1	10.30 11.50	1	6	17,858	520 119	00000
	0004	0144	HPED 3904MW	1 1	10.45 12.05		5	857	110 67	00000
	0004	0144	HPED 270 5T	1 1	13.30 14.50		27	857	110 67	00000
	0004	0144	HPED 270 CW	1	17.00 19.50		11	857	110 67	00000
	0005	0104	GEOG 102 1T	1 1	7.30 8.50		39	1,960	110 110	00000
	0005	0104	ASTR 101 2M	1 1 1	8.35 9.30		101	1,960	110 110	00000
	0005	0104	CHEM 105 2T	1 1	9.00 10.20		99	1,960	110 110	00000
	0005	0104	CHEM 105 3M	1 1 1	9.40 10.35		99	1,960	110 110	00000
	0005	0104	PHYS 101 3T	1 1	10.30 11.50		86	1,960	110 110	00000
	0005	0104	CHEM 1094MW	1 1	10.45 12.05		94	1,960	110 110	00000
	0005	0104	CHEM 109 4T	1 1	12.00 13.20		76	1,960	110 110	00000
	0005	0104	BIOL 3705MW	1 1	12.15 13.35		31	1,960	110 110	00000
	0005	0104	GEOG 101 5T	1 1	13.30 14.50		101	1,960	110 110	00000
	0005	0104	CHEM 1016MW	1 1	13.45 15.05		24	1,960	110 110	00000
	0005	0107	BIOL 301 1T	1 1	7.30 8.50		6	1,152	210 24	00000
	0005	0107	BIOL 283 3M	1 1 1	9.40 10.35		11	1,152	210 24	00000
	0005	0107	BIOL 551 5R	1	13.30 16.20		8	1,152	210 24	00000
	0005	0107	BIOL 284 6W	1	13.45 16.35		9	1,152	210 24	00000
	0005	0149	BIOL 570 3M	1	9.40 12.30		11	960	210 24	00000
	0005	0165	PHYS 201 1M	1 1 1	7.30 8.25		18	1,222	110 66	00000
	0005	0165	GEOG 101 1T	1 1	7.30 8.50		69	1,222	110 66	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 2

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0005	0165	CHEM 221 2M	1 1 1	8.35 9.30		66	1,222	110 66 00000
	0005	0165	CHEM 106 2T	1 1	9.00 10.20		53	1,222	110 66 00000
	0005	0165	PHSC 101 3M	1 1 1	9.40 10.35		68	1,222	110 66 00000
	0005	0165	GEOL 101 3T	1 1	10.30 11.50		68	1,222	110 66 00000
	0005	0165	CHEM 435 4M	1 1 1	10.45 11.40		53	1,222	110 66 00000
	0005	0165	CHEM 105 4T	1 1	12.00 13.20		67	1,222	110 66 00000
	0005	0165	GEOL 1015MW	1 1	12.15 13.35		65	1,222	110 66 00000
	0005	0165	PHSC 1036MW	1 1	13.45 15.05		14	1,222	110 66 00000
	0005	0207	CHEM 437 6F	1	12.55 16.20		15	2,336	210 16 00000
	0005	0207	CHEM 437 BT	1	16.30 19.20		17	2,336	210 16 00000
	0005	0210	CHEM 222 2M	1 1 1	8.35 9.30		14	529	110 24 00000
	0005	0210	PHSC 102 2T	1 1	9.00 10.20		22	529	110 24 00000
	0005	0210	GEOL 3004MW	1 1	10.45 12.05		5	529	110 24 00000
	0005	0211	CHEM 11056T	1 1	13.30 16.20		16	1,104	210 24 00000
	0005	0211	CHEM 11078M	1 1	15.15 18.05		19	1,104	210 24 00000
	0005	0213	CHEM 11356R	1	13.30 16.20		16	1,104	210 24 00000
	0005	0228	PHYS 103 1T	1	7.30 10.20		24	1,081	210 32 00000
	0005	0228	PHYS 203 1R	1	7.30 10.20		20	1,081	210 32 00000
	0005	0228	PHYS 10345T	1	12.00 14.50		26	1,081	210 32 00000
	0005	0228	PHYS 10356W	1	12.15 15.05		26	1,081	210 32 00000
	0005	0240	CHEM 3055MW	1 1	12.15 13.35		5	759	210 12 00000
	0005	0244	CHEM 327 2T	1	9.00 11.50		5	946	210 16 00000
	0005	0244	CHEM 22656T	1 1	13.30 16.20		7	946	210 16 00000
	0005	0244	CHEM 22667M	1 1	13.45 16.35		5	946	210 16 00000
	0005	0246	CHEM 303 2M	1 1 1	8.35 9.30		5	276	110 12 00000
	0005	0246	CHEM 412 3M	1 1 1	9.40 10.35		6	276	110 12 00000
	0005	0248	CHEM 327 2T	1	9.00 9.55		5	529	110 24 00000
	0005	0248	CHEM 300 4M	1 1 1	10.45 11.40		19	529	110 24 00000
	0005	0253	CHEM 3026MW	1 1	13.45 16.35		11	1,128	210 24 00000
	0005	0255	CHEM 41356M	1	12.15 15.10		4	660	210 12 00000
	0006	0105	MATH 100 1M	1 1 1	7.30 8.25		25	841	110 80 00000
	0006	0105	MATH 1011TW	1 1	7.30 8.50		37	841	110 80 00000
	0006	0105	MATH 100 2M	1 1 1	8.35 9.30		25	841	110 80 00000
	0006	0105	MATH 1012TM	1 1	9.00 10.20		37	841	110 80 00000
	0006	0105	MATH 100 3M	1 1 1	9.40 10.35		25	841	110 80 00000
	0006	0105	MATH 1013TW	1 1	10.30 11.50		37	841	110 80 00000
	0006	0105	MATH 100 4M	1 1 1	10.45 11.40		25	841	110 80 00000
	0006	0105	MATH 1014TW	1 1	12.00 13.20		35	841	110 80 00000
	0006	0105	MATH 2145MW	1 1	12.15 13.35		37	841	110 80 00000
	0006	0105	MATH 1015TW	1 1	13.30 14.50		35	841	110 80 00000
	0006	0105	MATH 165ATR	1 1	16.00 18.55		36	841	110 80 00000
	0006	0105	MATH 214 BM	1	16.30 19.20		37	841	110 80 00000
	0006	0117	MATH 1001M1	1 1 1	7.30 8.25		25	770	110 50 00000
	0006	0117	MATH 165 2M	1 1 1	8.35 9.30		33	770	110 50 00000
	0006	0117	MATH 165 2M	1 1	9.00 10.20		33	770	110 50 00000
	0006	0117	MATH 1003M1	1 1 1	9.40 10.35		25	770	110 50 00000
	0006	0117	MATH 117 3T	1 1	10.30 11.50		36	770	110 50 00000
	0006	0117	MATH 1004M1	1 1 1	10.45 11.40		25	770	110 50 00000
	0006	0117	MATH 1014TM	1 1	12.00 13.20		37	770	110 50 00000
	0006	0117	MATH 1085TR	1 1	13.30 15.20		36	770	110 50 00000
	0006	0117	MATH 407CTR	1 1	17.00 18.50		6	770	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 3

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0117	MATH 102 EW	1	18.00 20.50		35	770	110 50 00000
	0006	0120	ENGL 1011T1	1 1	7.30 8.50		26	904	210 26 00000
	0006	0120	ENGL 240 2T	1 1	9.00 10.20		17	904	210 26 00000
	0006	0120	ENGL 1013T1	1 1	10.30 11.50		26	904	210 26 00000
	0006	0120	ENGL 220 4W	1 1	10.45 12.05		24	904	210 26 00000
	0006	0120	ENGL 1014T1	1 1	12.00 13.20		25	904	210 26 00000
	0006	0120	ENGL 102 5W	1 1	12.15 13.35		26	904	210 26 00000
	0006	0120	ENGL 210 5T	1 1	13.30 14.50		26	904	210 26 00000
	0006	0120	ENGL 366 6W	1 1	13.45 15.05		25	904	210 26 00000
	0006	0120	ENGL 101 6T	1 1	15.00 16.20		24	904	210 26 00000
	0006	0120	ENGL 366 7W	1 1	15.15 16.35		19	904	210 26 00000
	0006	0131	ENGL 1012M1	1 1 1	8.35 9.30		26	891	240 27 00000
	0006	0131	ENGL 10023T	1 1	9.00 10.20		18	891	240 27 00000
	0006	0131	ENGL 101 3M	1 1 1	9.40 10.35		26	891	240 27 00000
	0006	0131	ENGL100L23T	1 1	10.30 11.50		18	891	240 27 00000
	0006	0131	ENGL 310 4T	1 1	12.00 13.20		26	891	240 27 00000
	0006	0131	ENGL 368 5T	1 1	13.30 14.50		21	891	240 27 00000
	0006	0131	ENGL 101 6W	1 1	13.45 15.05		24	891	240 27 00000
	0006	0131	ENGL 1016T1	1 1	15.00 16.20		24	891	240 27 00000
	0006	0132	SOCI 372 2T	1 1	9.00 10.20		23	1,102	110 20 00000
	0006	0132	ENGL 256 3M	1 1 1	9.40 10.35		13	1,102	110 20 00000
	0006	0132	ENGL 210 3T	1 1	10.30 11.50		30	1,102	110 20 00000
8	0006	0132	ENGL 1014M2	1 1 1	10.45 11.40		29	1,102	110 20 00000
	0006	0132	ENGL 212 4T	1 1	12.00 13.20		31	1,102	110 20 00000
	0006	0132	ENGL 1015M1	1 1	12.15 13.35		28	1,102	110 20 00000
	0006	0132	ENGL 315 5T	1 1	13.30 14.50		24	1,102	110 20 00000
	0006	0133	ENGL 102 1M	1 1 1	7.30 8.25		25	339	110 35 00000
	0006	0133	ENGL 101 1T	1 1	7.30 8.50		28	339	110 35 00000
	0006	0133	ENGL 101 2M	1 1 1	8.35 9.30		29	339	110 35 00000
	0006	0133	ENGL 1012T1	1 1	9.00 10.20		29	339	110 35 00000
	0006	0133	ENGL 101 3T	1 1	10.30 11.50		28	339	110 35 00000
	0006	0133	ENGL 1014M4	1 1 1	10.45 11.40		29	339	110 35 00000
	0006	0133	ENGL 1014T4	1 1	12.00 13.20		29	339	110 35 00000
	0006	0133	COUN 546 CW	1	17.00 19.50		7	339	110 35 00000
	0006	0134	MATH 1002M2	1 1 1	8.35 9.30		25	538	110 38 00000
	0006	0134	MATH 1012TW	1 1	9.00 10.20		35	538	110 38 00000
	0006	0134	MATH 1003M2	1 1 1	9.40 10.35		25	538	110 38 00000
	0006	0134	MATH 1013TM	1 1	10.30 11.50		37	538	110 38 00000
	0006	0134	MATH 106 4M	1 1 1	10.45 11.40		36	538	110 38 00000
	0006	0134	MATH 106 4T	1 1	12.00 13.20		35	538	110 38 00000
	0006	0134	MATH 3015MW	1 1	12.15 13.35		29	538	110 38 00000
	0006	0134	MATH116LXM2	11	13.45 15.05		34	538	110 38 00000
	0006	0134	MATH 116XM2	11	13.45 15.05		34	538	110 38 00000
	0006	0134	MATH116LXM3	11	16.00 17.20		32	538	110 38 00000
	0006	0134	MATH 116XM3	11	16.00 17.20		35	538	110 38 00000
	0006	0138	UNIV 101 1W	1	7.30 8.25		25	1,238	110 76 00000
	0006	0138	UNIV 101 2M	1	8.35 9.30		25	1,238	110 76 00000
	0006	0138	UNIV 1012W1	1	8.35 9.30		26	1,238	110 76 00000
	0006	0138	UNIV 1012T1	1	9.00 10.00		27	1,238	110 76 00000
	0006	0138	UNIV 1012R1	1	9.00 10.00		27	1,238	110 76 00000
	0006	0138	UNIV 1013M2	1	9.40 10.35		24	1,238	110 76 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 4

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0138	UNIV 1013W1	1	9.40 10.35		29	1,238	110 76 00000
	0006	0138	UNIV 1013T1	1	10.30 11.30		27	1,238	110 76 00000
	0006	0138	UNIV 101 3R	1	10.30 11.30		25	1,238	110 76 00000
	0006	0138	UNIV 1014M2	1	10.45 11.40		25	1,238	110 76 00000
	0006	0138	UNIV 101 4W	1	10.45 11.40		25	1,238	110 76 00000
	0006	0138	UNIV 101 4T	1	12.00 13.00		20	1,238	110 76 00000
	0006	0138	UNIV 1014R1	1	12.00 13.00		17	1,238	110 76 00000
	0006	0138	UNIV 1015M1	1	12.15 13.15		9	1,238	110 76 00000
	0006	0138	UNIV 1015W2	1	12.15 13.15		23	1,238	110 76 00000
	0006	0138	UNIV 101 5T	1	13.30 14.30		23	1,238	110 76 00000
	0006	0138	UNIV 1015R1	1	13.30 14.30		26	1,238	110 76 00000
	0006	0138	UNIV 101 6M	1	13.45 14.45		20	1,238	110 76 00000
	0006	0138	UNIV 101 6W	1	13.45 14.45		23	1,238	110 76 00000
	0006	0138	UNIV 101 6T	1	15.00 16.00		25	1,238	110 76 00000
	0006	0140	CMPS 130 3T	1 1	10.30 11.50		25	905	240 31 00000
	0006	0140	CMPS 130 4M	1 1 1	10.45 11.40		20	905	240 31 00000
	0006	0140	CMPS 130 5T	1 1 1	13.30 14.50		6	905	240 31 00000
	0006	0142	UNIV 1012M1	1	8.35 9.30		25	1,260	210 85 00000
	0006	0142	UNIV 101 2W	1	8.35 9.30		24	1,260	210 85 00000
	0006	0142	UNIV 101 2T	1	9.00 10.00		15	1,260	210 85 00000
	0006	0142	UNIV 101 2R	1	9.00 10.00		11	1,260	210 85 00000
	0006	0142	UNIV 1013M1	1	9.40 10.35		26	1,260	210 85 00000
	0006	0142	UNIV 1013W2	1	9.40 10.35		25	1,260	210 85 00000
	0006	0142	UNIV 1013T2	1	10.30 11.30		16	1,260	210 85 00000
	0006	0142	UNIV 1013R1	1	10.30 11.30		13	1,260	210 85 00000
	0006	0142	UNIV 1014M1	1	10.45 11.40		27	1,260	210 85 00000
	0006	0142	UNIV 101 5M	1	12.15 13.15		24	1,260	210 85 00000
	0006	0142	UNIV 101 5W	1	12.15 13.15		6	1,260	210 85 00000
	0006	0142	UNIV 101 5R	1	13.30 14.30		28	1,260	210 85 00000
	0006	0142	UNIV 1016R1	1	15.00 16.00		17	1,260	210 85 00000
	0006	0148	MATH 106 1M	1 1 1	7.30 8.25		35	863	240 64 00000
	0006	0148	CMPS 418 3M	1 1 1	9.40 10.35		2	863	240 64 00000
	0006	0148	SPAN 202 4M	1 1 1	10.45 11.40		3	863	240 64 00000
	0006	0148	MATH 360 4T	1 1	12.00 13.20		4	863	240 64 00000
	0006	0148	MATH 1065MW	1 1	12.15 13.35		37	863	240 64 00000
	0006	0148	MATH 5006MR	1111	13.45 14.45		1	863	240 64 00000
	0006	0206	SPAN 101 2M	1 1 1	8.35 9.30		17	883	240 30 00000
	0006	0206	SPAN 101 3M	1 1 1	9.40 10.35		17	883	240 30 00000
	0006	0206	ENGL 310 3T	1 1	10.30 11.50		24	883	240 30 00000
	0006	0206	ENGL 1014W1	1 1	10.45 12.05		25	883	240 30 00000
	0006	0206	ENGL 368 4T	1 1	12.00 13.20		23	883	240 30 00000
	0006	0206	ENGL 10056W	1 1	12.15 13.35		10	883	240 30 00000
	0006	0206	ENGL 265 5T	1 1	13.30 14.50		14	883	240 30 00000
	0006	0206	ENGL100L56W	1 1	13.45 15.05		10	883	240 30 00000
	0006	0206	ENGL 210 6T	1 1	15.00 16.20		19	883	240 30 00000
	0006	0206	ENGL 430 7W	1 1	15.15 16.35		12	883	240 30 00000
	0006	0208	ENGL 264 2M	1 1 1	8.35 9.30		12	550	110 40 00000
	0006	0208	SPAN 318 2T	1 1	9.00 10.20		4	550	110 40 00000
	0006	0208	FREN 102 3M	1 1 1	9.40 10.35		6	550	110 40 00000
	0006	0208	SPAN 404 3T	1 1 1	10.30 11.50		5	550	110 40 00000
	0006	0208	UNIV 1014M3	1	10.45 11.40		27	550	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 5

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0208	UNIV 1014W2	1	10.45 11.40		26	550	110 40 00000
	0006	0208	ENGL 1014T2	1 1	12.00 13.20		28	550	110 40 00000
	0006	0208	ENGL 255 6W	1 1	13.45 15.05		21	550	110 40 00000
	0006	0210	MATH 1002M1	1 1 1	8.35 9.30		25	828	110 50 00000
	0006	0210	GEOG 104 2T	1 1	9.00 10.20		30	828	110 50 00000
	0006	0210	SPAN 102 3M	1 1 1	9.40 10.35		3	828	110 50 00000
	0006	0210	FREN 101 4M	1 1 1	10.45 11.40		17	828	110 50 00000
	0006	0210	GOVT 499 4T	1 1	12.00 13.20		12	828	110 50 00000
	0006	0210	ENGL 101 5W	1 1	12.15 13.35		29	828	110 50 00000
	0006	0210	GOVT 457 5T	1 1	13.30 14.50		21	828	110 50 00000
	0006	0210	PSYC 206 AT	1	16.00 18.50		12	828	110 50 00000
	0006	0211	HIST 307 2T	1 1	9.00 10.20		23	838	110 64 00000
	0006	0211	HIST 416 3T	1 1	10.30 11.50		38	838	110 64 00000
	0006	0211	HIST 1604MW	1 1	10.45 12.05		23	838	110 64 00000
	0006	0211	HIST 150 4T	1 1	12.00 13.20		49	838	110 64 00000
	0006	0211	HIST 3365MW	1 1	12.15 13.35		28	838	110 64 00000
	0006	0211	HIST 491 ET	1	18.00 20.50		28	838	110 64 00000
	0006	0211	GOVT 416 EW	1	18.00 20.50		23	838	110 64 00000
	0006	0215	MATH 214 2M	1 1 1	8.35 9.30		37	834	110 70 00000
	0006	0215	ENGL 256 2T	1 1	9.00 10.20		29	834	110 70 00000
	0006	0215	MATH 214 3M	1 1 1	9.40 10.35		37	834	110 70 00000
	0006	0215	MATH 214 3T	1 1	10.30 11.50		38	834	110 70 00000
	0006	0215	ENGL 101 4W	1 1	10.45 12.05		28	834	110 70 00000
	0006	0215	ENGL 101 4T	1 1	12.00 13.20		28	834	110 70 00000
	0006	0215	MATH 214 XB	1111	14.00 15.30		10	834	110 70 00000
	0006	0216	MATH 117 1M	1 1 1	7.30 8.25		31	805	110 61 00000
	0006	0216	MATH 117 3M	1 1 1	9.40 10.35		37	805	110 61 00000
	0006	0216	MATH 1655MT	1 1	10.30 11.50		34	805	110 61 00000
	0006	0216	SPAN 101 4M	1 1 1	10.45 11.40		13	805	110 61 00000
	0006	0216	ENGL 102 4T	1 1	12.00 13.20		26	805	110 61 00000
	0006	0216	MATH 1655MT	1 1	12.15 13.35		34	805	110 61 00000
	0006	0216	MATH116LX6W	11	13.45 15.05		25	805	110 61 00000
	0006	0216	MATH 116X6W	11	13.45 15.05		25	805	110 61 00000
	0006	0216	MATH 2657MW	1 1	15.15 17.05		17	805	110 61 00000
	0006	0217	MATH 16623M	1 1 1	8.35 10.15		17	831	110 36 00000
	0006	0217	MATH 210 3T	1 1	10.30 11.50		22	831	110 36 00000
	0006	0217	ENGL 102 4W	1 1	10.45 12.05		25	831	110 36 00000
	0006	0217	MATH 110 4T	1 1	12.00 13.20		28	831	110 36 00000
	0006	0217	MATH 2105MW	1 1	12.15 13.35		18	831	110 36 00000
	0006	0218	ENGL 320 2T	1 1	9.00 10.20		10	253	210 8 00000
	0006	0218	ENGL 46734W	1 1	9.40 12.05		5	253	210 8 00000
	0006	0218	ENGL 43256W	1	12.15 15.05		12	253	210 8 00000
	0006	0219	GOVT 101 2M	1 1 1	8.35 9.30		41	1,118	110 75 00000
	0006	0219	MATH 102 2T	1 1	9.00 10.20		37	1,118	110 75 00000
	0006	0219	GOVT 101 3M	1 1 1	9.40 10.35		55	1,118	110 75 00000
	0006	0219	GOVT 399 3T	1 1	10.30 11.50		25	1,118	110 75 00000
	0006	0219	ENGL 255 4W	1 1	10.45 12.05		29	1,118	110 75 00000
	0006	0219	SOCI 151 4T	1 1	12.00 13.20		60	1,118	110 75 00000
	0006	0219	HIST 2565MW	1 1	12.15 13.35		74	1,118	110 75 00000
	0006	0219	MATH 1026MW	1 1	13.45 15.05		37	1,118	110 75 00000
	0006	0219	HIST 151 ER	1	18.00 20.55		37	1,118	110 75 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0220	ENGL 101 2T	1 1	9.00 10.20		29	529	110 40 00000
	0006	0220	ENGL 210 3M	1 1 1	9.40 10.35		25	529	110 40 00000
	0006	0220	ENGL 1013T2	1 1	10.30 11.50		28	529	110 40 00000
	0006	0220	ENGL 210 4W	1 1	10.45 12.05		30	529	110 40 00000
	0006	0220	ENGL 256 4T	1 1	12.00 13.20		23	529	110 40 00000
	0006	0220	SPAN 201 5W	1 1	12.15 13.35		6	529	110 40 00000
	0006	0226	PSET 3717A7	1 1	13.30 16.20		14	825	210 18 00000
	0006	0226	PSET 3717B7	1 1	13.30 16.20	1	12	825	210 18 00000
	0006	0227	ENGL 111 2T	1 1	9.00 10.20		18	830	110 47 00000
	0006	0227	ENGL 112 3T	1 1	10.30 11.50		23	830	110 47 00000
	0006	0227	ENGL 256 4W	1 1	10.45 12.05		24	830	110 47 00000
	0006	0227	ENGL 405 4T	1 1	12.00 13.20		21	830	110 47 00000
	0006	0227	ENGL 1025W1	1 1	12.15 13.35		24	830	110 47 00000
	0006	0227	ENGL 102 5T	1 1	13.30 14.50		25	830	110 47 00000
	0006	0227	ENGL 102 6T	1 1	15.00 16.20		25	830	110 47 00000
8	0006	0229	SATC 4407A7	1 1	10.30 13.20		27	869	210 18 00000
	0006	0229	SATC 4407B7	1 1	10.30 13.20	1	26	869	210 18 00000
	0006	0230	MATH116LX1T	11	7.30 8.50		36	821	110 52 00000
	0006	0230	MATH 116X1T	11	7.30 8.50		36	821	110 52 00000
	0006	0230	UNIV 1013M3	1	9.40 10.35		27	821	110 52 00000
	0006	0230	ENGL 312 4W	1 1	10.45 12.05		17	821	110 52 00000
	0006	0230	ENGL 256 5W	1 1	12.15 13.35		24	821	110 52 00000
	0006	0230	MATH116LX6M	11	13.45 15.05		35	821	110 52 00000
	0006	0230	MATH 116X6M	11	13.45 15.05		35	821	110 52 00000
	0006	0233	SOCI 324 2M	1 1 1	8.35 9.30		32	1,090	110 88 00000
	0006	0233	HIST 255 2T	1 1	9.00 10.20		70	1,090	110 88 00000
	0006	0233	GEOG 103 3T	1 1	10.30 11.50		50	1,090	110 88 00000
	0006	0233	SOCI 2014MW	1 1	10.45 12.05		38	1,090	110 88 00000
	0006	0233	GEOG 103 4T	1 1	12.00 13.20		41	1,090	110 88 00000
	0006	0233	GEOG 3755MW	1 1	12.15 13.35		22	1,090	110 88 00000
	0006	0233	HIST 255 EW	1	18.00 20.50		48	1,090	110 88 00000
	0006	0233	HIST 371 EM	1	18.00 20.55		27	1,090	110 88 00000
	0006	0237	HIST 371 2T	1 1	9.00 10.20		37	814	110 60 00000
	0006	0237	HIST 102 3T	1 1	10.30 11.50		60	814	110 60 00000
	0006	0237	HIST 1054MW	1 1	10.45 12.05		25	814	110 60 00000
	0006	0237	HIST 451 4T	1 1	12.00 13.20		20	814	110 60 00000
	0006	0237	HIST 490 4T	1 1	12.00 13.20	1	1	814	110 60 00000
	0006	0237	GOVT 1015MW	1 1	12.15 13.35		53	814	110 60 00000
	0006	0237	HIST 1026MW	1 1	13.45 15.05		45	814	110 60 00000
	0006	0239	HIST 150 1T	1 1	7.30 8.50		74	1,267	110 78 00000
	0006	0239	HIST 151 2M	1 1 1	8.35 9.30		75	1,267	110 78 00000
	0006	0239	SOCI 151 2T	1 1	9.00 10.20		55	1,267	110 78 00000
	0006	0239	HIST 256 3M	1 1 1	9.40 10.35		80	1,267	110 78 00000
	0006	0239	HIST 151 3T	1 1	10.30 11.50		79	1,267	110 78 00000
	0006	0239	HIST 1504MW	1 1	10.45 12.05		80	1,267	110 78 00000
	0006	0239	HIST 101 4T	1 1	12.00 13.20		80	1,267	110 78 00000
	0006	0239	GOVT 3555MW	1 1	12.15 13.35		26	1,267	110 78 00000
	0006	0239	HIST 150 5T	1 1	13.30 14.50		77	1,267	110 78 00000
	0006	0239	HIST 1506MW	1 1	13.45 15.05		60	1,267	110 78 00000
	0006	0239	HIST 101 6T	1 1	15.00 16.20		81	1,267	110 78 00000
	0006	0240	HIST 151 2T	1 1	9.00 10.20		80	1,334	110 100 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 7

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0240	SOCI 151 3T	1 1	10.30 11.50		80	1,334	110 100 00000
	0006	0240	ENGL 1014T3	1 1	12.00 13.20		29	1,334	110 100 00000
	0006	0242	MATH116LX1M	11	7.30 8.50		38	825	110 59 00000
	0006	0242	MATH 116X1M	11	7.30 8.50		38	825	110 59 00000
	0006	0242	ENGL 3214MW	1 1	10.45 12.05		27	825	110 59 00000
	0006	0242	MATH 1105MW	1 1	12.15 13.35		29	825	110 59 00000
	0006	0242	MATH 106 XB	1111	14.00 15.30		20	825	110 59 00000
	0006	0247	ENGL 212 4W	1 1	10.45 12.05		30	829	110 57 00000
	0006	0247	ENGL 1026MW	1 1	13.45 15.05		27	829	110 57 00000
	0006	0249	ENGL 365 2M	1 1 1	8.35 9.30		8	531	110 45 00000
	0006	0249	ENGL 1013M1	1 1 1	9.40 10.35		29	531	110 45 00000
	0006	0249	MATH 471 4M	1 1 1	10.45 11.40		6	531	110 45 00000
	0006	0249	ENGL 340 5W	1 1	12.15 13.35		11	531	110 45 00000
	0006	0249	ENGL 101 5T	1 1	13.30 14.50		29	531	110 45 00000
	0006	0249	ENGL 1016W1	1 1	13.45 15.05		28	531	110 45 00000
	0006	0249	ENGL 424 6T	1 1	15.00 16.20		14	531	110 45 00000
	0006	0250	MATH 1082MW	1 1	8.35 10.25		35	827	110 52 00000
	0006	0250	MATH 106 2T	1 1	9.00 10.20		36	827	110 52 00000
	0006	0250	MATH 106 3T	1 1	10.30 11.50		35	827	110 52 00000
	0006	0250	MATH 117 4M	1 1 1	10.45 11.40		29	827	110 52 00000
	0006	0250	SOCI 204 5M	1	12.15 15.05		47	827	110 52 00000
	0006	0250	MATH 117 5T	1 1	13.30 14.50		33	827	110 52 00000
	0006	0250	ENGL 498 6T	1 1	15.00 16.20		5	827	110 52 00000
	0006	0250	ENGL 101 7W	1 1	15.15 16.35		23	827	110 52 00000
	0006	0250	FACS 400 CT	1	17.00 19.50		12	827	110 52 00000
	0006	0252	ENGL 1021M1	1 1 1	7.30 8.25		26	820	110 50 00000
	0006	0252	ENGL 2102T1	1 1	9.00 10.20		9	820	110 50 00000
	0006	0252	ENGL 102 3T	1 1	10.30 11.50		27	820	110 50 00000
	0006	0252	PHIL 4004MW	1 1	10.45 12.05		13	820	110 50 00000
	0006	0252	ENGL 440 6W	1 1	13.45 15.05		21	820	110 50 00000
	0006	0253	FREN 101 2M	1 1 1	8.35 9.30		10	552	310 42 00000
	0006	0253	UNIV 1012T3	1	9.00 10.00		24	552	310 42 00000
	0006	0253	UNIV 1012R2	1	9.00 10.00		27	552	310 42 00000
	0006	0253	ENGL 482 3T	1 1	10.30 11.50		8	552	310 42 00000
	0006	0253	ENGL 1014M3	1 1 1	10.45 11.40		29	552	310 42 00000
	0006	0253	ENGL 101 5M	1 1	12.15 13.35		28	552	310 42 00000
	0007	0116	PSYC 529 CR	1	17.00 19.55		7	834	350 37 00000
	0007	0125	EDUC 36512M	1 1 1	7.30 9.30		16	2,262	210 50 00000
	0007	0125	EDUC 40223T	1 1	9.00 11.00		4	2,262	210 50 00000
	0007	0125	EDUC 312 3M	1 1 1	9.40 10.35		17	2,262	210 50 00000
	0007	0125	PSYC 2094MW	1 1	10.45 12.05		29	2,262	210 50 00000
	0007	0125	EDUC 403 BW	1	16.30 18.30		8	2,262	210 50 00000
	0007	0126	EDUC 392 1T	1 1	7.30 8.50		17	733	210 42 00000
	0007	0126	EDUC 37423M	1 1 1	8.35 10.35		5	733	210 42 00000
	0007	0126	PSYC 219 4F	1	10.45 11.40		29	733	210 42 00000
	0007	0126	EDUC 37645M	1 1	10.45 13.35		15	733	210 42 00000
	0007	0126	EDUC 309 BT	1	16.30 19.20		12	733	210 42 00000
	0007	0126	EDCI 560 CW	1	17.00 19.50		20	733	210 42 00000
	0007	0126	EDCI 586 CM	1	17.00 19.55		3	733	210 42 00000
	0007	0126	EDCI 588 CM	1	17.00 19.55	1	2	733	210 42 00000
	0007	0126	EDCI 581 CR	1	17.00 19.55		15	733	210 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 8

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0007	0127	EDUC 487 5T	1 1	13.30 14.50		19	696	110 50 00000
	0007	0127	EDUC 321 BM	1	16.30 19.20		17	696	110 50 00000
	0007	0127	EDUC 368 CT	1	17.00 19.50		18	696	110 50 00000
	0007	0127	EDUC 421 CW	1	17.00 19.50		28	696	110 50 00000
	0007	0127	EDCI 582 CR	1	17.00 19.55		9	696	110 50 00000
	0007	0127	EDCI 590 CR	1	17.00 19.55	1	6	696	110 50 00000
	0007	0128	UNIV 1012M2	1	8.35 9.30		24	560	110 31 00000
	0007	0128	UNIV 101 3M	1	9.40 10.35		26	560	110 31 00000
	0007	0128	UNIV 101 3W	1	9.40 10.35		16	560	110 31 00000
	0007	0128	UNIV 101 3T	1	10.30 11.30		24	560	110 31 00000
	0007	0128	UNIV 1013R2	1	10.30 11.30		24	560	110 31 00000
	0007	0128	UNIV 1014W1	1	10.45 11.40		10	560	110 31 00000
	0007	0128	PSYC 514 XM	1	15.00 17.55		6	560	110 31 00000
	0007	0134	EDUC 339 4T	1 1	12.00 13.20		6	947	260 30 00000
	0007	0134	PSYC 530 XM	1	13.00 15.00		7	947	260 30 00000
	0007	0134	COUN 550 CT	1	17.00 19.50		16	947	260 30 00000
	0007	0141	FCED 457 BR	1 1	16.30 19.30		5	554	110 28 00000
	0007	0141	COUN 545 CT	1	17.00 19.50		4	554	110 28 00000
	0007	0141	COUN 546 CT	1	17.00 19.50	1	11	554	110 28 00000
	0007	0141	COUN 520CM1	1	17.00 19.55		2	554	110 28 00000
	0007	0142	EDUC 251 2T	1 1	9.00 10.20		22	1,241	240 29 00000
	0007	0142	EDUC 251 3T	1 1	10.30 11.50		22	1,241	240 29 00000
	0007	0218	COUN 520 CM	1	17.00 18.30		2	335	320 3 00000
	0007	0218	COUN 521CM2	1	17.00 18.30	1	3	335	320 3 00000
	0007	0237	PSYC 101 2T	1 1	9.00 10.20		86	1,092	110 91 00000
	0007	0237	PSYC 212 3M	1 1 1	9.40 10.35		29	1,092	110 91 00000
	0007	0237	PSYC 399 3R	1	10.30 11.50		47	1,092	110 91 00000
	0007	0237	PSYC 2124MW	1 1	10.45 12.05		51	1,092	110 91 00000
	0007	0237	PSYC 101 4T	1 1	12.00 13.20		86	1,092	110 91 00000
	0007	0237	PSYC 3055MW	1 1	12.15 13.35		61	1,092	110 91 00000
	0007	0237	PSYC 210 5T	1 1	13.30 14.50		17	1,092	110 91 00000
	0007	0237	PSYC 3016MW	1 1	13.45 15.05		75	1,092	110 91 00000
	0007	0237	COUN 512 CW	1	17.00 19.50		10	1,092	110 91 00000
	0007	0237	PSYC 205 DT	1	17.30 20.20		10	1,092	110 91 00000
	0007	0237	PSYC 101 DR	1	17.30 20.25		84	1,092	110 91 00000
	0007	0250	PSYC 208 2M	1 1 1	8.35 9.30		21	678	110 64 00000
	0007	0250	PSYC 211 2T	1 1	9.00 10.20		15	678	110 64 00000
	0007	0250	PSYC 303 3M	1 1 1	9.40 10.35		39	678	110 64 00000
	0007	0250	MACO 1014MW	1 1	10.45 12.05		39	678	110 64 00000
	0007	0250	MACO 370 4T	1 1	12.00 13.20		28	678	110 64 00000
	0007	0250	PSYC 3025MW	1 1	12.15 13.35		23	678	110 64 00000
	0007	0250	EDUC 2505T1	1 1	13.30 14.50		20	678	110 64 00000
	0007	0250	COUN 523 CT	1	17.00 19.50		5	678	110 64 00000
	0007	0250	COUN 534 CT	1	17.00 19.50	1	9	678	110 64 00000
	0007	0250	COUN 535 CT	1	17.00 19.50	1	6	678	110 64 00000
	0007	0250	COUN 521 CM	1	17.00 19.55		2	678	110 64 00000
	0007	0250	COUN 519 CR	1	17.00 19.55		23	678	110 64 00000
	0007	0251	FACS 464 2T	1 1	9.00 10.20		29	682	110 52 00000
	0007	0251	FACS 332 3M	1 1 1	9.40 10.35		29	682	110 52 00000
	0007	0251	PSYC 311 4T	1 1	12.00 13.20		41	682	110 52 00000
	0007	0251	COUN 521 7M	1	15.15 18.15		5	682	110 52 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 9

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0007	0251	COUN 513 CT	1	17.00 19.50		22	682	110 52 00000
	0007	0251	COUN 550 CW	1	17.00 19.50		12	682	110 52 00000
	0007	0253	PSYC 204 3M	1 1 1	9.40 10.35		48	678	110 64 00000
	0007	0253	FCED 232 3T	1 1	10.30 11.50		33	678	110 64 00000
	0007	0253	PSYC 2084MW	1 1	10.45 12.05		30	678	110 64 00000
	0007	0253	EDUC 313 4T	1 1	12.00 13.20		8	678	110 64 00000
	0007	0253	EDUC 250 5T	1 1	13.30 14.50		24	678	110 64 00000
	0007	0253	EDUC 2116MW	1 1	13.45 15.05		30	678	110 64 00000
	0007	0253	PSYC 210 CM	1	17.00 19.55		22	678	110 64 00000
	0007	0253	COUN 510 CR	1	17.00 19.55		17	678	110 64 00000
	0007	0254	PSYC 204 2M	1 1 1	8.35 9.30		50	682	110 59 00000
	0007	0254	PSYC 313 3M	1 1 1	9.40 10.35		31	682	110 59 00000
	0007	0254	PSYC 2064MW	1 1	10.45 12.05		39	682	110 59 00000
	0007	0254	PSYC 401 4T	1 1	12.00 13.20		21	682	110 59 00000
	0007	0254	EDUC 3135MW	1 1	12.15 13.35		18	682	110 59 00000
	0007	0254	COUN 511 CM	1	17.00 19.55		16	682	110 59 00000
	0007	0262	COUN 520 7M	1	15.15 18.15		5	286	210 10 00000
	0007	0264	COUN 521CM1	1	17.00 20.55		4	283	260 6 00000
	0010	0103	MACO 251 3M	1 1 1	9.40 10.35		12	720	250 15 00000
	0010	0103	MACO 455 3T	1 1	10.30 11.50		2	720	250 15 00000
	0010	0103	MACO 251 4M	1 1 1	10.45 11.40		11	720	250 15 00000
	0010	0103	MACO 330 4T	1 1	12.00 13.20		11	720	250 15 00000
	0010	0103	MACO 452 5T	1 1	13.30 14.50		9	720	250 15 00000
	0010	0103	MACO 2526MW	1 1	13.45 15.05		17	720	250 15 00000
	0010	0105	COMD 384 1M	1 1 1	7.30 8.25		19	725	110 40 00000
	0010	0105	SPCH 101 1T	1 1	7.30 8.50		30	725	110 40 00000
	0010	0105	COMD 386 2M	1 1 1	8.35 9.30		11	725	110 40 00000
	0010	0105	SPCH 1012T2	1 1	9.00 10.20		30	725	110 40 00000
	0010	0105	COMD 380 3M	1 1 1	9.40 10.35		19	725	110 40 00000
	0010	0105	SPCH 101 3T	1 1	10.30 11.50		28	725	110 40 00000
	0010	0105	COMD 4004MW	1 1	10.45 12.05		10	725	110 40 00000
	0010	0105	SPCH 1014T1	1 1	12.00 13.20		30	725	110 40 00000
	0010	0105	COMD 3995MW	1 1	12.15 13.35		9	725	110 40 00000
	0010	0105	SPCH 300 5T	1 1	13.30 14.50		28	725	110 40 00000
	0010	0105	COMD 33067M	1	13.45 16.45		10	725	110 40 00000
	0010	0105	COMD 390 ET	1	18.00 20.50		20	725	110 40 00000
	0010	0105	SPCH 101 EM	1	18.00 20.55		25	725	110 40 00000
	0010	0105	SPCH 101 ER	1	18.00 20.55		25	725	110 40 00000
	0010	0106	SPCH 101 1M	1 1 1	7.30 8.25		26	720	530 40 00000
	0010	0106	MACO 350 2T	1 1	9.00 10.20		14	720	530 40 00000
	0010	0106	MACO 321 3T	1 1	10.30 11.50		15	720	530 40 00000
	0010	0106	MACO 3214MW	1 1	10.45 12.05		14	720	530 40 00000
	0010	0106	MACO 322 4T	1 1	12.00 13.20		4	720	530 40 00000
	0010	0106	MACO 2305MW	1 1	12.15 13.35		24	720	530 40 00000
	0010	0106	MACO 3176MW	1 1	13.45 15.05		5	720	530 40 00000
	0010	0106	MACO 230 CM	1	17.00 19.55		10	720	530 40 00000
	0010	0107	MACO 362 3T	1 1	10.30 11.50		5	1,147	530 20 00000
	0010	0107	MACO 4305MW	1 1	12.15 13.35		12	1,147	530 20 00000
	0010	0107	MACO 401 6T	1 1	15.00 16.20		11	1,147	530 20 00000
	0010	0108	ART 23123M	1 1 1	8.35 10.35		11	1,911	210 20 00000
	0010	0108	ART 33123T	1 1	9.00 11.50		4	1,911	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 10

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	0108	ART 43123T	1 1	9.00 11.50	1	1,911	210 20	00000
	0010	0108	ART 43223T	1 1	9.00 11.50	1	1,911	210 20	00000
	0010	0108	ART 304 3T	1 1	10.30 11.50	1	1,911	210 20	00000
	0010	0108	ART 33156M	1 1	12.15 15.05	1	1,911	210 20	00000
	0010	0108	ART 33256M	1 1	12.15 15.05	1	1,911	210 20	00000
	0010	0108	ART 33356M	1 1	12.15 15.05	1	1,911	210 20	00000
	0010	0108	ART 43356M	1 1	12.15 15.05	1	1,911	210 20	00000
	0010	0109	ART 24056T	1 1	13.30 16.20	12	1,217	210 20	00000
	0010	0109	ART 342CTR	1 1	17.00 19.50	1	1,217	210 20	00000
	0010	0109	ART 441CTR	1 1	17.00 19.50	1	1,217	210 20	00000
	0010	0109	ART 442CTR	1 1	17.00 19.50	1	1,217	210 20	00000
	0010	0201	MUS 105 1T	1 1	7.30 8.50	75	1,311	110 60	00000
	0010	0201	COMD 279 2M	1 1 1	8.35 9.30	9	1,311	110 60	00000
	0010	0201	ART 110 2T	1 1	9.00 10.20	71	1,311	110 60	00000
	0010	0201	MUS 105 3M	1 1 1	9.40 10.35	75	1,311	110 60	00000
	0010	0201	FNAR 3014MW	1 1	10.45 12.05	30	1,311	110 60	00000
	0010	0201	MUS 1056MW	1 1	13.45 15.05	76	1,311	110 60	00000
	0010	0203	ART 20123T	1 1	9.00 11.50	18	988	210 20	00000
	0010	0203	ART 30156T	1 1	13.30 16.20	11	988	210 20	00000
	0010	0203	ART 30356T	1 1	13.30 16.20	1	988	210 20	00000
	0010	0203	ART 40156T	1 1	13.30 16.20	1	988	210 20	00000
	0010	0203	ART 40356T	1 1	13.30 16.20	1	988	210 20	00000
	0010	0203	ART 201AMW	1 1	16.00 18.55	15	988	210 20	00000
	0010	0203	ART 302CTR	1 1	17.00 19.50	14	988	210 20	00000
	0010	0203	ART 402CTR	1 1	17.00 19.50	1	988	210 20	00000
	0010	0204	ART 26123M	1 1 1	8.35 10.35	9	682	210 20	00000
	0010	0204	ART 26156M	1 1	12.15 15.05	15	682	210 20	00000
	0010	0204	ART 36178M	1 1	15.15 17.55	7	682	210 20	00000
	0010	0204	ART 36278M	1 1	15.15 17.55	1	682	210 20	00000
	0010	0204	ART 46178M	1 1	15.15 17.55	1	682	210 20	00000
	0010	0204	ART 46278M	1 1	15.15 17.55	1	682	210 20	00000
	0010	0205	ART 25123M	1 1 1	8.35 10.35	20	712	210 21	00000
	0010	0205	ART 45523T	1 1	9.00 11.50	1	712	210 21	00000
	0010	0205	ART 45723T	1 1	9.00 11.50	1	712	210 21	00000
	0010	0205	ART 496 4T	1 1	12.00 13.20	17	712	210 21	00000
	0010	0205	ART 25156M	1 1	12.15 15.05	19	712	210 21	00000
	0010	0207	ART 31123M	1 1 1	8.35 10.35	6	1,297	210 20	00000
	0010	0207	ART 31323M	1 1 1	8.35 10.35	1	1,297	210 20	00000
	0010	0207	ART 41123M	1 1 1	8.35 10.35	1	1,297	210 20	00000
	0010	0207	ART 41323M	1 1 1	8.35 10.35	1	1,297	210 20	00000
	0010	0207	ART 21178M	1 1	15.15 17.55	16	1,297	210 20	00000
	0010	0208	ART 25423M	1 1 1	8.35 10.35	6	1,155	210 37	00000
	0010	0208	ART 45023M	1 1 1	8.35 10.35	1	1,155	210 37	00000
	0010	0208	ART 35723T	1 1	9.00 11.50	6	1,155	210 37	00000
	0010	0208	ART 45423T	1 1	9.00 11.50	1	1,155	210 37	00000
	0010	0208	ART 35956M	1 1	12.15 15.05	6	1,155	210 37	00000
	0010	0208	ART 49756M	1 1	12.15 15.05	1	1,155	210 37	00000
	0010	0208	ART 45256T	1 1	13.30 16.20	4	1,155	210 37	00000
	0010	0208	ART 355CTR	1 1	17.00 19.50	7	1,155	210 37	00000
	0010	0209	ART 25223T	1 1	9.00 11.50	12	1,277	210 22	00000
	0010	0209	ART 32556T	1 1	13.30 16.20	2	1,277	210 22	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 11

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	0209	ART 32656T	1 1	13.30 16.20	1	1	210 22	00000
	0010	0209	ART 32756T	1 1	13.30 16.20	1	3	210 22	00000
	0010	0209	ART 32856T	1 1	13.30 16.20	1	1	210 22	00000
	0010	0209	ART 42456T	1 1	13.30 16.20	1	2	210 22	00000
	0010	0209	ART 221CTR	1 1	17.00 19.50		15	210 22	00000
	0010	0210	ART 110 3T	1 1	10.30 11.50		53	110 60	00000
	0010	0210	ART 2804MW	1 1	10.45 12.05		37	110 60	00000
	0010	0210	ART 282 4T	1 1	12.00 13.20		26	110 60	00000
	0010	0210	ART 1115MW	1 1	12.15 13.35		26	110 60	00000
	0010	0210	ART 480 5T	1 1	13.30 14.50		13	110 60	00000
	0010	0210	ART 3926MW	1 1	13.45 15.05		13	110 60	00000
	0010	0210	ART 3936MW	1 1	13.45 15.05	1	3	110 60	00000
	0010	0210	ART 4916MW	1 1	13.45 15.05	1	6	110 60	00000
	0010	0210	HUMA 111 6R		15.00 16.20		34	110 60	00000
	0010	0211	MUED 386 2F		8.35 9.30		8	210 15	00000
	0010	0211	MUS 201 3M	1 1 1	9.40 10.35		11	210 15	00000
	0010	0212	MUS 2702MW	1 1	8.35 9.30		5	210 40	00000
	0010	0212	MUS 101 2T	1 1	9.00 10.20		32	210 40	00000
	0010	0212	MUS 1703MW	1 1	9.40 10.35		4	210 40	00000
	0010	0213	MUS 120 XM	1 1 1	7.55 9.30		7	210 40	00000
	0010	0213	MUS 340 3M	1 1 1	9.40 10.35		9	210 40	00000
	0010	0213	MUS 212 3T	1 1	10.30 11.50		12	210 40	00000
	0010	0213	MUS 2184MW	1 1	10.45 11.40		13	210 40	00000
	0010	0213	MUS 109 4T	1 1	12.00 13.20		6	210 40	00000
	0010	0213	MUS 4896MW	1 1	13.45 15.05		4	210 40	00000
	0010	0214	MUS 320 2M	1 1 1	8.35 9.30		47	210 65	00000
	0010	0214	MUS 407 2T	1 1	9.00 10.20		15	210 65	00000
	0010	0214	MUS 110 3T	1 1	10.30 11.50		21	210 65	00000
	0010	0214	MUS 105 4T	1 1	12.00 13.20		48	210 65	00000
	0010	0214	MUED 383 5T	1 1	13.30 14.50		5	210 65	00000
	0010	0215	MUED 223 1T	1 1	7.30 8.50		13	220 100	00000
	0010	0215	MUED 3852MW	1 1	8.35 9.30		6	220 100	00000
	0010	0215	MUS 433 2F		8.35 9.30	1	2	220 100	00000
	0010	0215	MUS 301 2T	1 1	9.00 10.20		11	220 100	00000
	0010	0215	MUED 3844MW	1 1	10.45 12.05		2	220 100	00000
	0010	0215	MUED 229 4T	1 1	12.00 13.20		4	220 100	00000
	0010	0215	MUS 1935MW	1 1	12.15 13.35		16	220 100	00000
	0010	0215	MUS 3935MW	1 1	12.15 13.35	1	14	220 100	00000
	0010	0215	MUS 298 5T	1 1	13.30 14.50		5	220 100	00000
	0010	0215	MUS 398 5T	1 1	13.30 14.50	1	5	220 100	00000
	0010	0215	MUS 196 6T	1 1	15.00 16.20		10	220 100	00000
	0010	0215	MUS 386 6T	1 1	15.00 16.20	1	4	220 100	00000
	0010	0215	MUS 193 BT	1	16.30 19.20		5	220 100	00000
	0010	0215	MUS 393 BT	1	16.30 19.20	1	6	220 100	00000
8	0010	0245	MUS 100 4F		10.45 11.40		33	110 7	00000
8	0010	0245	MUS 300 4F		10.45 11.40	1	24	110 7	00000
	0014	0113	MNGT 368 2M	1 1 1	8.35 9.30		40	110 66	00000
	0014	0113	MKTG 360 2T	1 1	9.00 10.20		49	110 66	00000
	0014	0113	FINC 302 3T	1 1	10.30 11.50		47	110 66	00000
	0014	0113	MNGT 368 4M	1 1 1	10.45 11.40		40	110 66	00000
	0014	0113	MKTG 485 4T	1 1	12.00 13.20		15	110 66	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 12

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0113	BSAD 49056T	1	13.30 16.20		31	1,156	110 66 00000
	0014	0113	BSAD 49067M	1	13.45 16.35		24	1,156	110 66 00000
	0014	0113	BSAD 490 ET	1	18.00 20.50		29	1,156	110 66 00000
	0014	0113	BSAD 525 EW	1	18.00 20.50		29	1,156	110 66 00000
	0014	0113	MKTG 501 ER	1	18.00 20.55		14	1,156	110 66 00000
	0014	0140	MKTG 300 2T	1 1	9.00 10.20		58	3,058	110 122 00000
	0014	0140	BSAD 101 3T	1 1	10.30 11.50		116	3,058	110 122 00000
	0014	0140	QBA 283 4M	1 1 1	10.45 11.40		29	3,058	110 122 00000
	0014	0140	BSAD 1015MW	1 1	12.15 13.35		116	3,058	110 122 00000
	0014	0140	QBA 2836MW	1 1	13.45 15.05		35	3,058	110 122 00000
	0014	0140	MKTG 300 EW	1	18.00 20.50		53	3,058	110 122 00000
	0014	0208	ACCT 323 3M	1 1 1	9.40 10.35		36	984	110 36 00000
	0014	0208	FINC 3024MW	1 1	10.45 12.05		12	984	110 36 00000
	0014	0208	MNGT 4506MW	1 1	13.45 15.05		35	984	110 36 00000
	0014	0208	BSAD 325 ET	1	18.00 20.50		30	984	110 36 00000
	0014	0208	MNGT 502 EW	1	18.00 20.50		13	984	110 36 00000
	0014	0208	MNGT 475 EM	1	18.00 20.55		42	984	110 36 00000
	0014	0209	MKTG 420 3T	1 1	10.30 11.50		11	509	260 29 00000
	0014	0210	SPCH 101 2T	1 1	9.00 10.20		29	1,176	110 50 00000
	0014	0210	ACCT 205 3M	1 1 1	9.40 10.35		45	1,176	110 50 00000
	0014	0210	ACCT 2064MW	1 1	10.45 12.05		46	1,176	110 50 00000
	0014	0210	SPCH 101 4T	1 1	12.00 13.20		29	1,176	110 50 00000
	0014	0210	UNIV 1015M2	1	12.15 13.15		25	1,176	110 50 00000
	0014	0210	FINC 40356T	1	13.30 16.20		34	1,176	110 50 00000
	0014	0210	FINC 40556R	1	13.30 16.40		27	1,176	110 50 00000
	0014	0210	ACCT 3216MW	1 1	13.45 15.05		20	1,176	110 50 00000
	0014	0210	FINC 515 ET	1	18.00 20.50		16	1,176	110 50 00000
	0014	0210	MNGT 330 EW	1	18.00 20.50		32	1,176	110 50 00000
	0014	0210	FINC 520 EM	1	18.00 20.55		24	1,176	110 50 00000
	0014	0213	ACCT 407 2M	1 1 1	8.35 9.30		57	1,195	110 80 00000
	0014	0213	MNGT 301 2T	1 1	9.00 10.20		45	1,195	110 80 00000
	0014	0213	ECON 211 3M	1 1 1	9.40 10.35		27	1,195	110 80 00000
	0014	0213	ECON 211 4M	1 1 1	10.45 11.40		45	1,195	110 80 00000
	0014	0213	MNGT 305 4T	1 1	12.00 13.20		38	1,195	110 80 00000
	0014	0213	ACCT 2065MW	1 1	12.15 13.35		47	1,195	110 80 00000
	0014	0213	QBA 2826MW	1 1	13.45 15.05		30	1,195	110 80 00000
	0014	0213	ECON 212 EW	1	18.00 20.50		17	1,195	110 80 00000
	0014	0213	BSAD 501 EM	1	18.00 20.55		17	1,195	110 80 00000
	0014	0213	MNGT 420 ER	1	18.00 20.55		49	1,195	110 80 00000
	0014	0214	QBA 282 2M	1 1 1	8.35 9.30		58	1,226	110 73 00000
	0014	0214	ECON 325 2T	1 1	9.00 10.20		55	1,226	110 73 00000
	0014	0214	MKTG 300 3M	1 1 1	9.40 10.35		56	1,226	110 73 00000
	0014	0214	MKTG 450 4M	1 1 1	10.45 11.40		31	1,226	110 73 00000
	0014	0214	ECON 211 4T	1 1	12.00 13.20		45	1,226	110 73 00000
	0014	0214	MKTG 4705MW	1 1	12.15 13.35		26	1,226	110 73 00000
	0014	0214	ECON 211 5T	1 1	13.30 14.50		45	1,226	110 73 00000
	0014	0214	MKTG 4706MW	1 1	13.45 15.05		14	1,226	110 73 00000
	0014	0214	MNGT 368 EW	1	18.00 20.50		29	1,226	110 73 00000
	0014	0215	QBA 282 2T	1 1	9.00 10.20		42	1,560	110 76 00000
	0014	0215	ECON 212 3M	1 1 1	9.40 10.35		51	1,560	110 76 00000
	0014	0215	MNGT 470 3T	1 1	10.30 11.50		39	1,560	110 76 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 13

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0215	ECON 212 4M	1 1 1	10.45 11.40		51	110 76	00000
	0014	0215	MATH116LX4T	11	12.00 13.20		36	110 76	00000
	0014	0215	MATH 116X4T	11	12.00 13.20		36	110 76	00000
	0014	0215	ECON 4356MW	1 1	13.45 15.05		21	110 76	00000
	0014	0215	BSAD 507 ET	1	18.00 20.50		17	110 76	00000
	0014	0215	BSAD 221 EW	1	18.00 20.50		75	110 76	00000
	0014	0217	BSAD 324 1T	1 1	7.30 8.50		77	110 80	00000
	0014	0217	BSAD 221 2T	1 1	9.00 10.20		76	110 80	00000
	0014	0217	ACCT 306 3M	1 1 1	9.40 10.35		39	110 80	00000
	0014	0217	CIS 231 4T	1 1	12.00 13.20		50	110 80	00000
	0014	0217	CIS 231 EW	1	18.00 20.50		32	110 80	00000
	0014	0219	MKTG 350 2M	1 1 1	8.35 9.30		17	110 58	00000
	0014	0219	SPCH 1012T1	1 1	9.00 10.20		29	110 58	00000
	0014	0219	MKTG 481 3M	1 1 1	9.40 10.35		34	110 58	00000
	0014	0219	MACO 101 3T	1 1	10.30 11.50		31	110 58	00000
	0014	0219	UNIV 101 4M	1	10.45 11.40		25	110 58	00000
	0014	0219	MACO 101 4T	1 1	12.00 13.20		23	110 58	00000
	0014	0219	ACCT 315 ET	1	18.00 20.50		29	110 58	00000
	0014	0220	MNGT 370 2M	1 1 1	8.35 9.30		40	110 72	00000
	0014	0220	QBA 283 3M	1 1 1	9.40 10.35		33	110 72	00000
	0014	0220	MNGT 3014MW	1 1	10.45 12.05		50	110 72	00000
	0014	0220	MNGT 3015MW	1 1	12.15 13.35		47	110 72	00000
	0014	0220	MNGT 367 EM	1	18.00 20.55		33	110 72	00000
	0014	0221	ACCT 351 1M	1 1 1	7.30 8.25		31	110 44	00000
	0014	0221	ACCT 205 2M	1 1 1	8.35 9.30		39	110 44	00000
	0014	0221	ACCT 205 2T	1 1	9.00 10.20		41	110 44	00000
	0014	0221	ACCT 322 3T	1 1	10.30 11.50		26	110 44	00000
	0014	0221	ACCT 2054MW	1 1	10.45 12.05		41	110 44	00000
	0014	0221	ACCT 4015MW	1 1	12.15 13.35		37	110 44	00000
	0014	0221	ACCT 4036MW	1 1	13.45 15.05		27	110 44	00000
	0014	0221	ACCT 500 ET	1	18.00 20.50		15	110 44	00000
	0014	0221	ACCT 408 EM	1	18.00 20.55		9	110 44	00000
	0017	OMEW	MATH 1011TW	1	7.30 8.25		37	250 35	00000
	0017	OMEW	MATH 100 1M	1 1	7.30 8.50		25	250 35	00000
	0017	OMEW	MATH 1001M1	1 1	7.30 8.50	1	25	250 35	00000
	0017	OMEW	MATH 1012TM	1	8.35 9.30		37	250 35	00000
	0017	OMEW	MATH 1012TW	1	8.35 9.30		35	250 35	00000
	0017	OMEW	MATH 100 2M	1 1	9.00 10.20		25	250 35	00000
	0017	OMEW	MATH 1002M1	1 1	9.00 10.20	1	25	250 35	00000
8	0017	OMEW	MATH 1002M2	1 1	9.00 10.20	1	25	250 35	00000
	0017	OMEW	MATH 1013TW	1	9.40 10.35		37	250 35	00000
	0017	OMEW	MATH 100 3M	1 1	10.30 11.50		25	250 35	00000
	0017	OMEW	MATH 1003M1	1 1	10.30 11.50	1	25	250 35	00000
8	0017	OMEW	MATH 1003M2	1 1	10.30 11.50	1	25	250 35	00000
	0017	OMEW	MATH 1013TM	1	10.45 11.40		37	250 35	00000
	0017	OMEW	MATH 100 4M	1 1	12.00 13.20		25	250 35	00000
	0017	OMEW	MATH 1004M1	1 1	12.00 13.20	1	25	250 35	00000
	0017	OMEW	MATH 1014TM	1	12.15 13.10		37	250 35	00000
	0017	OMEW	MATH 1014TW	1	12.15 13.10		35	250 35	00000
	0017	OMEW	MATH 1015TW	1	13.45 14.40		35	250 35	00000
	0017	0125	GEOM 2092MW	1	8.35 10.35		7	410 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 14

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0017	0125	GEOM 2092MW	1	8.35 11.40		7	1,593	410 25 00000
	0017	0125	GEOM 418 2T	1	9.00 11.00		10	1,593	410 25 00000
	0017	0125	GEOM 418 2T	1	9.00 11.50		10	1,593	410 25 00000
	0017	0125	GEOM 405 5T	1	13.30 15.30		9	1,593	410 25 00000
	0017	0125	GEOM 405 5T	1	13.30 16.20		9	1,593	410 25 00000
	0017	0125	GEOM 2186MW	1 1	13.45 15.45		14	1,593	410 25 00000
	0019	0101	BIOL 155 2M	1 1 1	8.35 9.30		13	3,135	110 308 00000
	0019	0101	BIOL 1552M1	1 1 1	8.35 9.30	1	12	3,135	110 308 00000
	0019	0101	BIOL 1552M2	1 1 1	8.35 9.30	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M3	1 1 1	8.35 9.30	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M4	1 1 1	8.35 9.30	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M5	1 1 1	8.35 9.30	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M6	1 1 1	8.35 9.30	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M7	1 1 1	8.35 9.30	1	12	3,135	110 308 00000
	0019	0101	BIOL 1552M8	1 1 1	8.35 9.30	1	13	3,135	110 308 00000
	0019	0101	BIOL 105 2T	1 1	9.00 10.20		141	3,135	110 308 00000
	0019	0101	BIOL 105 3M	1 1 1	9.40 10.35		93	3,135	110 308 00000
	0019	0101	BIOL 105 3T	1 1	10.30 11.50		126	3,135	110 308 00000
	0019	0101	BIOL 116 4M	1 1 1	10.45 11.40		107	3,135	110 308 00000
	0019	0101	BIOL 155 4T	1 1	12.00 13.20		13	3,135	110 308 00000
	0019	0101	BIOL 1554T1	1 1	12.00 13.20	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T2	1 1	12.00 13.20	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T3	1 1	12.00 13.20	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T4	1 1	12.00 13.20	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T5	1 1	12.00 13.20	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T6	1 1	12.00 13.20	1	10	3,135	110 308 00000
	0019	0101	BIOL 1554T7	1 1	12.00 13.20	1	12	3,135	110 308 00000
	0019	0101	BIOL 1554T8	1 1	12.00 13.20	1	13	3,135	110 308 00000
	0019	0101	BIOL 1145MW	1 1	12.15 13.35		179	3,135	110 308 00000
	0019	0101	BIOL 205 5T	1 1	13.30 14.50		119	3,135	110 308 00000
	0019	0101	BIOL 1066MW	1 1	13.45 15.05		25	3,135	110 308 00000
	0019	0101	BIOL 114 6T	1 1	15.00 16.20		71	3,135	110 308 00000
	0019	0101	BIOL 1057MW	1 1	15.15 16.35		63	3,135	110 308 00000
	0019	0101	BIOL 155 2M	1	18.00 20.00		13	3,135	110 308 00000
	0019	0101	BIOL 155 4T	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M1	1	18.00 20.00	1	12	3,135	110 308 00000
	0019	0101	BIOL 1552M2	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M3	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M4	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M5	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M6	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M7	1	18.00 20.00	1	12	3,135	110 308 00000
	0019	0101	BIOL 1554T1	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T2	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T3	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T4	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T5	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1554T6	1	18.00 20.00	1	10	3,135	110 308 00000
	0019	0101	BIOL 1554T7	1	18.00 20.00	1	12	3,135	110 308 00000
	0019	0101	BIOL 1554T8	1	18.00 20.00	1	13	3,135	110 308 00000
	0019	0101	BIOL 1552M8	1	18.00 20.50	1	13	3,135	110 308 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 15

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	0102	CULA 2501MT	1	7.30 8.25		23	1,104	110 119 00000
	0019	0102	CULA 2301MR	1	8.35 9.30		25	1,104	110 119 00000
	0019	0102	BIOL 106 2T	1 1	9.00 10.20		23	1,104	110 119 00000
	0019	0102	BIOL 106 3M	1 1 1	9.40 10.35		23	1,104	110 119 00000
	0019	0102	BIOL 156 3T	1 1	10.30 11.50		11	1,104	110 119 00000
	0019	0102	BIOL 1563T1	1 1	10.30 11.50	1	18	1,104	110 119 00000
	0019	0102	CULA 101 4T	1 1	12.00 13.20		49	1,104	110 119 00000
	0019	0102	BIOL 1065MW	1 1	12.15 13.35		39	1,104	110 119 00000
	0019	0102	BIOL 203 5T	1 1	13.30 14.50		53	1,104	110 119 00000
	0019	0102	CULA 101XMW	1 1	13.45 15.05		44	1,104	110 119 00000
	0019	0102	CULA 105 6R	1	15.00 16.20		45	1,104	110 119 00000
	0019	0102	CULA 3827MW	1 1	15.15 16.35		18	1,104	110 119 00000
	0019	0201	BIOL 1563T1	1	12.15 15.05		18	1,017	210 32 00000
	0019	0201	BIOL 156 3T	1	13.30 16.20		11	1,017	210 32 00000
	0019	0201	BIOL 585 ET	1	18.00 21.00		7	1,017	210 32 00000
	0019	0203	BIOL 115 1T	1	7.30 10.20		31	1,031	210 45 00000
	0019	0203	BIOL 115 1W	1	7.30 10.20		32	1,031	210 45 00000
	0019	0203	BIOL 115 1R	1	7.30 10.20		32	1,031	210 45 00000
	0019	0203	BIOL 115 3T	1	10.30 13.20		31	1,031	210 45 00000
	0019	0203	BIOL 115 3R	1	10.30 13.20		29	1,031	210 45 00000
	0019	0203	BIOL 115 4W	1	10.45 13.30		27	1,031	210 45 00000
	0019	0203	BIOL 115 5T	1	13.30 16.20		30	1,031	210 45 00000
	0019	0203	BIOL 115 5R	1	13.30 16.20		26	1,031	210 45 00000
	0019	0204	BIOL 204 2R	1	9.00 11.40		10	1,138	210 56 00000
	0019	0204	BIOL 441 5R	1	13.30 16.20		18	1,138	210 56 00000
	0019	0204	BIOL 204 6W	1	13.45 16.35		23	1,138	210 56 00000
	0019	0204	BIOL 204 6T	1	15.00 17.00		22	1,138	210 56 00000
	0019	0209	BIOL 460 3T	1 1	10.30 11.50		15	1,008	210 25 00000
	0019	0209	BIOL 4046MW	1 1	10.45 12.05		4	1,008	210 25 00000
	0019	0209	BIOL 3202T1	1	12.15 15.05		20	1,008	210 25 00000
	0019	0209	BIOL 4046MW	1	13.30 16.20		4	1,008	210 25 00000
	0019	0209	BIOL 320 2T	1	13.30 16.20		20	1,008	210 25 00000
	0019	0209	BIOL 406 7W	1	15.15 16.35		4	1,008	210 25 00000
	0019	0209	BIOL 535 EM	1	18.00 21.00		11	1,008	210 25 00000
	0019	0211	BIOL 155 2M	1	9.00 11.50		13	992	210 41 00000
	0019	0211	BIOL 155 4T	1	9.00 11.50	1	13	992	210 41 00000
	0019	0211	BIOL 1552M1	1	9.00 11.50		12	992	210 41 00000
	0019	0211	BIOL 1554T1	1	9.00 11.50	1	13	992	210 41 00000
	0019	0211	BIOL 1552M5	1	9.40 12.30		13	992	210 41 00000
	0019	0211	BIOL 1554T5	1	9.40 12.30	1	13	992	210 41 00000
	0019	0211	BIOL 1552M2	1	13.30 16.20		13	992	210 41 00000
	0019	0211	BIOL 1554T2	1	13.30 16.20	1	13	992	210 41 00000
	0019	0211	BIOL 1552M4	1	13.30 16.20		13	992	210 41 00000
	0019	0211	BIOL 1554T4	1	13.30 16.20	1	13	992	210 41 00000
	0019	0211	BIOL 1552M3	1	13.45 16.35		13	992	210 41 00000
	0019	0211	BIOL 1554T3	1	13.45 16.35	1	13	992	210 41 00000
	0019	0211	BIOL 1552M8	1	17.00 19.50		13	992	210 41 00000
	0019	0211	BIOL 1554T8	1	17.00 19.50	1	13	992	210 41 00000
	0019	0211	BIOL 1552M6	1	18.00 20.50		13	992	210 41 00000
	0019	0211	BIOL 1554T6	1	18.00 20.50	1	10	992	210 41 00000
	0019	0211	BIOL 1552M7	1	18.00 20.50		12	992	210 41 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 16

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	0211	BIOL 1554T7	1	18.00 20.50	1	12	992	210 41 00000
	0019	0301	CULA 1111MF	1	7.30 8.25		16	1,172	110 88 00000
	0019	0301	CULA 1111MW	1	7.30 8.25	1	16	1,172	110 88 00000
	0019	0301	CULA 2211MF	1	8.35 9.30		15	1,172	110 88 00000
	0019	0301	CULA 2211MW	1	8.35 9.30	1	16	1,172	110 88 00000
	0019	0301	BIOL 320 2T	1 1	9.00 10.20		20	1,172	110 88 00000
	0019	0301	BIOL 3202T1	1 1	9.00 10.20	1	20	1,172	110 88 00000
	0019	0301	BIOL 326 3T	1 1	10.30 11.50		16	1,172	110 88 00000
	0019	0301	BIOL 3263T1	1 1	10.30 11.50	1	17	1,172	110 88 00000
	0019	0301	BIOL 440 4T	1 1	12.00 13.20		21	1,172	110 88 00000
	0019	0301	CULA 222XMR	1	12.55 13.50		15	1,172	110 88 00000
	0019	0301	CULA 222XMT	1	12.55 13.50	1	15	1,172	110 88 00000
	0019	0301	CULA 222XMW	1	12.55 13.50	1	11	1,172	110 88 00000
	0019	0301	CULA 219XMR	1	14.00 14.55		17	1,172	110 88 00000
	0019	0301	CULA 219XMT	1	14.00 14.55	1	15	1,172	110 88 00000
	0019	0301	CULA 219XMW	1	14.00 14.55	1	14	1,172	110 88 00000
	0019	0301	CULA 105 XW	1	15.00 16.20		20	1,172	110 88 00000
	0019	0301	BIOL 401 AM	1	16.00 17.20		16	1,172	110 88 00000
	0019	0301	BIOL 501 AM	1	16.00 17.20	1	6	1,172	110 88 00000
	0019	0301	BIOL 567 BW	1	16.30 19.20		8	1,172	110 88 00000
	0019	0304	BIOL 371 XM	1 1 1	8.00 10.35		36	1,056	210 36 00000
	0019	0304	BIOL 117 2T	1	9.00 11.50		36	1,056	210 36 00000
	0019	0304	BIOL 326 3T	1	12.15 15.05		16	1,056	210 36 00000
	0019	0304	BIOL 3263T1	1	13.30 16.20		17	1,056	210 36 00000
	0019	0304	BIOL 117 5R	1	13.30 16.20		30	1,056	210 36 00000
	0019	0304	BIOL 117 6W	1	13.45 16.35		36	1,056	210 36 00000
	0019	0305	EGSC 111 5T	1 1	13.30 16.20		15	1,053	240 30 00000
	0019	0306	GEOM 111 1T	1	7.30 9.30		13	880	210 37 00000
	0019	0306	GEOM 111 1T	1	7.30 10.20		13	880	210 37 00000
	0019	0306	GEOM 401 2M	1 1 1	8.35 9.30		8	880	210 37 00000
	0019	0306	GEOM 205 3T	1 1	10.30 11.50		2	880	210 37 00000
	0019	0306	GEOM 104 BT	1	16.30 17.50		35	880	210 37 00000
	0019	0307	GEOM 207 2T	1 1	9.00 10.20		7	1,137	210 20 00000
	0019	0307	GEOM 306 4M	1 1 1	10.45 11.40		5	1,137	210 20 00000
	0019	0311	PSET 1717A7	1 1	7.30 10.20		31	556	210 30 00000
8	0019	0311	PSET 1717B7	1 1	7.30 10.20	1	31	556	210 30 00000
8	0019	0311	PSET 1717C7	1 1	7.30 10.20	1	34	556	210 30 00000
	0019	0311	SATC 2307A7	1 1	10.30 13.20		33	556	210 30 00000
8	0019	0311	SATC 2307B7	1 1	10.30 13.20	1	32	556	210 30 00000
8	0019	0311	SATC 2307C7	1 1	10.30 13.20	1	32	556	210 30 00000
	0019	0311	SATC 2957A7	1 1	16.30 19.20		19	556	210 30 00000
	0019	0311	SATC 2957B7	1 1	16.30 19.20	1	19	556	210 30 00000
8	0019	0314	PSET 2317A7	1 1	13.30 16.20		33	572	210 21 00000
8	0019	0314	PSET 2317B7	1 1	13.30 16.20	1	32	572	210 21 00000
	0019	0314	PSET 3107A7	1 1	16.30 19.20		9	572	210 21 00000
	0019	0314	PSET 3107B7	1 1	16.30 19.20	1	9	572	210 21 00000
	0019	0401	PSET 1217A7	1 1	7.30 10.20		32	930	240 33 00000
8	0019	0401	PSET 1217B7	1 1	7.30 10.20	1	33	930	240 33 00000
	0019	0401	PSET 2417A7	1 1	10.30 13.20		27	930	240 33 00000
8	0019	0401	PSET 2417B7	1 1	10.30 13.20	1	27	930	240 33 00000
8	0019	0401	PSET 2417C7	1 1	10.30 13.20	1	28	930	240 33 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 17

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	0403	MACO 361 2T	1 1	9.00 10.20		5	944	110 26 00000
	0019	0405	SATC 4207A7	1 1	7.30 10.20		17	525	210 13 00000
8	0019	0405	SATC 4207B7	1 1	7.30 10.20	1	17	525	210 13 00000
8	0019	0405	SATC 3857A7	1 1	13.30 16.20		21	525	210 13 00000
8	0019	0405	SATC 3857B7	1 1	13.30 16.20	1	14	525	210 13 00000
	0019	0406	DIET 21545M	1 1	10.45 14.15		6	1,084	210 30 00000
	0019	0408	CULA 2501MT	1	7.30 11.30		23	622	210 36 00000
	0019	0408	CULA 2211MW	1	7.30 11.30		16	622	210 36 00000
	0019	0408	CULA 2211MF	1	7.30 11.30		15	622	210 36 00000
	0019	0408	CULA 222XMT	1	12.30 16.30		15	622	210 36 00000
	0019	0408	CULA 222XMW	1	12.30 16.30		11	622	210 36 00000
	0019	0408	CULA 222XMR	1	12.30 16.30		15	622	210 36 00000
	0019	0408	CULA 490 XW	1	17.00 20.00		14	622	210 36 00000
	0019	0408	CULA 355 XM	1	17.00 20.55		20	622	210 36 00000
	0019	0408	CULA 490 XM	1	17.00 20.55	1	16	622	210 36 00000
	0019	0408	CULA 475 XR	1	17.00 20.55		18	622	210 36 00000
	0019	0409	CULA 1111MW	1	7.30 11.30		16	1,733	210 60 00000
	0019	0409	CULA 2301MR	1	7.30 11.30		25	1,733	210 60 00000
	0019	0409	CULA 1111MF	1	7.30 11.30		16	1,733	210 60 00000
4	0019	0409	CULA 319 XM	1	9.00 15.00		9	1,733	210 60 00000
	0019	0409	CULA 219XMT	1	12.30 16.30		15	1,733	210 60 00000
	0019	0409	CULA 485 XT	1	12.30 16.30	1	10	1,733	210 60 00000
	0019	0409	CULA 219XMW	1	12.30 16.30		14	1,733	210 60 00000
	0019	0409	CULA 219XMR	1	12.30 16.30		17	1,733	210 60 00000
	0020	0101	MUS 19167M	1	11.50 12.45		63	4,843	210 100 00000
	0020	0101	MUS 39167M	1	11.50 12.45	1	23	4,843	210 100 00000
	0020	0101	MUS 19167M	1 1	13.45 16.35		63	4,843	210 100 00000
	0020	0101	MUS 39167M	1 1	13.45 16.35	1	23	4,843	210 100 00000
	0020	0101	MUS 296 6T	1 1	15.00 16.20		6	4,843	210 100 00000
	0020	0101	MUS 396 6T	1 1	15.00 16.20	1	7	4,843	210 100 00000
	0020	0101	MUS 359 BW	1	16.30 18.20		2	4,843	210 100 00000
	0021	0113	ATTR 3252TF	1	8.35 10.35		10	627	210 28 00000
	0021	0113	ATTR 3252TF	1 1	9.00 10.20		10	627	210 28 00000
	0021	0113	ATTR 2503MW	1 1	9.40 10.35		10	627	210 28 00000
	0021	0113	ATTR 42234T	1 1	10.30 11.50		11	627	210 28 00000
	0021	0113	ATTR 3804MW	1 1	10.45 12.05		6	627	210 28 00000
	0021	0113	ATTR 42234T	1	12.00 13.20		11	627	210 28 00000
	0021	0114	DIET 201 2T	1 1	9.00 10.20		27	591	110 43 00000
	0021	0114	COMD 278 4M	1 1 1	10.45 11.40		36	591	110 43 00000
	0021	0123	ATTR 2304M1	1 1	7.30 8.50		9	938	210 25 00000
	0021	0123	ATTR 222 2M	1 1	8.35 9.30		9	938	210 25 00000
	0021	0123	ATTR 222 2M	1 1	9.00 10.20		9	938	210 25 00000
	0021	0123	ATTR 2203MW	1 1	9.40 10.35		10	938	210 25 00000
	0021	0123	ATTR 2304M1	1 1	10.45 11.40		9	938	210 25 00000
	0021	0123	ATTR 2203MW	1	17.00 19.45		10	938	210 25 00000
	0021	0124	ATTR 498 2T	1 1	9.00 10.20		5	963	210 63 00000
	0021	0124	ATTR 480 3T	1 1	10.30 11.50		5	963	210 63 00000
4	0021	0152	NURS 400 2T	1	7.30 14.30		55	1,974	110 123 00000
	0021	0152	NURS 400 2T	1	9.00 11.50		55	1,974	110 123 00000
	0021	0201	NURS 4282WF	1 1	8.35 11.45		44	961	110 76 00000
4	0021	0202	NURS 381 XT	11	8.30 14.40		51	961	210 76 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/03/2014 14:00:56
 PAGE NUM 18

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	0021 0213	NURS 371 XM	1 1	8.30 14.40		51	660	210 41	00000
	0021 0214	NURS 255 XM	1	8.00 12.00		69	1,826	110 123	00000
	0021 0216	DIET 4162MW	1 1	8.35 9.55		24	935	110 70	00000
	0021 0216	DIET 111 2T	1 1	9.00 10.20		62	935	110 70	00000
	0021 0216	DIET 3004MW	1 1	10.45 12.05		26	935	110 70	00000
	0021 0216	DIET 390 4T	1 1	12.00 13.20		21	935	110 70	00000
	0021 0216	DIET 3055MW	1 1	12.15 13.35		24	935	110 70	00000
	0021 0216	DIET 200 5T	1 1	13.30 14.50		33	935	110 70	00000
	0021 0216	DIET 2006MW	1 1	13.45 15.05		45	935	110 70	00000
	0021 0218	NURS 355 XM	1	8.00 12.10		59	1,743	110 122	00000
	0021 0221	NURS 371 XM	1	8.30 11.40		51	960	110 65	00000
	0021 0221	NURS 311 5T	1	13.30 14.20		34	960	110 65	00000
	0021 0223	NURS 381 XT	1	8.30 11.40		51	949	110 60	00000
8	0021 0225	NURS 255 XM	1 1	8.00 12.30		69	1,484	210 10	00000
4 8	0021 0266	NURS 355 XM	1 1	8.35 16.00		59	1,173	210 11	00000
	0021 0301	NURS 225 XM	1	7.30 10.40		64	1,152	110 83	00000
	0021 0301	NURS 226 XT	1	7.30 12.30		65	1,152	110 83	00000
	0021 0301	NURS 225 XM	111	7.30 12.30		64	1,152	110 83	00000
8	0021 0301	NURS 226 XT	1	8.00 12.00	1	65	1,152	110 83	00000
4	0022 0151	FINC 515EMB	1	8.00 16.00	1 1	15	720	110 48	00000
4	0022 0151	FINC 520EMB	1	8.00 16.00	1 1	15	720	110 48	00000
4	0022 0151	MKTG 501EMB	1	8.00 16.00	1 1	15	720	110 48	00000
4	0022 0151	MNGT 502EMB	1	8.00 16.00	1 1	15	720	110 48	00000
	0093 0100	UNIV 101 BW	1	16.30 17.30		12	300	110 20	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	9
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	21
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	30
TOTAL NUMBER OF RECORDS READ	- - - - -	891
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	891
NUMBER OF JOINT-CLASS RECORDS	- - - - -	125
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	1
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/03/2014 14:00:56
 PAGE NUM 1

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			86
TOTAL NUMBER OF STATIONS (CAPACITY)			5,395
WEEKLY STUDENT CONTACT HOURS	44,492	4,243	48,735
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,740	4,300	12,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,427	340	2,767
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	485,550	269,750	755,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	174,698	22,424	197,122
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	88,984	8,486	97,470
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.4	7.9	23.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.3	3.1	12.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.9	37.8	49.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			86
TOTAL NUMBER OF STATIONS (CAPACITY)			5,395
WEEKLY STUDENT CONTACT HOURS	44,492	4,243	48,735
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,740	4,300	12,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,427	340	2,767
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	485,550	269,750	755,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	174,698	22,424	197,122
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	88,984	8,486	97,470
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.4	7.9	23.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.3	3.1	12.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.9	37.8	49.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/03/2014 14:00:56
 PAGE NUM 2

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			92
TOTAL NUMBER OF STATIONS (CAPACITY)			2,430
WEEKLY STUDENT CONTACT HOURS	15,724	939	16,663
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,280	4,600	12,880
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,924	192	2,116
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	218,700	121,500	340,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	68,706	5,964	74,670
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,449	1,878	33,327
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	23.2	4.2	16.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.4	1.5	9.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.8	31.5	44.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			89
TOTAL NUMBER OF STATIONS (CAPACITY)			2,319
WEEKLY STUDENT CONTACT HOURS	15,425	939	16,364
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,010	4,450	12,460
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,846	192	2,038
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	208,710	115,950	324,660
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	60,906	5,964	66,870
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	30,851	1,878	32,729
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	23.0	4.3	16.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.8	1.6	10.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.7	31.5	48.9

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/03/2014 14:00:56

PAGE NUM 3

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			111
WEEKLY STUDENT CONTACT HOURS	299		299
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	78		78
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9,990	5,550	15,540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,800		7,800
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	598		598
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.9	.0	18.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.0	.0	3.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	7.7	.0	7.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*RESEARCH/NONCLASS LAB.			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			335
WEEKLY STUDENT CONTACT HOURS	1,226		1,226
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	100		100
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	30,150	16,750	46,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,780		2,780
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,452		2,452
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	7.4	.0	4.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.1	.0	5.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	88.2	.0	88.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/03/2014 14:00:56

PAGE NUM 4

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*SPECIAL USE FACILITIES			
TOTAL NUMBER OF ROOMS			37
TOTAL NUMBER OF STATIONS (CAPACITY)			1,855
WEEKLY STUDENT CONTACT HOURS	265		265
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,330	1,850	5,180
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	70		70
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	166,950	92,750	259,700
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,656		11,656
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	530		530
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	2.1	.0	1.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.3	.0	.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	4.5	.0	4.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
ATHLETIC AND P.E.			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			1,756
WEEKLY STUDENT CONTACT HOURS	265		265
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	70		70
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	158,040	87,800	245,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,656		11,656
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	530		530
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	7.1	.0	4.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.3	.0	.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	4.5	.0	4.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY