

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/13/2015 15:55:12
 PAGE NUM 1

SOUTHERN - NEW ORLEANS
 BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000				1	32		00000
	0000	0000				1	25		00000
	0000	0000				1	36		00000
	0000	0000				1	30		00000
	0000	0000				1	22		00000
	0000	0000				1	21		00000
	0000	0000				1	23		00000
	0000	0000				1	19		00000
	0000	0000				1	38		00000
	0000	0000				1	10		00000
	0000	0000				1	18		00000
	0000	0000				1	27		00000
	0000	0000				1	29		00000
	0000	0000				1	41		00000
	0000	0000				1	28		00000
	0000	0000				1	16		00000
	0000	0000				1	12		00000
	0000	0000				1	24		00000
	0000	0000				1	25		00000
	0000	0000				1	37		00000
	0000	0000				1	16		00000
	0000	0000				1	1		00000
	0000	0000				1	34		00000
	0000	0000				1	20		00000
	0000	0000				1	15		00000
	0000	0000				1	1		00000
	0000	0000				1	22		00000
	0000	0000				1	32		00000
	0000	0000				1	25		00000
	0000	0000				1	21		00000
	0000	0000				1	18		00000
	0000	0000				1	1		00000
	0000	0000				1	14		00000
	0000	0000				1	26		00000
	0000	0000				1	30		00000
	0000	0000				1	1		00000
	0000	0000				1	34		00000
	0000	0000				1	24		00000
	0000	0000				1	30		00000
	0000	0000				1	29		00000
	0000	0000				1	27		00000
	0000	0000				1	23		00000
	0000	0000				1	9		00000
	0000	0000				1	9		00000
	0000	0000				1	29		00000
	0000	0000				1	29		00000
	0000	0000				1	22		00000
	0000	0000				1	33		00000
	0000	0000				1	37		00000
	0000	0000				1	28		00000
	0000	0000				1	33		00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/13/2015 15:55:12
 PAGE NUM 2

SOUTHERN - NEW ORLEANS
 BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000				18			00000
	0000	0000				31			00000
	0000	0000				34			00000
	0000	0000				39			00000
	0000	0000				27			00000
	0000	0000				1			00000
	0000	0000				12			00000
	0000	0000				12			00000
	0000	0000				5			00000
	0000	0000				3			00000
	0000	0000				28			00000
	0000	0000				13			00000
	0000	0000				31			00000
	0000	0000				36			00000
	0000	0000				10			00000
	0000	0000				33			00000
	0000	0000				138			00000
	0000	0000				25			00000
	0000	0000				15			00000
	0000	0000				23			00000
	0000	0000				21			00000
	0000	0000				19			00000
	0000	0000				29			00000
	0000	0000				14			00000
	0000	0000				23			00000
	0000	0000				27			00000
	0000	0000				32			00000
	0000	0000				29			00000
	0000	0000				25			00000
	0000	0000				17			00000
	0000	0000				20			00000
	0000	0000				25			00000
	0000	0000				22			00000
	0000	0000				11			00000
	0000	0000				18			00000
	0000	0000				16			00000
	0000	0000				20			00000
	0000	0000				20			00000
	0000	0000				12			00000
	0000	0000				18			00000
	0000	0000				20			00000
	0000	0000				15			00000
	0000	0000				23			00000
	0000	0000				17			00000
	0000	0000				21			00000
	0000	0000				38			00000
	0000	0000				29			00000
	0000	0000				39			00000
	0000	0000				37			00000
	0000	0000				38			00000
	0000	0000				21			00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/13/2015 15:55:12

PAGE NUM 3

SOUTHERN - NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS
MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000	SOWK4810002		1	19			00000
	0000	0000	SOWK6060002		1	17			00000
	0000	0000	SOWK6060002		1	25			00000
	0000	0000	SOWK6060003		1	22			00000
	0000	0000	SOWK6060004		1	18			00000
	0000	0000	SPAN0211001		1	2			00000
4	0000	0000	ECED0498001	11111	8.00 15.00	1	4		00000
4	0000	0000	EDSN0498001	11111	8.00 15.00	1	4		00000
4	0000	0000	ELED0470001	11111	8.00 15.00	1	3		00000
4	0000	0000	ELED0498001	11111	8.00 15.00	1	4		00000
4	0000	0000	CDFS0499001	11111	8.30 15.00	1	5		00000
	0001	0168	SOCL0347001	1 1	17.50 19.05	12	869	110 30	00000
	0001	0168	PHIL0211002	1 1	17.50 19.05	9	869	110 30	00000
	0001	0308	MATH0232001	1 1 1	8.00 8.50	33	1,056	110 30	00000
	0001	0308	SOCL0210001	1 1 1	9.00 9.50	28	1,056	110 30	00000
	0001	0308	PHIL0211001	1 1 1	10.00 10.50	18	1,056	110 30	00000
	0001	0308	FREN0101001	1 1	11.00 12.15	12	1,056	110 30	00000
	0001	0308	MATH0151004	1 1 1	12.00 12.50	34	1,056	110 30	00000
	0001	0308	MATH0161001	1 1	14.00 15.15	31	1,056	110 30	00000
	0001	0308	HIST0470001	1 1	17.50 19.05	7	1,056	110 30	00000
	0001	0308	MATH0161004	1 1	17.50 19.05	12	1,056	110 30	00000
	0001	0308	MATH0162002	1 1	19.15 20.30	11	1,056	110 30	00000
8	0001	0309	MATH0151001	1 1 1	9.00 9.50	31	552	110 30	00000
	0001	0309	MATH0250004	1 1 1	9.00 9.50	27	552	110 30	00000
	0001	0309	MATH0296001	1 1	9.30 10.45	8	552	110 30	00000
	0001	0309	MATH0330001	1 1 1	10.00 10.50	7	552	110 30	00000
	0001	0309	PHIL0222001	1 1	11.00 12.15	19	552	110 30	00000
	0001	0309	PSYC0484001	1 1	12.30 13.45	14	552	110 30	00000
	0001	0309	MATH0499001	1	15.30 16.30	6	552	110 30	00000
	0001	0309	MATH0250005	1 1	17.50 19.05	22	552	110 30	00000
	0001	0309	MATH0151007	1 1	19.15 20.30	20	552	110 30	00000
	0001	0313	MATH0162001	1 1 1	10.00 10.50	27	552	110 30	00000
	0001	0313	SOCL0276001	1 1	10.00 12.15	27	552	110 30	00000
	0001	0313	MATH0250002	1 1 1	12.00 12.50	28	552	110 30	00000
	0001	0313	CRMJ0415001	1 1	12.30 13.45	22	552	110 30	00000
	0001	0313	MATH0291001	1111	15.00 16.05	9	552	110 30	00000
	0001	0313	SPAN0102002	1 1	19.15 20.30	12	552	110 30	00000
	0002	0201	PHYS0101001	1	11.00 12.50	14	910	110 36	00000
	0002	0201	PHYS0211002	1	14.30 17.00	17	910	110 36	00000
	0002	0201	PHYS0211001	1	14.30 17.00	11	910	110 36	00000
	0002	0201	PHYS0222001	1	14.30 17.00	13	910	110 36	00000
	0002	0201	PHYS0101002	1	19.15 20.55	16	910	110 36	00000
	0002	0202	MATH0151003	1 1	9.30 10.45	26	825	240 36	00000
	0002	0202	MATH0151002	1 1 1	10.00 10.50	30	825	240 36	00000
	0002	0202	MATH0392001	1 1	11.00 12.15	15	825	240 36	00000
	0002	0202	MATH0403001	1 1 1	13.00 13.50	15	825	240 36	00000
	0002	0205	ENGL0111009	1 1 1	8.00 8.50	16	825	210 36	00000
	0002	0205	PHYS0101004	1 1	9.30 10.45	27	825	210 36	00000
	0002	0205	PHYS0211001	1 1 1	10.00 10.50	28	825	210 36	00000
	0002	0205	PHYS0101001	1 1 1	12.00 12.50	29	825	210 36	00000
	0002	0205	ENGL0111008	1 1	12.30 13.45	26	825	210 36	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 15:55:12
 PAGE NUM 4

SOUTHERN - NEW ORLEANS
 BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0002	0205	MATH0100001	1	13.00 13.50	18	825	210 36	00000
	0002	0205	HIMS0120001	1 1	17.50 19.05	20	825	210 36	00000
	0002	0205	PHYS0101002	1 1	17.50 19.05	28	825	210 36	00000
	0002	0209	MATH0250001	1 1 1	10.00 10.50	22	725	110 36	00000
	0002	0209	MATH0161002	1 1	11.00 12.15	30	725	110 36	00000
	0002	0209	PHYS0211002	1 1 1	12.00 12.50	14	725	110 36	00000
	0002	0209	PHYS0222001	1 1	13.00 14.15	19	725	110 36	00000
	0002	0209	ELED0336001	1 1	17.50 19.05	10	725	110 36	00000
	0002	0209	MATH0250003	1 1	19.15 20.30	28	725	110 36	00000
	0002	0302	CHEM0112002	1	12.30 15.00	17	900	210 36	00000
	0002	0305	CHEM0241002	1	8.00 10.30	8	1,050	210 36	00000
	0002	0305	CHEM0241001	1	12.30 15.00	11	1,050	210 36	00000
	0002	0306	CHEM0111001	1	12.30 15.00	16	925	210 36	00000
	0002	0306	CHEM0111002	1	12.30 15.00	14	925	210 36	00000
	0002	0309	FIAR0101001	1 1 1	9.00 9.50	30	625	110 36	00000
	0002	0309	CHEM0111001	1 1	9.30 10.45	29	625	110 36	00000
	0002	0309	CHEM0101001	1 1 1	10.00 10.50	25	625	110 36	00000
	0002	0309	MATH0151005	1 1	11.00 12.15	30	625	110 36	00000
	0002	0309	FIAR0101002	1 1 1	12.00 12.50	28	625	110 36	00000
	0002	0309	CRMJ0505001	1	18.00 20.30	36	625	110 36	00000
	0002	0311	CHEM0241001	1 1 1	8.00 8.50	33	700	110 36	00000
	0002	0311	MATH0290001	11111	9.00 9.50	27	700	110 36	00000
	0002	0311	CHEM0112001	1 1 1	10.00 10.50	26	700	110 36	00000
	0002	0311	CHEM0111002	1 1 1	13.00 13.50	13	700	110 36	00000
	0004	0111	CRMJ0690001	1	18.00 20.30	10	325	110 36	00000
	0004	0132	JRDV0111002	1	11.00 11.50	36	1,118	110 50	00000
	0004	0132	JRDV0111002	1	11.00 11.50	34	1,118	110 50	00000
	0004	0133	JRDV0111003	1	11.00 11.50	36	1,118	110 50	00000
	0004	0133	JRDV0111003	1	11.00 11.50	28	1,118	110 50	00000
	0004	0135	JRDV0111004	1	11.00 11.50	35	1,118	110 50	00000
	0004	0135	JRDV0111004	1	11.00 11.50	33	1,118	110 50	00000
	0004	0136	JRDV0111001	1	11.00 11.50	30	1,118	110 50	00000
	0004	0136	JRDV0111001	1	11.00 11.50	31	1,118	110 50	00000
8	0004	0333	CRMJ0540001	1	18.00 20.30	22	252	310 1	00000
8	0004	0333	CRMJ0520001	1	18.00 20.30	24	252	310 1	00000
	0007	0202	SOWK0241001	1 1	8.55 10.35	12	930	110 50	00000
	0007	0202	SOWK0100001	1 1	9.00 10.15	26	930	110 50	00000
	0007	0202	SOWK0311001	1 1	10.30 11.45	18	930	110 50	00000
	0007	0202	SOWK0601001	1	12.00 14.30	25	930	110 50	00000
	0007	0202	SOWK0502002	1	12.00 14.30	19	930	110 50	00000
	0007	0202	SOWK0341001	1 1	13.00 14.15	26	930	110 50	00000
	0007	0202	SOWK0701001	1	15.30 17.55	20	930	110 50	00000
	0007	0202	SOWK0241002	1	16.40 19.05	18	930	110 50	00000
	0007	0202	SOWK7020001	1	17.00 18.55	20	930	110 50	00000
	0007	0202	SOWK0502003	1	18.00 20.30	28	930	110 50	00000
	0007	0202	SOWK0601004	1	18.00 20.30	28	930	110 50	00000
	0007	0202	SOWK0343003	1 1	19.15 20.30	20	930	110 50	00000
	0007	0204	SOWK0603001	1	8.30 11.00	30	930	110 50	00000
	0007	0204	SOWK0100002	1 1	9.00 10.15	21	930	110 50	00000
	0007	0204	SOWK0501002	1	9.00 11.30	29	930	110 50	00000
	0007	0204	SOWK0211001	1 1	10.30 11.45	34	930	110 50	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/13/2015 15:55:12
 PAGE NUM 5

SOUTHERN - NEW ORLEANS
 BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0007	0204	SOWK0601002	1	12.00 14.30	23	930	110 50	00000
	0007	0204	SOWK0502002	1	12.00 14.30	22	930	110 50	00000
	0007	0204	SOWK0701006	1	14.15 16.45	20	930	110 50	00000
	0007	0204	SOWK0701002	1	15.30 17.55	19	930	110 50	00000
	0007	0204	SOWK7020002	1	17.00 18.55	12	930	110 50	00000
	0007	0205	CISP0698001	1	9.00 10.45	10	693	240 26	00000
	0007	0205	FRSC0201001	1	13.00 13.50	29	693	240 26	00000
	0007	0205	CISP0501001	1	18.00 20.40	27	693	240 26	00000
	0007	0205	CISP0510001	1	18.00 20.45	24	693	240 26	00000
	0007	0205	CISP0633001	1	18.00 20.45	25	693	240 26	00000
	0007	0207	CISP0660001	1	18.00 20.45	21	930	240 44	00000
	0007	0217	SOWK0603002	1	8.30 11.00	30	570	110 30	00000
	0007	0217	SOWK0501001	1	9.00 11.30	18	570	110 30	00000
	0007	0217	SOWK0603005	1	9.00 11.30	30	570	110 30	00000
	0007	0217	CRMJ0300001	1 1	11.00 12.15	24	570	110 30	00000
	0007	0217	SOWK0604001	1	13.00 15.30	29	570	110 30	00000
	0007	0217	SOWK0701003	1	15.30 17.55	21	570	110 30	00000
	0007	0217	SOWK0606001	1	17.00 18.55	21	570	110 30	00000
	0007	0217	SOWK0720003	1	17.00 18.55	18	570	110 30	00000
	0007	0217	SOWK0751003	1	18.00 19.40	17	570	110 30	00000
	0007	0218	SOWK0604004	1	12.00 14.30	24	570	110 30	00000
	0007	0218	SOWK0343001	1 1	13.00 14.15	23	570	110 30	00000
	0007	0218	SOWK0701004	1	15.30 17.55	16	570	110 30	00000
	0007	0218	SOWK0606002	1	17.00 18.55	20	570	110 30	00000
	0007	0218	SOWK7020004	1	17.00 18.55	20	570	110 30	00000
	0007	0218	SOWK0351002	1	18.00 20.30	15	570	110 30	00000
	0007	0219	SOWK0431003	1 1	14.20 15.45	19	637	110 20	00000
	0007	0219	SOWK7020005	1	17.00 18.55	15	637	110 20	00000
	0007	0219	SOWK0501004	1	18.00 20.30	26	637	110 20	00000
	0007	0219	SOWK0341002	1	18.00 20.30	12	637	110 20	00000
	0007	0220	BIOL0202001	1 1	9.30 10.45	11	570	110 30	00000
	0007	0220	SOWK0502004	1	12.00 14.30	14	570	110 30	00000
	0007	0220	SOWK0701005	1	15.30 17.55	21	570	110 30	00000
	0007	0220	SOWK7020006	1	17.00 18.55	23	570	110 30	00000
	0007	0220	SOWK0352002	1	18.00 20.30	13	570	110 30	00000
	0007	0220	SOWK0732002	1	18.00 20.30	34	570	110 30	00000
	0007	0308	BIOL0105001	1 1 1	8.00 8.50	29	585	110 30	00000
	0007	0308	BIOL0105006	1 1	8.00 9.15	30	585	110 30	00000
	0007	0308	BIOL0105002	1 1 1	9.00 9.50	29	585	110 30	00000
	0007	0308	BIOL0125001	1 1	9.30 10.45	29	585	110 30	00000
	0007	0308	BIOL0105003	1 1 1	10.00 10.50	29	585	110 30	00000
	0007	0308	BIOL0105007	1 1	11.00 12.15	29	585	110 30	00000
	0007	0308	BIOL0105004	1 1 1	12.00 12.50	26	585	110 30	00000
	0007	0308	BIOL0105005	1 1 1	13.00 13.50	23	585	110 30	00000
	0007	0308	BIOL0105008	1 1	14.00 15.15	25	585	110 30	00000
	0007	0308	BIOL0124003	1 1	17.50 19.05	31	585	110 30	00000
	0007	0310	BIOL0124002	1 1	9.30 10.45	31	570	110 30	00000
	0007	0310	BIOL0273001	1 1 1	10.00 10.50	30	570	110 30	00000
	0007	0310	BIOL0302001	1 1	11.00 12.15	20	570	110 30	00000
	0007	0310	BIOL0124001	1 1 1	12.00 12.50	30	570	110 30	00000
	0007	0310	BIOL0204001	1 1	12.15 13.30	25	570	110 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/13/2015 15:55:12

PAGE NUM 6

SOUTHERN - NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS
MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0007	0310	BIOL0124004	1 1 1	13.00 13.50		31	570	110 30 00000
	0007	0310	BIOL0220001	1 1 1	14.00 14.50		16	570	110 30 00000
	0007	0310	BIOL0306001	1 1	17.50 19.05		27	570	110 30 00000
	0007	0312	BIOL0217001	1 1 1	9.00 9.50		16	585	110 30 00000
	0007	0312	BIOL0217002	1 1	9.30 10.45		15	585	110 30 00000
	0007	0312	BIOL0100001	1	10.00 10.50		34	585	110 30 00000
	0007	0312	BIOL0100002	1	12.30 13.20		33	585	110 30 00000
	0007	0314	BIOL0324001	1 1 1	9.00 9.50		18	585	110 30 00000
	0007	0314	BIOL0106002	1 1	9.30 10.45		29	585	110 30 00000
	0007	0314	BIOL0106004	1 1 1	10.00 10.50		12	585	110 30 00000
	0007	0314	MATH0232002	1 1	11.00 12.15		26	585	110 30 00000
	0007	0314	BIOL0105003	1	12.00 13.40		21	585	110 30 00000
	0007	0314	BIOL0494001	1 1	14.00 16.30		39	585	110 30 00000
	0007	0314	BIOL0106003	1 1	17.50 19.05		24	585	110 30 00000
	0007	0314	MATH0232003	1 1	17.50 19.05		19	585	110 30 00000
	0007	0316	BIOL0105001	1	9.00 10.40		19	780	210 20 00000
	0007	0316	BIOL0125001	1	11.00 13.30		21	780	210 20 00000
	0007	0316	BIOL0105004	1	13.00 14.40		10	780	210 20 00000
	0007	0316	BIOL0105005	1	14.00 15.40		20	780	210 20 00000
	0007	0316	BIOL0124001	1	14.00 16.30		19	780	210 20 00000
	0007	0316	BIOL0105006	1	16.00 17.40		20	780	210 20 00000
	0007	0316	BIOL0105007	1	19.15 20.55		15	780	210 20 00000
	0007	0318	BIOL0124002	1	11.00 13.30		20	200	210 20 00000
	0007	0318	BIOL0324001	1	12.00 13.40		14	200	210 20 00000
	0007	0318	BIOL0106001	1	13.00 14.40		11	200	210 20 00000
	0007	0318	BIOL0124004	1	14.00 16.30		21	200	210 20 00000
	0007	0318	BIOL0302001	1	15.00 16.40		14	200	210 20 00000
	0007	0318	BIOL0306001	1	19.15 20.55		23	200	210 20 00000
	0007	0320	BIOL0217001	1	12.00 13.40		16	200	210 20 00000
	0007	0320	BIOL0217002	1	12.00 13.40		11	200	210 20 00000
	0007	0320	BIOL0220001	1	15.30 17.10		16	200	210 20 00000
	0007	0327	BIOL0105002	1	11.00 12.45		18	460	210 20 00000
	0007	0327	BIOL0204001	1	13.30 15.10		18	460	210 20 00000
	0007	0327	FRSC0210001	1 1 1	14.00 14.50		27	460	210 20 00000
	0007	0327	BIOL0124003	1	15.20 17.50		21	460	210 20 00000
	0007	0327	BIOL0274001	1	19.15 20.55		19	460	210 20 00000
	0007	0329	BIOL0106002	1	11.00 12.40		17	690	210 20 00000
	0007	0329	BIOL0273001	1	13.00 14.40		23	690	210 20 00000
	0007	0329	BIOL0106004	1	19.15 20.55		20	690	210 20 00000
	0007	0333	BIOL0202001	1	13.30 15.10		12	720	210 20 00000
	0010	0171	ACCT0201001	1 1 1	10.00 10.50		32	600	110 40 00000
	0010	0171	PADM0310001	1 1	11.00 12.15		5	600	110 40 00000
	0010	0171	ACCT0202001	1 1	15.00 16.15		30	600	110 40 00000
	0010	0171	BADM0250001	1 1	17.50 19.05		11	600	110 40 00000
	0010	0171	BADM0240001	1 1	19.15 20.30		12	600	110 40 00000
	0010	0184	CRMJ0310001	1 1	11.00 12.15		29	600	110 40 00000
	0010	0184	ECON0295002	1 1 1	14.00 14.50		18	600	110 40 00000
	0010	0184	CISP0503001	1	18.00 20.40		21	600	110 40 00000
	0010	0184	CISP0506001	1	18.00 20.45		24	600	110 40 00000
8	0012	0100	BADM0101001	1 1	9.30 10.45		44	200	110 3 00000
8	0012	0100	ENTR0240001	1 1	11.00 12.15		15	200	110 3 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 15:55:12
 PAGE NUM 7

SOUTHERN - NEW ORLEANS
 BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	0012	0100	BADM0125001	1 1	12.30 13.45	76	200	110 3	00000
8	0012	0100	ENTR0470001	1 1	17.50 19.05	23	200	110 3	00000
8	0012	0101	MKTG0479001	1 1 1	9.00 9.50	22	183	110 3	00000
8	0012	0101	BADM0301001	1 1	11.00 12.15	33	183	110 3	00000
8	0012	0101	SOCLO368001	1 1 1	12.00 12.50	14	183	110 3	00000
8	0012	0101	ENTR0400001	1 1	12.30 13.45	17	183	110 3	00000
8	0012	0101	ECON0211004	1 1 1	13.00 13.50	20	183	110 3	00000
8	0012	0101	BADM0301002	1 1	17.50 19.05	16	183	110 3	00000
8	0012	0102	ABCP0230001	1 1	9.30 10.45	11	138	110 3	00000
8	0012	0102	MKTG0370001	1 1 1	10.00 10.50	25	138	110 3	00000
8	0012	0102	SOCLO210002	1 1 1	10.00 10.50	23	138	110 3	00000
8	0012	0102	BADM0490001	1 1	11.00 12.15	24	138	110 3	00000
	0012	0102	PADM0415001	1 1 1	12.00 12.50	4	138	110 3	00000
8	0012	0102	ECON0222001	1 1	12.30 13.45	14	138	110 3	00000
8	0012	0102	PADM0301001	1 1	17.50 19.05	6	138	110 3	00000
8	0012	0102	BADM0366001	1 1	19.15 20.30	26	138	110 3	00000
8	0012	0102	MKTG0370002	1 1	19.15 20.30	9	138	110 3	00000
8	0012	0103	POLIO110002	1 1 1	8.00 8.50	30	154	110 3	00000
8	0012	0103	POLIO110003	1 1 1	9.00 9.50	30	154	110 3	00000
8	0012	0103	SOCLO210003	1 1	9.30 10.45	21	154	110 3	00000
8	0012	0103	ECON0211001	1 1	11.00 12.15	31	154	110 3	00000
	0012	0103	PADM0320001	1 1	12.30 13.45	3	154	110 3	00000
8	0012	0103	CRMJ0705001	1	18.00 20.30	40	154	110 3	00000
	0012	0201	CISP0166002	1 1	9.30 10.45	28	789	110 40	00000
	0012	0201	CISP0415001	1 1 1	10.00 10.50	24	789	110 40	00000
	0012	0201	CISP0164002	1 1 1	12.00 12.50	34	789	110 40	00000
	0012	0201	CISP0250002	1 1	17.50 19.05	16	789	110 40	00000
	0012	0201	CISP0315001	1 1	19.15 20.30	17	789	110 40	00000
	0012	0201	CISP0311001	1 1	19.15 20.30	8	789	110 40	00000
	0012	0202	CISP0200001	1 1	8.00 9.15	28	783	110 40	00000
	0012	0202	CISP0164003	1 1 1	10.00 10.50	39	783	110 40	00000
	0012	0202	CISP0426001	1 1	12.30 13.45	17	783	110 40	00000
	0012	0202	CISP0164004	1 1	14.00 15.15	30	783	110 40	00000
	0012	0202	CISP0164006	1 1	17.50 19.05	26	783	110 40	00000
	0012	0202	CISP0451001	1 1	19.15 20.30	10	783	110 40	00000
	0014	0501	PSYC0344001	1 1	8.00 9.15	35	659	110 30	00000
	0014	0501	COMM0210001	1 1 1	9.00 9.50	22	659	110 30	00000
	0014	0501	PSYC0444001	1 1 1	10.00 10.50	29	659	110 30	00000
	0014	0501	COMM0210002	1 1	11.00 12.15	28	659	110 30	00000
	0014	0501	PSYC0311001	1 1	12.30 13.45	37	659	110 30	00000
	0014	0501	PSYC0237001	1 1 1	13.00 13.50	29	659	110 30	00000
	0014	0501	EDUC0480001	1 1	16.00 17.15	3	659	110 30	00000
	0014	0501	PSYC0210003	1 1	16.00 17.15	9	659	110 30	00000
	0014	0501	EDUC0200001	1 1	16.00 17.15	13	659	110 30	00000
	0014	0501	ABCP0447001	1 1	17.50 19.05	14	659	110 30	00000
	0014	0501	ELED0441001	1 1	17.50 19.05	5	659	110 30	00000
9	0014	0501	ELED0441001	1 1	17.50 19.05	5	659	110 30	00000
	0014	0501	SOCLO210004	1 1	18.00 20.30	27	659	110 30	00000
	0014	0501	ECED0467001	1 1	19.15 20.30	4	659	110 30	00000
	0014	0501	ELED0467001	1 1	19.15 20.30	3	659	110 30	00000
	0014	0501	ECED0466001	1 1	19.15 20.30	6	659	110 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 15:55:12
 PAGE NUM 8

SOUTHERN - NEW ORLEANS
 BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0501	ELED0466001	1 1	19.15 20.30	1	5	659	110 30 00000
	0014	0503	PSYC0210001	1 1 1	9.00 9.50		29	1,059	110 30 00000
	0014	0503	SOCL0482001	1 1	9.00 11.00		27	1,059	110 30 00000
	0014	0503	PSYC0268001	1 1	9.30 10.45		36	1,059	110 30 00000
	0014	0503	COMM0210003	1 1 1	10.00 10.50		16	1,059	110 30 00000
	0014	0503	POLI0480001	1 1	11.00 12.15		10	1,059	110 30 00000
	0014	0503	PSYC0320001	1 1	14.00 15.15		37	1,059	110 30 00000
	0014	0503	PSYC0432001	1 1 1	15.00 15.50		25	1,059	110 30 00000
	0014	0503	HIMS0228001	1 1	16.40 17.40		22	1,059	110 30 00000
	0014	0503	COMM0210005	1 1	17.50 19.05		17	1,059	110 30 00000
	0014	0503	PSYC0480002	1 1	17.50 19.05	1	13	1,059	110 30 00000
	0014	0504	POLI0110004	1 1	8.00 10.30		25	973	110 30 00000
	0014	0504	SPAN0101001	1 1 1	9.00 9.50		26	973	110 30 00000
	0014	0504	SPAN0101002	1 1	9.30 10.45		31	973	110 30 00000
	0014	0504	SPAN0102001	1 1 1	10.00 10.50		29	973	110 30 00000
	0014	0504	SPSV0111002	1	11.00 11.50		16	973	110 30 00000
	0014	0504	SPAN0101003	1 1 1	13.00 13.50		29	973	110 30 00000
	0014	0504	CRMJ0492001	1 1	14.00 15.15		23	973	110 30 00000
	0014	0504	PSYC0444002	1 1	17.50 19.00		11	973	110 30 00000
	0014	0504	EDUC0110002	1 1	17.50 19.05		27	973	110 30 00000
	0014	0505	ABCP0215001	1 1 1	9.00 9.50		26	969	110 30 00000
	0014	0505	POLI0210001	1 1	9.30 10.45		28	969	110 30 00000
	0014	0505	PSYC0210002	1 1 1	12.00 12.50		20	969	110 30 00000
	0014	0505	ABCP0215003	1 1	12.30 13.45	1	24	969	110 30 00000
8	0014	0505	ABCP0418001	1 1 1	13.00 13.50	1	6	969	110 30 00000
	0014	0505	ABCP0436001	1 1	14.00 15.15		16	969	110 30 00000
	0014	0505	ABCP0425001	1 1 1	15.00 15.50		12	969	110 30 00000
	0014	0505	ABCP0310001	1 1	16.00 17.15		27	969	110 30 00000
	0014	0505	CRMJ0500001	1	18.00 20.30		26	969	110 30 00000
	0014	0505	CRMJ0530001	1	18.00 20.30		15	969	110 30 00000
	0014	0505	CRMJ0510001	1	18.00 20.30		11	969	110 30 00000
8	0014	0505	CRMJ0710001	1	18.00 20.30	1	41	969	110 30 00000
	0014	0506	ECED0211002	1 1	9.00 10.15		10	978	110 30 00000
	0014	0506	ECED0314001	1 1	10.00 11.15		9	978	110 30 00000
	0014	0506	CDFS0207001	1 1	11.00 12.15		11	978	110 30 00000
	0014	0506	FIAR0101003	1 1	12.30 13.45		30	978	110 30 00000
	0014	0506	CDFS0395001	1 1	14.00 16.30		15	978	110 30 00000
	0014	0506	CDFS0445001	1 1	17.50 19.05		16	978	110 30 00000
	0014	0506	CDFS0453001	1 1	17.50 19.05		9	978	110 30 00000
	0014	0606	PSYC0436002	1 1 1	12.00 12.50		22	923	110 30 00000
	0014	0607	HIST0210002	1 1 1	9.00 9.50		31	931	110 30 00000
	0014	0607	HIST0220004	1 1	9.30 10.45		31	931	110 30 00000
	0014	0607	HIST0220002	1 1 1	10.00 10.50		28	931	110 30 00000
	0014	0607	HIST0210004	1 1	11.00 12.15		30	931	110 30 00000
	0014	0607	COMM0320001	1 1	12.30 13.45		9	931	110 30 00000
	0014	0607	HIST0210003	1 1 1	13.00 13.50		30	931	110 30 00000
	0014	0607	EDUC0212001	1 1	17.50 19.05		14	931	110 30 00000
	0014	0607	HIST0210005	1 1	17.50 19.05		25	931	110 30 00000
	0014	0607	EDUC0330001	1 1	19.15 20.30		15	931	110 30 00000
	0014	0607	HIST0306001	1 1	19.15 20.30		19	931	110 30 00000
	0014	0608	MUSC0101001	1 1 1	9.00 9.50		28	1,031	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/13/2015 15:55:12

PAGE NUM 9

SOUTHERN - NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS
MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0608	MUSC0101003	1 1	9.30 10.45	25	1,031	110 30	00000
	0014	0608	FIAR0101005	1 1 1	10.00 10.50	27	1,031	110 30	00000
	0014	0608	FIAR0101008	1 1	11.00 12.15	28	1,031	110 30	00000
	0014	0608	MUSC0101002	1 1 1	12.00 12.50	29	1,031	110 30	00000
	0014	0608	HIST0104001	1 1	12.30 13.45	30	1,031	110 30	00000
	0014	0608	MUSC0101004	1 1	14.00 15.15	15	1,031	110 30	00000
	0014	0608	EDSN0444001	1 1	19.15 20.30	2	1,031	110 30	00000
8	0014	0611	ELED0431001	1	9.30 11.50	5	1,240	240	00000
8	0014	0611	ENGL0425001	1 1	11.00 12.15	8	1,240	240	00000
8	0014	0611	CDFS0201001	1	12.30 14.00	22	1,240	240	00000
8	0014	0611	CDFS0319001	1 1	14.00 15.15	14	1,240	240	00000
8	0014	0611	CDFS0470001	1 1	19.15 20.30	18	1,240	240	00000
	0014	0612	MUSE0501001	1	18.00 20.30	10	637	110 30	00000
	0014	0612	MUSE0507001	1	18.00 20.30	12	637	110 30	00000
	0015	0104	CRMJ0210001	1 1	8.00 9.15	13	586	110 30	00000
	0015	0104	CRMJ0110002	1 1 1	9.00 9.50	32	586	110 30	00000
8	0015	0104	ENGL0111001	1 1 1	9.00 9.50	31	586	110 30	00000
	0015	0104	ENGL0112002	1 1	9.30 10.45	26	586	110 30	00000
	0015	0104	CRMJ0320001	1 1 1	10.00 10.50	16	586	110 30	00000
	0015	0104	ENGL0203004	1 1	11.00 12.15	28	586	110 30	00000
	0015	0104	ENGL0203005	1 1	13.30 14.45	26	586	110 30	00000
	0015	0104	ENGL0260001	1 1 1	14.00 14.50	29	586	110 30	00000
	0015	0104	CRMJ0430001	1 1	16.00 17.35	21	586	110 30	00000
	0015	0104	CRMJ0420001	1 1	17.50 19.05	18	586	110 30	00000
	0015	0104	SOCL0320001	1 1	17.50 19.05	28	586	110 30	00000
	0015	0111	CRMJ0220001	1 1	8.00 9.15	23	1,047	110 30	00000
	0015	0111	ENGL0111002	1 1	9.30 10.45	30	1,047	110 30	00000
	0015	0111	ENGL0111004	1 1 1	10.00 10.50	31	1,047	110 30	00000
	0015	0111	ENGL0111003	1 1	11.30 12.45	31	1,047	110 30	00000
	0015	0111	ENGL0112004	1 1 1	12.00 12.50	30	1,047	110 30	00000
	0015	0111	ENGL0111007	1 1 1	13.00 13.50	29	1,047	110 30	00000
	0015	0111	ENGL0111005	1 1	14.00 15.15	33	1,047	110 30	00000
	0015	0111	ENGL0112008	1 1	17.50 19.05	23	1,047	110 30	00000
	0015	0111	ENGL0260004	1 1	19.15 20.30	24	1,047	110 30	00000
	0015	0112	CRMJ0410001	1 1 1	8.00 8.50	12	91	110 10	00000
8	0015	0112	ENGL0112001	1 1 1	9.00 9.50	33	91	110 10	00000
8	0015	0112	PSYC0318001	1 1	9.30 10.45	22	91	110 10	00000
8	0015	0112	ENGL0203002	1 1 1	10.00 10.50	26	91	110 10	00000
	0015	0112	ENGL0351001	1 1 1	12.00 12.50	11	91	110 10	00000
8	0015	0112	ENGL0260002	1 1	12.30 13.45	37	91	110 10	00000
8	0015	0112	ENGL0112005	1 1 1	13.00 13.50	21	91	110 10	00000
	0015	0112	ENGL0240001	1 1 1	14.00 14.50	11	91	110 10	00000
8	0015	0112	ENGL0112006	1 1	14.00 15.15	17	91	110 10	00000
8	0015	0112	ENGL0203006	1 1	17.50 19.05	19	91	110 10	00000
8	0015	0112	HIMS0360001	1 1	17.50 19.05	21	91	110 10	00000
8	0015	0112	ENGL0203007	1 1	19.15 20.30	25	91	110 10	00000
8	0015	0113	HIMS0110001	1 1 1	9.00 9.50	19	49	110 10	00000
	0015	0113	HIMS0303001	1 1 1	10.00 10.50	8	49	110 10	00000
	0015	0113	HIMS0450001	1 1	15.00 16.15	13	49	110 10	00000
8	0015	0113	HIMS0205001	1 1	16.30 17.40	25	49	110 10	00000
	0015	0113	HIMS0410001	1 1	16.30 17.40	11	49	110 10	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 11/13/2015 15:55:12
PAGE NUM 10

SOUTHERN - NEW ORLEANS
BRANCH
PARISH
RELATION
ORLEANS
MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	0015	0204	SOWK0732001	1	18.00 20.30	28	320	310 1	00000
8	0015	0220	SOWK0350001	1 1	14.30 15.45	20	201	310 1	00000
8	0015	0331	FIAR0432001	1 1	17.50 19.05	15	114	310 1	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 15:55:12

SOUTHERN - NEW ORLEANS

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	5
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	48
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	1
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	54
TOTAL NUMBER OF RECORDS READ	- - - - -	462
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	348
NUMBER OF JOINT-CLASS RECORDS	- - - - -	10
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	113

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2015 15:55:12

PAGE NUM 1

SOUTHERN - NEW ORLEANS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			61
TOTAL NUMBER OF STATIONS (CAPACITY)			2,330
WEEKLY STUDENT CONTACT HOURS	13,837	3,880	17,717
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,490	3,050	8,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,176	443	1,619
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	209,700	116,500	326,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,856	13,021	46,877
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,675	7,760	35,435
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	21.4	14.5	19.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.2	6.7	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	81.7	59.6	75.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			61
TOTAL NUMBER OF STATIONS (CAPACITY)			2,330
WEEKLY STUDENT CONTACT HOURS	13,837	3,880	17,717
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,490	3,050	8,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,176	443	1,619
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	209,700	116,500	326,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,856	13,021	46,877
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,675	7,760	35,435
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	21.4	14.5	19.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.2	6.7	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	81.7	59.6	75.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2015 15:55:12

PAGE NUM 2

SOUTHERN - NEW ORLEANS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			396
WEEKLY STUDENT CONTACT HOURS	1,375	298	1,673
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	148	28	176
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	35,640	19,800	55,440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,872	752	4,624
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,750	596	3,346
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.0	3.7	8.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.7	3.0	6.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	71.0	79.3	72.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			396
WEEKLY STUDENT CONTACT HOURS	1,375	298	1,673
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	148	28	176
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	35,640	19,800	55,440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,872	752	4,624
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,750	596	3,346
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.0	3.7	8.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.7	3.0	6.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	71.0	79.3	72.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY