

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:13:34
 PAGE NUM 1

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	A205	CPTR1002A03	1 1	10.00 11.30		12	210 33	00000
	A000	A205	ISYS1440A01	1	12.00 13.15		20	210 33	00000
	A000	A205	ISYS1650A01	1	12.00 13.15		17	210 33	00000
	A000	A205	OSYS1100A01	1 1 1	12.30 13.20		17	210 33	00000
	A000	A205	CPTR1002A01	1 1 1	13.30 14.40		14	210 33	00000
	A000	A205	CPTR1002A02	1	17.30 19.00		17	210 33	00000
	A000	A206	LFRM1000A01	1	8.00 9.50		22	110 22	00000
	A000	A206	LFRM1000A04	1	8.00 9.50		5	110 22	00000
	A000	A206	ENTP1000A01	1 1 1	9.00 9.50		12	110 22	00000
	A000	A206	LFMA0091A02	11111	9.35 11.04	1	11	110 22	00000
	A000	A206	LFRE0091A01	1 1	10.00 11.00	1	8	110 22	00000
	A000	A206	LFRE0092A01	1 1	11.00 12.00		2	110 22	00000
	A000	A206	LFRE0091A02	11111	11.05 12.34	1	13	110 22	00000
8	A000	A206	LFRM1000A02	1	12.00 13.50	1	26	110 22	00000
	A000	A206	LFRM1000A05	1	12.00 13.50		10	110 22	00000
	A000	A206	LFRE0091A01	1 1 1	13.30 14.30		8	110 22	00000
	A000	A206	LFMA0091A01	1 1	14.00 15.00	1	10	110 22	00000
	A000	A206	LFRM1000A03	1	14.00 15.50		19	110 22	00000
	A000	A206	LFRM1000A06	1	14.00 15.50		3	110 22	00000
	A000	A206	LFRE0092A01	1 1 1	14.30 15.30		2	110 22	00000
	A000	A206	LFMA0092A01	1 1	15.00 16.00	1	2	110 22	00000
	A000	A206	LFMA0091A01	1 1	15.30 17.00	1	10	110 22	00000
	A000	A206	LFMA0092A01	1 1	15.30 17.00		2	110 22	00000
	A000	A206	ORNT1000U01	11111	17.00 18.00		25	110 22	00000
	A000	A207	KYBD1010A01	1 1 1	9.00 9.50		17	210 22	00000
	A000	A207	KYBD1111A01	1 1 1	9.00 10.50	1	9	210 22	00000
	A000	A207	KYBD1111A02	11111	10.00 10.59	1	3	210 22	00000
	A000	A207	BUSE1030A01	1 1 1	11.00 11.50		16	210 22	00000
	A000	A207	BUSE1030A02	11111	11.00 11.59	1	4	210 22	00000
	A000	A214	CSRV1000A01	1 1 1	8.00 8.50		18	110 22	00000
	A000	A214	ACCT1200A01	1 1 1	11.00 11.50		7	110 22	00000
	A000	A214	MATR1350A01	1	13.30 14.20		3	110 22	00000
	A000	A214	CSRV1000A03	1	17.30 19.00		9	110 22	00000
	B000	B001	DRFT1230A01	11111	8.00 10.00		4	210 23	00000
	B000	B001	DRFT1215A01	11111	8.00 12.30	1	4	210 23	00000
	B000	B001	DRFT2310A01	11111	8.00 12.30	1	2	210 23	00000
	B000	B001	DRFT2310A02	11111	8.00 12.30	1	4	210 23	00000
	B000	B001	DRFT2320A01	11111	8.00 12.30	1	2	210 23	00000
	B000	B001	DRFT2320A02	11111	8.00 12.30	1	5	210 23	00000
	B000	B001	DRFT2330A01	11111	8.00 12.30	1	4	210 23	00000
	B000	B001	DRFT2346A01	11111	8.00 12.30	1	1	210 23	00000
	B000	B001	DRFT2356A01	11111	8.00 12.30	1	1	210 23	00000
	B000	B001	DRFT2366A01	11111	8.00 12.30	1	2	210 23	00000
8	B000	B001	DRFT1110A01	11111	10.00 13.00	1	7	210 23	00000
8	B000	B001	DRFT1130A01	11111	10.00 13.00	1	7	210 23	00000
8	B000	B001	DRFT1161A01	11111	10.00 13.00	1	7	210 23	00000
	B000	B001	DRFT1120A01	11111	13.05 15.30		7	210 23	00000
	B000	B001	DRFT1215A01	11111	14.05 16.00	1	4	210 23	00000
	B000	B001	DRFT2310A01	11111	14.05 16.00	1	2	210 23	00000
	B000	B001	DRFT2310A02	11111	14.05 16.00	1	4	210 23	00000
	B000	B001	DRFT2320A01	11111	14.05 16.00	1	2	210 23	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	B000	B001	DRFT2320A02	11111	14.05 16.00	1	5	1,694	210 23 00000	
	B000	B001	DRFT2330A01	11111	14.05 16.00	1	4	1,694	210 23 00000	
	B000	B001	DRFT2346A01	11111	14.05 16.00	1	1	1,694	210 23 00000	
	B000	B001	DRFT2356A01	11111	14.05 16.00	1	1	1,694	210 23 00000	
	B000	B001	DRFT2366A01	11111	14.05 16.00	1	2	1,694	210 23 00000	
	B000	B010	CPTR1000A02	1	13.30 14.55		9	640	110 40 00000	
	B000	B010	CPTR1000A04	1	13.30 14.55		13	640	110 40 00000	
	B000	B010	CPTR1000A03	1	13.30 15.00		9	640	110 40 00000	
8	B000	B011	CPTR1000A05	11111	7.45 9.34		21	100	310 1 00000	
8	B000	B011	CPTR1000A06	11111	9.35 11.04		23	100	310 1 00000	
8	B000	B011	CPTR1000U01	11111	17.00 18.00		6	100	310 1 00000	
	C000	C001	ELEC1210A01	1 1 1	7.30 10.50		16	1,978	210 20 00000	
	C000	C001	ELEC2460A01	1 1 1	11.30 12.20		18	1,978	210 20 00000	
	C000	C001	ELEC1120A01	1 1 1	12.30 15.50		17	1,978	210 20 00000	
	C000	C001	ELEC1120U01	11111	18.01 20.00		25	1,978	210 20 00000	
	C000	C002	ELEC1430A01	1 1 1	8.00 9.40		7	1,636	210 20 00000	
	C000	C002	ELEC1230A01	1 1 1	10.00 11.50		6	1,636	210 20 00000	
	C000	C002	ELEC1330A01	1 1 1	12.00 13.50		9	1,636	210 20 00000	
	C000	C002	ELEC1230U01	11111	17.00 18.00		12	1,636	210 20 00000	
	C000	C002	ELEC2720U01	11111	17.00 18.00	1	13	1,636	210 20 00000	
	C000	C002	ELEC1430U01	11111	18.01 19.00		12	1,636	210 20 00000	
	C000	C002	ELEC1330U01	11111	19.01 20.00		12	1,636	210 20 00000	
8	C000	C003	ELEC2520A01	1 1	9.00 11.30		9	186	730 00000	
	C000	C015	HACR2560A02	11111	7.25 9.25		1	870	210 20 00000	
	C000	C015	HACR2510A02	11111	7.25 10.25	1	1	870	210 20 00000	
4	C000	C015	HACR1150A01	1111	7.25 13.55	1	4	870	210 20 00000	
4	C000	C015	HACR1160A01	1111	7.25 13.55	1	4	870	210 20 00000	
4	C000	C015	HACR1170A01	1111	7.25 13.55	1	5	870	210 20 00000	
4	C000	C015	HACR1180A01	1111	7.25 13.55	1	5	870	210 20 00000	
4	C000	C015	HACR1230A01	1111	7.25 13.55	1	2	870	210 20 00000	
4	C000	C015	HACR1240A01	1111	7.25 13.55	1	2	870	210 20 00000	
4	C000	C015	HACR2510A01	1111	7.25 13.55	1	2	870	210 20 00000	
4	8	C000	C015	HACR2550A01	1111	7.25 13.55	1	8	870	210 20 00000
4	8	C000	C015	HACR1410A01	111	7.25 13.55	1	2	870	210 20 00000
4	8	C000	C015	HACR1420A01	111	7.25 13.55	1	2	870	210 20 00000
4	8	C000	C015	HACR2520A01	111	7.25 13.55	1	4	870	210 20 00000
4	8	C000	C015	HACR2530A01	111	7.25 13.55	1	2	870	210 20 00000
4	8	C000	C015	HACR2560A01	111	7.25 13.55	1	7	870	210 20 00000
	8	C000	C015	HACR1160A02	1111	9.00 11.00	1	1	870	210 20 00000
	D000	D002	IMFG1340A01	11111	8.00 9.50		4	627	110 40 00000	
	D000	D002	IMFG1410A01	11111	10.00 12.10		3	627	110 40 00000	
	D000	D002	IMFG1300A01	1 1	10.00 14.10	1	4	627	110 40 00000	
	D000	D002	IMFG1441A01	11111	12.40 14.30	1	3	627	110 40 00000	
	8	D000	D003	IMFG1100A03	11111	8.00 8.59		5	133	215 00000
	8	D000	D003	IMFG1120A01	1 1 1	8.00 10.50	1	4	133	215 00000
	8	D000	D003	IMFG1100A01	1 1 1	11.00 12.00		6	133	215 00000
	8	D000	D003	IMFG1200A01	1 1	14.15 18.15		6	133	215 00000
4	E000	E016	HNUR1212A01	1	6.30 12.30		32	2,014	110 75 00000	
	E000	E016	HNUR1211A01	1	8.00 11.00		31	2,014	110 75 00000	
	E000	E016	HNUR1302A01	1 1	8.00 11.00		27	2,014	110 75 00000	
	E000	E016	HNUR1211A01	1	9.00 11.00		31	2,014	110 75 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:13:34
 PAGE NUM 3

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	E000	E016	HNUR1312A01	1	12.00 15.00		29	110 75	00000
	E000	E018	HNUR1211A02	11	12.00 13.30		15	210 11	00000
4	8	E000	HNUR1212A01	1	12.00 16.00	1	32	210 11	00000
	E000	E023	HCOR1212A01	11	6.30 12.30		17	110 36	00000
4		E000	HNUR2143A01	1	6.30 14.30	1	14	110 36	00000
	E000	E023	HCOR1210A01	1	8.00 8.50		13	110 36	00000
	E000	E023	HNUR1211A02	11	8.00 11.00		15	110 36	00000
	E000	E023	HCOR1210A01	1	8.00 11.00		13	110 36	00000
	E000	E023	HCOR1200A01	1	8.00 11.00		13	110 36	00000
	E000	E023	HCOR1320A01	1	9.00 12.00		13	110 36	00000
	E000	E023	HCOR1200A01	1	12.00 13.20		13	110 36	00000
4		E000	HNUR2123A02	1	16.00 21.30		6	110 36	00000
4		E000	HNUR2153A01	1	16.00 22.00		9	110 36	00000
	9	E000	HNUR2153A01	1	17.00 21.30		9	110 36	00000
4		E000	HNUR2123A01	11	6.30 14.30		14	110 20	00000
	E000	E025	HNUR2143A01	1	8.00 11.00		14	110 20	00000
	E000	E025	HNUR2123A01	111	8.00 11.00		14	110 20	00000
	9	E000	HNUR2123A01	1	8.00 11.00		14	110 20	00000
89		E000	HNUR2123A01	1	8.00 11.00		14	110 20	00000
	E000	E025	HNUR2183A01	1	8.30 11.00		12	110 20	00000
	E000	E025	HNUR2143A01	11	11.45 14.30		14	110 20	00000
	E000	E025	HNUR2123A01	1	11.45 14.45		14	110 20	00000
	E000	E025	HNUR2993A01	1	12.00 14.45		3	110 20	00000
	E000	E025	HNUR1302A02	1 1	16.00 19.15		7	110 20	00000
4		E000	HNUR2123A02	11	16.00 22.00	1	6	110 20	00000
	F000	F011	WELD1110A02	11111	8.00 8.59		4	110 24	00000
	F000	F011	WELD1110A03	11111	8.00 8.59	1	13	110 24	00000
8		F000	WELD1210A01	11111	8.00 8.59	1	25	110 24	00000
8		F000	WELD1210A04	11111	8.00 8.59	1	5	110 24	00000
8		F000	WELD1310A01	11111	8.00 8.59	1	25	110 24	00000
8		F000	WELD1411A03	11111	8.00 11.30	1	1	110 24	00000
8		F000	WELD2310A02	11111	8.00 11.30	1	1	110 24	00000
8		F000	WELD2310A03	11111	8.00 11.30	1	1	110 24	00000
8		F000	WELD2311A03	11111	8.00 11.30	1	4	110 24	00000
4	8	F000	WELD1411A02	11111	8.00 14.30	1	5	110 24	00000
4	8	F000	WELD1412A01	11111	8.00 14.30	1	6	110 24	00000
4	8	F000	WELD2110A01	11111	8.00 14.30	1	15	110 24	00000
4	8	F000	WELD2210A01	11111	8.00 14.30	1	5	110 24	00000
4	8	F000	WELD2230A01	11111	8.00 14.30	1	4	110 24	00000
4	8	F000	WELD2310A01	11111	8.00 14.30	1	22	110 24	00000
4	8	F000	WELD2311A01	11111	8.00 14.30	1	21	110 24	00000
4	8	F000	WELD2111A01	1 111	8.00 14.30	1	17	110 24	00000
4	8	F000	WELD1420A01	11111	8.00 15.00	1	15	110 24	00000
4	8	F000	WELD1510A01	11111	8.00 15.00	1	15	110 24	00000
4	8	F000	WELD1511A01	11111	8.00 15.00	1	16	110 24	00000
4	8	F000	WELD1512A01	11111	8.00 15.00	1	15	110 24	00000
4	8	F000	WELD2994A03	11111	8.00 15.00	1	1	110 24	00000
8		F000	WELD1410A03	11111	9.00 9.59	1	5	110 24	00000
4	8	F000	WELD1410A01	11111	9.15 14.30	1	24	110 24	00000
4	8	F000	WELD1411A01	11111	9.15 14.30	1	23	110 24	00000
8		F000	WELD1210A03	11111	12.00 13.00	1	6	110 24	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2014
 RUN DATE 11/17/2014 10:13:34
 PAGE NUM 4

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
8	F000	F011	WELD1310A02	11111	12.00 13.00	1	529	110 24	00000	
8	F000	F011	WELD1420A03	11111	12.00 14.30	1	529	110 24	00000	
8	F000	F011	WELD2111A02	11111	12.00 14.30	1	529	110 24	00000	
4	8	F000	F011	WELD1410A02	11111	13.05 18.30	1	529	110 24	00000
4	8	F000	F011	WELD1411A06	11111	13.05 18.30	1	529	110 24	00000
8	F000	F011	ZRWD1000A01	1111	17.00 21.00	1	529	110 24	00000	
8	F000	F011	ZRWD1000A02	1111	17.00 21.00	1	529	110 24	00000	
8	F000	F011	ZRWD3000A01	1111	17.00 21.00	1	529	110 24	00000	
8	F000	F011	WELD1411A05	11	17.00 21.00	1	529	110 24	00000	
8	F000	F011	WELD1420A04	11	17.00 21.00	1	529	110 24	00000	
8	F000	F011	WELD2110A03	11	17.00 21.00	1	529	110 24	00000	
8	F000	F011	WELD2210A04	11	17.00 21.00	1	529	110 24	00000	
8	F000	F011	WELD2220A01	11	17.00 21.00	1	529	110 24	00000	

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	37
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	58
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	3
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		98
TOTAL NUMBER OF RECORDS READ		166
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		163
NUMBER OF JOINT-CLASS RECORDS		91
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2014 10:13:34

PAGE NUM 1

L.T.C.-ALEXANDRIA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			593
WEEKLY STUDENT CONTACT HOURS	10,142	450	10,593
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,070	1,150	3,220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,814	189	2,003
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	53,370	29,650	83,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	47,504	4,510	52,014
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,285	901	21,186
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	87.6	16.4	62.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.0	3.0	25.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.7	20.0	40.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			593
WEEKLY STUDENT CONTACT HOURS	10,142	450	10,593
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,070	1,150	3,220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,814	189	2,003
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	53,370	29,650	83,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	47,504	4,510	52,014
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,285	901	21,186
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	87.6	16.4	62.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.0	3.0	25.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.7	20.0	40.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2014 10:13:34

PAGE NUM 2

L.T.C. -ALEXANDRIA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			459
WEEKLY STUDENT CONTACT HOURS	3,550	520	4,071
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,566	63	1,629
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41,310	22,950	64,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,793	1,299	35,092
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,101	1,041	8,142
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.5	5.3	48.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.2	4.5	12.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.0	80.1	23.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			459
WEEKLY STUDENT CONTACT HOURS	3,550	520	4,071
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,566	63	1,629
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41,310	22,950	64,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,793	1,299	35,092
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,101	1,041	8,142
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.5	5.3	48.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.2	4.5	12.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.0	80.1	23.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY