

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/18/2014 09:43:27
 PAGE NUM 1

L.T.C.-BATON ROUGE
 BRANCH
 PARISH
 RELATION
 E.B.R.
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	DBR1	0117	CDYC1110A01	1 1 1	8.30 9.55		13	568	110 36 00000
	DBR1	0117	CDYC1420A01	1 1 1	10.00 11.45		19	568	110 36 00000
4	DBR1	0117	CDYC1332A01		11.45 17.40	1	18	568	110 36 00000
	DBR1	0117	CDYC1210A01	111	12.15 13.55		21	568	110 36 00000
	DBR1	0117	CDYC1220A01	111	14.00 15.40		17	568	110 36 00000
	DBR1	0117	CDYC1410A02	1	17.30 20.20		15	568	110 36 00000
	DBR1	0124B	CDYC1151A01	111	8.30 11.30		4	200	210 4 00000
8	DBR1	0124B	CDYC1241A01	111	8.30 11.30	1	3	200	210 4 00000
8	DBR1	0124B	CDYC1341A01	111	8.30 11.30	1	1	200	210 4 00000
	DBR1	0124B	CDYC1151A02	111	12.30 15.30		4	200	210 4 00000
	DBR1	0124B	CDYC1241A02	111	12.30 15.30	1	1	200	210 4 00000
8	DBR1	0124B	CDYC1341A02	111	12.30 15.30	1	2	200	210 4 00000
	DBR1	0127B	CULN1140A01	1 1 1	7.00 8.45		17	1,100	210 20 00000
	DBR1	0127B	CULN2310A01	111111	7.00 9.15	1	9	1,100	210 20 00000
	DBR1	0127B	CULN2995A01	11111	8.30 10.00	1	4	1,100	210 20 00000
8	DBR1	0127B	CULN1321A01	111111	9.16 11.05	1	10	1,100	210 20 00000
8	DBR1	0127B	CULN1130A01	1 1 1	10.11 11.55	1	13	1,100	210 20 00000
	DBR1	0128A	INTE1200 01	111	14.30 16.30		8	832	140 21 00000
	DBR1	0128B	CPTR1002 01	1 1	11.15 12.45		28	832	140 20 00000
	DBR1	0128C	INTE1100 01	1 1 1	8.00 10.05		8	1,321	140 25 00000
	DBR1	0131	GRPH1200A01	1 1	7.00 10.00		12	3,893	220 40 00000
	DBR1	0131	GRPH1100A01	1 1	7.00 11.00		11	3,893	220 40 00000
4	DBR1	0131	GRPH1300A01	1 1	7.00 13.30	1	12	3,893	220 40 00000
	DBR1	0131	GRPH1530A01	1 1	10.16 12.50		19	3,893	220 40 00000
	DBR1	0131	GRPH1420A01	1111	12.00 15.00	1	11	3,893	220 40 00000
	DBR1	0133	HACR1210A01	1111	8.00 9.30		19	476	110 28 00000
	DBR1	0133	HACR2510A01	111	8.05 10.05	1	10	476	110 28 00000
8	DBR1	0133	HACR1220A01	1111	9.45 11.15	1	18	476	110 28 00000
8	DBR1	0133	HACR2520A01	111	10.10 11.50	1	10	476	110 28 00000
8	DBR1	0133	HACR1230A01	1111	11.30 13.00	1	18	476	110 28 00000
8	DBR1	0133	SPPR2993A02	1111	11.51 12.55	1	10	476	110 28 00000
	DBR1	0133	SPPR2995A01	1111	12.56 14.30		10	476	110 28 00000
	DBR1	0133	HACR1240A01	1111	13.01 14.35	1	19	476	110 28 00000
	DBR1	0133	HACR2530A01	111	15.00 17.20		10	476	110 28 00000
	DBR1	0207	HNUR2611A01	1	8.00 10.00		11	978	110 25 00000
	DBR1	0207	HNUR2133A01		8.00 10.55	11	18	978	110 25 00000
	DBR1	0207	HNUR2813A01	1 1	11.30 13.30		18	978	110 25 00000
	DBR1	0207	HNUR2523A01	1 1	11.30 13.40	1	16	978	110 25 00000
8	DBR1	0208	HNUR1411A01	1 1	8.00 10.00		35	1,149	110 20 00000
8	DBR1	0208	HNUR1300A01	1 1	8.00 11.00		37	1,149	110 20 00000
	DBR1	0208	HNUR1211A01	1 1	8.00 11.00		24	1,149	110 20 00000
8	DBR1	0208	HNUR1361A01	1 1	11.30 13.30		33	1,149	110 20 00000
8	DBR1	0208	HNUR1270A01	1 1	11.30 14.30	1	33	1,149	110 20 00000
	DBR1	0210	HNUR2123A01		8.00 10.55	11	13	1,145	110 35 00000
	DBR1	0210	HNUR2713A01	1 1	11.30 14.00		11	1,145	110 35 00000
	DBR1	0210	HNUR2723A01	1 1	11.30 14.00	1	13	1,145	110 35 00000
	DBR1	0217	DRFT1110A01	1111	7.00 7.45		6	1,347	210 20 00000
	DBR1	0217	CADD1215A01	111	7.00 9.20	1	8	1,347	210 20 00000
	DBR1	0217	DRFT1120A01	1111	7.46 8.35	1	6	1,347	210 20 00000
	DBR1	0217	DRFT1130A01	1111	8.46 9.35		6	1,347	210 20 00000
	DBR1	0217	DRFT2330A01	1111	9.21 11.10	1	7	1,347	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/18/2014 09:43:27
 PAGE NUM 2

L.T.C.-BATON ROUGE
 BRANCH
 PARISH
 RELATION
 E.B.R.
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	DBR1	0217	DRFT2343A01	1111	11.11 13.00		1	1,347	210 20 00000
	DBR1	0217	DRFT2346A01	1111	11.11 13.00	1	6	1,347	210 20 00000
	DBR1	0217	DRFT1145A01	1111	11.26 13.15	1	6	1,347	210 20 00000
	DBR1	0217	DRFT1215A01	111	11.26 13.50	1	2	1,347	210 20 00000
	DBR1	0217	DRFT2353A01	1111	13.01 14.50	1	1	1,347	210 20 00000
	DBR1	0217	DRFT2356A01	1111	13.01 14.50	1	7	1,347	210 20 00000
	DBR1	0217	DRFT1161A01	1111	13.16 14.05	1	7	1,347	210 20 00000
8	DBR1	0217	MATH1110A01	1111	13.16 14.05	1	5	1,347	210 20 00000
	DBR1	0217	DRFT1230A01	1 1	14.06 15.10		7	1,347	210 20 00000
	DBR1	0217	CADD1210A01	1111	14.06 15.55	1	3	1,347	210 20 00000
	DBR1	0217	DRFT2366A01	1111	14.51 16.40	1	6	1,347	210 20 00000
	DBR1	0218	CULN1220A01	1 1	8.00 10.30		6	1,022	110 40 00000
	DBR1	0218	CULN1170A01	1 1 1	8.46 10.10		17	1,022	110 40 00000
	DBR1	0218	CULN1160A01	1 1	10.31 13.05		15	1,022	110 40 00000
	DBR1	0218	CULN1110A01	1 1	13.01 15.35		12	1,022	110 40 00000
4	DBR1	0218	PHSC1015A01	1	17.30 20.30		3	1,022	110 40 00000
	DBR1	0221	ORNT1000A91	11	8.30 16.30		17	5,213	610 280 00000
	DBR1	0223	CSRV1000A01	1 1	8.00 9.35		10	980	140 25 00000
	DBR1	0223	OADM1050A01	1 1	10.35 12.35		5	980	140 25 00000
	DBR1	0223	OADM1100A01	1 1	12.00 13.30		14	980	140 25 00000
	DBR1	0223	DVEN0091A02	1 1	12.30 14.00	1	12	980	140 25 00000
	DBR1	0223	DVEN0091A01	1 1	15.00 16.30		16	980	140 25 00000
	DBR1	0224	DVMA0090A05	1 1	11.30 13.00		7	913	140 22 00000
	DBR1	0224	DVMA0090A01	1 1	12.30 14.00		3	913	140 22 00000
	DBR1	0224	DVMA0090A02	1 1	15.00 16.30		6	913	140 22 00000
	DBR1	0224	DVMA0090A06	1 1	15.00 16.30		14	913	140 22 00000
	DBR1	0224	DVMA0090A03	1 1	17.00 18.30		11	913	140 22 00000
	DBR1	0225	OADM2630A01	1 1	6.29 7.59		2	1,032	140 22 00000
	DBR1	0225	OADM1200A01	1 1	8.00 10.00		6	1,032	140 22 00000
	DBR1	0225	OADM1180A01	1 1	9.40 11.10		13	1,032	140 22 00000
	DBR1	0225	OADM1650A01	1 1	13.00 15.00		4	1,032	140 22 00000
	DBR1	0225	OADM1140A01	1 1	13.35 15.05		9	1,032	140 22 00000
	DBR1	0225	OADM1450A01	1 1	15.05 17.05		2	1,032	140 22 00000
	DBR1	0225	DVRE0091A01	1 1	17.00 18.30	1	22	1,032	140 22 00000
	DBR3	0144	WELD1110A01	1111	7.30 8.30		19	5,391	210 47 00000
	DBR3	0144	WELD1412A01	1111	7.30 9.15	1	11	5,391	210 47 00000
	DBR3	0144	WELD1512A01	1111	7.30 9.15	1	3	5,391	210 47 00000
	DBR3	0144	WELD2210A01	1111	7.30 9.15	1	3	5,391	210 47 00000
	DBR3	0144	WELD2311A01	1111	7.30 9.15	1	5	5,391	210 47 00000
	DBR3	0144	WELD1120A01	1111	8.21 9.40	1	1	5,391	210 47 00000
	DBR3	0144	WELD2220A01	1111	8.56 10.45	1	4	5,391	210 47 00000
	DBR3	0144	WELD2990A01	1111	8.56 12.00	1	2	5,391	210 47 00000
	DBR3	0144	WELD2995A01	1111	9.11 10.45	1	1	5,391	210 47 00000
	DBR3	0144	WELD2110A01	1111	9.16 10.50	1	10	5,391	210 47 00000
	DBR3	0144	WELD1420A01	1111	9.16 11.05	1	6	5,391	210 47 00000
	DBR3	0144	WELD2221A01	1111	10.26 12.15	1	6	5,391	210 47 00000
8	DBR3	0144	WELD1310A01	1111	10.46 12.20	1	26	5,391	210 47 00000
8	DBR3	0144	WELD1130A01	1111	11.06 12.10	1	1	5,391	210 47 00000
8	DBR3	0144	WELD1510A01	1111	11.06 12.55	1	3	5,391	210 47 00000
8	DBR3	0144	WELD2991A01	1111	11.26 12.00	1	2	5,391	210 47 00000
8	DBR3	0144	WELD1140A01	1111	11.56 13.00	1	21	5,391	210 47 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/18/2014 09:43:27
 PAGE NUM 3

L.T.C.-BATON ROUGE
 BRANCH
 PARISH
 RELATION
 E.B.R.
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	DBR3	0144	WELD2222A01	1111	11.56 13.45	1	6	5,391	210 47 00000
8	DBR3	0144	WELD1411A01	1111	12.21 13.55	1	28	5,391	210 47 00000
8	DBR3	0144	WELD2310A01	1111	12.30 14.15	1	3	5,391	210 47 00000
8	DBR3	0144	WELD2111A01	1111	12.35 14.20	1	5	5,391	210 47 00000
8	DBR3	0144	WELD1210A01	1111	12.46 13.50	1	22	5,391	210 47 00000
8	DBR3	0144	WELD1511A01	1111	12.56 14.45	1	3	5,391	210 47 00000
8	DBR3	0144	WELD1110A03	1111	14.00 15.00	1	10	5,391	210 47 00000
8	DBR3	0144	WELD1210A03	1111	14.00 15.00	1	7	5,391	210 47 00000
8	DBR3	0144	WELD2110A03	1111	14.00 15.30	1	9	5,391	210 47 00000
8	DBR3	0144	WELD1510A03	1111	14.00 15.45	1	8	5,391	210 47 00000
8	DBR3	0144	WELD2220A03	1111	14.00 15.45	1	5	5,391	210 47 00000
8	DBR3	0144	WELD2310A03	1111	14.46 16.35	1	6	5,391	210 47 00000
8	DBR3	0144	WELD1120A03	1111	15.01 16.20	1	5	5,391	210 47 00000
8	DBR3	0144	WELD1310A03	1111	15.01 16.35	1	7	5,391	210 47 00000
8	DBR3	0144	WELD2111A03	1111	15.31 17.20	1	7	5,391	210 47 00000
8	DBR3	0144	WELD1511A03	1111	15.46 17.35	1	5	5,391	210 47 00000
8	DBR3	0144	WELD2221A03	1111	15.46 17.35	1	3	5,391	210 47 00000
8	DBR3	0144	WELD1130A03	1111	16.21 17.25	1	2	5,391	210 47 00000
8	DBR3	0144	WELD1412A03	1111	16.36 18.25	1	6	5,391	210 47 00000
8	DBR3	0144	WELD2311A03	1111	16.37 18.25	1	3	5,391	210 47 00000
8	DBR3	0144	WELD2210A03	1111	17.21 19.10	1	1	5,391	210 47 00000
8	DBR3	0144	WELD1512A03	1111	17.36 19.25	1	6	5,391	210 47 00000
8	DBR3	0144	WELD2222A03	1111	17.36 19.25	1	2	5,391	210 47 00000
8	DBR3	0144	WELD1411A03	1111	18.26 20.00	1	4	5,391	210 47 00000
8	DBR3	0144	WELD1420A03	1111	18.26 20.15	1	8	5,391	210 47 00000
8	DBR3	0144	WELD1140A03	1111	19.26 20.30	1	9	5,391	210 47 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	3
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	45
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		48
TOTAL NUMBER OF RECORDS READ		128
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		128
NUMBER OF JOINT-CLASS RECORDS		75
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2014 09:43:27

PAGE NUM 1

L.T.C.-BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			47
TOTAL NUMBER OF STATIONS (CAPACITY)			7,062
WEEKLY STUDENT CONTACT HOURS	3,498	153	3,651
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,230	2,350	6,580
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	470	24	494
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	635,580	353,100	988,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,163	720	13,883
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,996	306	7,302
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.1	1.0	7.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.1	.1	.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	53.1	42.5	52.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			31
TOTAL NUMBER OF STATIONS (CAPACITY)			3,119
WEEKLY STUDENT CONTACT HOURS	2,910	54	2,964
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,790	1,550	4,340
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	337	12	349
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	280,710	155,950	436,660
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,114	456	10,570
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,820	108	5,928
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	12.1	.8	8.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.1	.1	1.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.5	23.7	56.1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2014 09:43:27

PAGE NUM 2

L.T.C.-BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			3,943
WEEKLY STUDENT CONTACT HOURS	588	99	687
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,440	800	2,240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	133	12	145
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	354,870	197,150	552,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,049	264	3,313
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,176	198	1,374
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	9.2	1.5	6.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.3	.1	.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.6	75.0	41.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			25
TOTAL NUMBER OF STATIONS (CAPACITY)			634
WEEKLY STUDENT CONTACT HOURS	3,555	222	3,777
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,250	1,250	3,500
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,027	92	1,119
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	57,060	31,700	88,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35,300	4,324	39,624
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,111	444	7,555
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	45.6	7.4	32.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.5	1.4	8.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.1	10.3	19.1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2014 09:43:27
 PAGE NUM 3

L.T.C.-BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			420
WEEKLY STUDENT CONTACT HOURS	2,993	222	3,215
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	937	92	1,029
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	37,800	21,000	58,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,700	4,324	36,024
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,987	444	6,431
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	54.8	9.7	38.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.8	2.1	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.9	10.3	17.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			214
WEEKLY STUDENT CONTACT HOURS	562		562
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	90		90
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19,260	10,700	29,960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,600		3,600
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,124		1,124
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.7	.0	10.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.8	.0	3.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.2	.0	31.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY