

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 1

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0050	0100	INCT1100056	11111	8.00 8.50		14	1,368	210 15 00000
	0050	0100	INCT1500176	11111	10.00 10.50		13	1,368	210 15 00000
	0050	0100	INCT2902056	1111	11.00 11.50		2	1,368	210 15 00000
	0050	0100	INCT1800177	11111	12.00 12.50		17	1,368	210 15 00000
	0050	0100	INCT2261249	11111	13.00 14.20		19	1,368	210 15 00000
	0050	0101	DRFT1110188	11111	7.50 11.00		1	975	210 14 00000
	0050	0101	DRFT1110283	11111	8.00 10.59	1	1	975	210 14 00000
	0050	0101	DRFT1110188	11111	9.30 12.30	1	1	975	210 14 00000
	0050	0101	DRFT1110266	11111	12.00 13.59	1	3	975	210 14 00000
	0050	0101	DRFT1110188	1111	16.00 21.00		1	975	210 14 00000
	0050	0101	DRFT1110282	1 1 1	16.05 20.55	1	1	975	210 14 00000
	0050	0103	DRFT1120065	11111	8.00 10.00		1	1,346	210 36 00000
	0050	0103	CADD1215252	11111	8.00 10.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1145267	11111	8.00 10.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1145066	11111	8.00 11.00	1	1	1,346	210 36 00000
	0050	0103	DRFT1215067	11111	8.00 11.00	1	2	1,346	210 36 00000
	0050	0103	DRFT1215267	11111	8.00 11.00	1	2	1,346	210 36 00000
	0050	0103	DRFT2310067	11111	8.00 11.00	1	2	1,346	210 36 00000
	0050	0103	DRFT2310189	11111	8.00 11.00	1	2	1,346	210 36 00000
	0050	0103	DRFT2330067	11111	8.00 11.00	1	2	1,346	210 36 00000
	0050	0103	DRFT1120065	11111	9.30 12.30	1	1	1,346	210 36 00000
	0050	0103	DRFT1230253	1111	10.15 11.15	1	1	1,346	210 36 00000
	0050	0103	DRFT1145066	11111	10.15 13.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1160066	1111	11.05 11.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1230067	1111	12.00 12.59		2	1,346	210 36 00000
	0050	0103	DRFT1230189	1111	12.00 12.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1130267	1111	12.00 13.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2310253	11111	12.00 14.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2320190	11111	12.00 14.59	1	1	1,346	210 36 00000
	0050	0103	CADD1210064	11111	12.00 15.00	1	6	1,346	210 36 00000
	0050	0103	DRFT1120271	1111	12.00 15.00	1	1	1,346	210 36 00000
	0050	0103	DRFT1110065	11111	12.00 15.10	1	4	1,346	210 36 00000
	0050	0103	DRFT1120189	11111	12.00 15.10	1	3	1,346	210 36 00000
	0050	0103	CADD1210187	11111	13.00 16.00	1	1	1,346	210 36 00000
	0050	0103	DRFT1161266	1111	14.00 14.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1130065	11111	14.00 16.00	1	1	1,346	210 36 00000
	0050	0103	DRFT1130271	11111	15.30 17.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1230271	1111	16.00 17.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1130065	1111	16.00 18.15	1	1	1,346	210 36 00000
	0050	0103	DRFT2344068	1111	16.00 20.50	1	1	1,346	210 36 00000
	0050	0103	CADD1210188	1111	16.00 20.55	1	3	1,346	210 36 00000
	0050	0103	DRFT1110276	11111	16.00 20.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1145066	11111	16.00 20.59	1	2	1,346	210 36 00000
	0050	0103	DRFT1120250	1 1 1	16.00 20.59	1	2	1,346	210 36 00000
	0050	0103	DRFT1161250	1111	16.05 16.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1230067	1111	16.05 16.59	1	2	1,346	210 36 00000
	0050	0103	DRFT2346251	11111	16.05 19.30	1	1	1,346	210 36 00000
	0050	0103	DRFT2310267	11111	16.05 19.59	1	2	1,346	210 36 00000
	0050	0103	DRFT2320267	11111	16.05 20.59	1	2	1,346	210 36 00000
	0050	0103	DRFT1215251	11111	17.00 18.50	1	2	1,346	210 36 00000
	0050	0103	DRFT1215271	11111	18.00 19.30	1	1	1,346	210 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 2

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0050	0103	DRFT1145253	11111	18.30 20.59	1	1,346	210 36	00000	
	0050	0103	CADD1215188	11111	19.00 20.50	1	1,346	210 36	00000	
	0050	0103	DRFT2310271	11111	19.35 20.55	1	1,346	210 36	00000	
	0050	0103	CADD1215271	11111	20.00 21.30	1	1,346	210 36	00000	
	0050	0103	DRFT1160066	11111	21.00 22.00	1	1,346	210 36	00000	
	0050	0103	DRFT2330272	11111	21.00 22.30	1	1,346	210 36	00000	
	0050	0104	ACCT1500052	11111	8.00 8.50	7	1,325	210 20	00000	
	0050	0104	CPTR1010054	11111	9.00 9.50	9	1,325	210 20	00000	
	0050	0104	INCT2110056	1 1	17.30 20.20	6	1,325	210 20	00000	
	0050	0107	HMDT1170262	11111	8.00 9.00	11	649	110 22	00000	
	0050	0107	HPHL1011263	11111	8.00 12.15	1	649	110 22	00000	
4	8	0050	0107	HPHL1022263	11111	8.00 14.50	1	649	110 22	00000
	8	0050	0107	HCOR1160262	11111	9.15 10.15	1	649	110 22	00000
		0050	0107	HCOR1120262	11111	10.30 12.15	12	649	110 22	00000
		0050	0107	HCOR1110262	11111	13.00 14.00	12	649	110 22	00000
		0050	0107	HNUR1211284	11111	16.00 21.00	2	649	110 22	00000
		0050	0108	HNUR2133092	111	8.00 11.00	9	557	110 25	00000
		0050	0108	HNUR2523092	111	12.00 15.00	10	557	110 25	00000
		0050	0108	HNUR2611092	111	12.00 15.00	1	557	110 25	00000
	8	0050	0108	HNUR2813104	111	12.00 15.00	1	557	110 25	00000
		0050	0109	HNUR2123092	111	8.00 11.00	19	920	110 36	00000
		0050	0109	HNUR2723193	111	16.00 17.30	21	920	110 36	00000
		0050	0109	ELEC2991131	1 1	18.00 21.00	28	920	110 36	00000
4	8	0050	0111	HNUR1300093	11111	8.00 11.00	37	631	210 21	00000
		0050	0224	HNUR1212093	11111	6.30 15.00	18	1,681	110 50	00000
		0050	0224	HNUR1211092	11111	8.00 11.00	1	1,681	110 50	00000
		0050	0224	HNUR1411093	11111	8.00 11.00	1	1,681	110 50	00000
		0050	0224	HNUR1361093	11111	12.00 15.00	22	1,681	110 50	00000
		0050	0224	HNUR1270093	1 1	12.00 15.00	1	1,681	110 50	00000
		0050	0224	HNUR1320093	1	12.00 15.00	22	1,681	110 50	00000
		0050	0225	DVEN0092239	1 1 1	13.00 13.55	1	875	210 29	00000
		0050	0225	DVMA0092248	1 1 1	13.00 13.55	1	875	210 29	00000
		0050	0225	ENGL 090239	1 1 1	13.00 13.55	1	875	210 29	00000
		0050	0225	MATH 090240	1 1 1	13.00 13.55	1	875	210 29	00000
		0050	0225	READ 090239	1 1 1	13.00 13.55	1	875	210 29	00000
		0050	0225	READ 095239	1 1 1	13.00 13.55	1	875	210 29	00000
		0050	0225	DVEN0092240	1 1 1	14.00 14.55	1	875	210 29	00000
		0050	0225	DVMA0092248	1 1 1	14.00 14.55	1	875	210 29	00000
		0050	0225	MATH 090240	1 1 1	14.00 14.55	1	875	210 29	00000
		0050	0225	READ 090240	1 1 1	14.00 14.55	1	875	210 29	00000
		0050	0241	ELEC2991131	1 1	18.00 21.00	20	656	110 28	00000
		0050	0241	ELEC2993131	1 1	18.00 21.00	1	656	110 28	00000
		0050	0244	ACCT1100051	1111	9.00 10.50	4	701	110 24	00000
		0050	0244	ACCT1200051	1111	9.00 10.50	1	701	110 24	00000
		0050	0244	BUSM1050053	1111	12.00 12.50	11	701	110 24	00000
		0050	0244	BUSE1045176	1111	14.00 14.50	9	701	110 24	00000
		0050	0244	ELEC2991131	1 1	18.00 21.00	8	701	110 24	00000
		0050	0244	ELEC2993132	1 1	18.00 21.00	1	701	110 24	00000
		0050	0245	MATH 095249	1 1	8.00 9.15	11	685	110 30	00000
		0050	0245	MATH 099249	1 1	9.30 10.45	15	685	110 30	00000
		0050	0245	PSYC 201144	1	16.10 18.30	13	685	110 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 3

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0050	0246	JOBS2450057	1	8.00 9.50		10	822	210 20 00000
	0050	0246	BUSE1030053	111	9.00 9.50		5	822	210 20 00000
	0050	0246	ACCT1250052	111	11.00 11.50		8	822	210 20 00000
	0050	0246	OSYS1100058	111	12.00 12.50		13	822	210 20 00000
8	0050	0246	BOTH1120052	111	13.00 13.50		8	822	210 20 00000
	0050	0246	JOBS2450177	11	15.00 15.50		37	822	210 20 00000
	0050	0247	BOTH1230052	111	9.00 9.50		8	812	210 25 00000
	0050	0247	BOTH1210052	111	10.00 10.50		8	812	210 25 00000
	0050	0247	CPTR1310054	1111	12.00 12.50		2	812	210 25 00000
	0050	0247	ISYS1650057	1111	12.00 12.50	1	1	812	210 25 00000
	0050	0247	CPTR1000053	111	12.00 12.50	1	3	812	210 25 00000
	0050	0247	CPTR1600254	111	12.00 12.50	1	1	812	210 25 00000
	0050	0247	ISYS1440056	1111	12.00 13.15	1	1	812	210 25 00000
	0050	0247	CPTR1310055	1111	13.00 13.50	1	1	812	210 25 00000
	0050	0247	ISYS1650057	1111	13.00 13.50	1	1	812	210 25 00000
	0050	0247	BOTH2110052	111	13.00 13.50	1	10	812	210 25 00000
	0050	0247	CPTR1000053	111	13.00 13.50	1	4	812	210 25 00000
	0050	0247	MATR1350154	111	13.00 13.50	1	2	812	210 25 00000
	0050	0247	ISYS1650057	1111	14.00 14.50		1	812	210 25 00000
	0050	0247	CPTR1000053	111	14.00 14.50	1	2	812	210 25 00000
	0050	0247	CPTR1320054	1111	14.00 15.15	1	3	812	210 25 00000
	0050	0247	CPTR1310176	1111	15.00 15.50	1	1	812	210 25 00000
	0050	0247	ISYS1650057	1111	15.00 15.50	1	1	812	210 25 00000
	0050	0247	CPTR1000053	111	15.00 15.50	1	21	812	210 25 00000
	0050	0247	ISYS1650177	11	16.00 17.50		1	812	210 25 00000
	0050	0247	CPTR1320055	11	16.00 18.20	1	5	812	210 25 00000
	0050	0247	ISYS1440057	11	16.00 18.20	1	2	812	210 25 00000
	0050	0247	CPTR1000054	11	16.00 18.50	1	5	812	210 25 00000
	0050	0247	CPTR1000053	1	16.00 18.50	1	6	812	210 25 00000
	0050	0247	CPTR1000053	1	16.00 18.50		13	812	210 25 00000
	0050	0247	BOTH1240052	1	18.00 20.50		24	812	210 25 00000
8	0050	0247	ORNT1000058	11111	21.00 22.00		60	812	210 25 00000
89	0050	0247	ORNT1000058	11111	21.00 22.00		8	812	210 25 00000
89	0050	0247	ORNT1000058	11111	21.00 22.00		25	812	210 25 00000
	0050	0248	EMSE1100158	1 11	17.30 21.30		11	596	210 20 00000
	0050	0248	ELEC2991131	1 1	18.00 21.00	1	11	596	210 20 00000
8	0050	0248	ELEC2993132	1 1	18.00 21.00	1	11	596	210 20 00000
89	0050	0248	ELEC2993132	1 1	18.00 21.00		12	596	210 20 00000
	0050	0254	ELEC2991131	1 1	18.00 21.00		12	448	110 14 00000
	0051	0100	AUTO1120275	11111	8.00 8.59		13	800	210 30 00000
	0051	0100	AUTO1130275	11111	8.00 8.59	1	13	800	210 30 00000
	0051	0100	AUTO1540284	11111	8.00 8.59	1	4	800	210 30 00000
4	0051	0100	AUTO1430271	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1440271	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1510271	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1520270	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1530270	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1540270	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1700270	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1710270	11111	8.00 15.00	1	1	800	210 30 00000
4	0051	0100	AUTO1720270	11111	8.00 15.00	1	1	800	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 4

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	0051	0100	AUTO1730270	11111	8.00 15.00	1	800	210 30	00000	
4	0051	0100	AUTO1740270	11111	8.00 15.00	1	800	210 30	00000	
4	0051	0100	AUTO1800270	11111	8.00 15.00	1	800	210 30	00000	
4	0051	0100	AUTO1500271	1111	8.00 15.00	1	800	210 30	00000	
4	8	0051	0100	AUTO1100182	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1110182	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1120182	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1130182	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1210183	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1220183	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1230183	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1240183	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1300183	11111	9.00 14.50	1	800	210 30	00000
4	89	0051	0100	AUTO1300183	11111	9.00 14.50	2	800	210 30	00000
4	8	0051	0100	AUTO1310183	11111	9.00 14.50	1	800	210 30	00000
4	89	0051	0100	AUTO1310183	11111	9.00 14.50	2	800	210 30	00000
4	8	0051	0100	AUTO1320184	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1330184	11111	9.00 14.50	1	800	210 30	00000
4	89	0051	0100	AUTO1330184	11111	9.00 14.50	2	800	210 30	00000
4	8	0051	0100	AUTO1340184	11111	9.00 14.50	1	800	210 30	00000
4	89	0051	0100	AUTO1340184	11111	9.00 14.50	2	800	210 30	00000
4	8	0051	0100	AUTO1400184	11111	9.00 14.50	1	800	210 30	00000
4	89	0051	0100	AUTO1400184	11111	9.00 14.50	2	800	210 30	00000
4	8	0051	0100	AUTO1410184	11111	9.00 14.50	1	800	210 30	00000
4	89	0051	0100	AUTO1410184	11111	9.00 14.50	2	800	210 30	00000
4	8	0051	0100	AUTO1420185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1430185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1440185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1500185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1510185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1520185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1530185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1600185	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1620186	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1630186	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1640186	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1650186	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1660186	11111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1200183	1111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1320184	1111	9.00 14.50	1	800	210 30	00000
4	8	0051	0100	AUTO1610185	1111	9.00 14.50	1	800	210 30	00000
8	0052	0102	BARB1211228	11111	7.45 11.45		494	210 10	00000	
8	0052	0102	BARB1441231	11111	8.00 11.00	1	494	210 10	00000	
	0052	0102	BARB1341232	1 1 1	12.00 14.00		494	210 10	00000	
	0052	0104	BARB2131233	11111	8.00 12.45		497	210 12	00000	
	0052	0104	BARB1231229	11111	12.00 14.25	1	497	210 12	00000	
9	0052	0104	BARB1231229	11111	13.00 14.25		497	210 12	00000	
	0052	0107	BARB2131251	11111	7.45 11.45		567	210 30	00000	
	0052	0107	BARB1120226	11111	8.00 9.35	1	567	210 30	00000	
	0052	0107	BARB2120232	1 1 1	8.00 10.00	1	567	210 30	00000	
	0052	0107	BARB1140228	11111	8.00 11.10	1	567	210 30	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 5

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0052	0107	BARB1150251	11111	8.00 11.10	1	6	567	210 30 00000
	0052	0107	BARB1160227	11111	8.00 11.10	1	4	567	210 30 00000
	0052	0107	BARB2111232	11111	8.00 11.10	1	7	567	210 30 00000
4	0052	0107	BARB2999282	11111	8.00 14.45	1	1	567	210 30 00000
4	0052	0107	BARB2997254	11	8.00 15.00	1	3	567	210 30 00000
4	0052	0107	BARB2999268	111	8.00 15.00		2	567	210 30 00000
	0052	0107	BARB1160227	11111	9.40 11.15	1	10	567	210 30 00000
	0052	0107	BARB1120226	11111	11.30 14.40		4	567	210 30 00000
	0052	0107	BARB1140228	11111	11.50 13.25	1	13	567	210 30 00000
	0052	0107	BARB1220227	11111	12.00 12.50	1	12	567	210 30 00000
	0052	0107	BARB1410228	1	12.00 12.59	1	8	567	210 30 00000
	0052	0107	BARB1330251	1111	12.00 13.59		1	567	210 30 00000
	0052	0107	BARB1220228	1111	12.00 14.00	1	1	567	210 30 00000
	0052	0107	BARB1160227	11	12.00 14.00	1	8	567	210 30 00000
	0052	0107	BARB2111232	1 1 1	12.00 14.00	1	1	567	210 30 00000
	0052	0107	BARB2120233	1 1 1	12.00 14.00	1	6	567	210 30 00000
	0052	0107	BARB1150229	11	12.00 14.00	1	8	567	210 30 00000
	0052	0107	BARB2995283	11111	12.00 14.45	1	1	567	210 30 00000
	0052	0107	BARB1410228	1111	13.00 13.30	1	12	567	210 30 00000
	0052	0107	BARB2630231	1	13.00 14.00		7	567	210 30 00000
	0052	0107	BARB1110226	11111	13.30 14.20	1	9	567	210 30 00000
	0053	0101	INST1410215	11111	8.00 10.25		3	603	210 25 00000
	0053	0101	INST2620216	11111	8.00 12.35	1	5	603	210 25 00000
	0053	0101	INST1110215	11111	8.00 13.00	1	4	603	210 25 00000
	0053	0101	INST1330215	11111	8.00 13.00	1	2	603	210 25 00000
	0053	0101	INST1420215	11111	8.00 13.00	1	3	603	210 25 00000
	0053	0101	INST1430216	11111	8.00 13.00	1	3	603	210 25 00000
	0053	0101	INST2730216	11111	8.00 13.00	1	3	603	210 25 00000
	0053	0101	INST2820217	11111	8.00 13.00	1	2	603	210 25 00000
4	0053	0101	INST2630216	11111	8.00 13.05	1	4	603	210 25 00000
4	0053	0101	INST1410215	11111	8.00 13.15	1	3	603	210 25 00000
4	0053	0101	INST2610216	11111	8.00 13.15	1	2	603	210 25 00000
4	0053	0101	INST2630216	11111	8.00 13.15	1	1	603	210 25 00000
	0053	0101	INST1330215	11111	13.15 15.15		7	603	210 25 00000
	0053	0101	INST2740216	11111	13.30 15.30	1	2	603	210 25 00000
	0053	0101	INST2610216	1111	16.00 17.20		2	603	210 25 00000
	0053	0101	INST1330215	1111	16.00 18.30	1	2	603	210 25 00000
	0053	0101	INST2740216	1111	17.30 20.00	1	2	603	210 25 00000
	0053	0101	INST1410215	1111	18.40 20.00	1	3	603	210 25 00000
	0053	0103	ETRN1420215	11111	8.00 10.45		1	1,593	210 30 00000
	0053	0103	ELEC1120177	11111	8.00 11.00	1	14	1,593	210 30 00000
	0053	0103	ELEC1420177	11111	8.00 11.50	1	1	1,593	210 30 00000
	0053	0103	ELEC1330178	11111	8.00 12.50	1	1	1,593	210 30 00000
	0053	0103	ELEC2540179	11111	8.00 12.50	1	1	1,593	210 30 00000
	0053	0103	ETRN1120214	11111	8.00 13.00	1	5	1,593	210 30 00000
	0053	0103	ETRN1130214	11111	8.00 13.00	1	5	1,593	210 30 00000
	0053	0103	ETRN1210214	11111	8.00 13.00	1	6	1,593	210 30 00000
	0053	0103	ETRN1220214	11111	8.00 13.00	1	6	1,593	210 30 00000
4	0053	0103	ELEC1330178	11111	8.00 13.50	1	2	1,593	210 30 00000
4	9	0053	0103	ELEC1330178	11111	8.00 13.50	2	1,593	210 30 00000
4	8	0053	0103	ELEC1420061	11111	8.00 13.50	2	1,593	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 6

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	89	0053 0103	ELEC1420061	11111	8.00 13.50		2	1,593	210 30 00000
4	8	0053 0103	ELEC2520178	11111	8.00 13.50	1	1,593	210 30 00000	
4	8	0053 0103	ELEC2720179	11111	8.00 13.50	1	1,593	210 30 00000	
4	8	0053 0103	SOLR1000062	11111	8.00 14.30	1	1,593	210 30 00000	
4	8	0053 0103	SOLR1010063	11111	8.00 14.30	1	1,593	210 30 00000	
4	8	0053 0103	SOLR1020063	11111	8.00 14.30	1	1,593	210 30 00000	
4	8	0053 0103	SOLR1030063	11111	8.00 14.30	1	1,593	210 30 00000	
4	8	0053 0103	ETRN1125135	11111	8.00 15.50	1	1,593	210 30 00000	
4	8	0053 0103	ETRN1215136	11111	8.00 15.50	1	1,593	210 30 00000	
	8	0053 0103	ELEC2460178	11111	12.00 14.30	1	1,593	210 30 00000	
	8	0053 0103	ELEC1120259	11111	12.30 14.00	1	1,593	210 30 00000	
	8	0053 0103	ELEC1120261	11111	12.30 14.00	1	1,593	210 30 00000	
	8	0053 0103	ETRN1420214	11111	13.30 14.55	1	1,593	210 30 00000	
	8	0053 0103	ELEC1440270	11111	14.00 15.50	1	1,593	210 30 00000	
	8	0053 0103	INST1410283	1111	14.15 15.55	1	1,593	210 30 00000	
		0053 0103	ETRN1000135	11111	16.00 17.00	2	1,593	210 30 00000	
		0053 0103	SOLR1000279	11111	16.00 17.00	1	1,593	210 30 00000	
		0053 0103	ELEC1120256	11111	16.00 20.00	1	1,593	210 30 00000	
		0053 0103	ELEC1210256	11111	16.00 20.00	1	1,593	210 30 00000	
		0053 0103	ELEC1440178	11111	16.00 20.00	1	1,593	210 30 00000	
		0053 0103	ELEC2720264	11	16.00 20.00	1	1,593	210 30 00000	
		0053 0103	MATH1110262	11111	17.05 20.00	1	1,593	210 30 00000	
		0053 0105	WELD1110194	11111	8.00 8.50	22	3,964	210 28 00000	
		0053 0105	WELD1411258	11111	8.00 9.30	1	3,964	210 28 00000	
		0053 0105	WELD2110258	11111	8.00 9.30	1	3,964	210 28 00000	
		0053 0105	WELD2310259	11111	8.00 9.30	1	3,964	210 28 00000	
		0053 0105	WELD1511263	11111	8.00 9.35	1	3,964	210 28 00000	
		0053 0105	WELD2221263	11111	8.00 9.35	1	3,964	210 28 00000	
		0053 0105	WELD1420204	11111	8.00 12.10	1	3,964	210 28 00000	
	9	0053 0105	WELD1420204	11111	8.00 12.10	2	3,964	210 28 00000	
		0053 0105	WELD1510239	11111	8.00 12.10	1	3,964	210 28 00000	
	8	0053 0105	WELD1512240	11111	8.00 12.10	1	3,964	210 28 00000	
	8	0053 0105	WELD1120236	11111	8.00 12.59	1	3,964	210 28 00000	
4	8	0053 0105	WELD2110240	11111	8.00 14.59	1	3,964	210 28 00000	
4	8	0053 0105	WELD2110241	11111	8.00 14.59	1	3,964	210 28 00000	
4	89	0053 0105	WELD2110241	11111	8.00 14.59	1	3,964	210 28 00000	
4	8	0053 0105	WELD2111241	11111	8.00 14.59	1	3,964	210 28 00000	
4	89	0053 0105	WELD2111241	11111	8.00 14.59	3	3,964	210 28 00000	
4	8	0053 0105	WELD2210208	11111	8.00 14.59	1	3,964	210 28 00000	
4	8	0053 0105	WELD2210242	11111	8.00 14.59	1	3,964	210 28 00000	
4	8	0053 0105	WELD2230243	11111	8.00 14.59	1	3,964	210 28 00000	
4	89	0053 0105	WELD2230243	11111	8.00 14.59	3	3,964	210 28 00000	
4	8	0053 0105	WELD2310244	11111	8.00 14.59	1	3,964	210 28 00000	
4	89	0053 0105	WELD2310244	11111	8.00 14.59	1	3,964	210 28 00000	
4	89	0053 0105	WELD2310244	11111	8.00 14.59	2	3,964	210 28 00000	
4	8	0053 0105	WELD2311244	11111	8.00 14.59	1	3,964	210 28 00000	
4	89	0053 0105	WELD2311244	11111	8.00 14.59	3	3,964	210 28 00000	
4	8	0053 0105	WELD1412237	1111	8.00 14.59	1	3,964	210 28 00000	
	8	0053 0105	WELD1130195	11111	9.00 9.50	1	3,964	210 28 00000	
	8	0053 0105	WELD1140196	11111	9.30 11.00	1	3,964	210 28 00000	
	8	0053 0105	WELD1412258	11111	9.35 11.00	1	3,964	210 28 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 7

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	0053	0105	WELD2111258	11111	9.35 11.00	1	3,964	210 28	00000
8	0053	0105	WELD2311259	11111	9.35 11.00	1	3,964	210 28	00000
8	0053	0105	WELD2222263	11111	9.45 12.30	1	3,964	210 28	00000
8	0053	0105	WELD1512263	11111	9.45 12.30	1	3,964	210 28	00000
8	0053	0105	WELD1210194	11111	10.00 10.50	1	3,964	210 28	00000
8	0053	0105	WELD1420204	11111	10.30 14.59	1	3,964	210 28	00000
8	0053	0105	WELD1511240	11111	10.30 14.59	1	3,964	210 28	00000
8	0053	0105	WELD1512207	11111	10.30 14.59	1	3,964	210 28	00000
8	0053	0105	WELD1410195	11111	12.00 12.48	1	3,964	210 28	00000
8	0053	0105	WELD1110194	11111	12.00 12.50	1	3,964	210 28	00000
8	0053	0105	WELD1412204	11111	12.00 13.23	1	3,964	210 28	00000
8	0053	0105	WELD2110258	11111	12.00 13.30	1	3,964	210 28	00000
8	0053	0105	WELD1310205	11111	12.00 14.25	1	3,964	210 28	00000
8	0053	0105	WELD1411256	11111	12.00 14.50	1	3,964	210 28	00000
8	0053	0105	WELD1412257	11111	12.00 14.50	1	3,964	210 28	00000
89	0053	0105	WELD1412257	11111	12.00 14.50	5	3,964	210 28	00000
8	0053	0105	WELD2110257	11111	12.00 14.50	1	3,964	210 28	00000
8	0053	0105	WELD2310257	11111	12.00 14.50	1	3,964	210 28	00000
8	0053	0105	WELD2311257	11111	12.00 14.50	1	3,964	210 28	00000
8	0053	0105	WELD1411202	11111	12.50 14.15	1	3,964	210 28	00000
8	0053	0105	WELD1210196	11111	13.00 13.50	1	3,964	210 28	00000
8	0053	0105	WELD1411202	11111	13.00 14.30	1	3,964	210 28	00000
8	0053	0105	WELD1510205	11111	13.25 14.59	1	3,964	210 28	00000
8	0053	0105	WELD1511206	11111	13.25 14.59	1	3,964	210 28	00000
8	0053	0105	WELD2220208	11111	13.25 14.59	1	3,964	210 28	00000
8	0053	0105	WELD2222209	11111	13.25 14.59	1	3,964	210 28	00000
8	0053	0105	WELD1420195	11111	13.25 15.00	1	3,964	210 28	00000
8	0053	0105	WELD2210241	11111	13.30 14.55	1	3,964	210 28	00000
8	0053	0105	WELD2111259	11111	13.35 14.59	1	3,964	210 28	00000
8	0053	0105	WELD1410236	11111	14.00 14.50	1	3,964	210 28	00000
8	0053	0105	WELD1140196	11111	14.20 14.59	1	3,964	210 28	00000
	0053	0105	WELD1130236	11111	16.00 17.00	1	3,964	210 28	00000
	0053	0105	WELD1120235	11111	16.00 17.15	1	3,964	210 28	00000
	0053	0105	WELD1140196	11111	16.00 17.30	1	3,964	210 28	00000
	0053	0105	WELD1411195	11111	16.00 17.45	1	3,964	210 28	00000
	0053	0105	WELD1412203	11111	16.00 17.45	1	3,964	210 28	00000
	0053	0105	WELD2230210	11111	16.00 17.45	1	3,964	210 28	00000
	0053	0105	WELD2311210	11111	16.00 17.45	1	3,964	210 28	00000
	0053	0105	WELD1420203	11111	16.00 17.59	1	3,964	210 28	00000
	0053	0105	WELD1510205	11111	16.00 17.59	1	3,964	210 28	00000
	0053	0105	WELD1511206	11111	16.00 17.59	1	3,964	210 28	00000
	0053	0105	WELD1512206	11111	16.00 17.59	1	3,964	210 28	00000
	0053	0105	WELD1120195	11111	16.00 18.30	1	3,964	210 28	00000
	0053	0105	WELD1110194	11111	16.00 20.00	1	3,964	210 28	00000
	0053	0105	WELD1210196	11111	16.00 20.00	1	3,964	210 28	00000
	0053	0105	WELD1410236	11111	16.00 20.00	1	3,964	210 28	00000
	0053	0105	WELD1411202	11111	16.00 20.00	1	3,964	210 28	00000
	0053	0105	WELD1412204	11111	16.00 20.00	1	3,964	210 28	00000
	0053	0105	WELD2110207	11111	16.00 20.00	1	3,964	210 28	00000
	0053	0105	WELD2111208	11111	16.00 20.00	1	3,964	210 28	00000
9	0053	0105	WELD2111208	11111	16.00 20.00	1	3,964	210 28	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 8

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0053	0105	WELD2210241	1111	16.00 20.00	1	3,964	210 28	00000	
	0053	0105	WELD2210242	1111	16.00 20.00	1	3,964	210 28	00000	
	0053	0105	WELD2230242	1111	16.00 20.00	1	3,964	210 28	00000	
	0053	0105	WELD2230243	1111	16.00 20.00	1	3,964	210 28	00000	
	0053	0105	WELD2310210	1111	16.00 20.00	1	3,964	210 28	00000	
8	0053	0105	WELD2311244	1111	16.00 20.00	1	3,964	210 28	00000	
89	0053	0105	WELD2311244	1111	16.00 20.00	1	3,964	210 28	00000	
8	0053	0105	WELD2993277	11	17.00 21.00	1	3,964	210 28	00000	
8	0053	0105	WELD1410201	1111	17.35 19.35	1	3,964	210 28	00000	
8	0053	0105	WELD1420204	1111	18.00 20.00	1	3,964	210 28	00000	
8	0053	0105	WELD2220209	1111	18.00 20.00	1	3,964	210 28	00000	
8	0053	0105	WELD2993277	11	18.00 21.00	1	3,964	210 28	00000	
	0053	0110	IMMT1330114	111	8.00 8.50	1	408	210 10	00000	
	0053	0110	IMMT1320274	111	8.00 9.14	1	408	210 10	00000	
	0053	0110	IMMT2996274	1	8.00 10.50	1	408	210 10	00000	
	0053	0110	IMMT1241274	1	8.00 11.50	4	408	210 10	00000	
	0053	0110	IMMT1311113	1	8.00 11.50	2	408	210 10	00000	
	0053	0110	IMMT1331114	111	9.00 10.15	1	408	210 10	00000	
	0053	0110	IMMT1321274	111	9.15 11.50	1	408	210 10	00000	
	0053	0110	IMMT1320114	1 1 1	12.00 13.14	3	408	210 10	00000	
	0053	0110	IMMT1110111	11111	12.00 14.15	1	408	210 10	00000	
	0053	0110	IMMT1230273	111	13.00 14.14	1	408	210 10	00000	
	0053	0110	IMMT1210274	1	13.00 14.50	4	408	210 10	00000	
	0053	0110	IMMT1231112	111	13.15 14.14	1	408	210 10	00000	
	0053	0110	IMMT1321114	11111	13.15 14.30	1	408	210 10	00000	
	0053	0110	IMMT1231273	111	14.15 15.10	1	408	210 10	00000	
	0053	0110	IMMT1110275	111	15.15 16.30	3	408	210 10	00000	
	0053	0111	HACR1410096	11111	8.00 11.00	2	2,340	210 30	00000	
	0053	0111	HACR2520096	11111	8.00 11.00	1	2,340	210 30	00000	
	0053	0111	HACR2520176	11111	8.00 11.00	1	2,340	210 30	00000	
	0053	0111	HACR2550176	11111	8.00 11.50	1	2,340	210 30	00000	
4	0053	0111	HACR1150094	11111	8.00 14.50	1	2,340	210 30	00000	
4	0053	0111	HACR1160094	11111	8.00 14.50	1	2,340	210 30	00000	
4	8	0053	0111	HACR1170095	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR1180095	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR1210095	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR1220095	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR1230095	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR1240096	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR2510096	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR2540097	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR2540176	11111	8.00 14.50	1	2,340	210 30	00000
4	8	0053	0111	HACR2560176	11111	8.00 14.50	1	2,340	210 30	00000
8	0053	0111	HACR1420096	11111	12.00 14.50	1	2,340	210 30	00000	
8	0053	0111	HACR2530097	11111	12.00 14.50	1	2,340	210 30	00000	
	0053	0111	WELD2991277	11	17.00 21.00	25	2,340	210 30	00000	
9	0053	0111	WELD2991277	11	18.00 21.00	1	2,340	210 30	00000	
	0053	0112	ELEC1230060	11111	8.00 10.30	2	2,390	210 30	00000	
	0053	0112	ELEC1311060	11111	8.00 11.50	1	2,390	210 30	00000	
	0053	0112	ELEC1311177	11111	8.00 12.50	1	2,390	210 30	00000	
4	0053	0112	ELEC1220178	11111	8.00 13.50	1	2,390	210 30	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2014
 RUN DATE 11/17/2014 10:06:48
 PAGE NUM 9

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4	0053	0112	ELEC1220179	11111	8.00 13.50	1	1	2,390	210 30	00000
4	0053	0112	ELEC1440061	11111	8.00 13.59	1	1	2,390	210 30	00000
	0053	0112	ELEC1430061	11111	12.00 13.50	1	1	2,390	210 30	00000
9	0053	0112	ELEC1430061	11111	12.00 13.50		2	2,390	210 30	00000
	0053	0112	ELEC1210059	11111	12.00 14.00	1	8	2,390	210 30	00000
9	0053	0112	ELEC1210059	11111	12.00 15.50		10	2,390	210 30	00000
	0053	0112	ELEC1410062	11111	14.00 15.55	1	1	2,390	210 30	00000
	0053	0112	ELEC1410268	11111	16.00 20.00		3	2,390	210 30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	101
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	135
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	25
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		261
TOTAL NUMBER OF RECORDS READ		416
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		391
NUMBER OF JOINT-CLASS RECORDS		311
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2014 10:06:48

PAGE NUM 1

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	4,420	576	4,996
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	429	72	501
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,634	1,848	16,482
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,840	1,152	9,992
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.1	7.6	18.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.1	4.0	12.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	60.4	62.3	60.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	4,420	576	4,996
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	429	72	501
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,634	1,848	16,482
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,840	1,152	9,992
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.1	7.6	18.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.1	4.0	12.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	60.4	62.3	60.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2014 10:06:48

PAGE NUM 2

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	21,492	1,237	22,729
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,585	80	1,665
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	37,216	1,840	39,056
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	42,984	2,475	45,459
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	48.9	4.4	33.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	57.6	6.0	39.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	115.5	134.5	116.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	21,492	1,237	22,729
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,585	80	1,665
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	37,216	1,840	39,056
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	42,984	2,475	45,459
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	48.9	4.4	33.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	57.6	6.0	39.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	115.5	134.5	116.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY