BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 02/04/2014 14:49:40
PAGE NUM 1

L.T.C.-L.E. FLETCHER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
4		LAMA	0107	ZMAR1104A	11	7.00 15.00					3	635	110	20	00000
4		LAMA	0107	ZMAR1104B	11	7.00 15.00	1				5	635	110	20	00000
4		LAMA	0107	ZMAR1104D	11	7.00 15.00	1				3	635	110	20	00000
4		LAMA	0107	ZMAR1104G	11	7.00 15.00	1				4	635	110	20	00000
4		LAMA	0107	ZMAR1104I	11	7.00 15.00	1				5	635	110	20	00000
4		LAMA	0107	ZMAR1104J	11	7.00 15.00	1				4	635	110	20	00000
4		LAMA	0107	ZMAR1104L	11	7.00 15.00	1				5	635	110	20	00000
4	8	LAMA	0107	ZMAR1104F	11	7.00 15.00	1				3	635	110	20	00000
4		LAMA	0107	ZMAR1104C	11	7.00 15.00					5	635	110	20	00000
4		LAMA	0107	ZMAR1104E	11	7.00 15.00	1				6	635	110	20	00000
4		LAMA	0107	ZMAR1104H	11	7.00 15.00	1				2	635	110	20	00000
4		LAMA	0107	ZMAR1104K	11	7.00 15.00	1				6	635	110	20	00000
4		LAMA	0107	ZMAR1104M	11	7.00 15.00	1				4	635	110	20	00000
4	8	LAMA	0107	MRNE1230A	11111	7.00 16.00	1				10	635	110	20	00000
4	8	LAMA	0107	MRNE1230B	11111	7.00 16.00	1				12	635	110	20	00000
4	8	LAMA	0107	MRNE1230C	11111	7.00 16.00	1				8	635	110	20	00000
4	8	LAMA	0107	MRNE1230D	11111	7.00 16.00	1				9	635	110	20	00000
4	8	LAMA	0107	MRNE1230E	11111	7.00 16.00	1				9	635	110	20	00000
4	8	LAMA	0107	MRNE1230F	11111	7.00 16.00	1				4	635	110	20	00000
4	8	LAMA	0107	MRNE1230G	11111	7.00 16.00	1				10	635	110	20	00000
4		LAMA	0108	ZMAR1101A	11111	7.00 15.00					9	632	115	10	00000
4	8	LAMA	0108	ZMAR1101B	11111	7.00 15.00	1				7	632	115	10	00000
4	8	LAMA	0108	ZMAR1101C	11111	7.00 15.00	1				6	632	115	10	00000
4	8	LAMA	0108	ZMAR1101D	11111	7.00 15.00	1				4	632	115	10	00000
4	8	LAMA	0108	ZMAR1101E	11111	7.00 15.00	1				3	632	115	10	00000
4	8	LAMA	0108	ZMAR1101F	11111	7.00 15.00	1				8	632	115	10	00000
4	8	LAMA	0108	ZMAR1101G	11111	7.00 15.00	1				9	632	115	10	00000
4		LAMA	0109	MRNE1320A	1111	7.00 15.00					9	639	210	30	00000
4		LAMA	0109	MRNE1320B	1111	7.00 15.00	1				10	639	210	30	00000
4		LAMA	0109	MRNE1320C	1111	7.00 15.00	1				9	639	210	30	00000
4		LAMA	0109	MRNE1320D	1111	7.00 15.00	1				13	639	210	30	00000
4	8	LAMA	0109	MRNE1320E	1111	7.00 15.00	1				6	639	210	30	00000
4	8	LAMA	0109	MRNE1320F	1111	7.00 15.00	1				12	639	210	30	00000
4	8	LAMA	0109	MRNE1320G	1111	7.00 15.00	1				10	639	210	30	00000
4	8	LAMA	0109	MRNE1320H	1111	7.00 15.00	1				8	639	210	30	00000
4	8	LAMA	0109	MRNE1320I	1111	7.00 15.00	1				12	639	210	30	00000
4	8	LAMA	0109	MRNE1320J	1111	7.00 15.00	1				9	639	210	30	00000
4	8	LAMA	0109	MRNE1320K	1111	7.00 15.00	1				10	639	210	30	00000
4	8	LAMA	0109	MRNE1320L	1111	7.00 15.00	1				8	639	210	30	00000
4	8	LAMA	0109	MRNE1320M	1111	7.00 15.00	1				9	639	210	30	00000
4	8	LAMA	0109	MRNE1320N	1111	7.00 15.00	1				6	639	210	30	00000
		LAMA	0111	MRNE1512A	1	7.00 11.00					2	636	110	50	00000
4		LAMA	0111	ZMAR1900A	11 111	7.00 15.00					11	636	110	50	00000
4		LAMA	0111	ZMAR1900B	11 111	7.00 15.00	1				8	636	110	50	00000
4		LAMA	0111	ZMAR1900C	11 111	7.00 15.00	1				8	636	110	50	00000
4		LAMA	0111	ZMAR1900D	11 111	7.00 15.00	1				7	636	110	50	00000
4		LAMA	0111	ZMAR1900E	11 111	7.00 15.00	1				10	636	110	50	00000
4		LAMA	0111	MRNE1510A	11111	7.00 16.00	1				6	636	110	50	00000
4		LAMA	0111	MRNE1510B	11111	7.00 16.00	1				8	636	110	50	00000
4		LAMA	0111	MRNE1514A	11	7.00 16.00	1				7	636	110	50	00000
4		LAMA	0111	MRNE1514B	11	7.00 16.00	1				8	636	110	50	00000

L.T.C.-L.E. FLETCHER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS		BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
4	8	LAMA	0111	MRNE1514C	11	7.00	16.00	1				6	636	110	50	00000
4	8	LAMA	0111	MRNE1514F	11	7.00	16.00	1				10	636	110	50	00000
4	8	LAMA	0111	MRNE1511A	11	7.00	16.00	1				1	636	110	50	00000
4	8	LAMA	0111	MRNE1514D	11	7.00	16.00	1				12	636	110	50	00000
4	8	LAMA	0111	MRNE1514E	11	7.00	16.00	1				6	636	110	50	00000
4		LAMA	0112	MRNE1380A	11111	7.00	15.00					4	642	210	30	00000
4		LAMA	0112	MRNE2010A	11111	7.00	15.00	1				4	642	210	30	00000
4		LAMA	0112	MRNE2030A	11111	7.00	15.00	1				11	642	210	30	00000
4		LAMA	0112	MRNE2040A	11111	7.00	15.00	1				6	642	210	30	00000
4		LAMA	0112	MRNE2991A	11111	7.00	15.00	1				17	642	210	30	00000
4	8	LAMA	0112	ZMAR1370A	11111	7.00	15.00	1				6	642	210	30	00000
4		LAMA	01120	MRNE2100A	11111	7.00	15.00					2	642	210	30	00000
4		LAMA	0114	MRNE1010A	11111	7.00	15.00					2	639	210	20	00000
4		LAMA	0114	MRNE1010B	11111	7.00	15.00	1				3	639	210	20	00000
4		LAMA	0114	MRNE1120A	11111	7.00	15.00	1				2	639	210	20	00000
4		LAMA	0114	MRNE1120B	11111	7.00	15.00	1				4	639	210	20	00000
4		LAMA	0114	MRNE1150A	11111	7.00	15.00	1				4	639	210	20	00000
4		LAMA	0114	MRNE1160A	11111	7.00	15.00	1				1	639	210	20	00000
4		LAMA	0114	MRNE1160B	11111	7.00	15.00	1				1	639	210	20	00000
4		LAMA	0114	MRNE1220A	11111	7.00	15.00	1				4	639	210	20	00000
4		LAMA	0202	MRNE1400A	1111	7.00	15.00					4	1,457	110	50	00000
4		LAMA	0202	MRNE1400C	1111	7.00	15.00	1				7	1,457	110	50	00000
4		LAMA	0202	MRNE1400D	1111	7.00	15.00	1				3	1,457	110	50	00000
4		LAMA	0202	MRNE1400E	1111	7.00	15.00	1				8	1,457	110	50	00000
4		LAMA	0202	MRNE1390A	11111	7.00	16.00	1				6	1,457	110	50	00000
4		LAMA	0202	MRNE1390B	11111	7.00	16.00	1				2	1,457	110	50	00000
4		LAMA	0202	MRNE1390C	11111	7.00	16.00	1				6	1,457	110	50	00000
		LEAH	0002	HNUR1211A	1 11	7.30	10.30					19	636	610	15	00000
	8	LEAH	0002	NURS1300A	111	9.30	11.30	1				16	636	610	15	00000
		LEAH	0002	HSCI1060A	1 1	12.30	14.30					21	636	610	15	00000
		LEAH	0003	HNUR2311A	111	7.30	9.30					13	951	110	15	00000
	8	LEAH	0003	HNUR1411A	1 11	7.30	10.30	1				19	951	110	15	00000
	8	LEAH	0003	NURS1090A	1 1 1	9.30	11.30	1				22	951	110	15	00000
		LEAH	0003	HNUR2301A	1 1	13.30	14.30					13	951	110	15	00000
		LEAH	0004	HMDT1170A	1	7.30	10.30					18	603	110	18	00000
		LEAH	0004	HNUR1150A	1 1 1	11.00	12.29					19	603	110	18	00000
		LEAH	0004	NURS1070A	1 1 1	12.30	14.30					24	603	110	18	00000
		LEAH	0005	NRSA1211A	1 1 1	7.30	12.30					8	312	110	10	00000
	8	LEAH	0005	NRSA1211B	1 1 1	7.30	12.30	1				8	312	110	10	00000
		LEAH	0110A	NURS1080A	1 1 1	7.30	9.29					23	636	610	15	00000
4		LEAH	01120	NRSA1212A	1 1	6.30	12.30					8	636	610	15	00000
4		LEAH	01120	NRSA1212B	1 1	6.30	12.30	1				8	636	610	15	00000
4		LEAH	0201B	NURS1300A	11	6.30	16.30					16	636	610	15	00000
		LEAH	0201B	PHIL2715A	1	8.30	9.29					16	636	610	15	00000
4		LEFA	0104	ZPET1001V	1	8.00	14.00					2	1,151	610	40	00000
4		LEFA	0104	ZPET1001Q	1	8.00	14.00					3	1,151	610	40	00000
4		LEFA	0104	ZPET1001U	1	8.00	14.00	1				5	1,151	610	40	00000
		LEFA	0104	HNUR1160A	1 1	12.30	14.30					18	1,151	610	40	00000
		LEFA	0110A	NURS1160A	1 1	9.30	11.30					17	810	110	26	00000
		LEFA	01140	CPCS2020A	1 1	13.30	15.30					16	114	730	15	00000
		LEFA	0116	ELEC1201A	1 1 1	7.30	8.50					5	1,156	110	15	00000

L.T.C.-L.E. FLETCHER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
	LEFA	0116	ELEC1202A	1 1	7.30	10.25					5	1,156	110	15	00000
	LEFA	0116	ELEC1203A	1 1 1	9.00	10.25					5	1,156	110	15	00000
	LEFA	0116	ELEC1101A	1 1 1	11.30	12.50					18	1,156	110	15	00000
	LEFA	0116	ELEC1102A	1 1	11.30	13.10					18	1,156	110	15	00000
	LEFA	0116	ELEC1020A	1 1 1	13.00	14.15					18	1,156	110	15	00000
	LEFA	0116	ELEC1010A	1 1	13.20	14.15					18	1,156	110	15	00000
8	LEFA	0122	DESL1120A	1 1 1	7.30	9.20					25	645	110	15	00000
8	LEFA	0122	DESL1210A	1 1 1	7.30	9.20	1				8	645	110	15	00000
	LEFA	0122	DESL1220A	1 1 1	9.30	11.20					4	645	110	15	00000
	LEFA	0122	MDET2210A	1 1 1	9.30	11.20	1				3	645	110	15	00000
	LEFA	0122	DESL1500A	1 1	10.30	13.15					4	645	110	15	00000
	LEFA	0122	MDET2220A	1 1 1	12.30	14.20					3	645	110	15	00000
	LEFA	0122	MDET2700A	1 1	12.30	15.15					9	645	110	15	00000
	LEFA	0122	MWLD2230A	1 1 1	14.30	15.20					12	645	110	15	00000
	LEFA	0122C	DESL2500A	1 1 1	7.30	9.20					2	2,526	220	20	00000
	LEFA	0122C	DESL1150A	1 1	7.30	10.15					20	2,526	220	20	00000
	LEFA	0122C	DESL1240A	1 1	7.30	10.15	1				4	2,526	220	20	00000
8	LEFA	0122C	MDET2230A	1 1	7.30	10.15	1				10	2,526	220	20	00000
	LEFA	0122C	DESL1130A	1 1 1	9.30	11.20					25	2,526	220	20	00000
	LEFA	0122C	MDET2320A	1 1	10.30	11.29					10	2,526	220	20	00000
	LEFA	0122C	MDET2310A	1 1	11.30	12.15					9	2,526	220	20	00000
	LEFA	0122C	DESL1231A	1 1 1	11.30	13.20					4	2,526	220	20	00000
	LEFA	0122C	DESL1140A	1 1 1	11.30	14.20	1				21	2,526	220	20	00000
	LEFA	0123	AUTO1500A	1 1 1	7.30	8.20					14	634	110	15	00000
	LEFA	0123	AUTO1820A	1 1	9.00	10.15					1	634	110	15	00000
	LEFA	0123	AUTO1700A	1 1 1	10.30	11.20					4	634	110	15	00000
	LEFA	0123	AUTO1000A	1 1	10.30	11.45					13	634	110	15	00000
	LEFA	0123	AUTO1610A	1 1	10.30	11.45	1				1	634	110	15	00000
	LEFA	0123	AUTO1600A	1 1 1	13.30	14.20					13	634	110	15	00000
	LEFA	0123C	AUTO1601A	1 1	7.30	10.15					14	1,852	220	15	00000
	LEFA	0123C	AUTO1501A	1 1 1	8.30	10.20					12	1,852	220	15	00000
	LEFA	0123C	AUTO1401A	1 1 1	9.30	11.20	1				1	1,852	220	15	00000
	LEFA	0123C	AUTO1701A	1 1 1	11.30	13.20					3	1,852	220	15	00000
	LEFA	0123C	AUTO1821A	1 1 1	11.30	13.20	1				2	1,852	220	15	00000
	LEFA	0123C	AUTO1611A	1 1	12.00	14.45					3	1,852	220	15	00000
	LEFA	0123C	AUTO1001A	1 1 1	13.30	14.20					12	1,852	220	15	00000
	LEFA	0124	WELD1110A	1 1 1	7.30	8.20					14	592	110	25	00000
	LEFA	0124	WELD1310A	1 1	7.30	8.20					6	592	110	25	00000
	LEFA	0124	WELD1210A	1 1	7.30	8.45	1				14	592	110	25	00000
	LEFA	0124	WELD2210A	1 1 1	7.30	9.50					3	592	110	25	00000
	LEFA	0124	WELD1410A	1 1 1	8.30	9.20	1				15	592	110	25	00000
	LEFA	0124	WELD2110A	1 1	8.30	9.45					5	592	110	25	00000
	LEFA	0124	WELD1512A	1 1 1	8.30	10.00					3	592	110	25	00000
	LEFA	0124	WELD1411A	1 1	9.00	10.15					15	592	110	25	00000
	LEFA	0124	WELD2230A	1 1	9.00	11.15	1				1	592	110	25	00000
	LEFA	0124	WELD2995A	1 1 1	10.00	10.50					1	592	110	25	00000
	LEFA	0124	WELD2111A	1 1 1	10.00	12.20	1				5	592	110	25	00000
	LEFA	0124	WELD1412A	1 1	10.30	11.45					14	592	110	25	00000
	LEFA	0124	WELD2310A	1 1 1	11.30	13.45					1	592	110	25	00000
	LEFA	0124	WELD2311A	1 1	12.00	13.15					1	592	110	25	00000
	LEFA	0124	WELD1511A	1 1	12.00	14.15	1				6	592	110	25	00000

L.T.C.-L.E. FLETCHER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
	LEFA 0124	WELD2114A	1 1 1	12.30 14.45					4	592	110	25	00000
	LEFA 0124	ZWLD1002A	11 1	17.30 20.30					18	592	110	25	00000
	LEFA 0124	ZWLD1003A	11 1	17.30 20.30	1				20	592	110	25	00000
	LEFA 0124C	ZWLD1001A	11 1	17.30 20.30					19	3,374	220	20	00000
	LEFA 0125B	MTTC1110A	11	7.30 8.30					15	480	110	25	00000
	LEFA 0125B	MTTC1130A	1 1	8.35 9.35					15	480	110	25	00000
	LEFA 0125B	MTTC1210A	1 1 1	9.40 10.30					15	480	110	25	00000
	LEFA 0125B	MTTC1310A	1 1 1	10.31 11.45					8	480	110	25	00000
	LEFA 0125B	MTTC2710A	1 1	11.05 12.15					1	480	110	25	00000
	LEFA 0125B	MTTC1410A	1 1 1	11.50 13.00					1	480	110	25	00000
	LEFA 0125B	ZMTT1004A	1 1	17.00 20.00					10	480	110	25	00000
	LEFA 0125B	ZMTT1004EMR	1 1	17.00 20.00	1				9	480	110	25	00000
	LEFA 0125C	MTTC1441A	1 1	7.30 8.30					1	208	725	15	00000
	LEFA 0125C	MTTC2531A	11	7.30 8.30					3	208	725	15	00000
	LEFA 0125C	MTTC2631A	111	8.31 11.00					3	208	725	15	00000
	LEFA 0125C	MTTC1231A	11111	10.31 12.00	1				11	208	725	15	00000
	LEFA 0125C	MTTC1341A	11111	13.01 15.00					6	208	725	15	00000
4	LEFA 0201A	ZPET1001T	1	8.00 14.00					1	667	110	15	00000
4	LEFA 0201A	ZPET1001P	1	8.00 14.00					7	667	110	15	00000
4	LEFA 0201A	ZPET1001S	1	8.00 14.00	1				4	667	110	15	00000
4	LEFA 0201A	ZPET1001R	1	8.00 14.00					6	667	110	15	00000
	LEFA 0201C	PSYC2010D	1 1	10.30 11.45					7	667	110	32	00000
8	LEFA 02030	CPCS2040A	1 1	9.00 11.30					16	352	310	2	00000
8	LEFA 02030	CPCS2140A	1 1	13.00 15.30					16	352	310	2	00000
	LEFA 0204	CINS1650A	1 1	9.00 10.15					13	812	110	15	00000
	LEFA 0206	CPTR1100A	1 1 1	7.30 8.20					16	752	210	26	00000
	SCH1 0101	CINS1300B	1 1 1	8.30 9.20					7	696	110	25	00000
	SCH1 0101	CINS1450A	1 1	9.00 10.15					24	696	110	25	00000
	SCH1 0101	CINS1300A	1 1 1	9.30 10.20					18	696	110	25	00000
	SCH1 0101	CINS1310A	1 1	10.30 11.45					24	696	110	25	00000
	SCH1 0101	ACCT1250A	1 1	12.00 13.15					21	696	110	25	00000
	SCH1 0102	IPTN1210A	1 1	7.30 8.45					18	696	110	20	00000
	SCH1 0102	IPTN1100A	1 1	7.30 8.45					20	696	110	20	00000
	SCH1 0102	IPTN2000A	1 1	9.00 10.15					22	696	110	20	00000
	SCH1 0102	IPTN1310A	1 1	10.15 11.30					21	696	110	20	00000
	SCH1 0102	IPTN2100A	1 1	10.30 11.45					23	696	110	20	00000
	SCH1 0102	IPTN1610A	1 1	12.00 13.15					13	696	110	20	00000
	SCH1 0102	IPTN1030A	1 1	13.30 14.45					21	696	110	20	00000
	SCH1 0102	IPTN1600A	1 1	13.30 14.45					13	696	110	20	00000
	SCH1 0102	IPTN1030EM	1	17.45 20.30					22	696	110	20	00000
	SCH1 0102	IPTN1220ER	1	17.45 20.30					13	696	110	20	00000
	SCH1 0102	IPTN1030EW	1	17.45 20.30					26	696	110	20	00000
	SCH1 01020	IPTN1320A	1 1	9.00 10.15					17	696	110	20	00000
	SCH1 0111	CRJU1010A	1 1	9.00 10.15					29	667	110	32	00000
	SCH1 0111	CRJU2630A	1 1 1	9.30 10.20					13	667	110	32	00000
	SCH1 0111	CRJU2030A	1 1 1	10.30 11.20					15	667	110	32	00000
	SCH1 0111	CRJU2020A	1 1	10.30 11.45					11	667	110	32	00000
	SCH1 0111	CRJU2040A	1 1 1	11.30 12.20					21	667	110	32	00000
	SCH1 0111	CRJU2640A	1 1 1	12.30 13.20					13	667	110	32	00000
	SCH1 0111	CRJU2010A	1 1	13.30 14.45					26	667	110	32	00000
	SCH1 0111	CRJU2150A	1	13.30 16.15					9	667	110	32	00000

L.T.C.-L.E. FLETCHER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
	SCH1	0111	POLI2520EW	1	17.45 20.30					17	667	110	32	00000
	SCH1	0111	CRJU2630ETR	1 1	18.00 19.15					17	667	110	32	00000
	SCH1	0111	CRJU2020EM	1	18.00 20.45					14	667	110	32	00000
	SCH1	0111	CRJU2040ETR	1 1	19.30 20.45					18	667	110	32	00000
	SCH1	0112	BIOL1010C	1 1	9.00 10.15					22	132	310	15	00000
8	SCH1	0112	BIOL1010A	1 1 1	9.30 10.20					31	132	310	15	00000
	SCH1	0112	BIOL1020A	1 1 1	10.30 11.20					15	132	310	15	00000
8	SCH1	0112	BIOL1160C	1 1	10.30 11.45					35	132	310	15	00000
	SCH1	0112	BIOL1010B	1 1 1	12.30 13.20					17	132	310	15	00000
	SCH1	0112	HBIO1200A	1111	15.00 16.15					21	132	310	15	00000
	SCH1	0120	ENGL1020B	1 1 1	7.30 8.20					18	1,023	110	32	00000
	SCH1	0120	ENGL1010A	1 1	7.30 8.45					26	1,023	110	32	00000
	SCH1	0120	ENGL1020C	1 1 1	8.30 9.20					18	1,023	110	32	00000
	SCH1	0120	ENGL1020WHA	1	9.00 10.15					17	1,023	110	32	00000
	SCH1	0120	ENGL2110WHA	1	9.00 10.15					17	1,023	110	32	00000
	SCH1	0120	ENGL1020D	1 1 1	9.30 10.20					25	1,023	110	32	00000
	SCH1	0120	ENGL1000B	1 1 1	10.30 11.20					27	1,023	110	32	00000
	SCH1	0120	ELAB1000B	1 1	10.30 11.45					27	1,023	110	32	00000
	SCH1	0120	ENGL1020E	1 1 1	11.30 12.20					19	1,023	110	32	00000
	SCH1	0120	ENGL1010WHA	1	12.00 13.15					26	1,023	110	32	00000
	SCH1	0120	ENGL1020WHB	1	12.00 13.15					18	1,023	110	32	00000
	SCH1	0120	ENGL1010G	1 1 1	12.30 13.20					26	1,023	110	32	00000
	SCH1	0120	ENGL1010C	1 1	13.30 14.45					26	1,023	110	32	00000
	SCH1	0120	IPTN2200EM	1	17.45 20.30					16	1,023	110	32	00000
	SCH1	0120	IPTN1050ET	1	17.45 20.30					36	1,023	110	32	00000
	SCH1	0120	IPTN2500EW	1	17.45 20.30					14	1,023	110	32	00000
	SCH1	0120	IPTN1050ER	1	17.45 20.30					22	1,023	110	32	00000
	SCH1	0121	DVRE0910WHA	1 1	8.30 9.20					25	1,023	110	25	00000
	SCH1	0121	DVRE0910A	1 1	9.00 10.15					25	1,023	110	25	00000
	SCH1	0121	ENGL1010E	1 1 1	9.30 10.20					26	1,023	110	25	00000
	SCH1	0121	DVRE0910WHB	1 1	10.30 11.20					26	1,023	110	25	00000
	SCH1	0121	ENGL1020A	1 1	10.30 11.45					22	1,023	110	25	00000
	SCH1	0121	DVRE0910B	1 1	12.00 13.15					27	1,023	110	25	00000
	SCH1	0121	DVRE0910WHC	1 1	12.30 13.20					24	1,023	110	25	00000
	SCH1	0121	DVRE0910C	1 1	13.30 14.45					24	1,023	110	25	00000
	SCH1	0121	DVRE0910D	1 1	15.00 16.15					23	1,023	110	25	00000
	SCH1	0122	BIOL1140B	1 1	9.00 10.15					37	1,044	110	48	00000
	SCH1	0122	BIOL1160A	1 1 1	9.30 10.20					26	1,044	110	48	00000
	SCH1	0122	BIOL1140C	1 1	10.30 11.45					38	1,044	110	48	00000
	SCH1	0122	BIOL2030A	1 1	12.00 13.15					22	1,044	110	48	00000
	SCH1	0122	BIOL1160B	1 1 1	12.30 13.20					25	1,044	110	48	00000
	SCH1	0122	BIOL1140A	1 1	13.30 14.45					34	1,044	110	48	00000
	SCH1	0122	BIOL1140ER	1	17.45 20.30					21	1,044	110	48	00000
	SCH1	0123	BIOL1150A	1	8.30 11.20					23	667	110	34	00000
	SCH1	0123	BIOL1150B	1	8.30 11.20					15	667	110	34	00000
	SCH1	0123	BIOL1170C	1	9.00 11.45					21	667	110	34	00000
	SCH1	0123	BIOL1170A	1	13.30 16.15					15	667	110	34	00000
	SCH1	0123	BIOL1150C	1	13.30 16.15					31	667	110	34	00000
	SCH1	0123	BIOL1170B	1	13.30 16.15					23	667	110	34	00000
	SCH1	0123	BIOL1150D	1	13.30 16.15					21	667	110	34	00000
	SCH1	0123	BIOL1150ET	1	17.45 20.30					22	667	110	34	00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
	SCH1 0123	BIOL2030EW	1	17.45 20.30					17	667	110	34	00000
	SCH1 0126	PHSC1100A	1	11.30 14.45					15	667	110	32	00000
	SCH1 0126	GEOL1010A	1 1	15.00 16.15					20	667	110	32	00000
	SCH1 0131	ENGL1010D	1 1 1	8.30 9.20					25	696	110	25	00000
	SCH1 0131	ELAB1000D	1 1	9.00 10.15					24	696	110	25	00000
	SCH1 0131	ENGL1000D	1 1 1	9.30 10.20					24	696	110	25	00000
	SCH1 0131	ENGL1010F	1 1 1	10.30 11.20					25	696	110	25	00000
	SCH1 0131	ENGL1010B	1 1	10.30 11.45					25	696	110	25	00000
	SCH1 0131	ENGL2210A	1 1 1	11.30 12.20					24	696	110	25	00000
	SCH1 0131	ENGL1010EM	1	17.35 20.30					24	696	110	25	00000
	SCH1 0201	DVMA0910B	1 1 1	7.30 8.20					10	780	110	35	00000
	SCH1 0201	DVMA0920B	1 1 1	8.30 9.20					31	780	110	35	00000
	SCH1 0201	MLAB0920B	1 1	9.00 10.15					31	780	110	35	00000
	SCH1 0201	MATH1100B	1 1 1	9.30 10.20					29	780	110	35	00000
	SCH1 0201	DVMA0920I	1 1 1	10.30 11.20					32	780	110	35	00000
	SCH1 0201	MLAB0920I	1 1 1	11.30 12.20					32	780	110	35	00000
	SCH1 0201	MLAB0920F	1 1	12.00 13.15					32	780	110	35	00000
	SCH1 0201	DVMA0920F	1 1 1	12.30 13.20					32	780	110	35	00000
	SCH1 0201	DVMA0920G	1 1	13.30 14.45					29	780	110	35	00000
	SCH1 0201	MLAB0920G	1 1	13.30 14.45					29	780	110	35	00000
	SCH1 0201	MATH2100EW	1	17.45 20.30					13	780	110	35	00000
	SCH1 0202	ACCT2110A	1 1 1	8.30 9.20					32	667	110	30	00000
	SCH1 0202	ACCT1300A	1 1 1	9.30 10.20					11	667	110	30	00000
	SCH1 0202	BUSN1100WHA	1	10.30 11.20					30	667	110	30	00000
	SCH1 0202	BUSI1050WHA	1	10.30 11.20					24	667	110	30	00000
	SCH1 0202	OSYS2530WHA	1	10.30 11.20					15	667	110	30	00000
	SCH1 0202	ACCT2100A	1 1	10.30 11.45					28	667	110	30	00000
	SCH1 0202	ACCT1400A	1 1 1	11.30 12.20					12	667	110	30	00000
	SCH1 0202	ACCT2100B	1 1 1	12.30 13.20					31	667	110	30	00000
	SCH1 0202	APMA1030A	1 1	13.30 14.45					24	667	110	30	00000
	SCH1 0202	APMA1030B	1 1	13.30 14.45					9	667	110	30	00000
	SCH1 0203	DVKB0900B	1 1	7.30 8.45					24	1,073	140	35	00000
	SCH1 0203	CPTR1100WHA	1	9.00 10.15					30	1,073	140	35	00000
	SCH1 0203	CPTR1100WHC	1	9.00 10.15					30	1,073	140	35	00000
	SCH1 0203	KYBD1200A	1 1 1	9.30 10.20					13	1,073	140	35	00000
	SCH1 0203	DVKB0900A	1 1 1	10.30 11.20					24	1,073	140	35	00000
	SCH1 0203	CPTR1100WHB	1	10.30 11.45					30	1,073	140	35	00000
	SCH1 0203	CPTR1100WHD	1	10.30 11.45					29	1,073	140	35	00000
	SCH1 0203	KYBD1100A	1 1 1	11.30 12.20					28	1,073	140	35	00000
	SCH1 0203	CPTR1100EMA	1 1	17.30 18.45					21	1,073	140	35	00000
	SCH1 0203	CPTR1100EHA	1	17.30 18.45					29	1,073	140	35	00000
	SCH1 0203	CPTR1100EMB	1 1	19.00 20.15					12	1,073	140	35	00000
	SCH1 0214	DRFT2400A	1 1	7.30 10.15					13	1,023	210	20	00000
	SCH1 0214	DRFT2400A	1 1 1	7.30 10.20					13	1,023	210	20	00000
	SCH1 0214	APMA1040A	1 1	10.30 11.45					5	1,023	210	20	00000
	SCH1 0214	CADD2300A	1 1	12.00 14.45					6	1,023	210	20	00000
	SCH1 0214	CADD1200A	1 1 1	12.30 14.20					7	1,023	210	20	00000
	SCH1 0217	MUSC1010A	1 1 1	8.30 9.20					35	1,350	110	30	00000
	SCH1 0217	MUSC2020A	1 1	9.00 10.15					10	1,350	110	30	00000
	SCH1 0217	MUSC1010D	1 1 1	10.30 11.20					35	1,350	110	30	00000
	SCH1 0217	MUSC2010A	1 1 1	11.30 12.20					27	1,350	110	30	00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
	SCH1 0217	MUSC1010B	1 1	12.00 13.15					33	1,350	110	30	00000
	SCH1 0217	MUSC1010WHA	1	13.30 14.45					20	1,350	110	30	00000
	SCH1 0218	DRFT1200A	1 1	7.30 10.15					7	899	210	12	00000
	SCH1 0218	DRFT1200A	1 1 1	8.30 10.20					7	899	210	12	00000
	SCH1 0218	DRFT1100A	1 1 1	11.30 14.20					13	899	210	12	00000
	SCH1 0218	DRFT1100A	1 1	12.00 14.45					13	899	210	12	00000
	SCH1 0219	PHSC1000A	1 1 1	7.30 8.20					39	874	110	40	00000
	SCH1 0219	CHEM1010B	1 1	7.30 8.45					20	874	110	40	00000
	SCH1 0219	PHSC1200A	1 1	9.00 10.15					15	874	110	40	00000
	SCH1 0219	CHEM1010A	1 1 1	9.30 10.20					21	874	110	40	00000
	SCH1 0219	PHSC1000B	1 1	12.00 13.15					41	874	110	40	00000
	SCH1 0220	HIST1010A	1 1 1	8.30 9.20					31	874	110	44	00000
	SCH1 0220	HIST2020A	1 1	9.00 10.15					22	874	110	44	00000
	SCH1 0220	HIST1500A	1 1 1	10.30 11.20					39	874	110	44	00000
	SCH1 0220	PHIL2030A	1 1	10.30 11.45					33	874	110	44	00000
	SCH1 0220	HIST1020A	1 1	12.00 13.15					10	874	110	44	00000
	SCH1 0220	HIST2010A	1 1	13.30 14.45					19	874	110	44	00000
	SCH1 0220	HIST1500ET	1	17.45 20.30					15	874	110	44	00000
	SCH1 0221	DVMA0930A	1 1 1	7.30 8.20					31	775	110	34	00000
	SCH1 0221	MLAB0930A	1 1	7.30 8.45					31	775	110	34	00000
	SCH1 0221	DVMA0930B	1 1 1	8.30 9.20					28	775	110	34	00000
	SCH1 0221	MLAB0930B	1 1	9.00 10.15					28	775	110	34	00000
	SCH1 0221	DVMA0930D	1 1 1	10.30 11.20					32	775	110	34	00000
	SCH1 0221	MLAB0930D	1 1	10.30 11.45					32	775	110	34	00000
	SCH1 0221	DVMA0930E	1 1 1	11.30 12.20					30	775	110	34	00000
	SCH1 0221	MLAB0930E	1 1	12.00 13.15					30	775	110	34	00000
	SCH1 0221	MATH1100D	1 1 1	12.30 13.20					30	775	110	34	00000
	SCH1 0221	DVMA0930G	1 1	13.30 14.45					19	775	110	34	00000
	SCH1 0221	MLAB0930G	1 1	13.30 14.45					19	775	110	34	00000
	SCH1 0222	ARTS2300A	1 1	9.00 11.45					17	696	110	32	00000
	SCH1 0223	PSYC2010A	1 1 1	7.30 8.20					43	868	110	46	00000
	SCH1 0223	PSYC2010B	1 1	7.30 8.45					35	868	110	46	00000
	SCH1 0223	PSYC2120B	1 1	9.00 10.15					41	868	110	46	00000
	SCH1 0223	PSYC2200A	1 1 1	9.30 10.20					20	868	110	46	00000
	SCH1 0223	PSYC2120A	1 1 1	11.30 12.20					41	868	110	46	00000
	SCH1 0223	PSYC2010C	1 1	12.00 13.15					45	868	110	46	00000
	SCH1 0223	PSYC2010EM	1	17.45 20.30					16	868	110	46	00000
	SCH1 0224	MATH1100A	1 1 1	8.30 9.20					30	693	110	32	00000
	SCH1 0224	MLAB0930C	1 1	9.00 10.15					29	693	110	32	00000
	SCH1 0224	DVMA0930C	1 1 1	9.30 10.20					29	693	110	32	00000
	SCH1 0224	DVMA0930I	1 1 1	10.30 11.20					29	693	110	32	00000
	SCH1 0224	MLAB0930I	1 1 1	11.30 12.20					29	693	110	32	00000
	SCH1 0224	MLAB0930F	1 1	12.00 13.15					30	693	110	32	00000
	SCH1 0224	DVMA0930F	1 1 1	12.30 13.20					30	693	110	32	00000
	SCH1 0225	MATH1000A	1 1 1	7.30 8.20					17	660	110	32	00000
	SCH1 0225	MLAB1000A	1 1	7.30 8.45					17	660	110	32	00000
	SCH1 0225	MATH1160A	1 1 1	8.30 9.20					8	660	110	32	00000
	SCH1 0225	MLAB1160A	1 1	9.00 10.15					8	660	110	32	00000
	SCH1 0225	MATH1110A	1 1 1	10.30 11.20					32	660	110	32	00000
	SCH1 0225	DVMA0910A	1 1 1	11.30 12.20					24	660	110	32	00000
	SCH1 0225	MATH1100F	1 1	12.00 13.15					28	660	110	32	00000

L.T.C.-L.E. FLETCHER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
	SCH1 0225	MATH1170A	1 1 1	12.30 13.20					24	660	110	32	00000
	SCH1 0225	MATH1000C	1 1	13.30 14.45					17	660	110	32	00000
	SCH1 0225	MLAB1000C	1 1	13.30 14.45					17	660	110	32	00000
	SCH1 0225	MATH1100EMW	1 1	17.45 19.00					11	660	110	32	00000
	SCH1 0225	IPTN1400ER	1	17.45 20.30					15	660	110	32	00000
	SCH1 0227	CLCR1000A	1 1 1	7.30 8.20					30	1,116	140	32	00000
	SCH1 0227	CLCR1000H	1 1	7.30 8.45					29	1,116	140	32	00000
	SCH1 0227	CLCR1000B	1 1 1	8.30 9.20					32	1,116	140	32	00000
	SCH1 0227	CLCR1000I	1 1	9.00 10.15					31	1,116	140	32	00000
	SCH1 0227	CLCR1000C	1 1 1	9.30 10.20					31	1,116	140	32	00000
	SCH1 0227	CLCR1000D	1 1 1	10.30 11.20					31	1,116	140	32	00000
	SCH1 0227	CLCR1000J	1 1	10.30 11.45					31	1,116	140	32	00000
	SCH1 0227	CLCR1000E	1 1 1	11.30 12.20					29	1,116	140	32	00000
	SCH1 0227	CLCR1000K	1 1	12.00 13.15					30	1,116	140	32	00000
	SCH1 0227	CLCR1000F	1 1 1	12.30 13.20					30	1,116	140	32	00000
	SCH1 0227	CLCR1000G	1 1	13.30 14.45					29	1,116	140	32	00000
	SCH1 0227	CLCR1000L	1 1	13.30 14.45					28	1,116	140	32	00000
	SCH1 0227	CLCR1000M	1 1	15.00 16.15					29	1,116	140	32	00000
	SCH1 0227	DVMA0920ETR	1 1	17.45 19.00					32	1,116	140	32	00000
	SCH1 0227	CLCR1000EW	1	17.45 20.30					23	1,116	140	32	00000
	SCH1 0227	MLAB0920ETR	1 1	19.15 20.30					32	1,116	140	32	00000
	SCH1 0228	DVMA0920A	1 1 1	7.30 8.20					31	744	110	34	00000
	SCH1 0228	MLAB0920A	1 1	7.30 8.45					31	744	110	34	00000
	SCH1 0228	MATH2100A	1 1 1	8.30 9.20					29	744	110	34	00000
	SCH1 0228	MLAB0920C	1 1	9.00 10.15					31	744	110	34	00000
	SCH1 0228	DVMA0920C	1 1 1	9.30 10.20					31	744	110	34	00000
	SCH1 0228	DVMA0920D	1 1 1	10.30 11.20					30	744	110	34	00000
	SCH1 0228	MLAB0920D	1 1	10.30 11.45					30	744	110	34	00000
	SCH1 0228	DVMA0920E	1 1 1	11.30 12.20					31	744	110	34	00000
	SCH1 0228	MLAB0920E	1 1	12.00 13.15					31	744	110	34	00000
	SCH1 0228	MATH2100B	1 1 1	12.30 13.20					15	744	110	34	00000
	SCH1 0228	MATH2100C	1 1	13.30 14.45					20	744	110	34	00000
	SCH1 0229	ENGL1000A	1 1 1	7.30 8.20					24	990	140	25	00000
	SCH1 0229	ELAB1000A	1 1	7.30 8.45					24	990	140	25	00000
	SCH1 0229	ENGL1000C	1 1 1	8.30 9.20					24	990	140	25	00000
	SCH1 0229	DVEN0920D	1 1	9.00 10.15					24	990	140	25	00000
	SCH1 0229	ELAB1000C	1 1 1	9.30 10.20					24	990	140	25	00000
	SCH1 0229	DVEN0920E	1 1	10.30 11.45					26	990	140	25	00000
	SCH1 0229	DVEN0920F	1 1	12.00 13.15					20	990	140	25	00000
	SCH1 0229	DVEN0920B	1 1 1	12.30 13.20					24	990	140	25	00000
	SCH1 0229	DVEN0920C	1 1	13.30 14.45					22	990	140	25	00000
	SCH1 0229	DVEN0920G	1 1	13.30 14.45					7	990	140	25	00000
	SCH1 0230	ARTS1200B	1 1 1	7.30 8.20					19	667	110	32	00000
	SCH1 0230	ARTS1200C	1 1 1	9.30 10.20					31	667	110	32	00000
	SCH1 0230	ARTS1200D	1 1	10.30 11.45					30	667	110	32	00000
	SCH1 0230	ARTS1200A	1 1	13.30 14.45					22	667	110	32	00000
	SCH1 0230	SPCH1200A	1	15.00 17.45					20	667	110	32	00000
	SCH1 0230	SPCH1200ET	1	18.00 20.45					20	667	110	32	00000
	SCH1 0231	DVEN0910A	1 1 1	7.30 8.20					22	1,073	140	32	00000
	SCH1 0231	DVEN0910A	1 1	7.30 8.45					22	1,073	140	32	00000
	SCH1 0231	DVEN0920A	1 1 1	8.30 9.20					26	1,073	140	32	00000

L.T.C.-L.E. FLETCHER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
	SCH1	0231	DVEN0910E	1 1	9.00	10.15					21	1,073	140	32	00000
	SCH1	0231	DVEN0910E	1 1 1	9.30	10.20					21	1,073	140	32	00000
	SCH1	0231	DVEN0910B	1 1 1	10.30	11.20					25	1,073	140	32	00000
	SCH1	0231	DVEN0910B	1 1	10.30	11.45					25	1,073	140	32	00000
	SCH1	0231	DVEN0910C	1 1	12.00	13.15					19	1,073	140	32	00000
	SCH1	0231	DVEN0910C	1 1 1	12.30	13.20					19	1,073	140	32	00000
	SCH1	0231	DVEN0910D	1 1	13.30	14.45					14	1,073	140	32	00000
	SCH1	0231	DVEN0910D	1 1	13.30	14.45					14	1,073	140	32	00000
	SCH1	0231	DVMA0930ETR	1 1	17.45	19.00					19	1,073	140	32	00000
	SCH1	0231	MLAB0930ETR	1 1	19.15	20.30					19	1,073	140	32	00000
8	SCH1	0232	MATH1100E	1 1	9.00	10.15					28	667	731	15	00000
8	SCH1	0232	MATH1000B	1 1 1	10.30	11.20					26	667	731	15	00000
8	SCH1	0232	MLAB1000B	1 1	10.30	11.45					26	667	731	15	00000
8	SCH1	0232	MATH1100C	1 1 1	11.30	12.20					27	667	731	15	00000
8	SCH1	0232	MATH1100G	1 1	13.30	14.45					28	667	731	15	00000
	0006	0247P	DVMA0930NSA	1 1 1	7.30	8.25					39	828	110	50	00000
	0006	0247P	MLAB0930NSA	1 1	7.30	8.50					39	828	110	50	00000
	0006	0247P	DVMA0930NSB	1 1 1	8.35	9.30					38	828	110	50	00000
	0006	0247P	MLAB0930NSB	1 1	9.00	10.20					38	828	110	50	00000
	0006	0247P	MLAB0930NSD	1 1	10.30	11.50					38	828	110	50	00000
	0006	0247P	DVMA0930NSD	1 1 1	10.45	11.40					38	828	110	50	00000
	0006	0247P	MLAB0930NSE	1 1	12.00	13.20					35	828	110	50	00000
	0006	0247P	DVMA0930NSE	1 1	12.15	13.35					35	828	110	50	00000
	0006	0247P	DVMA0930NSF	1 1	15.00	16.20					36	828	110	50	00000
	0006	0247P	MLAB0930NSF	1 1	15.00	16.20					36	828	110	50	00000
	0006	0249P	DVMA0920NSA	1 1 1	7.30	8.25					28	864	110	45	00000
	0006	0249P	MLAB0920NSA	1 1	7.30	8.50					28	864	110	45	00000
	0006	0249P	MLAB0930NSC	1 1	9.00	10.20					36	864	110	45	00000
	0006	0249P	DVMA0930NSC	1 1 1	9.40	10.35					36	864	110	45	00000
	0006	0249P	MLAB0920NSB	1 1	10.30	11.50					36	864	110	45	00000
	0006	0249P	DVMA0920NSB	1 1 1	10.45	11.40					36	864	110	45	00000
	0006	0249P	MLAB0920NSC	1 1	13.30	14.50					31	864	110	45	00000
	0006	0249P	DVMA0920NSC	1 1	13.45	15.05					31	864	110	45	00000
	0006	0252P	DVEN0920NSA	1 1 1	8.35	9.30					20	828	110	35	00000
	0006	0252P	DVEN0920NSB	1 1 1	9.40	10.35					17	828	110	35	00000
	0006	0253P	MLAB0920NSD	1 1	13.30	14.50					25	828	110	35	00000
	0006	0253P	DVMA0920NSD	1 1	13.45	15.05					25	828	110	35	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT L.T.C.-L.E. FLETCHER
FALL DATA 2013
RUN DATE 02/04/2014 14:49:40

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	87
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	46
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	

------- T O T A L S -------

TOTAL ERRORS	
TOTAL WARNINGS	133
TOTAL NUMBER OF RECORDS READ	445
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	445
NUMBER OF JOINT-CLASS RECORDS	91
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZATION - SUMMARY PAGE **L.T.C.-L.E. FLETCHER**

RUN DATE 02/04/2014 14:49:40
PAGE NUM 1

*CLASSROOM FACILITIES	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			53
TOTAL NUMBER OF STATIONS (CAPACITY)			1,555
WEEKLY STUDENT CONTACT HOURS	26,060	2,140	28,200
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,770	2,650	7,420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,014	231	4,245
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	139,950	77,750	217,700
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	132,755	7,053	139,808
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	52,120	4,281	56,401
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	84.2	8.7	57.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	37.2	5.5	25.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.3	60.7	40.3

CLASSROOM	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			49
TOTAL NUMBER OF STATIONS (CAPACITY)			1,431
WEEKLY STUDENT CONTACT HOURS	23,103	1,623	24,726
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,410	2,450	6,860
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,774	186	3,960
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	128,790	71,550	200,340
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	125,387	5,568	130,955
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,207	3,246	49,453
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	85.6	7.6	57.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	35.9	4.5	24.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.9	58.3	37.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			124
WEEKLY STUDENT CONTACT HOURS	2,956	517	3,474
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	240	45	285
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11,160	6,200	17,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,368	1,485	8,853
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,913	1,035	6,948
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.7	22.5	50.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	53.0	16.7	40.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	80.3	69.7	78.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			410
WEEKLY STUDENT CONTACT HOURS	8,510	171	8,681
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,392	18	2,410
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36,900	20,500	57,400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	61,614	360	61,974
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,020	342	17,362
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	110.7	1.5	71.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	46.1	1.7	30.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.6	95.0	28.0

CLASS LABORATORY	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			168
WEEKLY STUDENT CONTACT HOURS	7,647		7,647
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,216		2,216
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	15,120	8,400	23,520
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58,484		58,484
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,294		15,294
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	351.7	.0	226.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	101.2	.0	65.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.2	.0	26.2

OPEN LABBORATORY	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			242
WEEKLY STUDENT CONTACT HOURS	863	171	1,034
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	176	18	194
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,780	12,100	33,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,130	360	3,490
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,726	342	2,068
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.5	2.1	8.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.9	2.8	6.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	55.1	95.0	59.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY