

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 1

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	LAMA	0107	MRNE1512 A	1	7.00	11.00			2	635	110 20	00000
4	LAMA	0107	MRNE1230 A	11111	7.00	16.00	1		9	635	110 20	00000
4	LAMA	0107	MRNE1230 B	11111	7.00	16.00	1		7	635	110 20	00000
4	LAMA	0107	MRNE1230 D	11111	7.00	16.00	1		8	635	110 20	00000
4	8	LAMA	0107	MRNE1230 E	11111	7.00	16.00	1	6	635	110 20	00000
4	8	LAMA	0107	MRNE1230 F	11111	7.00	16.00	1	10	635	110 20	00000
4	8	LAMA	0107	MRNE1230 G	11111	7.00	16.00	1	10	635	110 20	00000
4	8	LAMA	0107	MRNE1230 H	11111	7.00	16.00	1	8	635	110 20	00000
4	8	LAMA	0107	MRNE1230 I	11111	7.00	16.00	1	3	635	110 20	00000
4	8	LAMA	0107	MRNE1230 J	11111	7.00	16.00	1	3	635	110 20	00000
4	8	LAMA	0107	MRNE1230 K	11111	7.00	16.00	1	12	635	110 20	00000
4	8	LAMA	0107	MRNE1230 N	11111	7.00	16.00	1	2	635	110 20	00000
4	8	LAMA	0107	MRNE1511 A	11	7.00	16.00	1	1	635	110 20	00000
4	LAMA	0108	NAUT2350 A	11111	7.00	15.00			1	632	115 10	00000
4	LAMA	0108	ZMAR1101 A	11111	7.00	15.00	1		5	632	115 10	00000
4	LAMA	0108	ZMAR1101 B	11111	7.00	15.00	1		4	632	115 10	00000
4	8	LAMA	0108	ZMAR1101 C	11111	7.00	15.00	1	7	632	115 10	00000
4	8	LAMA	0108	ZMAR1101 D	11111	7.00	15.00	1	4	632	115 10	00000
4	8	LAMA	0108	ZMAR1101 E	11111	7.00	15.00	1	3	632	115 10	00000
4	8	LAMA	0108	ZMAR1101 F	11111	7.00	15.00	1	3	632	115 10	00000
4	8	LAMA	0108	ZMAR1101 G	11111	7.00	15.00	1	3	632	115 10	00000
4	LAMA	0109	MRNE1320 K	11111	7.00	15.00			7	639	210 30	00000
4	LAMA	0109	MRNE1320 L	11111	7.00	15.00	1		4	639	210 30	00000
4	LAMA	0109	MRNE1320 M	11111	7.00	15.00	1		6	639	210 30	00000
4	LAMA	0109	MRNE1320 N	11111	7.00	15.00	1		6	639	210 30	00000
4	LAMA	0109	MRNE1320 O	11111	7.00	15.00	1		11	639	210 30	00000
4	LAMA	0109	MRNE1320 A	1111	7.00	15.00	1		8	639	210 30	00000
4	8	LAMA	0109	MRNE1320 B	1111	7.00	15.00	1	8	639	210 30	00000
4	8	LAMA	0109	MRNE1320 C	1111	7.00	15.00	1	6	639	210 30	00000
4	8	LAMA	0109	MRNE1320 D	1111	7.00	15.00	1	11	639	210 30	00000
4	8	LAMA	0109	MRNE1320 E	1111	7.00	15.00	1	11	639	210 30	00000
4	8	LAMA	0109	MRNE1320 F	1111	7.00	15.00	1	9	639	210 30	00000
4	8	LAMA	0109	MRNE1320 G	1111	7.00	15.00	1	9	639	210 30	00000
4	8	LAMA	0109	MRNE1320 H	1111	7.00	15.00	1	11	639	210 30	00000
4	8	LAMA	0109	MRNE1320 J	11111	7.00	16.00	1	7	639	210 30	00000
4	LAMA	0111	ZMAR1900 A	11 111	7.00	15.00			10	636	110 50	00000
4	LAMA	0111	ZMAR1900 B	11 111	7.00	15.00	1		7	636	110 50	00000
4	LAMA	0111	ZMAR1900 C	11 111	7.00	15.00	1		7	636	110 50	00000
4	LAMA	0111	ZMAR1900 D	11 111	7.00	15.00	1		8	636	110 50	00000
4	LAMA	0111	ZMAR1900 E	11 111	7.00	15.00	1		6	636	110 50	00000
4	LAMA	0111	ZMAR1900 F	11 111	7.00	15.00	1		5	636	110 50	00000
4	LAMA	0111	ZMAR1220 D	1	7.00	15.00	1		7	636	110 50	00000
4	LAMA	0111	MRNE1510 A	11111	7.00	16.00	1		6	636	110 50	00000
4	LAMA	0111	MRNE1510 B	11111	7.00	16.00	1		13	636	110 50	00000
4	LAMA	0111	MRNE1510 C	11111	7.00	16.00	1		4	636	110 50	00000
4	LAMA	0111	ZMAR1220 J	1	7.00	16.00	1		2	636	110 50	00000
4	LAMA	0111	MRNE1514 A	11	7.00	16.00			11	636	110 50	00000
4	LAMA	0111	MRNE1514 B	11	7.00	16.00	1		6	636	110 50	00000
4	LAMA	0111	MRNE1514 C	11	7.00	16.00	1		7	636	110 50	00000
4	LAMA	0111	MRNE1514 E	11	7.00	16.00	1		17	636	110 50	00000
4	LAMA	0111	MRNE1514 F	11	7.00	16.00	1		3	636	110 50	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 2

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	LAMA 0111	ZMAR1220 C	1	7.00 16.00	1	12	636	110 50	00000
4	LAMA 0111	ZMAR1220 H	1	7.00 16.00	1	3	636	110 50	00000
4	LAMA 0111	MRNE1514 D	11	7.00 16.00		7	636	110 50	00000
4	LAMA 0111	ZMAR1220 E	1	7.00 16.00	1	9	636	110 50	00000
4	LAMA 0111	ZMAR1220 G	1	7.00 16.00	1	5	636	110 50	00000
4	LAMA 0111	ZMAR1220 F	1	7.00 16.00		9	636	110 50	00000
4	LAMA 0111	MRNE1513 A	1	7.00 16.00		1	636	110 50	00000
4	LAMA 0111	ZMAR1220 A	1	7.30 15.30		16	636	110 50	00000
4	LAMA 0112	MRNE1380 A	11111	7.00 15.00		6	642	210 30	00000
4	LAMA 0112	MRNE2010 A	11111	7.00 15.00	1	2	642	210 30	00000
4	LAMA 0112	MRNE2020 A	11111	7.00 15.00	1	5	642	210 30	00000
4	LAMA 0112	MRNE2030 A	11111	7.00 15.00	1	7	642	210 30	00000
4	LAMA 0112	MRNE2040 A	11111	7.00 15.00	1	3	642	210 30	00000
4	LAMA 0112	MRNE2100 A	11111	7.00 15.00	1	2	642	210 30	00000
4	8 LAMA 0112	MRNE2991 A	11111	7.00 15.00	1	23	642	210 30	00000
4	8 LAMA 0112	ZMAR1370 A	11111	7.00 15.00	1	3	642	210 30	00000
4	LAMA 0114	MRNE1240 A	111	7.00 15.00		4	639	210 20	00000
4	LAMA 0114	MRNE1240 B	111	7.00 15.00	1	1	639	210 20	00000
4	LAMA 0114	MRNE1240 C	111	7.00 15.00	1	8	639	210 20	00000
4	LAMA 0114	MRNE1240 D	111	7.00 15.00	1	6	639	210 20	00000
4	LAMA 0114	MRNE1240 E	111	7.00 15.00	1	8	639	210 20	00000
4	8 LAMA 0114	MRNE1240 F	111	7.00 15.00	1	6	639	210 20	00000
4	8 LAMA 0114	MRNE1240 G	111	7.00 15.00	1	8	639	210 20	00000
4	8 LAMA 0114	MRNE1240 H	111	7.00 15.00	1	10	639	210 20	00000
4	8 LAMA 0114	NAUT2200 A	111	7.00 15.00	1	1	639	210 20	00000
4	LAMA 0202	NAUT1500 A	11111	7.00 15.00		1	1,457	110 50	00000
4	LAMA 0202	MRNE1400 A	1111	7.00 15.00	1	4	1,457	110 50	00000
4	LAMA 0202	MRNE1400 B	1111	7.00 15.00	1	1	1,457	110 50	00000
4	LAMA 0202	MRNE1400 C	1111	7.00 15.00	1	1	1,457	110 50	00000
4	LAMA 0202	MRNE1400 D	1111	7.00 15.00	1	2	1,457	110 50	00000
4	LAMA 0202	MRNE1400 E	1111	7.00 15.00	1	5	1,457	110 50	00000
4	LAMA 0202	NAUT2100 A	1111	7.00 15.00	1	1	1,457	110 50	00000
4	LAMA 0202	MRNE1250 A	11	7.00 15.00	1	2	1,457	110 50	00000
4	LAMA 0202	MRNE1250 C	11	7.00 15.00	1	4	1,457	110 50	00000
4	LAMA 0202	MRNE1250 E	11	7.00 15.00	1	4	1,457	110 50	00000
4	LAMA 0202	MRNE1250 I	11	7.00 15.00	1	5	1,457	110 50	00000
4	LAMA 0202	MRNE1250 K	11	7.00 15.00	1	3	1,457	110 50	00000
4	LAMA 0202	MRNE1250 M	11	7.00 15.00	1	2	1,457	110 50	00000
4	LAMA 0202	MRNE1250 O	11	7.00 15.00	1	3	1,457	110 50	00000
4	LAMA 0202	MRNE1250 B	11	7.00 15.00		3	1,457	110 50	00000
4	LAMA 0202	MRNE1250 D	11	7.00 15.00	1	3	1,457	110 50	00000
4	LAMA 0202	MRNE1250 F	11	7.00 15.00	1	2	1,457	110 50	00000
4	LAMA 0202	MRNE1250 H	11	7.00 15.00	1	5	1,457	110 50	00000
4	LAMA 0202	MRNE1250 J	11	7.00 15.00	1	3	1,457	110 50	00000
4	LAMA 0202	MRNE1250 L	11	7.00 15.00	1	2	1,457	110 50	00000
4	LAMA 0202	MRNE1250 N	11	7.00 15.00	1	5	1,457	110 50	00000
4	LAMA 0202	MRNE1250 P	11	7.00 15.00	1	4	1,457	110 50	00000
4	LAMA 0202	MRNE1391 B	1	7.00 15.00		1	1,457	110 50	00000
4	LAMA 0202	MRNE1390 A	11111	7.00 16.00	1	7	1,457	110 50	00000
4	LAMA 0202	MRNE1390 B	11111	7.00 16.00	1	4	1,457	110 50	00000
4	LAMA 0202	MRNE1391 A	1	7.00 16.00	1	1	1,457	110 50	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 3

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	LAMB 0301	MRNE1330 A	11111	7.00 16.00		5	767	110 16	00000
4	LAMB 0301	MRNE1330 B	11111	7.00 16.00	1	13	767	110 16	00000
4	LAMB 0301	MRNE1330 C	11111	7.00 16.00	1	5	767	110 16	00000
4 8	LAMB 0301	MRNE1330 D	11111	7.00 16.00	1	4	767	110 16	00000
4 8	LAMB 0301	MRNE1330 E	11111	7.00 16.00	1	10	767	110 16	00000
4 8	LAMB 0301	MRNE1330 F	11111	7.00 16.00	1	8	767	110 16	00000
4 8	LAMB 0301	MRNE1330 G	11111	7.00 16.00	1	4	767	110 16	00000
4 8	LAMB 0301	MRNE1330 H	11111	7.00 16.00	1	1	767	110 16	00000
4 8	LAMB 0301	MRNE1330 I	11111	7.00 16.00	1	5	767	110 16	00000
4 8	LAMB 0301	MRNE1330 J	11111	7.00 16.00	1	6	767	110 16	00000
4 8	LAMB 0301	MRNE1330 K	11111	7.00 16.00	1	6	767	110 16	00000
4 8	LAMB 0301	MRNE1330 L	11111	7.00 16.00	1	7	767	110 16	00000
4 8	LAMB 0301	MRNE1330 M	11111	7.00 16.00	1	7	767	110 16	00000
4 8	LAMB 0301	MRNE1330 N	11111	7.00 16.00	1	8	767	110 16	00000
4 8	LAMB 0301	MRNE1330 O	11111	7.00 16.00	1	4	767	110 16	00000
4 8	LAMB 0301	MRNE1330 P	11111	7.00 16.00	1	13	767	110 16	00000
4 8	LAMB 0301	NAUT2300 A	11111	7.00 16.00	1	1	767	110 16	00000
	LEFA 0104	HNUR1211 A	1111	7.30 10.20		14	1,151	610 40	00000
	LEFA 0104	HNUR2105 A	1111	7.30 10.20	1	13	1,151	610 40	00000
	LEFA 0104	HMDT1170 A	1	7.30 10.20		15	1,151	610 40	00000
	LEFA 0104	HNUR1152 A	1	10.30 11.20		14	1,151	610 40	00000
	LEFA 0104	HNUR1180 A	1 1 1	12.30 14.20		15	1,151	610 40	00000
	LEFA 0105	NURS2760 A	1 1 1	9.30 11.20		15	1,155	731 15	00000
	LEFA 0105	NURS2780 A	1 1 1	12.30 14.20		15	1,155	731 15	00000
	LEFA 0107	ZALT1000 A			1	26	760	110 60	00000
	LEFA 0110A	NURS1300 A	1 1 1	7.30 11.20		18	810	110 26	00000
	LEFA 0110A	NURS1080 A	1 1	9.00 10.15		18	810	110 26	00000
	LEFA 0110A	NURS1090 A	1 1 1	12.30 14.20		18	810	110 26	00000
	LEFA 0112	NRSA1211 A	11111	7.30 12.30		5	6,321	110 153	00000
	LEFA 0112	NRSA1211 B	11111	7.30 12.30	1	10	6,321	110 153	00000
4	LEFA 0114	CPCS2000 A	111	7.30 15.30		17	1,893	220 24	00000
	LEFA 0116	ELEC1030WHA			1	10	1,156	110 15	00000
	LEFA 0116	ELEC2302 A	1 1 1	7.30 8.55		9	1,156	110 15	00000
	LEFA 0116	ELEC2301 A	1 1	7.30 8.55		9	1,156	110 15	00000
	LEFA 0116	ELEC2305 A	1 1 1	9.00 10.30		9	1,156	110 15	00000
	LEFA 0116	ELEC2303 A	1 1	9.00 10.30		9	1,156	110 15	00000
	LEFA 0116	ELEC1101 A	1 1 1	11.30 12.50		13	1,156	110 15	00000
	LEFA 0116	ELEC1102 A	1 1	11.30 13.10		13	1,156	110 15	00000
	LEFA 0116	ELEC1020 A	1 1 1	13.00 14.15		13	1,156	110 15	00000
	LEFA 0116	ELEC1010 A	1 1	13.20 14.15		13	1,156	110 15	00000
	LEFA 0122	DESL1120 A	1 1 1	7.30 9.20		11	645	110 15	00000
	LEFA 0122	MDET2210 A	1 1 1	9.30 11.20		17	645	110 15	00000
	LEFA 0122	DESL1500 A	1 1	10.30 11.45		1	645	110 15	00000
	LEFA 0122	MDET2220 A	1 1 1	12.30 14.20		17	645	110 15	00000
	LEFA 0122	MDET2700 A	1 1	12.30 14.45		2	645	110 15	00000
	LEFA 0122	MWLD2230 A	1 1 1	14.30 15.20		2	645	110 15	00000
	LEFA 0122C	DESL2500 A	1 1 1	7.30 9.20		1	2,526	220 20	00000
	LEFA 0122C	DESL1150 A	1 1	7.30 10.15		14	2,526	220 20	00000
8	LEFA 0122C	MDET2230 A	1 1	7.30 10.15	1	17	2,526	220 20	00000
	LEFA 0122C	DESL1130 A	1 1 1	9.30 11.20		11	2,526	220 20	00000
	LEFA 0122C	MDET2320 A	1 1	10.30 11.29		17	2,526	220 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 4

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	LEFA	0122C	DESL1140	A	1 1 1	11.30 14.20	14	2,526	220 20 00000	
	LEFA	0122C	MDET2310	A	1 1	12.00 13.15	17	2,526	220 20 00000	
	LEFA	0123	AUTO1200	A	1 1 1	7.30 8.20	19	634	110 15 00000	
	LEFA	0123	AUTO1810	A	1 1	9.50 10.50	3	634	110 15 00000	
	LEFA	0123	AUTO1300	A	1 1 1	10.30 11.20	18	634	110 15 00000	
	LEFA	0123	AUTO1820	A	1 1	11.00 12.00	2	634	110 15 00000	
	LEFA	0123	AUTO1400	A	1 1 1	13.30 14.20	15	634	110 15 00000	
	LEFA	0123C	AUTO1821	A	1 1 1	7.30 9.20	2	1,852	220 15 00000	
	LEFA	0123C	AUTO1401	A	1 1	7.30 9.40	2	1,852	220 15 00000	
	LEFA	0123C	AUTO1201	A	1 1 1	8.30 10.20	19	1,852	220 15 00000	
	LEFA	0123C	AUTO1601	A	1 1 1	9.30 11.20	1	1,852	220 15 00000	
	LEFA	0123C	AUTO1801	A	1 1	9.50 12.00	1	1,852	220 15 00000	
	LEFA	0123C	AUTO1301	A	1 1 1	11.30 13.20	18	1,852	220 15 00000	
	LEFA	0123C	AUTO1811	A	1 1	12.10 14.20	1	1,852	220 15 00000	
	LEFA	0123C	AUTO1501	A	1 1 1	12.30 14.20	1	1,852	220 15 00000	
	LEFA	0124	WELD1110	A	1 1 1	7.30 8.20	10	592	110 25 00000	
	LEFA	0124	WELD1310	A	1 1	7.30 8.20	4	592	110 25 00000	
	LEFA	0124	WELD1210	A	1 1	7.30 8.45	1	592	110 25 00000	
	LEFA	0124	WELD2210	A	1 1 1	7.30 9.50	3	592	110 25 00000	
	LEFA	0124	WELD1410	A	1 1 1	8.30 9.20	1	592	110 25 00000	
	LEFA	0124	WELD2110	A	1 1	8.30 9.45	6	592	110 25 00000	
	LEFA	0124	WELD1512	A	1 1 1	8.30 9.55	5	592	110 25 00000	
	LEFA	0124	WELD1411	A	1 1	9.00 10.15	11	592	110 25 00000	
	LEFA	0124	WELD2230	A	1 1	9.00 11.15	1	592	110 25 00000	
	LEFA	0124	WELD2995	A	1 1 1	10.00 10.50	1	592	110 25 00000	
	LEFA	0124	WELD2111	A	1 1 1	10.00 12.20	1	592	110 25 00000	
	LEFA	0124	WELD1412	A	1 1	10.30 11.45	12	592	110 25 00000	
	LEFA	0124	WELD2310	A	1 1 1	11.30 13.45	4	592	110 25 00000	
	LEFA	0124	WELD2311	A	1 1	12.00 13.15	4	592	110 25 00000	
	LEFA	0124	WELD1511	A	1 1	12.00 14.15	1	592	110 25 00000	
	LEFA	0124	WELD2114	A	1 1 1	12.30 14.45	6	592	110 25 00000	
	LEFA	0124	WELD2311	A	1 1	13.30 14.45	4	592	110 25 00000	
	LEFA	0124	ZWLD1001	A	1 11	17.30 20.30	16	592	110 25 00000	
	LEFA	0124	ZWLD1002	A	1 11	17.30 20.30	1	592	110 25 00000	
8	LEFA	0124	ZWLD1003	A	1 11	17.30 20.30	1	592	110 25 00000	
	LEFA	0125B	MTTC2531	A	1 1	7.30 8.25	4	480	110 25 00000	
	LEFA	0125B	MTTC1110	A	1	7.30 8.25	14	480	110 25 00000	
	LEFA	0125B	MTTC1210	A	1 1 1	8.30 9.30	14	480	110 25 00000	
	LEFA	0125B	MTTC1130	A	1 1	8.30 9.30	13	480	110 25 00000	
	LEFA	0125B	APMA1010	A	1 1	9.35 10.20	5	480	110 25 00000	
	LEFA	0125B	MTTC1310	A	1 1 1	10.25 11.20	2	480	110 25 00000	
	LEFA	0125B	MTTC2710	A	11	11.05 12.00	1	480	110 25 00000	
	LEFA	0125B	MTTC1410	A	1 1 1	11.30 12.45	1	480	110 25 00000	
	LEFA	0125C	MTTC1341	A	11111	7.30 9.30	2	208	725 15 00000	
	LEFA	0125C	MTTC2631	A	11111	8.30 9.35	1	5	208	725 15 00000
	LEFA	0125C	MTTC1441	A	1 1	9.40 11.00	4	208	725 15 00000	
	LEFA	0125C	MTTC1231	A	11111	10.25 12.00	1	12	208	725 15 00000
	LEFA	0125C	MTTC2711	A	11	12.05 13.15	3	208	725 15 00000	
4	LEFA	0201A	ZPET1004	B	111	7.00 15.00	11	667	110 15 00000	
4	LEFA	0201A	ZPET1004	A	111	7.00 15.00	1	9	667	110 15 00000
4	LEFA	0201A	ZPET1004	C	111	7.00 15.00	1	1	667	110 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 5

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	LEFA 0201A	ZPET1001 A	1	7.30 13.30		1	667	110 15	00000
4	LEFA 0201A	ZPET1001 B	1	7.30 13.30		2	667	110 15	00000
4	LEFA 0201A	ZPET1004 H	111	7.30 15.30	1	5	667	110 15	00000
4 8	LEFA 0201A	ZPET1004 I	111	7.30 15.30	1	20	667	110 15	00000
4 8	LEFA 0201A	ZPET1004 D	111	7.30 15.30	1	2	667	110 15	00000
4 8	LEFA 0201A	ZPET1004 E	111	7.30 15.30	1	4	667	110 15	00000
4 8	LEFA 0201A	ZPET1004 F	111	7.30 15.30	1	3	667	110 15	00000
4 8	LEFA 0201A	ZPET1004 G	111	7.30 15.30	1	4	667	110 15	00000
4 8	LEFA 0201A	ZPET1004 J	111	7.30 15.30	1	10	667	110 15	00000
4	LEFA 0201A	ZCUS1001 A	1	8.00 16.00		15	667	110 15	00000
4	LEFA 0201B	NURS2300 A	1 1	7.30 13.20		18	667	110 20	00000
	LEFA 0201B	NURS2800 A	1	8.30 9.20		18	667	110 20	00000
	LEFA 0201B	NURS2740 A	1 1 1	12.30 14.20		19	667	110 20	00000
4	LEFA 0201C	HNUR2302 A	11 1	6.30 14.30		8	667	110 32	00000
4	LEFA 0201C	HNUR2312 A	11 1	6.30 16.30	1	10	667	110 32	00000
	LEFA 0201C	HNUR2311 A	1 1	7.30 11.20		10	667	110 32	00000
	LEFA 0201C	HNUR2301 A	1 1	12.30 14.20		10	667	110 32	00000
4	LEFA 0203	CPCS2020 A	111	7.30 15.30		17	825	110 25	00000
	LEFA 0203	CPCS2040 A	1 1	10.30 11.20		17	825	110 25	00000
	LEFA 0203	CPCS2140 A	1 1	12.30 14.20		17	825	110 25	00000
	LEFA 0206	CPTR1100 D	1 1	9.00 10.15		7	752	210 26	00000
	LEFA 0206	PSYC2010 D	1 1	10.30 11.45		15	752	210 26	00000
	SCH1 0101	CINS1300 A	1 1 1	8.30 9.20		17	696	110 25	00000
	SCH1 0101	CINS1650 A	1 1	9.00 10.15		6	696	110 25	00000
	SCH1 0101	KYBD1200 A	1 1 1	10.30 11.20		11	696	110 25	00000
	SCH1 0101	CINS1310 A	1 1	10.30 11.45		11	696	110 25	00000
	SCH1 0101	ACCT1250 A	1	12.00 13.15		23	696	110 25	00000
	SCH1 0102	CPTR1100 A	1 1 1	8.30 9.20		24	696	110 20	00000
	SCH1 0102	CINS1450 A	1 1	9.00 10.15		13	696	110 20	00000
	SCH1 0102	CPTR1100 B	1 1 1	9.30 10.20		25	696	110 20	00000
	SCH1 0102	CPTR1100 G	1 1 1	10.30 11.20		24	696	110 20	00000
	SCH1 0102	CINS1550 A	1 1	10.30 11.45		12	696	110 20	00000
	SCH1 0111	CRJU1010 A	1 1 1	8.30 9.20		11	667	110 32	00000
	SCH1 0111	CRJU1010 B	1 1	9.00 10.15		14	667	110 32	00000
	SCH1 0111	CRJU2630 A	1 1 1	9.30 10.20		12	667	110 32	00000
	SCH1 0111	CRJU2030 A	1 1 1	10.30 11.20		13	667	110 32	00000
	SCH1 0111	CRJU2200 A	1 1	10.30 11.45		11	667	110 32	00000
	SCH1 0111	CRJU2040 A	1 1 1	11.30 12.20		19	667	110 32	00000
	SCH1 0111	CRJU2670 A	1 1	12.00 13.15		16	667	110 32	00000
	SCH1 0111	CRJU2010 A	1 1 1	12.30 13.20		10	667	110 32	00000
	SCH1 0111	POLI2520 EM	1	17.45 20.30		20	667	110 32	00000
	SCH1 0116	BIOL1150 A	1	8.30 11.20		16	1,496	220 15	00000
	SCH1 0116	BIOL1150 B	1	8.30 11.20		17	1,496	220 15	00000
	SCH1 0116	BIOL1170 B	1	9.00 11.45		22	1,496	220 15	00000
	SCH1 0116	PHSC1100 A	1	11.30 14.20		14	1,496	220 15	00000
8	SCH1 0116	BIOL1170 A	1	13.30 16.15		26	1,496	220 15	00000
8	SCH1 0116	BIOL1150 C	1	13.30 16.15		26	1,496	220 15	00000
	SCH1 0116	BIOL1150 D	1	13.30 16.15		21	1,496	220 15	00000
	SCH1 0116	BIOL1150 EM	1	17.45 20.30		15	1,496	220 15	00000
	SCH1 0120	ENGL1010 A	1 1 1	7.30 8.20		27	1,023	110 32	00000
	SCH1 0120	ENGL1020 E	1 1	7.30 8.45		21	1,023	110 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 6

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0120	ENGL1020 A	1 1 1	8.30 9.20		24	1,023	110 32 00000
	SCH1	0120	ENGL1010 E	1 1	9.00 10.15		29	1,023	110 32 00000
	SCH1	0120	ENGL1010 B	1 1 1	9.30 10.20		27	1,023	110 32 00000
	SCH1	0120	ENGL1000 B	1 1 1	10.30 11.20		25	1,023	110 32 00000
	SCH1	0120	ELAB1000 B	1 1	10.30 11.45		25	1,023	110 32 00000
	SCH1	0120	ENGL1010 C	1 1 1	11.30 12.20		29	1,023	110 32 00000
	SCH1	0120	ENGL1010 G	1 1	12.00 13.15		27	1,023	110 32 00000
	SCH1	0120	ENGL1020 D	1 1 1	12.30 13.20		26	1,023	110 32 00000
	SCH1	0120	ENGL1000 D	1 1	13.30 14.45		24	1,023	110 32 00000
	SCH1	0120	ELAB1000 D	1 1	13.30 14.45		24	1,023	110 32 00000
	SCH1	0120	SOCI2010 A	1	15.00 17.45		19	1,023	110 32 00000
	SCH1	0120	SPCH1200 A	1	15.00 17.45		22	1,023	110 32 00000
	SCH1	0120	SPCH1200 ET	1	18.00 20.45		24	1,023	110 32 00000
	SCH1	0121	DVRE0910WHA	1 1	8.30 9.20		27	1,023	110 25 00000
	SCH1	0121	DVRE0910 A	1 1	9.00 10.15		22	1,023	110 25 00000
	SCH1	0121	DVRE0910WHB	1 1	9.30 10.20		25	1,023	110 25 00000
	SCH1	0121	ENGL1020 C	1 1 1	11.30 12.20		21	1,023	110 25 00000
	SCH1	0121	DVRE0910 B	1 1	12.00 13.15		21	1,023	110 25 00000
	SCH1	0121	DVRE0910WHC	1 1	12.30 13.20		22	1,023	110 25 00000
	SCH1	0121	ENGL2110 A	1 1	13.30 14.45		24	1,023	110 25 00000
	SCH1	0121	DVRE0910 C	1 1	15.00 16.15		18	1,023	110 25 00000
	SCH1	0122	BIOL1140 B	1 1	9.00 10.15		38	1,044	110 48 00000
	SCH1	0122	BIOL1010 A	1 1 1	9.30 10.20		35	1,044	110 48 00000
	SCH1	0122	BIOL1140 C	1 1	10.30 11.45		36	1,044	110 48 00000
	SCH1	0122	BIOL1160 A	1 1 1	11.30 12.20		38	1,044	110 48 00000
	SCH1	0122	BIOL2030 A	1 1 1	12.30 13.20		17	1,044	110 48 00000
	SCH1	0122	BIOL1140 A	1 1	13.30 14.45		26	1,044	110 48 00000
	SCH1	0122	BIOL1010 B	1 1	13.30 14.45		19	1,044	110 48 00000
	SCH1	0122	BIOL1020 A	1 1	15.00 16.15		11	1,044	110 48 00000
	SCH1	0122	BIOL1160 B	1 1	15.00 16.15		21	1,044	110 48 00000
	SCH1	0122	BIOL1140 ET	1	17.45 20.30		14	1,044	110 48 00000
	SCH1	0122	BIOL2030 EW	1	17.45 20.30		18	1,044	110 48 00000
	SCH1	0123	MATH1000 A	1 1 1	7.30 8.20		23	667	110 34 00000
	SCH1	0123	MLAB1000 A	1 1	7.30 8.45		23	667	110 34 00000
	SCH1	0123	MATH1100 A	1 1 1	8.30 9.20		35	667	110 34 00000
	SCH1	0123	MATH1100 E	1 1	9.00 10.15		34	667	110 34 00000
	SCH1	0123	MATH1100 B	1 1 1	9.30 10.20		32	667	110 34 00000
	SCH1	0123	MATH1000 B	1 1 1	10.30 11.20		27	667	110 34 00000
	SCH1	0123	MLAB1000 B	1 1	10.30 11.45		27	667	110 34 00000
	SCH1	0123	MATH1100 C	1 1 1	11.30 12.20		32	667	110 34 00000
	SCH1	0123	MATH1100 F	1 1	12.00 13.15		34	667	110 34 00000
	SCH1	0123	MATH1100 D	1 1 1	12.30 13.20		29	667	110 34 00000
	SCH1	0131	ENGL1020 B	1 1 1	9.30 10.20		23	696	110 25 00000
	SCH1	0131	ENGL1020 F	1 1	10.30 11.45		23	696	110 25 00000
	SCH1	0131	ENGL1000 C	1 1 1	11.30 12.20		22	696	110 25 00000
	SCH1	0131	ELAB1000 C	1 1	12.00 13.15		22	696	110 25 00000
	SCH1	0131	ENGL1010 D	1 1	13.30 14.45		25	696	110 25 00000
	SCH1	0131	ENGL1010 EM	1	17.45 20.30		21	696	110 25 00000
	SCH1	0201	DVMA0920 A	1 1 1	7.30 8.20		24	780	110 35 00000
	SCH1	0201	MLAB0920 A	1 1	7.30 8.45		24	780	110 35 00000
	SCH1	0201	DVMA0920 B	1 1 1	8.30 9.20		21	780	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 7

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0201	MLAB0920	B	1 1	9.00 10.15	21	780	110 35 00000
	SCH1	0201	DVMA0920	I	1 1 1	9.30 10.20	28	780	110 35 00000
	SCH1	0201	MLAB0920	I	1 1 1	10.30 11.20	28	780	110 35 00000
	SCH1	0201	DVMA0920	E	1 1 1	11.30 12.20	26	780	110 35 00000
	SCH1	0201	MLAB0920	E	1 1	12.00 13.15	26	780	110 35 00000
	SCH1	0201	MATH1000	C	1 1	13.30 14.45	12	780	110 35 00000
	SCH1	0201	MLAB1000	C	1 1	13.30 14.45	12	780	110 35 00000
	SCH1	0202	ACCT2110	A	1 1 1	8.30 9.20	17	667	110 30 00000
	SCH1	0202	ACCT1300	A	1 1	9.00 10.15	18	667	110 30 00000
	SCH1	0202	ACCT1400	A	1 1 1	9.30 10.20	9	667	110 30 00000
	SCH1	0202	ACCT2100	A	1 1	10.30 11.45	32	667	110 30 00000
	SCH1	0202	BUSN1100WHA		1	11.30 12.20	27	667	110 30 00000
	SCH1	0202	BUSI1050WHA		1	11.30 12.20	23	667	110 30 00000
	SCH1	0202	OSYS2530WHA		1	11.30 12.20	14	667	110 30 00000
	SCH1	0202	APMA1030	A	1 1	13.30 14.45	26	667	110 30 00000
	SCH1	0202	HBIO1200	A	1 1	14.30 16.30	15	667	110 30 00000
	SCH1	0203	ENGL1000	A	1 1 1	8.30 9.20	22	1,073	140 35 00000
	SCH1	0203	DVEN0920	D	1 1	9.00 10.15	9	1,073	140 35 00000
	SCH1	0203	ELAB1000	A	1 1 1	9.30 10.20	22	1,073	140 35 00000
	SCH1	0203	DVEN0920	B	1 1 1	10.30 11.20	20	1,073	140 35 00000
	SCH1	0203	DVEN0920	E	1 1	10.30 11.45	19	1,073	140 35 00000
	SCH1	0214	DRFT2400	A	1 1	7.30 10.15	14	1,023	210 20 00000
	SCH1	0214	DRFT2400	A	1 1 1	7.30 10.20	14	1,023	210 20 00000
	SCH1	0214	CADD2300	A	1 1	12.00 14.45	8	1,023	210 20 00000
	SCH1	0214	CADD1200	A	1 1 1	12.30 14.20	10	1,023	210 20 00000
	SCH1	0217	MUSC1010	A	1 1 1	8.30 9.20	20	1,350	110 30 00000
	SCH1	0217	MUSC1010	C	1 1	9.00 10.15	21	1,350	110 30 00000
	SCH1	0217	MUSC1010	B	1 1 1	9.30 10.20	33	1,350	110 30 00000
	SCH1	0217	MUSC1010	D	1 1	10.30 11.45	35	1,350	110 30 00000
	SCH1	0217	MUSC2010	A	1 1 1	11.30 12.20	31	1,350	110 30 00000
	SCH1	0218	DRFT1200	A	1 1	7.30 10.15	11	899	210 12 00000
	SCH1	0218	DRFT1200	A	1 1 1	8.30 10.20	11	899	210 12 00000
	SCH1	0218	DRFT1100	A	1 1 1	11.30 14.20	13	899	210 12 00000
	SCH1	0218	DRFT1100	A	1 1	12.00 14.45	13	899	210 12 00000
	SCH1	0219	PHSC1000	A	1 1 1	7.30 8.20	34	874	110 40 00000
	SCH1	0219	CHEM1010	B	1 1	7.30 8.45	17	874	110 40 00000
	SCH1	0219	CHEM1010	A	1 1 1	8.30 9.20	30	874	110 40 00000
	SCH1	0219	PHSC1200	A	1 1	9.00 10.15	16	874	110 40 00000
	SCH1	0219	PHSC1000	B	1 1	12.00 13.15	39	874	110 40 00000
	SCH1	0219	GEOL1010	A	1 1	15.00 16.15	26	874	110 40 00000
	SCH1	0220	HIST1010	A	1 1 1	8.30 9.20	38	874	110 44 00000
	SCH1	0220	HIST2020	A	1 1	9.00 10.15	20	874	110 44 00000
	SCH1	0220	HIST1500	A	1 1 1	10.30 11.20	37	874	110 44 00000
	SCH1	0220	HIST1510	A	1 1	12.00 13.15	28	874	110 44 00000
	SCH1	0220	HIST2010	A	1 1	13.30 14.45	30	874	110 44 00000
	SCH1	0221	DVMA0930	A	1 1 1	7.30 8.20	30	775	110 34 00000
	SCH1	0221	MLAB0930	A	1 1	7.30 8.45	30	775	110 34 00000
	SCH1	0221	DVMA0930	B	1 1 1	8.30 9.20	19	775	110 34 00000
	SCH1	0221	MLAB0930	B	1 1	9.00 10.15	19	775	110 34 00000
	SCH1	0221	DVMA0930	I	1 1 1	9.30 10.20	27	775	110 34 00000
	SCH1	0221	MLAB0930	I	1 1 1	10.30 11.20	27	775	110 34 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 8

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0221	MATH1170 A	1 1	10.30 11.45		22	775	110 34 00000
	SCH1	0221	DVMA0930 E	1 1 1	11.30 12.20		17	775	110 34 00000
	SCH1	0221	MLAB0930 E	1 1	12.00 13.15		17	775	110 34 00000
	SCH1	0221	DVMA0930 G	1 1	13.30 14.45		10	775	110 34 00000
	SCH1	0221	MLAB0930 G	1 1	13.30 14.45		10	775	110 34 00000
	SCH1	0223	PSYC2010 B	1 1	7.30 8.45		35	868	110 46 00000
	SCH1	0223	PSYC2010 C	1 1	9.00 10.15		40	868	110 46 00000
	SCH1	0223	PSYC2200 A	1 1 1	9.30 10.20		15	868	110 46 00000
	SCH1	0223	PSYC2120 B	1 1	10.30 11.45		29	868	110 46 00000
	SCH1	0223	PSYC2010 A	1 1 1	11.30 12.20		39	868	110 46 00000
	SCH1	0223	PSYC2010WHA	1	15.00 16.15		13	868	110 46 00000
	SCH1	0224	DVEN0920 A	1 1 1	8.30 9.20		23	693	110 32 00000
	SCH1	0224	ENGL1010 F	1 1	10.30 11.45		24	693	110 32 00000
	SCH1	0224	DVMA0920 J	1 1 1	11.30 12.20		24	693	110 32 00000
	SCH1	0224	MLAB0920 J	1 1 1	12.30 13.20		24	693	110 32 00000
	SCH1	0224	MATH2100 C	1	17.45 20.30		13	693	110 32 00000
	SCH1	0225	MATH1110 A	1 1 1	10.30 11.20		31	660	110 32 00000
	SCH1	0225	DVMA0910 B	1 1 1	12.30 13.20		8	660	110 32 00000
	SCH1	0227	PSYC2120 A	1 1 1	7.30 8.20		26	1,116	140 32 00000
	SCH1	0227	CLCR1000 G	1 1	7.30 8.45		29	1,116	140 32 00000
	SCH1	0227	CLCR1000 A	1 1 1	8.30 9.20		32	1,116	140 32 00000
	SCH1	0227	CLCR1000 H	1 1	9.00 10.15		30	1,116	140 32 00000
	SCH1	0227	CLCR1000 B	1 1 1	9.30 10.20		32	1,116	140 32 00000
	SCH1	0227	CLCR1000 C	1 1 1	10.30 11.20		33	1,116	140 32 00000
	SCH1	0227	CLCR1000 I	1 1	10.30 11.45		31	1,116	140 32 00000
	SCH1	0227	CLCR1000 D	1 1 1	11.30 12.20		32	1,116	140 32 00000
	SCH1	0227	CLCR1000 J	1 1	12.00 13.15		34	1,116	140 32 00000
	SCH1	0227	CLCR1000 E	1 1 1	12.30 13.20		30	1,116	140 32 00000
	SCH1	0227	CLCR1000 F	1 1	13.30 14.45		25	1,116	140 32 00000
	SCH1	0227	CLCR1000 K	1 1	13.30 14.45		24	1,116	140 32 00000
	SCH1	0227	DVMA0930ETR	1 1	17.45 19.00		20	1,116	140 32 00000
	SCH1	0227	PSYC2120 EM	1	17.45 20.30		10	1,116	140 32 00000
	SCH1	0227	CLCR1000 EW	1	17.45 20.30		19	1,116	140 32 00000
	SCH1	0227	MLAB0930ETR	1 1	19.15 20.30		20	1,116	140 32 00000
	SCH1	0228	MLAB0920 C	1 1	9.00 10.15		29	744	110 34 00000
	SCH1	0228	DVMA0920 C	1 1 1	9.30 10.20		29	744	110 34 00000
	SCH1	0228	DVMA0920 D	1 1 1	10.30 11.20		28	744	110 34 00000
	SCH1	0228	MLAB0920 D	1 1	10.30 11.45		28	744	110 34 00000
	SCH1	0228	MATH2100 A	1 1 1	11.30 12.20		17	744	110 34 00000
	SCH1	0228	MLAB0920 F	1 1	12.00 13.15		23	744	110 34 00000
	SCH1	0228	DVMA0920 F	1 1 1	12.30 13.20		23	744	110 34 00000
	SCH1	0228	DVMA0920 G	1 1	13.30 14.45		10	744	110 34 00000
	SCH1	0228	MLAB0920 G	1 1	13.30 14.45		10	744	110 34 00000
	SCH1	0228	MATH1100ETR	1 1	17.45 19.00		19	744	110 34 00000
	SCH1	0229	CPTR1100 F	1 1 1	7.30 8.20		19	990	140 25 00000
	SCH1	0229	DVKB0900 B	1 1	7.30 8.45		12	990	140 25 00000
	SCH1	0229	CPTR1100 K	1 1 1	8.30 9.20		20	990	140 25 00000
	SCH1	0229	CPTR1100 I	1 1	9.00 10.15		25	990	140 25 00000
	SCH1	0229	DVKB0900 A	1 1 1	9.30 10.20		22	990	140 25 00000
	SCH1	0229	KYBD1100 A	1 1 1	10.30 11.20		27	990	140 25 00000
	SCH1	0229	CPTR1100 J	1 1	10.30 11.45		30	990	140 25 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0229	CPTR1100 C	1 1 1	11.30 12.20		32	990	140 25 00000
	SCH1	0229	CPTR1100 E	1 1	12.00 13.15		32	990	140 25 00000
	SCH1	0229	CPTR1100 H	1 1 1	12.30 13.20		24	990	140 25 00000
	SCH1	0229	CPTR1100EMA	1 1	17.30 18.45		17	990	140 25 00000
	SCH1	0229	CPTR1100EHA	1	17.30 18.45		19	990	140 25 00000
	SCH1	0230	MLAB0930 C	1 1	9.00 10.15		30	667	110 32 00000
	SCH1	0230	DVMA0930 C	1 1 1	9.30 10.20		30	667	110 32 00000
	SCH1	0230	DVMA0930 D	1 1 1	10.30 11.20		30	667	110 32 00000
	SCH1	0230	MLAB0930 D	1 1	10.30 11.45		30	667	110 32 00000
	SCH1	0231	DVEN0910 A	1 1 1	8.30 9.20		22	1,073	140 32 00000
	SCH1	0231	DVEN0910 A	1 1	9.00 10.15		22	1,073	140 32 00000
	SCH1	0231	DVEN0910 B	1 1 1	10.30 11.20		20	1,073	140 32 00000
	SCH1	0231	DVEN0910 B	1 1	10.30 11.45		20	1,073	140 32 00000
	SCH1	0231	DVEN0910 C	1 1 1	11.30 12.20		18	1,073	140 32 00000
	SCH1	0231	DVEN0910 C	1 1	12.00 13.15		18	1,073	140 32 00000
	SCH1	0231	DVEN0920 C	1 1 1	12.30 13.20		10	1,073	140 32 00000
	SCH1	0231	DVEN0910 D	1111	13.30 14.45		20	1,073	140 32 00000
	SCH1	0231	DVMA0920ETR	1 1	17.45 19.00		21	1,073	140 32 00000
8	SCH1	0231	MLAB0920ETR	1 1	19.15 20.30		21	1,073	140 32 00000
	SCH1	0232	MATH2100 B	1 1	9.00 10.15		29	667	731 15 00000
	SCH1	0232	DVMA0930 J	1 1 1	11.30 12.20		20	667	731 15 00000
	SCH1	0232	MLAB0930 J	1 1 1	12.30 13.20		20	667	731 15 00000
	SCH2	0101	IPTN2999 A			1	2	721	110 24 00000
	SCH2	0101	IPTN1310 A	1	8.30 11.20		18	721	110 24 00000
	SCH2	0101	IPTN1310 B	1	8.30 11.20		19	721	110 24 00000
	SCH2	0101	IPTN1050 B	1	13.30 16.15		19	721	110 24 00000
	SCH2	0101	IPTN1050 A	1	13.30 16.15		20	721	110 24 00000
	SCH2	0101	IPTN2500 ET	1	17.45 20.30		15	721	110 24 00000
	SCH2	0102	IPTN1220 ET	1	17.45 20.30		10	721	140 24 00000
	SCH2	0103	IPTN2100 A	1	8.30 11.20		19	721	140 24 00000
	SCH2	0103	IPTN2100 B	1	8.30 11.20		16	721	140 24 00000
	SCH2	0103	IPTN1610 A	1	13.30 16.15		20	721	140 24 00000
	SCH2	0103	IPTN1500 A	1	13.30 16.15		20	721	140 24 00000
	SCH2	0103	IPTN1500 B	1	13.30 16.15		19	721	140 24 00000
	SCH2	0103	IPTN1100 EM	1	17.45 20.30		19	721	140 24 00000
	SCH2	0103	IPTN2000 ET	1	17.45 20.30		21	721	140 24 00000
	SCH2	0103	IPTN1100 EW	1	17.45 20.30		18	721	140 24 00000
	SCH2	0107	IPTN1600 A	1	8.30 11.20		18	784	110 24 00000
	SCH2	0107	IPTN1600 B	1	8.30 11.20		17	784	110 24 00000
	SCH2	0107	IPTN1030 A	1	13.30 16.15		20	784	110 24 00000
	SCH2	0107	IPTN1030 B	1	13.30 16.15		20	784	110 24 00000
	SCH2	0107	IPTN2200 EM	1	17.45 20.30		10	784	110 24 00000
	SCH2	0107	IPTN1210 ET	1	17.45 20.30		19	784	110 24 00000
	SCH2	0107	IPTN1320 EW	1	17.45 20.30		20	784	110 24 00000
	SCH2	0107	IPTN2200 EW	1	17.45 20.30	1	10	784	110 24 00000
	SCH2	0107	IPTN1210 ER	1	17.45 20.30		21	784	110 24 00000
	0006	0225	IPTN1400 ET	1	17.45 20.30		5	828	210 50 00000
	0006	0225	IPTN1400 ER	1	17.45 20.30		18	828	210 50 00000
	0006	0247P	DVMA0920NSA	1 1 1	7.30 8.25		14	828	110 50 00000
	0006	0247P	MLAB0920NSA	1 1	7.30 8.50		14	828	110 50 00000
	0006	0247P	MLAB0930NSB	1 1	9.00 10.20		36	828	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2014
 RUN DATE 11/14/2014 14:02:38
 PAGE NUM 10

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	0247P	DVMA0930NSB	1 1 1	9.40 10.35		36	828	110 50 00000
	0006	0247P	MLAB0930NSC	1 1	12.00 13.20		33	828	110 50 00000
	0006	0247P	DVMA0930NSC	1 1	12.15 13.35		33	828	110 50 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	136
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	53
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	189
TOTAL NUMBER OF RECORDS READ	- - - - -	462
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	459
NUMBER OF JOINT-CLASS RECORDS	- - - - -	130
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/14/2014 14:02:38

PAGE NUM 1

L.T.C.-L.E. FLETCHER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			59
TOTAL NUMBER OF STATIONS (CAPACITY)			1,822
WEEKLY STUDENT CONTACT HOURS	31,049	1,666	32,715
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,310	2,950	8,260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,688	201	6,889
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	163,980	91,100	255,080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	218,605	5,673	224,278
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	62,098	3,333	65,431
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	126.0	6.8	83.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	37.9	3.7	25.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.4	58.8	29.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			51
TOTAL NUMBER OF STATIONS (CAPACITY)			1,602
WEEKLY STUDENT CONTACT HOURS	28,178	1,050	29,228
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,590	2,550	7,140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,442	132	6,574
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	144,180	80,100	224,280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	211,303	3,720	215,023
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	56,356	2,100	58,456
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	140.3	5.2	92.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	39.1	2.6	26.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.7	56.5	27.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/14/2014 14:02:38
 PAGE NUM 2

L.T.C.-L.E. FLETCHER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			220
WEEKLY STUDENT CONTACT HOURS	2,871	616	3,487
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	246	69	315
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19,800	11,000	30,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,302	1,953	9,255
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,742	1,233	6,975
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.2	17.3	28.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.0	11.2	22.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	78.6	63.1	75.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			25
TOTAL NUMBER OF STATIONS (CAPACITY)			470
WEEKLY STUDENT CONTACT HOURS	9,544	114	9,658
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,250	1,250	3,500
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,440	18	2,458
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,300	23,500	65,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	64,292	690	64,982
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,088	228	19,316
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	108.4	1.4	70.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.1	1.0	29.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.7	33.0	29.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/14/2014 14:02:38
 PAGE NUM 3

L.T.C.-L.E. FLETCHER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			228
WEEKLY STUDENT CONTACT HOURS	7,975	69	8,044
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,184	12	2,196
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	20,520	11,400	31,920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	59,640	600	60,240
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,950	138	16,088
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	303.3	3.0	196.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	77.7	1.2	50.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.7	23.0	26.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			242
WEEKLY STUDENT CONTACT HOURS	1,569	45	1,614
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	256	6	262
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,780	12,100	33,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,652	90	4,742
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,138	90	3,228
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.7	.7	11.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.4	.7	9.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	67.5	100.0	68.1

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY