

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/13/2014 15:49:37  
 PAGE NUM 1

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.		
8	A000	0101A	CDYC1210L01	1 1 1	14.00 14.50		1	135	215	00000	
	A000	0101B	HNUR2123L01	11	8.00 10.25		18	561	110	20	00000
	A000	0101B	HNUR2611L01	1	10.35 12.25		17	561	110	20	00000
	A000	0101B	HNUR2523L01	1	10.35 12.25		17	561	110	20	00000
8	A000	0103	HNUR2133L01	11	8.00 10.25		22	544	210	11	00000
8	A000	0103	HNUR2713L01	1	10.35 12.45		20	544	210	11	00000
8	A000	0103	HNUR2723L01	1	10.35 12.45		22	544	210	11	00000
8	A000	0103	HNUR2813L01	1	13.15 15.05		22	544	210	11	00000
	A000	0105	HNUR1300L01	1 1	8.00 10.45		48	1,680	110	90	00000
	A000	0105	HNUR1211L01	1 1 1	8.00 10.55		33	1,680	110	90	00000
4	A000	0105	HNUR1411L01	1 1	8.00 13.10	1	45	1,680	110	90	00000
	A000	0105	HNUR1320L01	1 1	10.55 11.45		43	1,680	110	90	00000
	A000	0105	HNUR1361L01	1 1	12.15 14.05		46	1,680	110	90	00000
	A000	0105	HNUR1300L02	1 1 1	15.00 18.40		1	1,680	110	90	00000
	A000	0105	HNUR1300L02	1 1	15.00 19.50		1	1,680	110	90	00000
8	A000	0108	SURG2310L01	1	8.00 9.50		6	100	310	1	00000
8	A000	0108	HNUR1460L01	1	12.55 15.40		16	100	310	1	00000
	A000	0110	SURG2111L01	1	8.00 12.35		13	1,034	210	20	00000
	A000	0112A	CULN1321L01	1 1	7.00 8.30		11	483	110	15	00000
	A000	0112A	CULN1103L01	1 1 1	8.00 8.50		21	483	110	15	00000
4	A000	0112A	CULN1207L01	1 1	8.00 14.50		20	483	110	15	00000
	A000	0112A	CULN1102L01	1 1 1	9.00 10.10		21	483	110	15	00000
8	A000	0112A	CULN2310L01	1 1 1	9.00 12.20	1	13	483	110	15	00000
8	A000	0112A	CULN1203L01	1 1 1	10.20 11.10	1	20	483	110	15	00000
	A000	0112A	CULN2430L01	1 1 1	13.00 15.10		8	483	110	15	00000
	A000	0112A	CULN1321L01	1 1 1	16.00 17.30		11	483	110	15	00000
	A000	0114	INTE1210L02	1 1 1	8.00 9.25		25	945	210	30	00000
	A000	0114	INTE1900L01	1 1 1	9.35 11.00		15	945	210	30	00000
	A000	0114	INTE1210L01	1 1	10.25 12.40		25	945	210	30	00000
	A000	0114	INTE1205L01	1 1 1	12.00 13.10		15	945	210	30	00000
	A000	0114	INTE1220L01	1 1 1	13.20 14.30		17	945	210	30	00000
	A000	0116	ACCT1300L01	1 1 1	8.00 10.15		4	945	210	30	00000
	A000	0116	ACCT1400L01	1 1 1	8.00 10.15	1	3	945	210	30	00000
	A000	0116	BUSE1030L01	1 1	8.00 10.30		9	945	210	30	00000
	A000	0116	BUSE1045L01	1 1	8.00 10.30	1	18	945	210	30	00000
	A000	0116	OSYS1100L01	1 1	10.40 11.55		7	945	210	30	00000
	A000	0116	BOTH1210L01	1 1 1	11.00 11.50		5	945	210	30	00000
	A000	0116	JOBS2450L05	1 1	12.00 12.50		3	945	210	30	00000
	A000	0116	ACCT1250L01	1 1 1	12.20 13.10		5	945	210	30	00000
	A000	0116	BUSM1050L01	1 1	13.00 14.50		10	945	210	30	00000
	A000	0116	ACCT1100L01	1 1 1	13.15 16.10		4	945	210	30	00000
	A000	0116	CSRV1000L01	1 1	15.00 16.15		2	945	210	30	00000
	A000	0300	ORNT1000L01	1	12.00 12.50		30	459	110	30	00000
	A000	0300	ORNT1000L03	1	13.00 13.50		28	459	110	30	00000
	A000	0300	ORNT1000L04	1	15.00 15.50		22	459	110	30	00000
	A000	0300	JOBS2450L02	1	15.30 17.20		30	459	110	30	00000
	A000	0301	BOTH1240L01	1 1 1	9.00 10.35		4	1,000	110	20	00000
	A000	0301	ISYS1440L01	1 1 1	11.00 12.10		15	1,000	110	20	00000
	A000	0301	KYBD1111L01	1 1	12.40 14.55		5	1,000	110	20	00000
	A000	0301	ACCT1500L01	1 1 1	13.30 14.40		17	1,000	110	20	00000
	A000	0302	CHEM1410L01	1 1 1	8.00 8.50		11	459	210	20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/13/2014 15:49:37  
 PAGE NUM 2

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0302	CLTS2610L01	1 1	8.00 10.20		4	210 20	00000
	A000	0302	HBIO1130L01	1 1 1	9.00 9.50		14	210 20	00000
	A000	0302	CLTS1030L01	1 1 1	10.00 11.10		15	210 20	00000
	A000	0302	CLTS2410L01	1 1	10.25 11.40		18	210 20	00000
	A000	0302	ACCT1200L01	1 1 1	13.15 16.10		11	210 20	00000
	A000	0302	JOBS2450L03	1	14.30 16.20		29	210 20	00000
	A000	0408	ORNT1000L05	1	8.00 9.35		8	210 30	00000
	A000	0408	CPTR1310L01	1 1 1	8.00 10.15		6	210 30	00000
	A000	0408	MATR1350L01	1 1	8.00 10.30		6	210 30	00000
	A000	0408	CPTR1320L01	1 1 1	8.00 10.55		16	210 30	00000
	A000	0408	ISYS1650L01	1 1	10.45 12.35		5	210 30	00000
	A000	0408	BOTH1300L01	1 1 1	11.00 11.50		4	210 30	00000
	A000	0408	BOTH2110L01	1 1 1	12.20 13.10		10	210 30	00000
	A000	0408	OSYS2530L01	1 1 1	13.15 14.50		6	210 30	00000
	A000	0408	BOTH1230L01	1 1	15.00 16.15		6	210 30	00000
	A000	0408	JOBS2450L01	1 1	15.20 16.10		14	210 30	00000
8	A000	0408	JOBS2450L04	1 1	16.20 17.10		7	210 30	00000
	A000	0409	NURS1100L01	1 1	10.00 12.45		40	210 12	00000
	A000	0411	NURS1100L01	1 1	8.00 9.50		40	110 40	00000
	A000	0500	ELEC2204L01	11111	7.00 8.00		3	210 22	00000
	A000	0500	ELEC2993L01	11111	7.00 8.15	1	6	210 22	00000
	A000	0500	ELEC2205L01	11111	8.05 9.25	1	3	210 22	00000
	A000	0500	SAFE1004L01	11111	9.30 10.20		19	210 22	00000
	A000	0500	ELEC2543L01	11111	9.30 10.25	1	6	210 22	00000
	A000	0500	ETRN2120L01	1 1	10.00 11.50	1	1	210 22	00000
8	A000	0500	ELEC1007L01	11111	10.30 13.35	1	20	210 22	00000
8	A000	0500	ELEC1107L01	11111	10.30 13.55	1	21	210 22	00000
8	A000	0500	ETRN2113L01	1 1 1	12.30 13.40	1	6	210 22	00000
	A000	0500	ETRN2720L01	1 1	12.30 14.20		12	210 22	00000
	A000	0500	ETRN2840L01	1 1 1	13.50 14.40		20	210 22	00000
	A000	0501	CLTS2200L01	1 1 1	8.00 9.25		9	210 20	00000
	A000	0501	CLTS2080L01	1 1	8.00 10.15		15	210 20	00000
	A000	0501	CLTS2070L01	1 1 1	9.35 11.25		8	210 20	00000
	A000	0501	CLTS2611L01	1	10.30 12.20		4	210 20	00000
	A000	0501	HBIO1131L02	1	12.00 13.50		11	210 20	00000
	A000	0501	CLTS2912L01	1	12.00 15.40		2	210 20	00000
	A000	0501	CLTS2922L01	1	12.00 15.40	1	2	210 20	00000
	A000	0501	CLTS2932L01	1	12.00 15.40	1	2	210 20	00000
	A000	0501	CLTS2942L01	1	12.00 15.40	1	2	210 20	00000
	A000	0501	CLTS2710L01	1 1	12.30 14.20		13	210 20	00000
	A000	0501	CLTS2411L01	1	14.30 16.20		14	210 20	00000
	A000	0503A	AUTO1002L01	1	8.00 9.50		27	210 20	00000
	A000	0503A	AUTO1504L01	111	8.00 9.50		25	210 20	00000
	A000	0503A	AUTO1605L01	1111	10.00 14.45		22	210 20	00000
8	A000	0503A	AUTO1615L01	1111	10.00 14.45	1	23	210 20	00000
	A000	0503E	AUTO1800L01	1 1	8.00 8.50		9	110 20	00000
	A000	0503E	AUTO1810L01	1 1	9.00 9.50		9	110 20	00000
	A000	0503E	AUTO1820L01	1 1	10.00 10.50		9	110 20	00000
	A000	0503G	AUTO1801L01	111	8.00 9.50		9	210 20	00000
	A000	0503G	AUTO1811L01	111	10.00 11.50		9	210 20	00000
	A000	0503G	AUTO1821L01	111	12.20 14.10		9	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/13/2014 15:49:37  
 PAGE NUM 3

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0504	MTTC2110L01	1111	7.00 8.05		2	3,528	210 20 00000
	A000	0504	MTTC2331L01	1111	7.00 9.45	1	2	3,528	210 20 00000
	A000	0504	MTTC2431L01	1111	7.00 9.45	1	1	3,528	210 20 00000
	A000	0504	MTTC2710L02	11111	7.00 11.00	1	1	3,528	210 20 00000
	A000	0504	MTTC1105L01	11111	8.00 10.20	1	11	3,528	210 20 00000
	A000	0504	MTTC2210L01	1111	8.15 9.20	1	1	3,528	210 20 00000
	A000	0504	MTTC2120L01	1111	9.30 12.15		1	3,528	210 20 00000
	A000	0504	MTTC2510L01	1111	9.55 10.45	1	1	3,528	210 20 00000
	A000	0504	MTTC2410L01	1111	9.55 11.10	1	2	3,528	210 20 00000
	A000	0504	MTTC1204L01	11111	10.30 11.40	1	12	3,528	210 20 00000
	A000	0504	MTTC2420L01	1111	11.40 13.55		3	3,528	210 20 00000
	A000	0504	MTTC1306L01	11111	12.10 14.00	1	12	3,528	210 20 00000
	A000	0504	MTTC2220L01	1111	12.45 13.35	1	1	3,528	210 20 00000
	A000	0504	MTTC2710L02	11111	14.00 14.40		1	3,528	210 20 00000
	A000	0504	MTTC2710L01	1111	14.00 16.10	1	2	3,528	210 20 00000
	A000	0506	WELD1120L01	11111	7.00 7.50		14	3,528	210 40 00000
	A000	0506	WELD2110L01	11111	7.00 8.10	1	2	3,528	210 40 00000
	A000	0506	WELD1511L01	11111	7.40 9.00	1	5	3,528	210 40 00000
	A000	0506	WELD2111L01	11111	8.00 9.10	1	13	3,528	210 40 00000
	A000	0506	WELD2210L01	11111	8.00 9.10	1	9	3,528	210 40 00000
	A000	0506	WELD2310L01	11111	8.30 9.40	1	2	3,528	210 40 00000
	A000	0506	WELD1512L01	11111	9.10 10.30	1	3	3,528	210 40 00000
8	A000	0506	WELD2311L01	11111	9.20 10.30	1	18	3,528	210 40 00000
8	A000	0506	WELD2321L01	11111	9.20 10.40	1	2	3,528	210 40 00000
8	A000	0506	WELD2440L01	11111	9.50 10.30	1	5	3,528	210 40 00000
	A000	0506	WELD1410L04	11111	10.35 11.15		1	3,528	210 40 00000
	A000	0506	WELD1310L01	11111	10.40 11.10	1	8	3,528	210 40 00000
	A000	0506	WELD2230L01	11111	10.40 11.50	1	7	3,528	210 40 00000
	A000	0506	WELD1420L01	11111	10.40 12.00	1	5	3,528	210 40 00000
	A000	0506	WELD2322L01	11111	10.50 12.10	1	3	3,528	210 40 00000
	A000	0506	WELD1412L01	11111	11.20 12.30	1	8	3,528	210 40 00000
	A000	0506	WELD2310L03	11111	11.20 12.30	1	1	3,528	210 40 00000
	A000	0506	WELD2330L01	11111	12.00 13.20	1	10	3,528	210 40 00000
	A000	0506	WELD1130L01	11111	12.10 12.50	1	2	3,528	210 40 00000
	A000	0601A	INTE1200L01	1 1	8.00 10.15		25	775	110 20 00000
	A000	0601E	INTE1200L02	1 1	11.00 13.15		21	644	215 20 00000
	A000	0601E	INTE1100L02	1 1 1	11.00 13.55		22	644	215 20 00000
8	A000	0601E	INTE1110L02	1 1 1	11.00 13.55	1	18	644	215 20 00000
8	A000	0601G	INTE1100L01	1 1 1	8.00 10.55		25	748	210 15 00000
8	A000	0601G	INTE1110L01	1 1 1	8.00 10.55	1	25	748	210 15 00000
	A000	0601G	INTE2020L01	1 1	9.00 11.15		14	748	210 15 00000
	A000	0601G	INTE1800L01	1 1 1	11.10 12.35		19	748	210 15 00000
	A000	0601G	INTE2840L01	1 1	11.45 14.00		7	748	210 15 00000
	A000	0603	DRFT1215L01	11111	7.30 8.40		4	3,111	210 30 00000
	A000	0603	DRFT2310L01	11111	7.30 8.40	1	3	3,111	210 30 00000
	A000	0603	DRFT1106L01	11111	8.00 9.50	1	24	3,111	210 30 00000
	A000	0603	DRFT2320L01	11111	9.00 10.10	1	6	3,111	210 30 00000
	A000	0603	DRFT2346L01	11111	9.00 10.10	1	2	3,111	210 30 00000
8	A000	0603	DRFT1206L01	11111	10.01 11.50	1	24	3,111	210 30 00000
	A000	0603	DRFT2344L01	11111	12.00 13.10		5	3,111	210 30 00000
	A000	0603	DRFT1145L01	11111	12.00 13.15	1	4	3,111	210 30 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0603	DRFT1130L01	1 1	12.00 13.15	1	1	3,111	210 30 00000
	A000	0603	DRFT1160L01	1 1 1	13.15 14.05		2	3,111	210 30 00000
	A000	0603	CADD1210L01	11111	14.00 15.10	1	1	3,111	210 30 00000
	A000	0603	DRFT2330L01	11111	14.00 15.10	1	4	3,111	210 30 00000
	A000	0603	DRFT2343L01	11111	14.00 15.10	1	1	3,111	210 30 00000
	A000	0603	CADD1215L01	11111	14.10 15.10	1	5	3,111	210 30 00000
	A000	0603	INTC2750L01	1	18.00 21.40		14	3,111	210 30 00000
	A000	0603	INTC2700L01	1	18.00 21.40		16	3,111	210 30 00000
	A000	0605A	CMCN1170L01	1 1 1	8.00 8.50		23	744	210 15 00000
	A000	0605A	DGMD2500L01	1 1	9.00 10.50		14	744	210 15 00000
	A000	0605A	DGMD2510L01	1 1	11.00 12.50		13	744	210 15 00000
	A000	0605A	DGMD2700L01	1 1	11.00 12.50		9	744	210 15 00000
	A000	0605A	DGMD1100L01	1 1	13.00 14.50		21	744	210 15 00000
8	A000	0605A	DGMD1140L01	1 1	13.00 14.50		25	744	210 15 00000
	A000	0605A	DGMD1120L01	1 1	15.00 16.50		23	744	210 15 00000
	A000	0605A	DGMD1130L01	1 1	17.00 18.50		18	744	210 15 00000
8	A000	0605B	INTC2070L01	1	18.00 21.40		18	620	210 10 00000
8	A000	0605B	INTC2070L02	1	18.00 21.40		20	620	210 10 00000
	A000	0607A	CIVL1120L01	1 1 1	8.00 8.50		7	576	210 15 00000
	A000	0607A	CIVL1430L01	1 1	8.00 9.15		3	576	210 15 00000
	A000	0607A	CIVL1240L01	1 1 1	9.00 9.50		4	576	210 15 00000
	A000	0607A	CIVL1480L01	1 1	9.25 10.40		8	576	210 15 00000
	A000	0607A	CIVL1330L01	1 1	10.00 10.50		6	576	210 15 00000
	A000	0607A	CIVL1410L01	1 1	10.50 11.40		2	576	210 15 00000
	A000	0607A	CIVL1121L01	1	11.00 12.50		6	576	210 15 00000
	A000	0607A	CIVL1411L01	1	11.50 13.40		2	576	210 15 00000
	A000	0609	HACR1410L01	1111	8.00 8.50		2	3,055	210 20 00000
	A000	0609	HACR2540L02	11111	8.00 9.00	1	4	3,055	210 20 00000
	A000	0609	HACR1420L01	1111	9.00 9.50		2	3,055	210 20 00000
	A000	0609	HACR2550L02	11111	9.10 10.10	1	4	3,055	210 20 00000
	A000	0609	HACR2530L01	1111	10.20 11.10		5	3,055	210 20 00000
	A000	0609	HACR2530L02	1111	10.40 11.30	1	1	3,055	210 20 00000
	A000	0609	HACR2510L01	11111	11.45 12.45		5	3,055	210 20 00000
	A000	0609	HACR2520L01	11111	13.00 13.50		6	3,055	210 20 00000
	A000	0609A	HACR2560L01	1111	10.10 11.00		1	255	210 12 00000
	A000	0609A	HACR2550L01	11111	11.45 12.45		1	255	210 12 00000
	A000	0609B	HACR1003L01	1111	8.00 9.05		11	374	210 20 00000
	A000	0609B	HACR2910L01	11111	8.00 10.30	1	3	374	210 20 00000
	A000	0609B	HACR1107L01	1111	9.15 12.00	1	11	374	210 20 00000
	A000	0609B	HACR2930L01	11111	11.45 13.55	1	1	374	210 20 00000
	A000	0609B	HACR2830L01	11111	12.30 15.00	1	1	374	210 20 00000
	A000	0609B	HACR1207L02	11111	12.30 15.15	1	1	374	210 20 00000
8	A000	0609B	HACR1207L01	1111	12.30 15.15	1	10	374	210 20 00000
8	A000	0609B	HACR2920L01	11111	13.00 15.30	1	1	374	210 20 00000
	G000	0104	AMTP2260L01	11111	8.00 9.15		8	566	110 15 00000
	G000	0104	AMTP2220L01	11111	8.00 10.05	1	4	566	110 15 00000
	G000	0104	AMTP2250L01	11111	10.15 11.15		3	566	110 15 00000
	G000	0104	AMTP2300L01	11111	10.15 12.20	1	6	566	110 15 00000
	G000	0104	AMTP2310L01	11111	11.25 12.05	1	7	566	110 15 00000
	G000	0104	AMTP2230L01	11111	12.15 12.55		4	566	110 15 00000
	G000	0104	AMTP2240L01	11111	13.00 15.00		6	566	110 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2014  
 RUN DATE 11/13/2014 15:49:37  
 PAGE NUM 5

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	G000	0105	AMTA2120L01	11111	8.00 8.40		6		110 15	00000
	G000	0105	AMTA2080L01	11111	8.00 9.35	1	14	445	110 15	00000
8	G000	0105	AMTA2100L01	11111	8.50 9.30	1	6	445	110 15	00000
	G000	0105	AMTA2140L01	11111	9.40 10.20		5	445	110 15	00000
	G000	0105	AMTA2031L01	11111	9.45 13.50	1	5	445	110 15	00000
	G000	0105	AMTA2070L01	11111	10.30 12.05	1	13	445	110 15	00000
	G000	0105	AMTA2110L01	1 1	14.00 15.35		2	445	110 15	00000
4	G000	0113	AVMT1107L01	11111	8.00 14.25		14	615	110 15	00000
4 8	G000	0113	AVMT1207L01	11111	8.00 14.25	1	14	615	110 15	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	4
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	28
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		32
TOTAL NUMBER OF RECORDS READ		213
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		213
NUMBER OF JOINT-CLASS RECORDS		75
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2014 15:49:37  
 PAGE NUM 1

L.T.C.-LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	4,679		4,679
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	674		674
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,960		18,960
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,358		9,358
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.0	.0	21.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.5	.0	13.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.4	.0	49.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	4,679		4,679
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	674		674
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,960		18,960
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,358		9,358
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.0	.0	21.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.5	.0	13.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.4	.0	49.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2014 15:49:37  
 PAGE NUM 2

L.T.C. - LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	8,558	344	8,902
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,950	2,750	7,700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,889	40	1,929
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84,870	47,150	132,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,351	760	47,111
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,117	688	17,805
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	38.2	1.5	25.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.2	1.5	13.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.9	90.5	37.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	8,558	344	8,902
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,950	2,750	7,700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,889	40	1,929
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84,870	47,150	132,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,351	760	47,111
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,117	688	17,805
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	38.2	1.5	25.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.2	1.5	13.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.9	90.5	37.8

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY