

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:17:22
 PAGE NUM 1

L.T.C. - LAFOURCHE
 BRANCH
 PARISH
 RELATION

LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0104	DVED2991C21	11111	17.00 20.00		19	400	110 20 00000	
	A000	0104A	BOTH1120C01	11111	8.00 9.30		8	480	110 20 00000	
	A000	0104A	BOTH1230C01	11111	8.00 9.30	1	3	480	110 20 00000	
	A000	0104A	BOTH1250C01	11111	8.00 9.40	1	6	480	110 20 00000	
	A000	0104A	BOTH1240C01	11111	9.40 11.10		3	480	110 20 00000	
	A000	0104A	BOTH2110C01	11111	12.00 13.00		3	480	110 20 00000	
	A000	0104A	BOTH1210C01	11111	12.00 13.30	1	3	480	110 20 00000	
8	A000	0104A	ORNT1000CW1	1	13.00 14.00	1	50	480	110 20 00000	
4	8	A000	0104A	BOTH1300C01	11111	13.35 15.05	1	3	480	110 20 00000
	A000	0112	SURG2102C01	11111	6.00 13.00		8	589	240 21 00000	
	A000	0112	CPTR1002CW1	11111	7.00 8.25	1	17	589	240 21 00000	
	A000	0112	DVEN0090C01	111 1	7.30 11.30	1	1	589	240 21 00000	
	A000	0112	DVEN0091C01	111 1	7.30 11.30	1	4	589	240 21 00000	
8	A000	0112	DVRE0091C01	111 1	7.30 11.30	1	4	589	240 21 00000	
8	A000	0112	DVRE0092C01	111 1	7.30 11.30	1	1	589	240 21 00000	
8	A000	0112	MATR1350C01	1 1	8.00 9.30	1	1	589	240 21 00000	
8	A000	0112	JOBS2450CW1	1 1	8.00 9.30	1	10	589	240 21 00000	
4	8	A000	0112	KYBD1111C01	1 1	8.00 10.30	1	5	589	240 21 00000
8	A000	0112	ISYS1440C01	1111	8.00 13.30	1	3	589	240 21 00000	
8	A000	0112	CSRV1000C01	111 1	10.35 12.05	1	11	589	240 21 00000	
8	A000	0112	OSYS1100C01	11 1	10.36 12.10	1	13	589	240 21 00000	
8	A000	0112	DVRE0092C02	1 1 1	11.31 15.30	1	1	589	240 21 00000	
8	A000	0112	DVEN0091C02	11 1	11.31 15.35	1	1	589	240 21 00000	
8	A000	0112	DVEN0092C02	11 1	11.31 15.35	1	1	589	240 21 00000	
8	A000	0112	DVRE0091C02	111 1	11.35 15.30	1	1	589	240 21 00000	
8	A000	0112	BUSE1030C01	11 11	12.30 14.00	1	5	589	240 21 00000	
8	A000	0112	CPTR1000CW1	111 1	13.00 15.30	1	7	589	240 21 00000	
8	A000	0112	KYBD1010C01	1 1	14.01 15.35	1	7	589	240 21 00000	
	A000	0114	SURG2221C01	11111	8.00 10.30		8	770	110 24 00000	
	A000	0116	DVMA0090C01	111 1	7.30 11.30		9	702	240 22 00000	
	A000	0116	DVMA0091C01	111 1	7.30 11.30	1	3	702	240 22 00000	
	A000	0116	DVMA0092C01	111 1	7.30 11.30	1	1	702	240 22 00000	
	A000	0116	ACCT1100CJ1	1 1	8.00 10.30	1	5	702	240 22 00000	
	A000	0116	ACCT1400C01	1	8.00 11.00		1	702	240 22 00000	
	A000	0116	ACCT1300C01	1 1	8.30 10.30		5	702	240 22 00000	
	A000	0116	ACCT1100C01	1 1	10.30 13.00		10	702	240 22 00000	
	A000	0116	DVMA0090C02	111 1	11.31 15.35	1	4	702	240 22 00000	
	A000	0116	DVMA0091C02	111 1	11.31 15.35	1	1	702	240 22 00000	
	A000	0116	DVMA0092C02	111 1	11.31 15.35	1	1	702	240 22 00000	
	A000	0118	BUSM1050CJ1	111	10.40 12.40		1	462	210 23 00000	
	A000	0118	CPTR1320CJ1	111 1	13.00 15.30		3	462	210 23 00000	
	A000	0122	SURG1033C01	11111	8.00 11.35		12	972	110 21 00000	
	A000	0122	SURG1032C01	11111	10.00 11.30	1	12	972	110 21 00000	
	A000	0122	SURG1133C01	11111	12.00 12.50		12	972	110 21 00000	
	A000	0122	SURG2993C01	11111	13.00 13.50		1	972	110 21 00000	
4	A000	0126	DVED2991C20	11111	8.00 17.00		41	700	210 35 00000	
8	A000	0128	OILG1410C01	11	12.00 15.00		3	96	730 00000	
	A000	0130	CTDP1110C01	11111	7.30 9.00		5	480	110 16 00000	
	A000	0130	CTDP1110C02	11111	7.30 9.00	1	5	480	110 16 00000	
	A000	0130	SPPR2991C01	11111	7.30 10.30	1	7	480	110 16 00000	
	A000	0130	SPPR2991C03	11111	7.30 10.30	1	1	480	110 16 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:17:22
 PAGE NUM 2

L.T.C. - LAFOURCHE
 BRANCH
 PARISH
 RELATION

LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	A000	0130	SPPR2993C03	11111	7.30 14.00	1	480	110 16	00000	
4	A000	0130	SPPR2995C01	11111	7.30 14.00	1	480	110 16	00000	
4	8	A000	0130	SPPR2993C04	1 111	7.30 14.00	5	480	110 16	00000
	8	A000	0130	CTDP1120C01	11111	9.01 10.05	5	480	110 16	00000
	8	A000	0130	CTDP1120C02	11111	9.01 10.05	5	480	110 16	00000
		A000	0130	CTDP1131C01	11111	10.06 11.10	5	480	110 16	00000
		A000	0130	CTDP1131C02	11111	10.06 11.10	5	480	110 16	00000
		A000	0130	SPPR2991C02	11111	11.00 14.00	9	480	110 16	00000
		A000	0130	CTDP1140C01	11111	11.11 12.45	5	480	110 16	00000
	8	A000	0130	CTDP1140C02	11111	11.11 12.45	5	480	110 16	00000
		A000	0130	CTDP1211C01	11111	12.46 14.35	5	480	110 16	00000
		A000	0130	CTDP1211C02	11111	12.46 14.35	5	480	110 16	00000
		A000	0134	AUTO1100C01	11111	7.30 10.30	13	3,128	210 18	00000
		A000	0134	AUTO1110C01	11111	7.30 10.30	14	3,128	210 18	00000
	8	A000	0134	AUTO1300C01	11111	7.30 10.30	6	3,128	210 18	00000
	8	A000	0134	AUTO1700C01	11111	7.30 10.30	12	3,128	210 18	00000
	8	A000	0134	AUTO1710C01	11111	7.30 10.30	17	3,128	210 18	00000
	8	A000	0134	AUTO1720C01	11111	7.30 10.30	17	3,128	210 18	00000
	8	A000	0134	AUTO1730C01	11111	7.30 10.30	16	3,128	210 18	00000
	8	A000	0134	AUTO1740C01	11111	7.30 10.30	16	3,128	210 18	00000
	8	A000	0134	AUTO2991C01	11111	7.30 10.30	16	3,128	210 18	00000
		A000	0134	AUTO1510C01	11111	11.00 14.00	14	3,128	210 18	00000
	8	A000	0134	AUTO1800C01	11111	11.00 14.00	22	3,128	210 18	00000
	8	A000	0134	AUTO1810C01	11111	11.00 14.00	22	3,128	210 18	00000
		A000	0135	WELD1110C01	11111	7.30 10.30	7	2,990	210 24	00000
		A000	0135	WELD1210C01	11111	7.30 10.30	7	2,990	210 24	00000
		A000	0135	WELD1512C02	11111	7.30 10.30	1	2,990	210 24	00000
4	A000	0135	WELD1110C03	11111	7.30 14.00	1	3	2,990	210 24	00000
4	A000	0135	WELD1120C04	11111	7.30 14.00	1	2	2,990	210 24	00000
4	A000	0135	WELD1210C03	11111	7.30 14.00	1	3	2,990	210 24	00000
4	A000	0135	WELD1410C03	11111	7.30 14.00	1	3	2,990	210 24	00000
4	A000	0135	WELD1412C04	11111	7.30 14.00	1	2	2,990	210 24	00000
4	A000	0135	WELD1420C01	11111	7.30 14.00	1	2	2,990	210 24	00000
4	A000	0135	WELD1510C01	11111	7.30 14.00	1	2	2,990	210 24	00000
4	A000	0135	WELD1510C02	11111	7.30 14.00	1	1	2,990	210 24	00000
4	A000	0135	WELD1511C01	11111	7.30 14.00	1	1	2,990	210 24	00000
4	A000	0135	WELD1511C02	11111	7.30 14.00	1	1	2,990	210 24	00000
4	A000	0135	WELD1512C01	11111	7.30 14.00	1	1	2,990	210 24	00000
4	8	A000	0135	WELD2110C04	11111	7.30 14.00	2	2,990	210 24	00000
4	A000	0135	WELD2113C01	11111	7.30 14.00	1	1	2,990	210 24	00000
	8	A000	0135	WELD1110C02	11111	11.00 14.00	8	2,990	210 24	00000
	8	A000	0135	WELD1210C02	11111	11.00 14.00	8	2,990	210 24	00000
	8	A000	0135	WELD1412C01	11111	11.00 14.00	1	2,990	210 24	00000
		A000	0136	OILG2420C01	1 1	7.30 10.30	3	3,025	210 16	00000
		A000	0136	OILG2440C01	1 1	7.30 10.30	2	3,025	210 16	00000
		A000	0136	OILG2348C01	1	7.30 12.30	4	3,025	210 16	00000
		A000	0136	OILG1320C01	1 1	11.00 15.00	4	3,025	210 16	00000
		A000	0139	OILG2123C01	11	7.30 10.30	5	420	215 16	00000
		A000	0139	OILG1310C01	1 1	7.30 11.30	2	420	215 16	00000
		A000	0139	OILG2113C01	1 1	12.00 15.00	6	420	215 16	00000
	A100	SC01	WELD1110E01	11111	8.00 9.00		2	4,160	210 22	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:17:22
 PAGE NUM 3

L.T.C. - LAFOURCHE
 BRANCH
 PARISH
 RELATION

LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A100	SC01	WELD1210E01	11111	8.00 9.30	1	2	4,160	210 22 00000
4	A100	SC04	DVED2991E20	11111	8.00 16.00		12	1,288	110 30 00000
	A100	SC04	DVED2991E21	11111	15.00 20.00	1	1	1,288	110 30 00000
	A100	SC07	ACCT1100EJ1	1 1	8.00 10.40		6	540	210 24 00000
	A100	SC07	ACCT1500E01	1 1	9.30 11.30	1	1	540	210 24 00000
	A100	SC15	DVMA0090E01	1 1	7.30 11.30		2	1,833	210 16 00000
	A100	SC15	DVMA0091E01	1 1	7.30 11.30	1	1	1,833	210 16 00000
	A100	SC15	ACCT1100EJ1	11 1	8.00 10.30	1	6	1,833	210 16 00000
4	A100	SC15	CPTR1320EJ1	1 1	8.00 13.30	1	5	1,833	210 16 00000
	A100	SC15	MATR1350E01	1 1 1	8.30 10.00	1	4	1,833	210 16 00000
	A100	SC15	KYBD1111E01	1 1	8.30 11.00	1	4	1,833	210 16 00000
	A100	SC15	BOTH2110EW1	1 1	10.40 12.10	1	2	1,833	210 16 00000
8	A100	SC15	BUSM1050EJ1	11 1	10.40 12.40	1	8	1,833	210 16 00000
8	A100	SC15	CSRV1000E01	1 1	11.30 13.00	1	4	1,833	210 16 00000
	A100	SC15	BOTH1300E01	1 1	12.30 14.00	1	1	1,833	210 16 00000
	A100	SC15	BUSE1030E01	1 1	13.01 14.35		3	1,833	210 16 00000
	A100	SC15	KYBD1010EJ1	11 1	13.15 14.45	1	3	1,833	210 16 00000
	A100	SC18	DPET1240E02	11111	7.27 8.40		6	7,396	210 22 00000
	A100	SC18	DPET1210E02	11111	8.41 10.20		7	7,396	210 22 00000
4	A100	SC18	ORNT1000E03	11111	11.20 11.35		17	7,396	210 22 00000
	A100	SC18	DPET1120E03	11111	11.36 13.00		17	7,396	210 22 00000
	A100	SC18	DPET1130E03	11111	13.01 14.40		17	7,396	210 22 00000
	N000	N0100	OILG1011C01	1	7.30 10.30		5	652	110 20 00000
4	N000	N0200	ELEC2520C01	11111	7.30 8.30	1	3	726	240 20 00000
	N000	N0200	ELEC2720C01	11 1	7.30 14.00	1	3	726	240 20 00000
	N000	N0200	ELEC1420C01	1 1 1	8.00 10.00	1	1	726	240 20 00000
	N000	N0200	ELEC1230C01	11 1	8.00 11.00	1	5	726	240 20 00000
	N000	N0200	ELEC1220C01	1 1 1	9.01 11.45	1	6	726	240 20 00000
	N000	N0200	ELEC2540C01	1 1 1	9.30 10.35	1	3	726	240 20 00000
	N000	N0200	ELEC1440C01	1 1 1	11.01 14.25		3	726	240 20 00000
	N000	N0300	ELEC2460C01	1 1 1	8.00 9.00		3	652	110 20 00000
	N000	N0300	ELEC1120C01	1 1 1	8.00 12.00	1	9	652	110 20 00000
4	N000	N0300	ELEC1210C01	11 1	8.00 14.00	1	10	652	110 20 00000
8	N000	N0300	ELEC1430C01	11111	13.00 14.00	1	55	652	110 20 00000
	N000	N0400	ELEC1330C01	11 1	8.00 11.00		3	1,218	210 22 00000
	N000	N0400	ELEC1131C01	1 1 1	12.00 14.45		2	1,218	210 22 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	24
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	39
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	63
TOTAL NUMBER OF RECORDS READ	- - - - -	138
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	138
NUMBER OF JOINT-CLASS RECORDS	- - - - -	95
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:17:22

PAGE NUM 1

L.T.C. -LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			311
WEEKLY STUDENT CONTACT HOURS	2,769	285	3,054
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	436	30	466
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27,990	15,550	43,540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,795	600	10,395
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,539	570	6,109
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.3	4.0	22.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.8	3.7	14.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	56.5	95.0	58.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			311
WEEKLY STUDENT CONTACT HOURS	2,769	285	3,054
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	436	30	466
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27,990	15,550	43,540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,795	600	10,395
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,539	570	6,109
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.3	4.0	22.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.8	3.7	14.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	56.5	95.0	58.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:17:22

PAGE NUM 2

L.T.C. -LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			251
WEEKLY STUDENT CONTACT HOURS	6,614		6,614
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,170	650	1,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	533		533
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22,590	12,550	35,140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,968		11,968
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,229		13,229
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	45.6	.0	29.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	58.6	.0	37.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	110.5	.0	110.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			251
WEEKLY STUDENT CONTACT HOURS	6,614		6,614
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,170	650	1,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	533		533
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22,590	12,550	35,140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,968		11,968
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,229		13,229
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	45.6	.0	29.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	58.6	.0	37.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	110.5	.0	110.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY