

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/23/2014 12:40:06
 PAGE NUM 1

L.T.C.-LAFOURCHE
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	A000	0104	CPTR1000CW1	1	8.00 13.30		24	400	110 20 00000
	A000	0104	BOTH1120C01	1 1	11.50 13.20		2	400	110 20 00000
	A000	0112	CPTR1002CW1	1 1	9.20 10.50		20	589	240 21 00000
	A000	0112	BUSE1030C01	1 1	12.45 14.15		5	589	240 21 00000
	A000	0112	KYBD1010C01	1 1	14.16 15.46		10	589	240 21 00000
	A000	0114	JOBS2450CW1			1	14	770	110 24 00000
	A000	0114	BOTH1240C01	1 1	8.00 9.30		4	770	110 24 00000
	A000	0114	BOTH1250C01	1 1 1	8.00 9.40		5	770	110 24 00000
	A000	0114	BOTH1230C01	1 1	9.30 11.00		3	770	110 24 00000
	A000	0114	BOTH2110C01	1 1 1	10.00 11.00		4	770	110 24 00000
	A000	0114	BOTH1300C01	1 1 1	12.00 13.00		1	770	110 24 00000
	A000	0114	BOTH1210C01	1 1	13.01 14.00		3	770	110 24 00000
	A000	0116	SPPR2991C05	11111	7.30 10.10		2	702	240 22 00000
	A000	0116	BUSM1050C01	1 1 1	8.00 9.20	1	3	702	240 22 00000
	A000	0116	SPPR2993C02	11111	8.00 10.00	1	2	702	240 22 00000
	A000	0116	ACCT1400C01	1	8.00 11.00	1	1	702	240 22 00000
	A000	0116	ACCT1300C01	1 1	8.30 10.30		5	702	240 22 00000
4	A000	0116	SPPR2991C01	1 111	8.35 9.00	1	1	702	240 22 00000
	A000	0116	SPPR2993C01	11111	8.40 9.30	1	1	702	240 22 00000
	A000	0116	DVMA0090C01	1 1	10.00 11.20		12	702	240 22 00000
	A000	0116	DVMA0091C01	1 1	10.00 11.20	1	7	702	240 22 00000
	A000	0116	DVMA0092C01	1 1	10.00 11.20	1	4	702	240 22 00000
	A000	0116	ACCT1100C01	1 1	10.30 13.00		10	702	240 22 00000
	A000	0116	ACCT1100C01	1 1	10.45 13.15		13	702	240 22 00000
	A000	0116	SPPR2991C06	11111	11.35 14.10	1	5	702	240 22 00000
	A000	0116	DVEN0091C01	1 1 1	12.00 13.20	1	6	702	240 22 00000
	A000	0116	DVEN0092C01	1 1 1	12.00 13.20	1	1	702	240 22 00000
	A000	0116	DVRE0090C01	1 1 1	12.00 13.20	1	2	702	240 22 00000
	A000	0116	DVRE0091C01	1 1 1	12.00 13.20	1	3	702	240 22 00000
	A000	0116	DVRE0092C01	1 1 1	12.00 13.20	1	1	702	240 22 00000
	A000	0116	ACCT1250C01	1 1	13.25 15.25		3	702	240 22 00000
4	A000	0116	ACCT1250C01	1 1	13.50 14.10		3	702	240 22 00000
	A000	0122	SURG2305C01	1111	6.30 10.51		9	972	110 21 00000
	A000	0122	SURG1033C01	1 1 1	8.00 9.20	1	8	972	110 21 00000
	A000	0122	SURG2215C01	11111	8.00 9.25	1	9	972	110 21 00000
	A000	0122	SURG1032C01	1 1	10.00 11.30		8	972	110 21 00000
	A000	0122	SURG1133C01	11111	12.00 12.50		8	972	110 21 00000
4	8	A000	DVED2995C01	11111	8.00 17.00		51	528	240 21 00000
4	8	A000	DVED2995C02	11111	8.00 17.00	1	33	528	240 21 00000
	8	A000	DVED2996C02	11111	16.00 20.00		60	700	210 35 00000
		A000	CTDP1110C01	11111	7.00 8.30		5	480	110 16 00000
		A000	CTDP1110C02	11111	7.00 8.30	1	5	480	110 16 00000
		A000	CSRV1000C01	1 1	8.00 9.30	1	8	480	110 16 00000
		A000	CPTR1310C01	1 1	8.00 10.00	1	1	480	110 16 00000
		A000	CPTR1320C01	1 1	8.00 10.30	1	4	480	110 16 00000
	8	A000	CTDP1120C01	11111	8.31 9.30	1	5	480	110 16 00000
	8	A000	CTDP1120C02	11111	8.31 9.30	1	5	480	110 16 00000
		A000	CTDP1131C01	11111	9.35 10.35		5	480	110 16 00000
		A000	CTDP1131C02	11111	9.35 10.35	1	5	480	110 16 00000
		A000	CTDP1140C01	11111	10.31 12.00	1	5	480	110 16 00000
		A000	CTDP1140C02	11111	10.31 12.00	1	5	480	110 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/23/2014 12:40:06
 PAGE NUM 2

L.T.C.-LAFOURCHE
 BRANCH
 PARISH
 RELATION LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0130	CTDP1211C01	11111	12.01 15.00		5	480	110 16 00000	
	A000	0130	CTDP1211C02	11111	12.01 15.00	1	5	480	110 16 00000	
	A000	0134	ORNT1000CW1			1	48	3,128	210 18 00000	
	A000	0134	AUTO1100C01	11111	7.30 10.30		13	3,128	210 18 00000	
	A000	0134	AUTO1110C01	11111	7.30 10.30	1	14	3,128	210 18 00000	
8	A000	0134	AUTO1200C01	11111	7.30 10.30	1	8	3,128	210 18 00000	
8	A000	0134	AUTO1200C02	11111	7.30 10.30	1	1	3,128	210 18 00000	
8	A000	0134	AUTO1200C05	11111	7.30 10.30	1	3	3,128	210 18 00000	
8	A000	0134	AUTO1210C01	11111	7.30 10.30	1	8	3,128	210 18 00000	
8	A000	0134	AUTO1210C02	11111	7.30 10.30	1	1	3,128	210 18 00000	
8	A000	0134	AUTO1210C05	11111	7.30 10.30	1	3	3,128	210 18 00000	
8	A000	0134	AUTO1230C01	11111	7.30 10.30	1	9	3,128	210 18 00000	
8	A000	0134	AUTO1400C02	11111	7.30 10.30	1	1	3,128	210 18 00000	
8	A000	0134	AUTO1410C02	11111	7.30 10.30	1	1	3,128	210 18 00000	
8	A000	0134	AUTO1420C02	11111	7.30 10.30	1	1	3,128	210 18 00000	
8	A000	0134	AUTO1430C02	11111	7.30 10.30	1	1	3,128	210 18 00000	
8	A000	0134	AUTO1440C02	11111	7.30 10.30	1	1	3,128	210 18 00000	
8	A000	0134	AUTO2991C05	11111	7.30 10.30	1	1	3,128	210 18 00000	
4	8	A000	0134	AUTO1230C05	11111	7.30 14.00	1	3	3,128	210 18 00000
4	8	A000	0134	AUTO1240C01	11111	7.30 14.00	1	9	3,128	210 18 00000
4	8	A000	0134	AUTO1240C05	11111	7.30 14.00	1	3	3,128	210 18 00000
	8	A000	0134	AUTO1130C05	11111	11.00 14.00	1	6	3,128	210 18 00000
	8	A000	0134	AUTO1220C01	11111	11.00 14.00	1	9	3,128	210 18 00000
	8	A000	0134	AUTO1220C05	11111	11.00 14.00	1	3	3,128	210 18 00000
	8	A000	0134	AUTO1300C01	11111	11.00 14.00	1	4	3,128	210 18 00000
	8	A000	0134	AUTO1300C02	11111	11.00 14.00	1	1	3,128	210 18 00000
	8	A000	0134	AUTO1310C01	11111	11.00 14.00	1	7	3,128	210 18 00000
	8	A000	0134	AUTO1310C02	11111	11.00 14.00	1	1	3,128	210 18 00000
	8	A000	0134	AUTO1310C05	11111	11.00 14.00	1	6	3,128	210 18 00000
	8	A000	0134	AUTO1320C01	11111	11.00 14.00	1	8	3,128	210 18 00000
	8	A000	0134	AUTO1320C05	11111	11.00 14.00	1	6	3,128	210 18 00000
	8	A000	0134	AUTO1330C01	11111	11.00 14.00	1	8	3,128	210 18 00000
	8	A000	0134	AUTO1340C01	11111	11.00 14.00	1	8	3,128	210 18 00000
	8	A000	0134	AUTO1340C05	11111	11.00 14.00	1	6	3,128	210 18 00000
	8	A000	0134	AUTO1510C01	11111	11.00 14.00	1	14	3,128	210 18 00000
	8	A000	0134	AUTO2991C06	11111	11.00 14.00	1	6	3,128	210 18 00000
	A000	0135	WELD1110C01	11111	7.30 8.30		6	2,990	210 24 00000	
	A000	0135	WELD1110C05	11111	7.30 10.10	1	2	2,990	210 24 00000	
	A000	0135	WELD1210C05	11111	7.30 10.10	1	2	2,990	210 24 00000	
	A000	0135	WELD1210C01	11111	7.35 9.10	1	6	2,990	210 24 00000	
	A000	0135	WELD1410C01	11111	7.40 9.40	1	6	2,990	210 24 00000	
	A000	0135	WELD1412C01	11111	7.45 9.20	1	3	2,990	210 24 00000	
	A000	0135	WELD2310C01	11111	7.50 9.50	1	2	2,990	210 24 00000	
4	A000	0135	ZWVI1001C50	1	8.00 15.00	1	8	2,990	210 24 00000	
4	8	A000	0135	ZWVI1002C50	1	8.00 15.00	1	5	2,990	210 24 00000
	8	A000	0135	WELD1130C01	11111	8.05 9.05	1	1	2,990	210 24 00000
	8	A000	0135	WELD2230C01	11111	8.15 9.50	1	2	2,990	210 24 00000
	8	A000	0135	WELD1510C01	11111	8.20 10.35	1	2	2,990	210 24 00000
	A000	0135	WELD1130C06	11111	11.35 14.10		1	2,990	210 24 00000	
	A000	0135	WELD1210C06	11111	11.35 14.10	1	6	2,990	210 24 00000	
	A000	0135	WELD2110C05	11111	11.35 14.10	1	1	2,990	210 24 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/23/2014 12:40:06
 PAGE NUM 3

L.T.C.-LAFOURCHE
 BRANCH
 PARISH
 RELATION LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0139	OILG2413C01	1	7.00 10.00		2	215 16	00000
4	A000	0139	OILG1041C01	11	7.00 16.00	1	2	215 16	00000
	A000	0139	OILG2113C01	1	7.30 10.30	1	2	215 16	00000
	A000	0139	OILG1003C01	1	7.30 10.30		4	215 16	00000
	A000	0139	OILG2113C01	1	7.30 10.30	1	8	215 16	00000
	A000	0139	OILG1303C01	11	7.30 11.30		3	215 16	00000
	A000	0139	OILG1103C01	1	9.30 12.30		4	215 16	00000
4	A000	0139	OILG2304C01	1	10.01 15.30		3	215 16	00000
	A000	0139	OILG2313C01	1	11.00 15.00		1	215 16	00000
	A000	0139	OILG1313C01	1	12.00 15.00		2	215 16	00000
	A000	0139	OILG2303C01	1	12.00 15.00		4	215 16	00000
4	A100	SC03	CEED2300E01	1111	7.00 18.00		2	110 15	00000
	A100	SC03	WELD1210E05	11111	7.30 9.30	1	16	110 15	00000
8	A100	SC03	WELD1410E05	11111	7.30 9.30	1	16	110 15	00000
8	A100	SC03	BUSE1030E01	1	7.30 12.10	1	6	110 15	00000
	A100	SC04	ELEC1120E05	11111	7.30 9.30		16	110 30	00000
4	A100	SC04	ELEC1120E01	11111	7.30 13.30	1	1	110 30	00000
	A100	SC04	ELEC1120E06	11111	12.30 13.30	1	16	110 30	00000
4	A100	SC07	ORNT1000E02	11111	7.30 7.45		2	210 24	00000
	A100	SC07	ORNT1000E06	11111	7.30 10.30	1	16	210 24	00000
	A100	SC07	KYBD1010E01	11	8.00 9.30	1	4	210 24	00000
	A100	SC07	KYBD1111E01	11	8.00 10.30	1	6	210 24	00000
	A100	SC07	ACCT1100EJ1	1 1	8.00 10.40	1	6	210 24	00000
	A100	SC07	ACCT1500E01	1 1	9.30 11.30	1	1	210 24	00000
	A100	SC07	MATR1350E02	1	12.00 13.00		1	210 24	00000
	A100	SC07	DVRE0091E01	11 1	12.30 14.30	1	2	210 24	00000
	A100	SC07	DVRE0092E01	11 1	12.30 14.30	1	1	210 24	00000
	A100	SC07	DVEN0091E01	11	12.30 14.30	1	1	210 24	00000
	A100	SC07	DVEN0092E01	11	12.30 14.30	1	2	210 24	00000
	A100	SC07	ORNT1000E03	11111	13.00 14.30	1	17	210 24	00000
	A100	SC15	BOTH2110EW1	1 1	10.40 12.10		2	210 16	00000
	A100	SC15	BOTH1300E01	1 1	12.30 14.00	1	1	210 16	00000
	A100	SC16	DPET1120E01	11111	7.27 8.40		2	110 12	00000
	A100	SC16	DPET1120E05	11111	7.30 10.30	1	6	110 12	00000
	A100	SC16	DPET1130E05	11111	7.30 10.30	1	6	110 12	00000
	A100	SC16	DPET1210E05	11111	7.30 10.30	1	2	110 12	00000
	A100	SC16	DPET1240E05	11111	7.30 10.30	1	2	110 12	00000
	A100	SC16	DPET1120E06	11111	13.00 14.30		7	110 12	00000
	A100	SC16	DPET1130E06	11111	13.00 14.30	1	7	110 12	00000
	A100	SC16	DPET1210E06	11111	13.00 14.30	1	1	110 12	00000
	A100	SC16	DPET1240E06	11	13.00 14.30	1	1	110 12	00000
	N000	N200	ELEC2460C01	111	7.30 8.30		11	240 20	00000
	N000	N200	ELEC1220C01	1 1 1	7.30 10.10	1	4	240 20	00000
	N000	N200	ELEC1410C01	11111	7.30 11.50	1	1	240 20	00000
	N000	N200	ELEC2540C01	1111	9.01 11.00	1	8	240 20	00000
	N000	N300	ELEC1120C79	11111	7.19 8.53		20	110 20	00000
	N000	N300	ELEC1120C05	1111	7.30 9.55	1	5	110 20	00000
	N000	N300	ELEC1210C01	1111	7.30 10.30	1	5	110 20	00000
8	N000	N300	ELEC1230C01	1 1	7.30 10.30	1	1	110 20	00000
	N000	N300	ELEC1120C01	1 1 1	7.30 11.20		2	110 20	00000
	N000	N300	ELEC1311C01	11111	10.31 13.50	1	2	110 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2014
 RUN DATE 10/23/2014 12:40:06
 PAGE NUM 4

L.T.C.-LAFOURCHE
 BRANCH
 PARISH
 RELATION

LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	N000 N300	ELEC1120C06	11111	12.25 14.50	1	10	652	110 20	00000
	N000 N400	ELEC2520C01	1111	7.30 9.30		7	1,218	210 22	00000
	N000 N400	ELEC1330C01	1 1	7.30 11.10	1	1	1,218	210 22	00000
	N000 N400	ELEC1430C01	1 1	10.31 13.35	1	8	1,218	210 22	00000
	N000 N400	ELEC2720C01	11 11	11.01 13.00	1	8	1,218	210 22	00000
	N000 N400	ELEC1420C01	1 1 1	12.00 13.50	1	2	1,218	210 22	00000
	N000 N400	ELEC1440C01	11111	12.00 14.00	1	1	1,218	210 22	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	15
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	43
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	58
TOTAL NUMBER OF RECORDS READ	- - - - -	160
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	158
NUMBER OF JOINT-CLASS RECORDS	- - - - -	109
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/23/2014 12:40:06

PAGE NUM 1

L.T.C.-LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			271
WEEKLY STUDENT CONTACT HOURS	2,007		2,007
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,170	650	1,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	464		464
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	24,390	13,550	37,940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,864		8,864
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,014		4,014
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	39.7	.0	25.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.5	.0	10.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.3	.0	45.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			271
WEEKLY STUDENT CONTACT HOURS	2,007		2,007
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,170	650	1,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	464		464
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	24,390	13,550	37,940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,864		8,864
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,014		4,014
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	39.7	.0	25.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.5	.0	10.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.3	.0	45.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/23/2014 12:40:06
 PAGE NUM 2

L.T.C.-LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			236
WEEKLY STUDENT CONTACT HOURS	4,276		4,276
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	236		236
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,240	11,800	33,040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,576		5,576
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,552		8,552
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	21.9	.0	14.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	40.3	.0	25.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	153.4	.0	153.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			236
WEEKLY STUDENT CONTACT HOURS	4,276		4,276
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	236		236
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,240	11,800	33,040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,576		5,576
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,552		8,552
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	21.9	.0	14.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	40.3	.0	25.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	153.4	.0	153.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY