

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 09/29/2014 16:01:22  
 PAGE NUM 1

L.T.C.-MANSFIELD  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMAA	0Z01	ELEC1330A01	1111	8.00 10.00		2	783	210 16 00000
	OMAA	0Z01	ELEC2460A01	1111	8.00 10.15	1	4	783	210 16 00000
	OMAA	0Z01	ELEC1120A01	1111	8.00 11.30	1	5	783	210 16 00000
	OMAA	0Z01	WELD1110A01	1111	10.00 10.50	1	4	783	210 16 00000
	OMAA	0Z01	ELEC1230A01	1111	12.00 14.30		3	783	210 16 00000
	OMAA	0Z01	ELEC1210A01	1111	12.00 16.00	1	5	783	210 16 00000
	OMAA	0Z01	ELEC1410A01	11111	12.30 14.45	1	2	783	210 16 00000
	OMAA	0Z01	ELEC1230A02	1 1	12.45 15.15	1	1	783	210 16 00000
	OMAA	0Z02	WELD1110A04	1111	10.00 11.00		1	694	210 13 00000
	OMAA	0Z02	WELD1120A01	1111	10.00 11.03	1	1	694	210 13 00000
	OMAA	0Z02	WELD1110A03	11	10.00 11.40	1	1	694	210 13 00000
	OMAA	0Z02	ELEC1420A01	1111	10.05 11.30	1	2	694	210 13 00000
	OMAA	0Z02	ELEC1220A01	1111	10.20 11.30	1	4	694	210 13 00000
	OMAA	0Z02	WELD1140A01	1111	11.00 11.38	1	4	694	210 13 00000
	OMAA	0Z02	WELD1140A04	1111	11.00 11.38	1	1	694	210 13 00000
	OMAA	0Z02	ELEC1311A02	1111	11.30 12.40	1	1	694	210 13 00000
	OMAA	0Z02	WELD1140A03	11	12.15 13.30	1	1	694	210 13 00000
	OMAA	0Z02	WELD1110A02	1111	13.00 13.50	1	1	694	210 13 00000
	OMAA	0Z02	WELD1210A04	1111	13.30 14.30	1	1	694	210 13 00000
	OMAA	0Z02	WELD1140A02	1111	14.00 14.38	1	1	694	210 13 00000
8	OMAA	0Z02	WELD1120A02	1111	14.00 14.59	1	2	694	210 13 00000
8	OMAA	0Z02	ELEC1440A01	1111	14.35 16.30	1	2	694	210 13 00000
8	OMAA	0Z02	ELEC1311A01	1111	14.45 16.00	1	3	694	210 13 00000
8	OMAA	0Z02	WELD1120A03	1111	15.28 16.30	1	1	694	210 13 00000
	OMAA	0111	WELD2991A01	111	7.30 9.30		5	699	610 60 00000
	OMAA	0111	ORNT1000A02	111	8.00 9.00	1	12	699	610 60 00000
4	OMAA	0111	HCOR2991A01	111	14.31 20.00		15	699	610 60 00000
	OMAA	0111	ORNT1000A01	111	15.00 20.00	1	19	699	610 60 00000
	OMAA	0112	ACCT1100A02	1 1 1	10.40 12.04		1	558	110 17 00000
	OMAA	0113	BOTH1300A02	11111	8.00 10.00		3	494	110 36 00000
	OMAA	0113	HNUR1211A02	11111	8.00 12.00	1	11	494	110 36 00000
	OMAA	0113	HNUR1000A01	11111	10.01 12.00	1	18	494	110 36 00000
	OMAA	0113	WELD1310A01	1111	12.40 13.18		5	494	110 36 00000
	OMAA	0114	HNUR1363A01	11111	8.00 10.00		18	498	110 36 00000
	OMAA	0114	BOTH1120A02	11111	10.01 12.00		4	498	110 36 00000
	OMAA	0114	HNUR2611A01	11111	10.01 12.00	1	22	498	110 36 00000
	OMAA	0114	ELEC2991A02	11111	12.00 14.00		5	498	110 36 00000
	OMAA	0115	HEKG1011A01	11111	8.00 12.00		19	500	110 36 00000
	OMAA	0115	HNUR1211A01	11111	8.00 12.00	1	16	500	110 36 00000
	OMAA	0115	BOTH1120A01	1 1	12.45 14.30		5	500	110 36 00000
	OMAA	0115	HCOR1200A01	1 1	12.45 14.30	1	20	500	110 36 00000
	OMAA	0116	DVRE0091A01	1111	8.00 9.22		8	621	110 16 00000
	OMAA	0116	DVRE0091A02	1111	9.30 10.37		1	621	110 16 00000
	OMAA	0116	DVMA0091A01	111	10.45 11.52		11	621	110 16 00000
	OMAA	0116	DVRE0091A03	111	12.30 14.30		1	621	110 16 00000
	OMAA	0117	BOTH2110A01	1 1	8.00 9.15		4	829	140 33 00000
	OMAA	0117	MATR1350A01	1 1	8.00 9.15	1	4	829	140 33 00000
	OMAA	0117	ACCT1100A01	1 1 1	8.00 9.24		9	829	140 33 00000
	OMAA	0117	BOTH1240A01	1 1	9.25 10.40		6	829	140 33 00000
	OMAA	0117	BOTH1230A01	1 1 1	9.30 10.30		2	829	140 33 00000
	OMAA	0117	CPTR1320A01	1 1 1	9.30 10.30	1	3	829	140 33 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMAA	0117	JOBS2450A01	1 1	9.30 10.30		1	829	140 33 00000
	OMAA	0117	DVEN0091A02	111	9.30 10.37	1	7	829	140 33 00000
	OMAA	0117	CPTR1310A02	1 1 1	10.40 11.47		1	829	140 33 00000
	OMAA	0117	ACCT1200A01	1 1 1	10.40 12.04	1	6	829	140 33 00000
	OMAA	0117	BUSM1050A01	1 1	10.50 12.30		5	829	140 33 00000
	OMAA	0117	JOBS2450A02	1 1	11.15 12.15	1	5	829	140 33 00000
	OMAA	0117	CPTR1310A01	1 1 1	13.00 14.07		2	829	140 33 00000
	OMAA	0117	CPTR1320A02	1 1 1	13.00 14.24	1	5	829	140 33 00000
	OMAA	0121	CPTR1002A02	11111	8.00 9.15		20	775	140 24 00000
	OMAA	0121	CPTR1002A03	11111	8.00 9.15	1	2	775	140 24 00000
	OMAA	0121	CSRV1000A02	11111	8.00 9.15	1	3	775	140 24 00000
	OMAA	0121	CSRV1000A01	1 1	8.00 9.15	1	4	775	140 24 00000
	OMAA	0121	OSYS1100A01	1 1 1	8.00 9.24		8	775	140 24 00000
	OMAA	0121	KYBD1010A03	1 1	8.00 10.30		1	775	140 24 00000
	OMAA	0121	KYBD1111A03	1 1	8.00 10.30	1	1	775	140 24 00000
	OMAA	0121	CPTR1000A02	1	8.30 11.30		1	775	140 24 00000
	OMAA	0121	KYBD1111A02	1 1 1	9.00 10.30	1	1	775	140 24 00000
	OMAA	0121	ISYS1650A01	1 1	9.25 11.05		3	775	140 24 00000
	OMAA	0121	ISYS1440A02	1 1	9.25 11.30	1	1	775	140 24 00000
	OMAA	0121	BUSE1030A01	1 1 1	9.30 10.30		14	775	140 24 00000
	OMAA	0121	BUSE1045A01	1 1 1	9.30 10.30	1	2	775	140 24 00000
	OMAA	0121	KYBD1010A03	1 1 1	9.30 10.30	1	1	775	140 24 00000
	OMAA	0121	KYBD1111A03	1 1 1	9.30 10.30	1	1	775	140 24 00000
	OMAA	0121	KYBD1010A01	11111	10.40 11.55		13	775	140 24 00000
	OMAA	0121	ISYS1440A01	1 1 1	10.40 12.04	1	4	775	140 24 00000
	OMAA	0121	KYBD1111A01	11111	10.40 12.06	1	15	775	140 24 00000
	OMAA	0121	OSYS2530A01	1 1 1	13.00 14.00		2	775	140 24 00000
	OMAA	0121	BOTH1210A01	1 1	13.00 14.00		2	775	140 24 00000
	OMAA	0121	ISYS1650A02	1 1	13.00 14.07	1	2	775	140 24 00000
4	OMAA	0121	CPTR1000A01	1 1	13.00 14.30		5	775	140 24 00000
4	OMAA	0127	HCOR1212A01	11111	6.00 12.00		16	3,196	210 63 00000
	OMAA	0127	HCOR1212A02	11111	6.00 14.00	1	11	3,196	210 63 00000
	OMAA	0127	HNUR2118A01	11111	8.00 10.00	1	19	3,196	210 63 00000
	OMAA	0127	HNUR2133A01	11111	9.00 11.00	1	14	3,196	210 63 00000
	OMAA	0127	HNUR1411A01	11111	12.30 14.30		18	3,196	210 63 00000
	OMAA	0127	WELD1411A03	1111	15.10 15.45		1	3,196	210 63 00000
	OMAA	0133	WELD2210A01	1111	10.00 11.46		2	2,543	210 50 00000
	OMAA	0133	WELD1420A01	1111	10.00 12.07	1	1	2,543	210 50 00000
	OMAA	0133	WELD1512A01	1111	10.00 12.07	1	2	2,543	210 50 00000
	OMAA	0133	WELD2311A03	1111	11.05 12.55	1	4	2,543	210 50 00000
	OMAA	0133	WELD2111A02	1111	12.00 12.50	1	3	2,543	210 50 00000
	OMAA	0133	WELD2230A01	1111	12.00 13.46	1	2	2,543	210 50 00000
	OMAA	0133	WELD2230A03	1111	12.10 14.00	1	1	2,543	210 50 00000
	OMAA	0133	WELD1510A01	1111	12.17 14.25	1	2	2,543	210 50 00000
	OMAA	0133	WELD2110A01	1111	13.00 14.46	1	1	2,543	210 50 00000
	OMAA	0133	WELD2210A02	1111	13.00 14.46	1	3	2,543	210 50 00000
	OMAA	0133	WELD2310A02	1111	13.00 14.46	1	2	2,543	210 50 00000
	OMAA	0133	WELD1412A01	1111	13.20 15.10	1	2	2,543	210 50 00000
	OMAA	0133	WELD2310A01	1111	14.30 16.16	1	2	2,543	210 50 00000
	OMAA	0133	WELD2311A04	1111	14.47 16.34	1	1	2,543	210 50 00000
	OMAA	0133	WELD2111A03	1111	14.49 16.39	1	2	2,543	210 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 09/29/2014 16:01:22  
 PAGE NUM 3

L.T.C.-MANSFIELD  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	OMAA	0133	WELD1511A01	1111	15.00 17.07	1	2	2,543	210 50	00000
	OMAA	0133	WELD1412A02	1111	15.10 17.00	1	2	2,543	210 50	00000
	OMAA	0133	WELD1411A01	1111	15.15 16.59	1	6	2,543	210 50	00000
	OMAA	0133	WELD1410A04	1111	16.00 18.00	1	1	2,543	210 50	00000
	OMAA	0133	WELD2311A01	1111	16.20 18.06	1	1	2,543	210 50	00000
	OMAA	0133	WELD2310A03	1111	16.40 18.26	1	4	2,543	210 50	00000
	OMAA	0133	WELD2110A02	1111	17.10 19.00	1	4	2,543	210 50	00000
	OMAA	0133	WELD2230A02	1111	17.10 19.40	1	1	2,543	210 50	00000
	OMAA	0133	WELD2311A05	1111	17.10 19.40	1	1	2,543	210 50	00000
	OMAA	0133	WELD1412A03	1111	18.00 19.20	1	1	2,543	210 50	00000
	OMAA	0133	WELD1411A02	1111	18.05 20.00	1	3	2,543	210 50	00000
	OMAA	0133	WELD2111A02	1111	19.01 20.00	1	3	2,543	210 50	00000
	OMAA	0137	WELD1310A03	1111	9.00 10.59		1	176	110 15	00000
	OMAA	0137	WELD1130A03	1111	11.01 12.00		1	176	110 15	00000
	OMAA	0137	WELD1210A01	1111	11.40 12.30	1	3	176	110 15	00000
	OMAA	0137	WELD1310A04	1111	12.00 13.59	1	1	176	110 15	00000
	OMAA	0137	WELD1210A03	11	13.40 15.30	1	1	176	110 15	00000
	OMAA	0137	WELD1410A01	1111	14.00 14.50	1	4	176	110 15	00000
	OMAA	0137	WELD2991A04	1111	14.01 15.00	1	1	176	110 15	00000
	OMAA	0137	WELD1310A05	1111	14.31 15.30	1	1	176	110 15	00000
	OMAA	0137	WELD1210A02	1111	14.40 15.30	1	2	176	110 15	00000
	OMAA	0137	WELD1410A02	1111	15.40 16.30		1	176	110 15	00000
	OMAA	0137	WELD1410A03	11	15.40 17.30	1	1	176	110 15	00000
	OMAA	0137	WELD1130A02	1111	16.00 16.50	1	3	176	110 15	00000
	OMAA	0137	WELD1310A02	1111	16.35 17.09	1	3	176	110 15	00000
	OMAA	0137	WELD1130A01	1111	17.00 17.50	1	3	176	110 15	00000
	OMAB	PN01	HNUR2813A01	1111	12.30 14.30		14	784	140 40	00000
	OMAB	PN01	CPTR1002A01	11	12.45 14.30	1	12	784	140 40	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	3
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	4
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		7
TOTAL NUMBER OF RECORDS READ		130
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		130
NUMBER OF JOINT-CLASS RECORDS		87
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/29/2014 16:01:22

PAGE NUM 1

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			253
WEEKLY STUDENT CONTACT HOURS	2,921	12	2,933
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1,260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	760	8	768
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22,770	12,650	35,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,189	120	21,309
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,842	24	5,866
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	93.8	1.8	61.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.7	.2	16.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.6	20.0	27.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			156
WEEKLY STUDENT CONTACT HOURS	1,954	12	1,966
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	438	8	446
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,040	7,800	21,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,177	120	12,297
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,908	24	3,932
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.1	2.7	53.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.8	.3	18.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.1	20.0	32.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/29/2014 16:01:22

PAGE NUM 2

L.T.C. - MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			97
WEEKLY STUDENT CONTACT HOURS	967		967
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	322		322
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,730	4,850	13,580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,012		9,012
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,934		1,934
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	119.3	.0	76.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.2	.0	14.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.5	.0	21.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			159
WEEKLY STUDENT CONTACT HOURS	2,225	94	2,319
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	869	92	961
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,310	7,950	22,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34,902	4,600	39,502
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,450	188	4,638
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	193.1	36.8	137.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	31.1	2.4	20.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	12.7	4.1	11.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/29/2014 16:01:22  
 PAGE NUM 3

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			159
WEEKLY STUDENT CONTACT HOURS	2,225	94	2,319
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	869	92	961
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,310	7,950	22,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34,902	4,600	39,502
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,450	188	4,638
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	193.1	36.8	137.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	31.1	2.4	20.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	12.7	4.1	11.7

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY