

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/08/2014 11:20:48
 PAGE NUM 1

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	MB0A	0115	COSM1220B00	1	9.00 14.30		11	1,722	210 50 00000
4	MB0A	0115	COSM1130B00	1 1	9.02 14.30		14	1,722	210 50 00000
4	MB0A	0115	COSM2510B00		9.02 14.30	1	9	1,722	210 50 00000
4	MB0A	0115	COSM2530B00	1	9.02 14.45		10	1,722	210 50 00000
4	MB0A	0115	COSM2540B00		9.02 14.45	1	1	1,722	210 50 00000
	MB0A	0115	COSM2520B00	1 1	10.02 12.00		3	1,722	210 50 00000
	MB0A	0115	COSM1411B00	1	10.02 12.00		12	1,722	210 50 00000
	MB0A	0115	COSM1411B00	1	12.02 14.30		12	1,722	210 50 00000
	MB0A	0115	COSM1420B00	1	13.20 14.45	1	1	1,722	210 50 00000
	MB0A	0118	DVMA0090B00	1 1 1	8.00 9.10		9	1,600	110 60 00000
	MB0A	0118	DVRE0090B00	1 1 1	9.15 10.25		1	1,600	110 60 00000
	MB0A	0118	DVMA0090B00	1 1	10.00 11.00		1	1,600	110 60 00000
	MB0A	0118	DVEN0090B00	1 1 1	10.30 11.40		1	1,600	110 60 00000
	MB0A	0118	DVEN0090B00	1 1	11.02 12.02		1	1,600	110 60 00000
	MB0A	0118	DVRE0091B00	1 1 1	11.45 12.55		2	1,600	110 60 00000
	MB0A	0118	DVMA0092B00	1 1	12.00 13.30		1	1,600	110 60 00000
	MB0A	0118	DVRE0090B00	1 1	13.32 14.32		1	1,600	110 60 00000
	MB0A	0119	ORNT1000B00	11111	8.30 9.30		36	1,764	110 45 00000
	MB0A	0119	ORNT1000B00	11111	12.00 13.00		7	1,764	110 45 00000
	MB0A	0119	JOBS2450B00	1 1	12.00 15.00	1	1	1,764	110 45 00000
9	MB0A	0119	JOBS2450B00	1 1	12.00 15.00		1	1,764	110 45 00000
	MB0A	0121	HNUR1211B00	11	8.00 9.00		7	912	110 15 00000
	MB0A	0129	CDYC1110B00	1 1 1	8.00 9.10		1	575	110 20 00000
	MB0A	0129	CDYC1120B00	1	8.00 9.10	1	1	575	110 20 00000
	MB0A	0129	CDYC1220B00	1 1	9.00 11.15		2	575	110 20 00000
	MB0A	0129	CDYC1130B00	1 1 1	9.30 10.40		1	575	110 20 00000
	MB0A	0129	CDYC1210B00	1 1 1	9.30 11.00	1	1	575	110 20 00000
	MB0A	0129	CDYC1320B00	1 1	12.00 14.15		2	575	110 20 00000
	MB0A	0133	ORNT1000B00	1	8.00 10.00		3	625	140 25 00000
	MB0A	0134	COSM1121B00	111	8.00 9.00		2	400	110 16 00000
	MB0A	0134	COSM2530B00	1	8.00 9.00	1	10	400	110 16 00000
	MB0A	0134	ORNT1000B00	1	8.00 9.00	1	1	400	110 16 00000
	MB0A	0134	COSM1130B00	1 1	8.00 9.00		14	400	110 16 00000
	MB0A	0134	COSM2510B00	1	8.00 9.00		9	400	110 16 00000
	MB0A	0134	COSM2540B00	1	8.00 9.00		1	400	110 16 00000
	MB0A	0134	COSM1110B00	11	8.00 11.30	1	2	400	110 16 00000
	MB0A	0134	COSM2520B00	1 1	9.00 10.00	1	3	400	110 16 00000
	MB0A	0134	COSM1110B00	11111	9.02 10.32	1	1	400	110 16 00000
	MB0A	0134	COSM1130B00	111	9.32 11.30	1	2	400	110 16 00000
	MB0A	0134	COSM1211B00	11111	10.35 11.35	1	1	400	110 16 00000
	MB0A	0134	COSM1420B00	1	12.15 13.15		1	400	110 16 00000
	MB0A	0136	HNUR1460B00	11111	8.00 9.15		19	1,320	110 40 00000
4	MB0A	0136	HNUR2118B00	111	8.47 15.15	1	19	1,320	110 40 00000
	MB0A	0136	HNUR2712B00	1111	10.22 11.05	1	19	1,320	110 40 00000
	MB0A	0136	HNUR2522B00	111	12.31 13.45		19	1,320	110 40 00000
4	MB0A	0136	HNUR2722B00	11	13.50 14.00		19	1,320	110 40 00000
	MB0A	0137	CDYC1120B00	1 1	8.00 9.10		1	2,500	210 25 00000
	MB0A	0137	ENTP1000B00	1 1	10.00 11.00		1	2,500	210 25 00000
	MB0A	0144	CPTR1310B00	1 1 1	8.00 9.25		6	1,900	140 60 00000
	MB0A	0144	ISYS1440B00	1 1 1	8.00 9.25	1	1	1,900	140 60 00000
	MB0A	0144	CPTR1320B00	1 1	8.00 10.00		10	1,900	140 60 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/08/2014 11:20:48
 PAGE NUM 2

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0144	CPTR1002B00	1 1	12.15 13.30		26	1,900	140 60 00000
	MB0A	0144	JOBS2450B00	1 1	14.00 15.00		9	1,900	140 60 00000
	MB0A	0144	ORNT1000B00	1 1 1	14.50 15.30		18	1,900	140 60 00000
	MB0A	0145	BUSE1045B00	1 1 1	9.30 10.30		2	888	110 30 00000
9	MB0A	0145	BUSE1045B00	1 1 1	9.30 10.30		1	888	110 30 00000
	MB0A	0145	BUSE1030B00	1 1 1	11.00 12.00		15	888	110 30 00000
	MB0A	0145	KYBD1010B00	1 1 1	12.05 12.55		17	888	110 30 00000
	MB0A	0145	CSRV1000B00	1 1 1	13.00 14.45		23	888	110 30 00000
9	MB0A	0145	CSRV1000B00	1 1 1	13.00 14.45		1	888	110 30 00000
	MB0A	0146	SPPR2996B00	1 1 1	8.00 9.25		1	1,000	140 30 00000
	MB0A	0146	ACCT1100B00	1 1 1	9.30 10.55		11	1,000	140 30 00000
	MB0A	0146	BUSM1050B00	1 1	10.05 11.45		3	1,000	140 30 00000
	MB0A	0146	ACCT1200B00	1 1 1	11.00 12.25		6	1,000	140 30 00000
	MB0A	0146	OSYS1100B00	1 1 1	13.00 14.45		17	1,000	140 30 00000
9	MB0A	0146	OSYS1100B00	1 1 1	13.00 14.45		1	1,000	140 30 00000
	MB0A	0146	OSYS2530B00	1 1	13.35 14.50		7	1,000	140 30 00000
	MB0A	0147	MATR1350B00	1 1	8.00 9.15		10	864	110 40 00000
	MB0A	0147	KYBD1111B00	1 1 1	8.00 9.25		10	864	110 40 00000
9	MB0A	0147	KYBD1111B00	1 1 1	8.00 9.25		1	864	110 40 00000
	MB0A	0147	BOTH2110B00	1 1	9.20 10.35		10	864	110 40 00000
	MB0A	0147	BOTH1240B00	1 1	10.45 12.00		9	864	110 40 00000
	MB0A	0147	BOTH1300B00	1 1 1	12.05 13.50		3	864	110 40 00000
	MB0A	0147	BOTH1210B00	1 1	12.30 13.45		8	864	110 40 00000
	MB0A	0147	BOTH1120B00	1 1 1	13.00 14.45		2	864	110 40 00000
	MB0A	0147	BOTH1230B00	1 1 1	13.00 14.45	1	1	864	110 40 00000
	MB0A	0147	BOTH1300B00	1 1 1	13.00 14.45	1	1	864	110 40 00000
	MB0A	0156	IMMT1231B00	1 1 1	8.00 11.30		4	2,180	210 15 00000
	MB0A	0156	IMFG1321B00	1 1 1	10.02 12.02	1	1	2,180	210 15 00000
	MB0A	0156	IMMT1241B00	1 1 1	12.00 15.30	1	2	2,180	210 15 00000
	MB0A	0156	IMMT1321B00	1 1 1	12.00 15.30	1	1	2,180	210 15 00000
	MB0A	0159	IMFG1130B00	1 1 1	8.00 10.00		1	2,050	210 15 00000
	MB0A	0159	IMMT1331B00	1 1 1	9.02 11.30	1	3	2,050	210 15 00000
	MB0A	0159	IMMT1221B00	1 1 1	12.00 15.30		3	2,050	210 15 00000
	MB0A	0159	IMFG1421B00	1 1 1	12.30 15.30	1	1	2,050	210 15 00000
	MB0A	0159	IMMT1311B00	1 1	12.30 15.30		2	2,050	210 15 00000
	MB0A	0162	HACR2810B00	11111	8.00 9.00		1	400	110 20 00000
	MB0A	0162	HACR2820B00	11111	8.00 9.00	1	2	400	110 20 00000
	MB0A	0162	HACR2830B00	11111	8.00 9.00	1	1	400	110 20 00000
	MB0A	0162	HACR1150B00	11	8.00 9.00	1	1	400	110 20 00000
	MB0A	0162	HACR1160B00	11	8.00 9.00	1	1	400	110 20 00000
	MB0A	0162	HACR1150B00	1 1 1	8.00 9.00	1	7	400	110 20 00000
	MB0A	0162	HACR1170B00	1 1 1	8.00 9.00	1	7	400	110 20 00000
	MB0A	0162	HACR1160B00	1 1	8.00 9.00		7	400	110 20 00000
	MB0A	0162	HACR1180B00	1 1	8.00 9.00	1	7	400	110 20 00000
	MB0A	0162	ORNT1000B00	11	11.30 12.30		1	400	110 20 00000
	MB0A	0162	ELEC1120B00	11	12.32 13.32		1	400	110 20 00000
	MB0A	0163	HACR1150B00	111	9.02 11.02		1	2,304	210 25 00000
	MB0A	0163	HACR1160B00	111	9.02 11.02	1	1	2,304	210 25 00000
4	MB0A	0163	HACR2810B00	11111	9.02 14.30	1	1	2,304	210 25 00000
4	MB0A	0163	HACR2820B00	11111	9.02 14.30	1	2	2,304	210 25 00000
4	MB0A	0163	HACR2830B00	11111	9.02 14.30	1	1	2,304	210 25 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	MB0A	0163	HACR1150B00	1 1 1	9.02 14.30	1	7	2,304	210 25 00000
4	MB0A	0163	HACR1170B00	1 1 1	9.02 14.30	1	7	2,304	210 25 00000
4	MB0A	0163	HACR1160B00	1 1	9.02 14.30		7	2,304	210 25 00000
4	MB0A	0163	HACR1180B00	1 1	9.02 14.30	1	7	2,304	210 25 00000
	MB0A	0183	IMFG1200B00	1 1	9.02 11.30		16	7,586	210 50 00000
	MB0A	0183	IMFG1120B00	11111	13.02 15.00		7	7,586	210 50 00000
9	MB0A	0183	IMFG1120B00	1 1	13.02 15.00		16	7,586	210 50 00000
	MB0A	0183	IMFG1300B00	1 1	13.02 15.00		16	7,586	210 50 00000
	MB0A	0183	IMFG1120B00	11	13.47 15.00	1	1	7,586	210 50 00000
8	MB0A	135A	HNUR2118B00	11	6.45 8.45		19	840	210 10 00000
	MB0A	135A	HNUR1211B00	111	9.02 11.02		7	840	210 10 00000
8	MB0A	135A	HNUR2712B00	1	9.20 10.20		19	840	210 10 00000
8	MB0A	135A	HNUR2522B00	11	12.00 12.30		19	840	210 10 00000
8	MB0A	135A	HCOR1212B00	11111	12.00 15.00	1	7	840	210 10 00000
8	MB0A	135A	HNUR2722B00	111	14.02 15.03	1	19	840	210 10 00000
	MB0A	156C	IMMT1331B00	1 1 1	8.00 9.00		3	500	110 16 00000
	MB0A	156C	IMFG1320B00	1 1	8.00 11.00		1	500	110 16 00000
	MB0A	156C	IMMT1330B00	1 1	8.00 11.30	1	3	500	110 16 00000
	MB0A	156C	IMFG1420B00	1 1	11.35 15.00		1	500	110 16 00000
	MB0A	156C	IMMT1320B00	1 1	12.00 15.30	1	2	500	110 16 00000
	MB0A	163A	ELEC2540B00	1 1 1	8.00 11.30		2	2,050	210 15 00000
	MB0A	163A	ELMT2520B00	1 1 1	8.00 11.30	1	9	2,050	210 15 00000
	MB0A	163A	IMMT1441B00	1 1 1	8.00 11.30	1	1	2,050	210 15 00000
	MB0A	163A	ELEC1420B00	1 1	8.00 11.30		1	2,050	210 15 00000
	MB0A	163A	ELEC2520B00	1 1 1	9.02 11.30		2	2,050	210 15 00000
	MB0A	163A	IIET1413B00	1 1 1	9.02 11.30	1	1	2,050	210 15 00000
	MB0A	163A	IIET1433B00	1 1 1	9.02 11.30	1	9	2,050	210 15 00000
	MB0A	163A	IIET2123B00	1 1 1	9.02 11.30	1	2	2,050	210 15 00000
	MB0A	163A	CPTR1000B00	1 1	9.02 11.30		2	2,050	210 15 00000
	MB0A	163A	INST1110B00	1 1	9.02 11.30	1	11	2,050	210 15 00000
	MB0A	163A	ELEC1440B00	1 1 1	12.00 15.30		1	2,050	210 15 00000
	MB0A	163A	ELEC2720B00	1 1 1	12.00 15.30	1	1	2,050	210 15 00000
	MB0A	163A	IMFG1235B00	1 1 1	12.00 15.30	1	9	2,050	210 15 00000
	MB0A	163A	IMMT1430B00	1 1 1	12.00 15.30	1	2	2,050	210 15 00000
	MB0A	163A	IIET1214B00	1 1 1	13.02 15.30	1	6	2,050	210 15 00000
8	MB0A	163A	INST1330B00	1 1 1	13.02 15.30	1	5	2,050	210 15 00000
8	MB0A	163A	IIET2733B00	1 1	13.02 15.30	1	1	2,050	210 15 00000
8	MB0A	163A	ELEC1120B00	111	13.34 15.00	1	1	2,050	210 15 00000
	MB0A	163B	ELEC2520B00	1 1 1	8.00 9.00		2	500	110 10 00000
	MB0A	163B	IIET1413B00	1 1 1	8.00 9.00	1	1	500	110 10 00000
	MB0A	163B	IIET1433B00	1 1 1	8.00 9.00	1	9	500	110 10 00000
	MB0A	163B	IIET2123B00	1 1 1	8.00 9.00	1	2	500	110 10 00000
	MB0A	163B	CPTR1000B00	1 1	8.00 9.00		2	500	110 10 00000
	MB0A	163B	INST1110B00	1 1	8.00 9.00	1	11	500	110 10 00000
	MB0A	163B	IIET1214B00	1 1 1	12.00 13.00		6	500	110 10 00000
	MB0A	163B	INST1330B00	1 1 1	12.00 13.00	1	5	500	110 10 00000
	MB0A	163B	IIET2733B00	1	12.00 13.00	1	1	500	110 10 00000
	MB0A	163B	IMMT1120B00	1 1	12.30 15.30		3	500	110 10 00000
	MB0A	183C	IMFG1200B00	1 1	8.00 9.00		16	500	110 21 00000
	MB0A	183C	IMFG1100B00	1 1 1	8.00 11.30		16	500	110 21 00000
	MB0A	183C	ORNT1000B00	1 1	8.00 11.30		15	500	110 21 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/08/2014 11:20:48
 PAGE NUM 4

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	183C	IMFG1120B00	11	12.00 13.00		7	500	110 21 00000
	MB0A	183C	ORNT1000B00	11	12.00 13.00	1	7	500	110 21 00000
	MB0A	183C	IMFG1120B00	1 1	12.00 13.00	1	16	500	110 21 00000
	MB0A	183C	ORNT1000B01	1	12.00 13.00	1	1	500	110 21 00000
	MB0A	183C	IMFG1300B00	1 1	12.00 13.00		16	500	110 21 00000
	MB0A	183C	IMFG1120B00	11	13.02 13.45		1	500	110 21 00000
	MB0A	183C	IMFG1100B00	11111	13.02 15.00	1	7	500	110 21 00000
9	MB0A	183C	IMFG1100B00	11	13.02 15.00		1	500	110 21 00000
	MB0C	0184	WELD1110BH0	1 1 1	8.32 9.32		4	3,364	210 20 00000
	MB0C	0184	WELD1410BH0	1 1	8.32 9.32		4	3,364	210 20 00000
	MB0C	0184	WELD1140BH0	1 1 1	8.32 11.00		1	3,364	210 20 00000
	MB0C	0184	WELD1310BH0	1 1	8.32 11.00		1	3,364	210 20 00000
	MB0C	0184	WELD2993B00	11	9.00 10.00	1	1	3,364	210 20 00000
	MB0C	0184	WELD1512B00	11	9.00 11.00	1	2	3,364	210 20 00000
	MB0C	0184	IMMT1112B00	1 1	9.00 12.30	1	3	3,364	210 20 00000
	MB0C	0184	WELD1110B00	11	9.30 10.30	1	11	3,364	210 20 00000
	MB0C	0184	WELD1511B00	1111	9.30 11.30	1	4	3,364	210 20 00000
	MB0C	0184	WELD1420B00	11	9.30 11.30	1	4	3,364	210 20 00000
	MB0C	0184	CPTR1000B00	11	10.00 11.30	1	2	3,364	210 20 00000
	MB0C	0184	WELD2990B00	1111	10.00 14.00	1	2	3,364	210 20 00000
8	MB0C	0184	WELD1140BH0	1 1 1	10.06 11.06	1	4	3,364	210 20 00000
	MB0C	0184	WELD1310BH0	1 1	10.06 11.06		4	3,364	210 20 00000
	MB0C	0184	WELD1140B00	11	10.35 11.35	1	13	3,364	210 20 00000
	MB0C	0184	WELD1130B00	11	11.35 12.35		5	3,364	210 20 00000
	MB0C	0184	WELD2410B00	11	11.35 12.45	1	1	3,364	210 20 00000
	MB0C	0184	WELD1210B00	11	11.40 12.40	1	12	3,364	210 20 00000
	MB0C	0184	WELD1110B00	11	12.02 12.47	1	1	3,364	210 20 00000
	MB0C	0184	WELD1140B00	1	12.02 12.47		1	3,364	210 20 00000
	MB0C	0184	WELD1210B00	11 1	12.32 13.30	1	1	3,364	210 20 00000
	MB0C	0184	WELD1110B00	11 1	12.33 13.30	1	5	3,364	210 20 00000
	MB0C	0184	WELD1140B00	11	12.33 13.30		5	3,364	210 20 00000
	MB0C	0184	WELD1410B00	11	13.15 14.15	1	12	3,364	210 20 00000
	MB0C	0184	WELD1512B00	1111	13.15 15.00	1	2	3,364	210 20 00000
	MB0C	0184	WELD1412B00	1111	13.15 15.15	1	7	3,364	210 20 00000
	MB0C	0184	WELD1120B00	11	14.00 15.13	1	4	3,364	210 20 00000
	MB0C	0184	WELD1410B00	11	14.04 15.00		5	3,364	210 20 00000
	MB0C	0184	WELD1310B00	11	14.04 15.00		6	3,364	210 20 00000
	MB0C	0184	WELD1411B00	1111	14.20 16.00	1	14	3,364	210 20 00000
	MB0C	0184	WELD1140B00	1	16.00 18.00		1	3,364	210 20 00000
	MB0C	0184	WELD1210B00	1	16.00 18.00		1	3,364	210 20 00000
	MB0C	0184	WELD1310B00	11	16.05 17.05	1	10	3,364	210 20 00000
	MB0C	0184	WELD1510B00	11	16.10 18.10	1	5	3,364	210 20 00000
	MB0C	0184	WELD1110B00	1	16.32 18.00		1	3,364	210 20 00000
	MB0C	0184	CPTR1000B00	11	17.10 18.10		5	3,364	210 20 00000
	MB0C	0184	WELD1140B00	11	18.15 19.00		1	3,364	210 20 00000
	MB0C	0185	WELD2311B00	11	9.00 11.00		2	2,262	210 5 00000
	MB0C	0185	WELD2210B00	11	11.00 13.00		1	2,262	210 5 00000
	MB0C	0185	WELD2230B00	11	11.10 12.40	1	1	2,262	210 5 00000
	MB0C	0185	WELD2111B00	1111	11.35 12.35	1	5	2,262	210 5 00000
	MB0C	0185	WELD2310B00	11	15.05 16.05		3	2,262	210 5 00000
9	MB0C	0185	WELD2310B00	11	15.20 17.00		2	2,262	210 5 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/08/2014 11:20:48
 PAGE NUM 5

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MB0C 0185	WELD2110B00	11	16.20 18.00	1	2	2,262	210 5	00000
	MB0C 0185	WELD2230B00	11	17.05 18.30	1	2	2,262	210 5	00000
	MB0C 184A	WELD11110BH0	1 1 1	8.00 8.30		4	440	110 12	00000
	MB0C 184A	WELD1140BH0	1 1 1	8.00 8.30	1	1	440	110 12	00000
	MB0C 184A	WELD1310BH0	1 1	8.00 8.30		1	440	110 12	00000
	MB0C 184A	WELD1410BH0	1 1	8.00 8.30	1	4	440	110 12	00000
	MB0C 184A	WELD2993B00	11	9.00 10.00		1	440	110 12	00000
	MB0C 184A	WELD1512B00	11	9.00 11.00	1	2	440	110 12	00000
	MB0C 184A	WELD2311B00	11	9.00 11.00	1	2	440	110 12	00000
	MB0C 184A	WELD11110B00	11	9.30 10.30	1	11	440	110 12	00000
8	MB0C 184A	WELD1420B00	11	9.30 11.30	1	4	440	110 12	00000
8	MB0C 184A	WELD1140BH0	1 1 1	9.34 10.04	1	4	440	110 12	00000
	MB0C 184A	WELD1310BH0	1 1	9.34 10.04		4	440	110 12	00000
	MB0C 184A	CPTR1000B00	11	10.00 11.30	1	2	440	110 12	00000
8	MB0C 184A	WELD1140B00	11	10.35 11.35	1	13	440	110 12	00000
8	MB0C 184A	WELD2210B00	11	11.00 13.00	1	1	440	110 12	00000
8	MB0C 184A	WELD2230B00	11	11.10 12.40	1	1	440	110 12	00000
8	MB0C 184A	WELD11110B00	1	11.30 12.00	1	1	440	110 12	00000
	MB0C 184A	WELD1140B00	1	11.30 12.00		1	440	110 12	00000
	MB0C 184A	WELD1130B00	11	11.35 12.35		5	440	110 12	00000
	MB0C 184A	WELD2410B00	11	11.35 12.45	1	1	440	110 12	00000
	MB0C 184A	WELD1210B00	11	11.40 12.40	1	12	440	110 12	00000
8	MB0C 184A	WELD11110B00	11	12.00 12.30	1	5	440	110 12	00000
8	MB0C 184A	WELD1210B00	11	12.00 12.30	1	1	440	110 12	00000
	MB0C 184A	WELD1140B00	11	12.00 12.30		5	440	110 12	00000
	MB0C 184A	IMMT1111B00	1 1 1	13.00 16.30		3	440	110 12	00000
	MB0C 184A	WELD1410B00	11	13.15 14.15	1	12	440	110 12	00000
89	MB0C 184A	WELD1410B00	11	13.32 14.02		5	440	110 12	00000
	MB0C 184A	WELD1310B00	11	13.32 14.02		6	440	110 12	00000
	MB0C 184A	WELD1411B00	1	13.32 15.00	1	1	440	110 12	00000
	MB0C 184A	WELD1120B00	11	14.00 15.13		4	440	110 12	00000
	MB0C 184A	WELD2994B00	1111	14.05 16.00	1	1	440	110 12	00000
	MB0C 184A	WELD2310B00	11	15.05 16.05	1	3	440	110 12	00000
9	MB0C 184A	WELD2310B00	11	15.20 17.00		2	440	110 12	00000
	MB0C 184A	WELD11110B00	1	16.00 16.30	1	1	440	110 12	00000
8	MB0C 184A	WELD1310B00	11	16.05 17.05	1	10	440	110 12	00000
8	MB0C 184A	WELD1510B00	11	16.10 18.10	1	5	440	110 12	00000
8	MB0C 184A	WELD2110B00	11	16.20 18.00	1	2	440	110 12	00000
8	MB0C 184A	WELD1140B00	1	16.35 17.05	1	1	440	110 12	00000
	MB0C 184A	WELD2230B00	11	17.05 18.30		2	440	110 12	00000
	MB0C 184A	WELD1210B00	1	17.10 18.00	1	1	440	110 12	00000
	MB0C 184A	CPTR1000B00	11	17.10 18.10	1	5	440	110 12	00000
	MB0C 184A	WELD1140B00	11	18.15 19.00		1	440	110 12	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	14
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	23
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	10
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		47
TOTAL NUMBER OF RECORDS READ		247
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		237
NUMBER OF JOINT-CLASS RECORDS		115
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/08/2014 11:20:48
 PAGE NUM 1

L.T.C. -NATCHITOCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			485
WEEKLY STUDENT CONTACT HOURS	3,062	19	3,081
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	934	16	950
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,650	24,250	67,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,823	192	25,015
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,125	38	6,163
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	61.0	1.9	39.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.0	.2	9.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.7	19.8	24.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			370
WEEKLY STUDENT CONTACT HOURS	2,619	19	2,638
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	835	16	851
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33,300	18,500	51,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,613	192	20,805
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,238	38	5,276
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.3	2.3	43.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.7	.2	10.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.4	19.8	25.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/08/2014 11:20:48

PAGE NUM 2

L.T.C. -NATCHITOCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			115
WEEKLY STUDENT CONTACT HOURS	443		443
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	99		99
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,350	5,750	16,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,210		4,210
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	887		887
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	36.7	.0	23.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.6	.0	5.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.1	.0	21.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			230
WEEKLY STUDENT CONTACT HOURS	2,787	18	2,805
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1,400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,255	14	1,269
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	20,700	11,500	32,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,130	190	27,320
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,574	36	5,610
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	139.4	2.8	90.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.9	.3	17.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.5	18.9	20.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/08/2014 11:20:48

PAGE NUM 3

L.T.C.-NATCHITOCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			230
WEEKLY STUDENT CONTACT HOURS	2,787	18	2,805
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1,400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,255	14	1,269
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	20,700	11,500	32,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,130	190	27,320
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,574	36	5,610
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	139.4	2.8	90.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.9	.3	17.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.5	18.9	20.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY