

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 09/09/2014 15:41:29
 PAGE NUM 1

L.T.C.-NORTHWEST
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCS	0115	HPHL1013C01	11 11	8.00 11.00		3	712	110 22 00000
	OMCS	0115	MAST2222C01	1 1	8.00 12.00	1	6	712	110 22 00000
	OMCS	0115	MAST2222C01	1 1	13.00 17.00		6	712	110 22 00000
	OMCS	0115	HNUR1211C04	1111	13.15 14.30	1	23	712	110 22 00000
	OMCS	0134	DVMA0090C01	1 1 1	8.00 9.25		14	696	210 17 00000
	OMCS	0134	DVEN0091C01	1 1	9.00 11.00		4	696	210 17 00000
	OMCS	0134	DVRE0090C01	1 1	9.00 11.00	1	5	696	210 17 00000
	OMCS	0134	DVRE0091C01	1 1	9.00 11.00	1	4	696	210 17 00000
	OMCS	0134	DVRE0092C01	1 1	9.00 11.00	1	1	696	210 17 00000
	OMCS	0134	DVMA0090C02	1 1 1	12.30 13.55		8	696	210 17 00000
	OMCS	0134	DVRE0091C02	1 1 1	12.30 13.55	1	4	696	210 17 00000
	OMCS	0134	CPTR1000C21	1 1	13.00 14.30		1	696	210 17 00000
	OMCS	0135	ACCT1100C01	11111	8.00 9.00		16	822	210 25 00000
	OMCS	0135	MAST1230C01	1 1 1	10.10 11.10		3	822	210 25 00000
	OMCS	0135	BUSE1045C01	1 1 1	12.10 13.10		12	822	210 25 00000
	OMCS	0135	BOTH1230C01	1 1	12.10 13.10		10	822	210 25 00000
	OMCS	0135	BOTH1240C01	1 1	13.15 14.15		7	822	210 25 00000
	OMCS	0135	ACCT1250C01	1 1 1	13.18 14.18		6	822	210 25 00000
	OMCS	0135	BUSE1030C01	1 1 1	13.18 14.18	1	13	822	210 25 00000
	OMCS	0135	CPTR1320C01	11111	14.20 15.20		8	822	210 25 00000
	OMCS	0135	ISYS1440C01	11111	15.30 16.30		2	822	210 25 00000
	OMCS	0137	BOTH1120C01	1 1	8.00 9.25		16	546	210 25 00000
	OMCS	0137	BOTH1300C01	1 1	8.00 9.25		11	546	210 25 00000
	OMCS	0137	HNUR2128C01	1 1	8.00 11.00		14	546	210 25 00000
	OMCS	0137	KYBD1111C01	11111	10.10 11.10	1	12	546	210 25 00000
	OMCS	0137	HCOR1601C01	1111	12.00 13.00		12	546	210 25 00000
	OMCS	0138	ISYS1650C01	111 1	8.00 9.00		2	938	210 35 00000
	OMCS	0138	BOTH2110C01	1 1 1	8.00 9.00	1	2	938	210 35 00000
	OMCS	0138	MACH1350C01	1 1 1	8.00 9.00	1	4	938	210 35 00000
	OMCS	0138	MAST2110C01	1 1 1	8.00 9.40	1	2	938	210 35 00000
	OMCS	0138	CSRV1000C01	1 1	9.05 10.35		12	938	210 35 00000
	OMCS	0138	CPTR1000C01	1 1	9.45 11.15		12	938	210 35 00000
	OMCS	0138	CPTR1002C01	1 1	9.45 11.15	1	22	938	210 35 00000
	OMCS	0138	JOBS2450C01	1 1	10.40 11.40		17	938	210 35 00000
	OMCS	0138	CPTR1310C01	1 1	12.15 13.15		6	938	210 35 00000
	OMCS	0138	HCOR1801C01	1 1 1	13.20 14.40		7	938	210 35 00000
	OMCS	0138	BOTH1210C01	1 1	13.50 15.20		13	938	210 35 00000
	OMCS	0138	KYBD1010C01	1 1 1	14.25 15.25		14	938	210 35 00000
	OMCS	0140	HNUR2996C01	1 1 1	8.00 9.25		25	1,223	110 41 00000
	OMCS	0140	HNUR1211C01	1 1 1	9.35 11.45		32	1,223	110 41 00000
	OMCS	0141	HNUR1411C01	11111	8.00 9.25		37	1,223	110 41 00000
	OMCS	0141	HNUR1363C01	11111	9.35 11.00		37	1,223	110 41 00000
	OMCS	0141	HNUR1000C01	1 1 1	12.00 13.25		46	1,223	110 41 00000
	OMCS	0141	HNUR1322C01	1 1	12.00 13.25		35	1,223	110 41 00000
	OMCS	0141	HNUR1100C01	11111	13.35 15.00		44	1,223	110 41 00000
	OMCS	0142	HCOR1200C01	1111	8.00 9.25		22	1,223	210 25 00000
	OMCS	0142	HNUR2722C01	1 1	12.00 13.25		14	1,223	210 25 00000
	OMCS	0142	HNUR2522C01	1 1	13.35 15.00		12	1,223	210 25 00000
	OMCS	0143	HNUR2138C01	1 1	8.00 11.00		24	1,223	210 25 00000
	OMCS	0143	HNUR2712C01	1 1	12.00 13.25		24	1,223	210 25 00000
	OMCS	0143	HNUR2812C01	1 1	13.35 15.00		24	1,223	210 25 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCT	0100	OPET2141C01	11111	8.00 8.55		2	5,314	210 30 00000
	OMCT	0100	AUTO1840C01	11111	8.00 9.06	1	5	5,314	210 30 00000
	OMCT	0100	OPET2151C01	11111	9.00 9.55	1	1	5,314	210 30 00000
	OMCT	0100	AUTO1850C01	11111	9.07 9.51	1	1	5,314	210 30 00000
	OMCT	0100	OPET2161C01	11111	10.00 10.55		1	5,314	210 30 00000
	OMCT	0100	AUTO1800C01	11111	10.00 11.07	1	12	5,314	210 30 00000
	OMCT	0100	OPET1141C01	11111	11.30 13.20		8	5,314	210 30 00000
	OMCT	0100	AUTO1810C01	11111	11.45 12.52	1	15	5,314	210 30 00000
	OMCT	0100	AUTO1820C01	11111	12.53 13.37		10	5,314	210 30 00000
	OMCT	0100	OPET1151C01	11111	13.25 14.45	1	3	5,314	210 30 00000
	OMCT	0100	AUTO1830C01	11111	13.38 14.30	1	7	5,314	210 30 00000
4	OMCT	0100	AUTO1500C01	11111	14.36 14.58		2	5,314	210 30 00000
4	OMCT	0100	AUTO1530C01	11111	15.00 15.22		1	5,314	210 30 00000
4	OMCT	0100	AUTO1540C01	11111	15.23 15.45		1	5,314	210 30 00000
	OMCT	0101	AUTO1100C01	11111	8.00 8.44		15	1,064	110 32 00000
	OMCT	0101	OPET1111C01	11111	8.00 8.44	1	6	1,064	110 32 00000
4	OMCT	0101	AUTO1110C01	11111	8.45 9.08		15	1,064	110 32 00000
	OMCT	0101	OPET1121C01	11111	8.45 9.28	1	8	1,064	110 32 00000
4	OMCT	0101	AUTO1120C01	11111	9.10 9.33	1	15	1,064	110 32 00000
	OMCT	0101	OPET1131C01	11111	9.30 10.35	1	8	1,064	110 32 00000
4	8	OMCT	AUTO1130C01	11111	9.34 9.57	1	15	1,064	110 32 00000
4	OMCT	0101	JOBS2450C08	11111	10.00 10.22		3	1,064	110 32 00000
	OMCT	0101	CPTR1000C08	11111	10.23 11.00		4	1,064	110 32 00000
4	OMCT	0101	AUTO1210C01	11111	11.30 11.52		1	1,064	110 32 00000
4	OMCT	0101	AUTO1230C01	11111	11.53 12.16		1	1,064	110 32 00000
	OMCT	0101	CPTR1000C18	11111	12.00 12.33	1	1	1,064	110 32 00000
4	OMCT	0101	AUTO1240C01	11111	12.17 12.39	1	1	1,064	110 32 00000
4	OMCT	0101	JOBS2450C18	11111	12.35 13.00	1	1	1,064	110 32 00000
4	OMCT	0101	AUTO1300C01	11111	12.40 13.03	1	1	1,064	110 32 00000
	OMCT	0101	AUTO1150C01	11111	13.00 15.24	1	1	1,064	110 32 00000
4	OMCT	0101	AUTO1310C01	11111	13.04 13.27	1	1	1,064	110 32 00000
4	OMCT	0101	AUTO1410C01	11111	13.51 14.12		1	1,064	110 32 00000
4	OMCT	0101	AUTO1330C01	11111	14.13 14.35		1	1,064	110 32 00000
4	OMCT	0101	AUTO1420C01	11111	14.13 14.35	1	2	1,064	110 32 00000
	OMCT	0110	ETRN1120C01	11111	8.00 9.15		18	989	210 16 00000
8	OMCT	0110	ETRN1220C02	11111	8.00 9.15	1	18	989	210 16 00000
	OMCT	0110	ETRN1210C01	11111	11.00 12.15		18	989	210 16 00000
	OMCT	0112	ETRN1130C01	11111	9.30 10.45		19	951	110 16 00000
	OMCT	0112	ETRN1220C01	11111	13.15 14.30		19	951	110 16 00000
	OMCT	0114	INST1330C01	11111	8.00 10.30		16	890	110 16 00000
8	OMCT	0114	INST1430C01	11111	9.30 10.45	1	12	890	110 16 00000
	OMCT	0114	INST1420C01	11111	13.15 14.30		16	890	110 16 00000
	OMCT	0116	INST2730C01	11111	8.00 9.15		11	1,018	210 16 00000
	OMCT	0116	INST1410C01	11111	10.45 12.15		16	1,018	210 16 00000
	OMCT	0116	INST2610C01	11111	13.00 14.30		11	1,018	210 16 00000
	OMCT	0119	INST1110C01	11111	13.00 14.15		16	1,277	110 32 00000
	OMCT	0119	CPTR1000C09	11111	14.15 15.00		17	1,277	110 32 00000
	OMCT	0119	JOBS2450C09	11111	14.30 15.00	1	17	1,277	110 32 00000
	OMCT	0121	INST2620C01	11111	9.30 11.30		17	885	210 16 00000
	OMCT	0121	INST2630C01	11111	12.30 14.00		18	885	210 16 00000
	OMCT	0122	ETRN1420C01	11111	8.00 9.30		15	716	210 16 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCT	0122	INST2740C01	11111	9.45 12.00		16	716	210 16 00000
	OMCT	0123	INST2820C01	11111	8.00 9.15		15	1,269	110 16 00000
	OMCT	0124	INST2830C01	11111	9.30 11.15		15	672	210 16 00000
	OMCT	0124	INST2840C01	11111	13.00 14.45		15	672	210 16 00000
	OMCT	0132	MTTC2310C01	11111	8.00 9.15		3	3,642	210 25 00000
	OMCT	0132	MTTC2410C01	11111	8.00 9.15	1	4	3,642	210 25 00000
	OMCT	0132	MTTC2320C01	11111	9.30 11.30		3	3,642	210 25 00000
	OMCT	0132	MTTC2420C01	11111	9.30 11.30	1	4	3,642	210 25 00000
	OMCT	0132	MTTC2120C01	11111	9.45 12.15	1	6	3,642	210 25 00000
	OMCT	0132	MTTC2331C01	11111	11.45 14.10	1	7	3,642	210 25 00000
	OMCT	0132	MTTC2431C01	11111	11.45 14.10	1	2	3,642	210 25 00000
	OMCT	0132	MTTC2210C01	11111	12.30 13.30	1	3	3,642	210 25 00000
	OMCT	0132	MTTC2230C01	11111	13.45 16.10		3	3,642	210 25 00000
4	OMCT	0132	MTTC2991C01	11111	14.15 14.40	1	1	3,642	210 25 00000
	OMCT	0132	MTTC2993C01	11111	14.15 15.05	1	6	3,642	210 25 00000
	OMCT	0134	ELEC1330C01	11111	8.00 10.12		2	1,945	210 25 00000
	OMCT	0134	IMMT1411C01	11111	8.13 9.29	1	9	1,945	210 25 00000
	OMCT	0134	IMMT1421C01	11111	9.30 11.06		9	1,945	210 25 00000
	OMCT	0134	ELEC1210C01	11111	10.01 12.01	1	8	1,945	210 25 00000
	OMCT	0134	ELEC1420C01	11111	10.13 11.25	1	3	1,945	210 25 00000
	OMCT	0134	IMMT1430C01	11111	11.10 13.35	1	10	1,945	210 25 00000
	OMCT	0134	JOBS2450C05	11111	13.45 14.45		11	1,945	210 25 00000
	OMCT	0134	CPTR1000C05	11111	14.50 15.50		6	1,945	210 25 00000
	OMCT	0134	IMMT1441C01	11111	15.55 17.31		4	1,945	210 25 00000
	OMCT	0135	IMMT1311C01	11111	8.00 8.48		7	1,980	210 25 00000
	OMCT	0135	IMMT1320C01	11111	8.50 9.27		7	1,980	210 25 00000
	OMCT	0135	ACCT1200C01	11111	9.05 10.05	1	9	1,980	210 25 00000
	OMCT	0135	IMMT1321C01	11111	9.30 10.44	1	7	1,980	210 25 00000
4	OMCT	0135	IMMT1330C01	11111	10.45 11.09		4	1,980	210 25 00000
	OMCT	0135	IMMT1331C01	11111	11.10 12.59		4	1,980	210 25 00000
	OMCT	0135	ELEC1440C01	11111	11.30 13.20	1	3	1,980	210 25 00000
	OMCT	0135	ELEC1410C01	11111	13.21 15.55		2	1,980	210 25 00000
	OMCT	0135	IMMT1121C01	11111	13.46 15.20	1	1	1,980	210 25 00000
	OMCT	0136	CPTR1000C07	11111	8.00 8.36		2	606	110 25 00000
	OMCT	0136	MTTC2510C01	11111	8.00 9.15	1	2	606	110 25 00000
	OMCT	0136	MTTC2110C01	11111	8.40 9.40	1	3	606	110 25 00000
	OMCT	0136	JOBS2450C07	11111	9.30 10.00	1	2	606	110 25 00000
	OMCT	0136	MTTC2710C01	11111	14.30 17.00		2	606	110 25 00000
4	OMCT	0137	IMMT1410C01	11111	8.00 8.12		9	606	110 25 00000
	OMCT	0137	ELEC1120C01	11111	8.00 10.00	1	8	606	110 25 00000
	OMCT	0137	IMMT1120C01	11111	13.15 13.45		3	606	110 25 00000
4	OMCT	0138	IMMT1110C01	111111	8.00 8.12		8	606	110 25 00000
	OMCT	0140	WELD2210C01	11111	8.00 9.24		3	2,741	210 25 00000
	OMCT	0140	WELD2310C01	11111	8.00 9.24	1	6	2,741	210 25 00000
	OMCT	0140	WELD1420C01	11111	8.00 9.36	1	5	2,741	210 25 00000
	OMCT	0140	WELD1510C01	11111	8.00 9.36	1	4	2,741	210 25 00000
	OMCT	0140	IMMT1111C01	11111	8.13 10.55	1	1	2,741	210 25 00000
	OMCT	0140	WELD2230C01	11111	9.25 10.49	1	4	2,741	210 25 00000
	OMCT	0140	WELD2311C01	11111	9.25 10.49	1	4	2,741	210 25 00000
	OMCT	0140	WELD1511C01	11111	9.37 11.13	1	5	2,741	210 25 00000
	OMCT	0140	WELD1512C01	11111	11.15 12.51		4	2,741	210 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 09/09/2014 15:41:29
 PAGE NUM 4

L.T.C.-NORTHWEST
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCT	0140	WELD1410C01	11111	11.20 12.08	1	5	2,741	210 25 00000
	OMCT	0140	IMMT11112C01	11111	11.56 13.12	1	1	2,741	210 25 00000
	OMCT	0140	WELD1412C01	11111	12.10 13.34	1	6	2,741	210 25 00000
	OMCT	0140	WELD1210C01	11111	12.52 13.40	1	6	2,741	210 25 00000
	OMCT	0140	WELD2110C01	11111	13.35 14.59	1	4	2,741	210 25 00000
	OMCT	0140	WELD1310C01	11111	13.41 14.17	1	4	2,741	210 25 00000
	OMCT	0140	WELD1411C01	11111	14.20 15.44	1	3	2,741	210 25 00000
	OMCT	0140	WELD2111C01	11111	15.00 16.24	1	6	2,741	210 25 00000
	OMCT	0140	WELD1110CN1	1111	15.30 16.30	1	8	2,741	210 25 00000
	OMCT	0140	WELD1412CN1	1111	15.30 17.15	1	2	2,741	210 25 00000
	OMCT	0140	WELD2110CN1	1111	16.14 18.00	1	1	2,741	210 25 00000
	OMCT	0140	WELD1210CN1	1111	16.15 17.15	1	2	2,741	210 25 00000
	OMCT	0140	WELD1120CN1	1111	16.35 17.50	1	10	2,741	210 25 00000
	OMCT	0140	WELD2311CN1	1111	17.00 18.45	1	2	2,741	210 25 00000
	OMCT	0140	WELD1310CN1	1111	17.20 18.05	1	1	2,741	210 25 00000
	OMCT	0140	WELD2111CN1	1111	18.05 19.50	1	1	2,741	210 25 00000
	OMCT	0140	WELD1410CN1	1111	18.10 19.10	1	9	2,741	210 25 00000
	OMCT	0140	WELD1130CN1	1111	18.20 19.20	1	8	2,741	210 25 00000
	OMCT	0140	WELD2230CN1	1111	19.00 20.45	1	1	2,741	210 25 00000
	OMCT	0140	WELD1411CN1	1111	19.15 21.00	1	1	2,741	210 25 00000
	OMCT	0140	WELD1140CN1	1111	19.25 20.10	1	7	2,741	210 25 00000
	OMCT	0144	WELD1110C01	11111	8.00 8.48		4	175	110 25 00000
	OMCT	0144	WELD1120C01	11111	8.50 9.50		6	175	110 25 00000
	OMCT	0144	WELD1130C01	11111	9.51 10.39		7	175	110 25 00000
	OMCT	0144	WELD1140C01	11111	10.40 11.16		8	175	110 25 00000
	OMIA	0105	HCVO1212I01	1 1 1	7.00 11.00		12	469	110 30 00000
	OMIA	0105	HCVO1140I01	1 1	7.00 11.00		12	469	110 30 00000
	OMIA	0105	CTDP1110I01	1 1	12.00 13.30		12	469	110 30 00000
	OMIA	0105	CTDP1211I01	1 1 1	12.00 14.00		12	469	110 30 00000
	OMIA	0105	CTDP1120I01	1 1	13.31 14.31		12	469	110 30 00000
	OMIA	0108	HCVO1110I01	1 1 1	8.00 9.00		9	463	110 30 00000
	OMIA	0108	HCVO1120I01	1 1	8.00 9.00		9	463	110 30 00000
	OMIA	0108	HCVO1111I01	1 1 1	9.01 10.01		9	463	110 30 00000
	OMIA	0108	HCVO1131I01	1 1	9.01 10.01		9	463	110 30 00000
	OMIA	0108	HCVO1130I01	1 1 1	10.02 11.02		9	463	110 30 00000
	OMIA	0108	HCVO1210I01	1 1 1	12.00 13.00		9	463	110 30 00000
	OMIA	0108	HCVO1220I01	1 1	12.00 13.00		9	463	110 30 00000
	OMIA	0108	HCVO1230I01	1 1	13.01 14.01		9	463	110 30 00000
	OMIA	0108	HCVO1121I01	1 1 1	13.01 14.16		9	463	110 30 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	20
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	3
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		23
TOTAL NUMBER OF RECORDS READ		192
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		192
NUMBER OF JOINT-CLASS RECORDS		80
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/09/2014 15:41:29

PAGE NUM 1

L.T.C.-NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			425
WEEKLY STUDENT CONTACT HOURS	4,179		4,179
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,440	800	2,240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	688		688
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,250	21,250	59,500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,290		19,290
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,359		8,359
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	47.8	.0	30.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.9	.0	14.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	43.3	.0	43.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			425
WEEKLY STUDENT CONTACT HOURS	4,179		4,179
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,440	800	2,240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	688		688
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,250	21,250	59,500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,290		19,290
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,359		8,359
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	47.8	.0	30.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.9	.0	14.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	43.3	.0	43.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/09/2014 15:41:29

PAGE NUM 2

L.T.C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			423
WEEKLY STUDENT CONTACT HOURS	5,506	140	5,646
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,486	96	1,582
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,070	21,150	59,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,350	2,400	38,750
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,013	280	11,293
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	82.6	9.6	56.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	28.9	1.3	19.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.3	11.7	29.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			423
WEEKLY STUDENT CONTACT HOURS	5,506	140	5,646
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,486	96	1,582
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,070	21,150	59,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,350	2,400	38,750
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,013	280	11,293
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	82.6	9.6	56.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	28.9	1.3	19.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.3	11.7	29.1

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY