

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 01/28/2015 11:15:33
 PAGE NUM 1

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	A100	BUSM1050B40	11111	7.30 11.30		9	2,372	680 100 00000
	A000	A100	BUSM1050B45	11111	7.30 11.30	1	13	2,372	680 100 00000
	A000	A100	BUSM1050B70	11111	8.00 12.30	1	21	2,372	680 100 00000
	A000	A100	BUSM1050B55	11111	10.45 12.15	1	1	2,372	680 100 00000
	A000	A300	BOTH1120B45	11111	7.30 11.30		36	1,113	110 40 00000
	A000	A300	BOTH1120B50	11111	7.30 11.30	1	1	1,113	110 40 00000
	A000	A300	BOTH1300B45	11111	7.30 11.30	1	15	1,113	110 40 00000
	A000	A300	MAST2141B01	1 1	8.00 10.30	1	3	1,113	110 40 00000
	A000	A300	BOTH2110B01	1	8.00 10.50		10	1,113	110 40 00000
	A000	A300	BOTH1210B01	1	8.00 11.00	1	10	1,113	110 40 00000
	A000	A300	MAST2131B01	1 1	8.00 11.00		9	1,113	110 40 00000
	A000	A300	MAST2223B01	11111	8.00 13.00	1	7	1,113	110 40 00000
	A000	A300	BOTH1300B50	11111	9.00 11.30	1	6	1,113	110 40 00000
	A000	A300	MAST1111B01	1	12.00 15.00		7	1,113	110 40 00000
	A000	A300	MAST1221B01	1 1	13.00 16.00		5	1,113	110 40 00000
	A000	A303	HNUR2413B01	11	7.00 11.50		20	786	220 24 00000
	A000	A303	HNUR2413B01	1 1	8.00 11.50	1	20	786	220 24 00000
	A000	A303	HNUR2563B01	1 1	13.00 15.50		20	786	220 24 00000
	A000	A303	HNUR2913B01	1 1	13.00 15.50	1	10	786	220 24 00000
	C000	C100	ACCT1100B70	11111	7.30 11.30		7	970	210 28 00000
	C000	C100	ACCT1200B70	11111	7.30 11.30	1	3	970	210 28 00000
	C000	C100	CPTR1002B30	11111	7.30 11.30	1	11	970	210 28 00000
	C000	C100	CPTR1002B40	11111	7.30 11.30	1	3	970	210 28 00000
	C000	C100	CPTR1002B45	11111	7.30 11.30	1	1	970	210 28 00000
	C000	C100	CPTR1002B75	11111	7.30 11.30	1	1	970	210 28 00000
	C000	C100	CPTR1310B40	11111	7.30 11.30	1	1	970	210 28 00000
	C000	C100	CPTR1002B31	11111	8.58 10.32	1	1	970	210 28 00000
	C000	C100	CPTR1002B50	11111	9.00 10.30	1	1	970	210 28 00000
	C000	C100	ORNT1000BJ3	1	9.00 10.50		14	970	210 28 00000
	C000	C100	ORNT1000BJ4	1	9.00 10.50	1	17	970	210 28 00000
	C000	C100	ORNT1000BJ7	1	10.00 10.50		16	970	210 28 00000
	C000	C100	CPTR1002B51	11111	10.45 12.15	1	1	970	210 28 00000
	C000	C100	ACCT1200BJ1	11111	11.00 11.50	1	3	970	210 28 00000
	C000	C100	CPTR1005BJ3	1	11.00 12.50		15	970	210 28 00000
	C000	C100	ACCT1100BJ1	11111	12.30 13.20		17	970	210 28 00000
	C000	C100	ACCT1100B50	11111	13.00 14.30	1	10	970	210 28 00000
	C000	C100	KYBD1010B01	1 1	13.30 15.20	1	10	970	210 28 00000
	C000	C100	ORNT1000BJ5	1	16.30 18.20		31	970	210 28 00000
	C000	C100	CPTR1005BJ2	1	17.00 19.50		22	970	210 28 00000
	C000	C100	CPTR1005BJ5	1	17.00 19.50	1	1	970	210 28 00000
	C000	C100	CPTR1005BJ1	1	17.00 19.50		24	970	210 28 00000
	C000	C100	CPTR1112BJ1	1	17.30 20.20	1	13	970	210 28 00000
	C000	C200	HACR1210B01	11111	7.30 8.50		7	5,062	210 40 00000
	C000	C200	HACR2550B01	1	7.30 10.50	1	7	5,062	210 40 00000
	C000	C200	HACR2540B01	1	7.30 11.00		7	5,062	210 40 00000
	C000	C200	HACR2560B01	1	8.00 12.50		7	5,062	210 40 00000
	C000	C200	HACR1220B01	1111	9.00 10.50	1	7	5,062	210 40 00000
	C000	C200	HACR1230B01	1111	11.00 12.50		6	5,062	210 40 00000
	C000	C200	HACR1240B01	1111	13.00 14.50		6	5,062	210 40 00000
	C000	C300	DVMA0090B01	1 1	8.00 9.50		29	1,925	210 60 00000
	C000	C300	DVEN0090B01	1 1	8.00 9.50		10	1,925	210 60 00000

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	C000	C300	DVED2991B01	11111	8.00 11.50	1	38	1,925	210 60 00000
	C000	C300	DVMA0091B01	1 1	10.00 11.50	1	33	1,925	210 60 00000
	C000	C300	DVEN0091B01	1 1	10.00 11.50		22	1,925	210 60 00000
	C000	C300	DVEN0092B01	1 1	10.00 11.50	1	28	1,925	210 60 00000
	C000	C300	DVMA0092B01	1 1	13.00 14.50		45	1,925	210 60 00000
	C000	C300	DVRE0090B01	1 1	13.00 14.50		2	1,925	210 60 00000
	C000	C300	DVRE0091B01	1 1	13.00 14.50	1	20	1,925	210 60 00000
	C000	C300	DVRE0092B01	1 1	13.00 14.50	1	16	1,925	210 60 00000
	C000	C300	DVMA0090B02	1 1	15.00 16.50		20	1,925	210 60 00000
	C000	C300	DVMA0091B02	1 1	17.00 18.50		12	1,925	210 60 00000
	C000	C300	DVMA0092B02	1 1	17.00 18.50	1	33	1,925	210 60 00000
	C000	C300	DVED2991B02	1111	17.00 20.50	1	9	1,925	210 60 00000
	C000	C400	CPTR1320B50	11111	7.30 9.00		14	1,833	210 30 00000
	C000	C400	CSRV1000B50	11111	7.30 11.30	1	2	1,833	210 30 00000
	C000	C400	CSRV1000BJ1	1	8.00 10.50	1	1	1,833	210 30 00000
	C000	C400	OSYS1100BJ1	1	8.00 10.50		7	1,833	210 30 00000
	C000	C400	ORNT1000BJ1	1	9.00 9.50		20	1,833	210 30 00000
	C000	C400	ORNT1000BJ2	1	9.00 9.50		29	1,833	210 30 00000
	C000	C400	ORNT1000BJ9	1	9.00 9.50	1	1	1,833	210 30 00000
	C000	C400	ENGL1015BJ4	1 1	9.00 11.50		16	1,833	210 30 00000
	C000	C400	ENGL1015BJ1	1 1	10.00 11.20		10	1,833	210 30 00000
	C000	C400	ENGL1015BJ5	1 1	11.30 12.50		18	1,833	210 30 00000
	C000	C400	ENGL1060BJ1	1 1	13.00 14.20		19	1,833	210 30 00000
	C000	C400	ISYS1650BJ1	1	13.00 16.50	1	11	1,833	210 30 00000
	C000	C400	KYBD1111B01	1 1	13.30 18.20		15	1,833	210 30 00000
	C000	C400	ORNT1000BJ8	1	14.00 14.50	1	19	1,833	210 30 00000
	C000	C400	JOBS2450BJ2	1	14.00 15.50		28	1,833	210 30 00000
	C000	C400	ENGL1015BJ2	1 1	14.30 15.50		20	1,833	210 30 00000
	C000	C400	ISYS1440BJ1	1 1	15.00 17.20	1	9	1,833	210 30 00000
	C000	C400	ORNT1000BJ6	1	16.30 18.20		20	1,833	210 30 00000
	C000	C400	JOBS2450BJ3	1	17.00 18.50		19	1,833	210 30 00000
	C000	C400	CPTR1320BJ1	1 1	17.00 19.20	1	6	1,833	210 30 00000
	C000	C400	DRFT2330B01	111	17.00 19.50	1	1	1,833	210 30 00000
	C000	C400	JOBS2450BJ1	1	17.30 19.20	1	10	1,833	210 30 00000
	C000	C400	DRFT2340B01	111	18.00 20.20	1	2	1,833	210 30 00000
	C000	C400	DRFT2350B01	111	18.00 20.20	1	2	1,833	210 30 00000
	C000	C400	ENGL1015BJ3	1	18.00 20.50	1	1	1,833	210 30 00000
8	C000	C400	SPCH1015BJ1	1	18.00 20.50	1	10	1,833	210 30 00000
	C000	C400	ENGL1060BJ2	1	18.00 20.50		21	1,833	210 30 00000
	C000	C400	PSYC2015BJ1	1	18.00 20.50		23	1,833	210 30 00000
	C000	C400	DRFT2360B01	111	18.30 20.50		5	1,833	210 30 00000
	C000	C503	IMMT1311B49	11111	7.30 11.00		15	450	110 20 00000
	C000	C503	IMMT11110B45	11111	7.30 11.30	1	15	450	110 20 00000
8	C000	C503	IMMT11111B45	11111	7.30 11.30	1	1	450	110 20 00000
8	C000	C503	IMMT1013B01	11	8.00 8.50	1	1	450	110 20 00000
	C000	C503	IMMT1163B01	11	8.00 9.20		7	450	110 20 00000
	C000	C503	IMMT2103B01	1	8.00 10.50		8	450	110 20 00000
	C000	C503	IMMT1013B50	11111	9.00 10.30	1	2	450	110 20 00000
	C000	C503	IMMT1123B50	11111	9.00 10.30	1	2	450	110 20 00000
	C000	C503	IMMT2123B01	11	10.00 11.20	1	14	450	110 20 00000
	C000	C503	IMMT1142B01	11	10.30 11.20		17	450	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 01/28/2015 11:15:33
 PAGE NUM 3

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	C000	C503	IMMT1112B01	1	12.00 13.50		8		110 20	00000
	C000	C503	IMMT1123B01	11	12.00 14.50		20		110 20	00000
	C000	C503	IMMT2113B01	1	16.30 19.20		17		110 20	00000
	C000	C503	IMMT1163B02	1	16.30 19.20		16		110 20	00000
	C000	C503	IMMT2123B02	1	16.30 19.20		16		110 20	00000
	C000	C503	IMMT2103B02	1	16.30 19.20		10		110 20	00000
	C000	C600	WELD1412B01	1111	8.00 12.00		6	2,552	210 25	00000
	C000	C600	WELD1420B01	1111	8.00 12.00	1	5	2,552	210 25	00000
	C000	C600	WELD1510B01	1111	8.00 12.00	1	3	2,552	210 25	00000
	C000	C600	WELD1511B01	1111	8.00 12.00	1	3	2,552	210 25	00000
	C000	C600	WELD1512B01	1111	8.00 12.00	1	5	2,552	210 25	00000
	C000	C600	WELD2110B01	1111	8.00 12.00	1	3	2,552	210 25	00000
	C000	C600	WELD2210B01	1111	8.00 12.00	1	5	2,552	210 25	00000
	C000	C600	WELD2230B01	1111	8.00 12.00	1	4	2,552	210 25	00000
	C000	C600	WELD2310B01	1111	8.00 12.00	1	2	2,552	210 25	00000
	C000	C601	WELD1110B30	11111	7.19 10.32		20	450	110 20	00000
	C000	C601	WELD1110B01	1111	8.00 12.00	1	4	450	110 20	00000
	C000	C601	WELD1120B01	1111	8.00 12.00	1	1	450	110 20	00000
	C000	C601	WELD1130B01	1111	8.00 12.00	1	1	450	110 20	00000
	C000	C601	WELD1210B01	1111	8.00 12.00	1	1	450	110 20	00000
	C000	C601	WELD1410B01	1111	8.00 12.00	1	1	450	110 20	00000
	C000	C601	WELD1210B30	11111	13.00 15.32		20	450	110 20	00000
	D000	D102	PTEC1610B05	1 1	8.00 10.20		20	727	110 26	00000
	D000	D102	PTEC2030B03	1	9.00 11.50	1	20	727	110 26	00000
	D000	D102	PTEC1320B01	1 1	10.00 11.50		21	727	110 26	00000
	D000	D102	PTEC1320B02	1 1	10.00 11.50		21	727	110 26	00000
	D000	D102	PTEC2030B01	1 1	13.00 14.20		21	727	110 26	00000
	D000	D102	PTEC2070B01	1 1	13.00 14.20		23	727	110 26	00000
	D000	D102	PTEC1610B01	1 1	13.30 15.20		20	727	110 26	00000
	D000	D102	PTEC1610B02	1 1	15.30 17.20		20	727	110 26	00000
	D000	D102	PTEC1610B03	1	17.30 21.20		22	727	110 26	00000
	D000	D102	PTEC1320B03	1	17.30 21.20		20	727	110 26	00000
	D000	D102	PTEC1610B04	1	17.30 21.20		20	727	110 26	00000
	D000	D102	PTEC1320B04	1	17.30 21.20		20	727	110 26	00000
	D000	D102	PTEC2030B02	1	18.00 20.50	1	10	727	110 26	00000
	D000	D106	PTEC1010B39	11111	7.35 11.05		29	615	110 23	00000
	D000	D106	PTEC1010B80	11111	8.00 11.30	1	5	615	110 23	00000
	D000	D106	PTEC1010B02	1	9.00 9.50	1	10	615	110 23	00000
	D000	D106	PTEC1010B04	1 1	10.00 11.20		20	615	110 23	00000
	D000	D106	PTEC1010B08	1 1	11.30 13.50		17	615	110 23	00000
	D000	D106	PTEC1010B03	1 1	12.00 13.20	1	10	615	110 23	00000
	D000	D106	PTEC1010B07	1 1	15.00 16.50		21	615	110 23	00000
	D000	D106	PTEC1010B05	1	18.00 20.50		20	615	110 23	00000
	D000	D106	PTEC1010B09	1	18.00 20.50		10	615	110 23	00000
	D000	D107	PTEC2430B01	1	7.00 12.00		12	633	110 51	00000
	D000	D107	PTEC2430B03	1	7.00 12.00		8	633	110 51	00000
	D000	D107	PTEC1310B01	1 1	8.00 9.50	1	10	633	110 51	00000
	D000	D107	PTEC1310B06	1 1	8.00 10.20	1	19	633	110 51	00000
	D000	D107	PTEC1310B07	1	8.00 12.50		15	633	110 51	00000
	D000	D107	MATH1020BJ2	1 1	9.00 10.20		26	633	110 51	00000
	D000	D107	MATH1015BJ5	1	9.00 11.50		11	633	110 51	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 01/28/2015 11:15:33
 PAGE NUM 4

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	D000	D107	MATH1015BJ1	1 1	10.00 11.20		26	633	110 51	00000
	D000	D107	PTEC2420B03	1 1	10.00 12.20		16	633	110 51	00000
	D000	D107	PTEC1310B02	1 1	10.30 12.20		21	633	110 51	00000
	D000	D107	MATH1015BJ2	1 1	13.00 14.20		26	633	110 51	00000
	D000	D107	MATH1015BJ3	1 1	13.00 14.20		26	633	110 51	00000
	D000	D107	PTEC2440B01	1 1	13.00 14.20	1	20	633	110 51	00000
	D000	D107	PTEC1310B03	1 1	13.00 14.50	1	21	633	110 51	00000
	D000	D107	PTEC2420B01	1 1	13.00 15.20		22	633	110 51	00000
	D000	D107	PTEC2630B01	1 1	16.00 17.20		10	633	110 51	00000
	D000	D107	PTEC2430B02	1	16.00 21.00	1	12	633	110 51	00000
	D000	D107	PTEC2430B04	1	16.00 21.00		12	633	110 51	00000
	D000	D107	PTEC2420B02	1	17.00 20.20		21	633	110 51	00000
	D000	D107	MATH1020BJ1	1	17.30 20.20	1	27	633	110 51	00000
	D000	D107	PTEC1310B04	1	17.30 21.20		20	633	110 51	00000
	D000	D107	PTEC1310B05	1	17.30 21.20		23	633	110 51	00000
	D000	D107	PTEC2440B02	1	18.00 20.50		17	633	110 51	00000
	D000	D107	PTEC2070B02	1	18.00 20.50		22	633	110 51	00000
	D000	D107	PTEC2440B03	1	18.00 20.50		9	633	110 51	00000
	D000	D117	PTEC1000B03	1 1	8.00 8.50		10	3,245	210 80	00000
	D000	D117	PTEC1000B01	1	13.00 14.50		21	3,245	210 80	00000
	D000	D117	PTEC1000B02	1	18.00 20.00		23	3,245	210 80	00000
	D000	D117	PTEC1010B06	1	18.00 20.50		16	3,245	210 80	00000
	D000	D200	INST1120B01	1 1	8.00 9.50		15	790	210 31	00000
	D000	D200	INST1110B02	1	9.00 12.50	1	18	790	210 31	00000
	D000	D200	INST1331B01	1 1	13.00 15.50		11	790	210 31	00000
	D000	D200	INST1120B02	1	13.00 16.50	1	15	790	210 31	00000
	D000	D200	INST1215B01	1 1	14.00 16.50		12	790	210 31	00000
	D000	D200	INST1110B01	1	17.30 21.20		14	790	210 31	00000
	D000	D200	INST1130B01	1	17.30 21.20		15	790	210 31	00000
	D000	D204	SPPR2999B01	11111	7.30 9.20		2	479	110 20	00000
	D000	D204	TECM1000BJ1	1 1	8.30 9.50	1	9	479	110 20	00000
	D000	D204	PTEC2912B01	1 1	15.00 16.20		22	479	110 20	00000
	D000	D204	PTEC2630B02	1	18.00 20.50		20	479	110 20	00000
	D000	D204	PTEC2912B02	1	18.00 20.50		21	479	110 20	00000
	D000	D204	PTEC2630B03	1	18.00 20.50		19	479	110 20	00000
	D000	D300	INST2820B01	1 1	8.00 9.50		9	2,007	210 41	00000
	D000	D300	INST2741B01	1 1	13.00 15.50		10	2,007	210 41	00000
	D000	D300	INST1430B01	1 1	15.00 16.50	1	14	2,007	210 41	00000
	D000	D300	INST1420B01	1 1	15.00 16.50		15	2,007	210 41	00000
	D000	D300	INST2625B01	1 1	17.00 19.50		18	2,007	210 41	00000
	D000	D300	INST1425B01	1 1	17.00 19.50		17	2,007	210 41	00000
	D000	D300	INST1410B01	1	17.00 21.00		15	2,007	210 41	00000
	D000	D300	INST2731B01	1	17.30 21.20	1	15	2,007	210 41	00000
	D000	D300	INST2650B01	1 1	17.30 21.20		16	2,007	210 41	00000
	E000	E100	HNUR1211B60	11111	7.30 10.15		5	915	210 30	00000
	E000	E100	HNUR1212B60	11111	7.30 10.15	1	5	915	210 30	00000
	E000	E100	HNUR1211B61	11111	7.30 12.30	1	1	915	210 30	00000
	E000	E100	HNUR1212B61	11111	7.30 12.30	1	1	915	210 30	00000
	E000	E100	HCOR1200B01	1	8.00 12.00	1	2	915	210 30	00000
	E000	E100	HNUR1212B01	1	8.00 12.30		3	915	210 30	00000
	E000	E100	HNUR1212B02	1	8.00 12.30	1	1	915	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 01/28/2015 11:15:33
 PAGE NUM 5

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	E000	E100	HNUR1211B01	1	8.00 12.50		4		210 30	00000
	E000	E100	HNUR1211B50	11111	9.00 14.00	1	14	915	210 30	00000
	E000	E100	HNUR1212B50	11111	9.00 14.00	1	14	915	210 30	00000
	H000	H100	PHSC1015B01	1 1	10.00 11.20		15	1,056	210 30	00000
	H000	H100	PHSC1016B06	1	10.00 11.50		18	1,056	210 30	00000
	H000	H100	CHEM1411B05	1	10.00 11.50		12	1,056	210 30	00000
	H000	H100	CHEM1411B04	1 1	12.00 13.50		8	1,056	210 30	00000
	H000	H100	CHEM1410B01	1 1	12.30 13.50		16	1,056	210 30	00000
	H000	H100	PHSC1016B05	1 1	14.00 15.50		9	1,056	210 30	00000
	H000	H100	PHSC1016B01	1	16.00 17.50		16	1,056	210 30	00000
	H000	H100	PHSC1016B02	1	16.00 17.50		13	1,056	210 30	00000
	H000	H100	CHEM1411B01	1	18.00 19.50		17	1,056	210 30	00000
	H000	H100	CHEM1411B02	1	18.00 19.50		14	1,056	210 30	00000
	H000	H100	PHSC1016B04	1 1	18.00 19.50		11	1,056	210 30	00000
	H000	H100	CHEM1410BJ1	1	18.00 20.50		26	1,056	210 30	00000
	H000	H100	PHSC1015BJ1	1	18.00 20.50	1	18	1,056	210 30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.
- 2 = ERROR - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -
- 3 = ERROR - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -
- 4 = WARNING - CLASS TIME EXCEEDS 5 HOURS. - - - - -
- 5 = ERROR - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.
- 7 = ERROR - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -
- 8 = WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - 3
 PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.
- 9 = WARNING - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -
 THERE SHOULD BE NO DUPLICATES.

----- T O T A L S -----

TOTAL ERRORS		
TOTAL WARNINGS		3
TOTAL NUMBER OF RECORDS READ		220
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		220
NUMBER OF JOINT-CLASS RECORDS		86
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 01/28/2015 11:15:33

PAGE NUM 1

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			385
WEEKLY STUDENT CONTACT HOURS	6,013	1,098	7,112
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,009	115	1,124
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34,650	19,250	53,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30,084	4,021	34,105
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,027	2,197	14,224
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	74.7	15.3	53.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.7	11.4	26.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	40.0	54.6	41.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			360
WEEKLY STUDENT CONTACT HOURS	6,013	1,098	7,112
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,009	115	1,124
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32,400	18,000	50,400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30,084	4,021	34,105
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,027	2,197	14,224
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	80.1	16.4	57.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	37.1	12.2	28.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	40.0	54.6	41.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 01/28/2015 11:15:33

PAGE NUM 2

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			626
WEEKLY STUDENT CONTACT HOURS	6,210	1,717	7,928
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,461	283	1,744
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	56,340	31,300	87,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,586	11,014	57,600
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,421	3,435	15,856
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.2	28.3	62.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.0	11.0	18.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.7	31.2	27.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	5,670	1,717	7,388
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,401	283	1,684
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	45,146	11,014	56,160
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,341	3,435	14,776
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	111.2	40.4	85.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.5	14.4	22.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.1	31.2	26.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 01/28/2015 11:15:33
 PAGE NUM 3

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			150
WEEKLY STUDENT CONTACT HOURS	540		540
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	60		60
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13,500	7,500	21,000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,440		1,440
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,080		1,080
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.1	.0	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.0	.0	5.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	75.0	.0	75.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY