

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/09/2014 10:36:21
 PAGE NUM 1

L.T.C.-SABINE VALLEY
 BRANCH
 PARISH
 RELATION
 SABINE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMDA	0013	ACCT1100DCV	11111	8.00 8.40		6	748	110 16 00000
8	OMDA	0013	BUSE1030DCV	11111	8.00 8.40	1	37	748	110 16 00000
8	OMDA	0013	BUSE1030DEB	11111	8.00 8.40	1	19	748	110 16 00000
8	OMDA	0013	BUSE1030DFL	11111	8.00 8.40	1	65	748	110 16 00000
8	OMDA	0013	BUSM1050DCV	11111	8.00 8.40	1	9	748	110 16 00000
8	OMDA	0013	BUSM1050DFL	11111	8.00 8.40	1	17	748	110 16 00000
8	OMDA	0013	BUSM1050DNE	11111	8.00 8.40	1	4	748	110 16 00000
8	OMDA	0013	BUSM1050DZW	11111	8.00 8.40	1	7	748	110 16 00000
8	OMDA	0013	CPTR1002DFL	11111	8.00 8.40	1	13	748	110 16 00000
8	OMDA	0013	CPTR1002DMA	11111	8.00 8.40	1	15	748	110 16 00000
8	OMDA	0013	CPTR1002DNE	11111	8.00 8.40	1	24	748	110 16 00000
8	OMDA	0013	CPTR1002DZW	11111	8.00 8.40	1	40	748	110 16 00000
8	OMDA	0013	CPTR1300DNE	11111	8.00 8.40	1	5	748	110 16 00000
8	OMDA	0013	CPTR1320DNE	11111	8.00 8.40	1	1	748	110 16 00000
8	OMDA	0013	CPTR1600DNE	11111	8.00 8.40	1	6	748	110 16 00000
8	OMDA	0013	ISYS1440DEB	11111	8.00 8.40	1	2	748	110 16 00000
8	OMDA	0013	ISYS1440DFL	11111	8.00 8.40	1	38	748	110 16 00000
8	OMDA	0013	ISYS1440DMA	11111	8.00 8.40	1	18	748	110 16 00000
8	OMDA	0013	ISYS1440DNE	11111	8.00 8.40	1	6	748	110 16 00000
8	OMDA	0013	ISYS1440DPH	11111	8.00 8.40	1	10	748	110 16 00000
8	OMDA	0013	ISYS1440DZW	11111	8.00 8.40	1	11	748	110 16 00000
8	OMDA	0013	ISYS1650DFL	11111	8.00 8.40	1	7	748	110 16 00000
8	OMDA	0013	ISYS1650DNE	11111	8.00 8.40	1	1	748	110 16 00000
8	OMDA	0013	ISYS1650DPH	11111	8.00 8.40	1	2	748	110 16 00000
8	OMDA	0013	KYBD1010DMA	11111	8.00 8.40	1	15	748	110 16 00000
8	OMDA	0013	KYBD1010DNE	11111	8.00 8.40	1	24	748	110 16 00000
8	OMDA	0013	KYBD1111DMA	11111	8.00 8.40	1	15	748	110 16 00000
8	OMDA	0013	KYBD1111DNE	11111	8.00 8.40	1	24	748	110 16 00000
8	OMDA	0013	WELD1110DCV	11111	8.00 8.40	1	22	748	110 16 00000
8	OMDA	0013	WELD1110DFL	11111	8.00 8.40	1	46	748	110 16 00000
8	OMDA	0013	WELD1110DMA	11111	8.00 8.40	1	4	748	110 16 00000
8	OMDA	0013	WELD1110DNE	11111	8.00 8.40	1	12	748	110 16 00000
8	OMDA	0013	WELD1110DPH	11111	8.00 8.40	1	9	748	110 16 00000
8	OMDA	0013	WELD1140DCV	11111	8.00 8.40	1	3	748	110 16 00000
8	OMDA	0013	WELD1210DMA	11111	8.00 8.40	1	4	748	110 16 00000
8	OMDA	0013	WELD1410DEB	11111	8.00 8.40	1	1	748	110 16 00000
8	OMDA	0013	JOBS2450D01	1 1 1	8.00 8.55	1	6	748	110 16 00000
8	OMDA	0013	JOBS2450D05	1 1 1	8.00 8.55	1	6	748	110 16 00000
	OMDA	0013	BOTH1300DPH	11111	9.00 9.40		5	748	110 16 00000
	OMDA	0013	BUSM1050DEB	11111	9.00 9.40	1	8	748	110 16 00000
8	OMDA	0013	CPTR1310DMA	11111	9.00 9.40	1	18	748	110 16 00000
8	OMDA	0013	CPTR1310DZW	11111	9.00 9.40	1	11	748	110 16 00000
8	OMDA	0013	WELD1310DMA	11111	9.00 9.40	1	3	748	110 16 00000
	OMDA	0013	CPTR1300DMA	11111	10.00 10.40		18	748	110 16 00000
8	OMDA	0013	WELD1110DEB	11111	10.00 10.40	1	7	748	110 16 00000
8	OMDA	0013	WELD1140DMA	11111	10.00 10.40	1	4	748	110 16 00000
	OMDA	0013	CPTR1002DEB	11 11	11.00 11.40		5	748	110 16 00000
8	OMDA	0013	SPPR2991DCA	11111	13.00 13.40		28	748	110 16 00000
	OMDA	0015	BOTH1240D01	1 1	8.00 9.15		6	748	110 23 00000
	OMDA	0015	OSYS1100D01	1 1	8.00 9.15	1	16	748	110 23 00000
	OMDA	0015	ACCT1100D01	1 1 1	8.00 9.25		12	748	110 23 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/09/2014 10:36:21
 PAGE NUM 2

L.T.C.-SABINE VALLEY
 BRANCH
 PARISH
 RELATION

SABINE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMDA	0015	CPTR1320D01	1 1 1	8.00 9.25	1	3	748	110 23 00000
	OMDA	0015	BOTH1210D01	1 1	9.20 10.35		4	748	110 23 00000
	OMDA	0015	BUSE1030D01	1 1	9.20 10.35	1	10	748	110 23 00000
	OMDA	0015	CPTR1002D01	1 1	9.20 10.35	1	7	748	110 23 00000
	OMDA	0015	ACCT1200D01	1 1 1	9.30 10.55		1	748	110 23 00000
	OMDA	0015	ISYS1440D01	1 1 1	9.30 10.55	1	3	748	110 23 00000
	OMDA	0015	KYBD1111D01	1 1 1	9.30 10.55	1	11	748	110 23 00000
	OMDA	0015	CPTR1600D01	1 1	10.00 11.15		2	748	110 23 00000
	OMDA	0015	BOTH1230D01	1 1	10.40 11.55	1	7	748	110 23 00000
	OMDA	0015	CSRV1000D01	1 1	10.40 11.55	1	9	748	110 23 00000
	OMDA	0015	BUSM1050D01	1 1 1	11.00 12.10		8	748	110 23 00000
	OMDA	0015	CPTR1310D01	1 1 1	11.00 12.10	1	4	748	110 23 00000
	OMDA	0015	DVMA0090D01	1 1 1	11.00 12.10	1	7	748	110 23 00000
	OMDA	0015	ISYS1650D01	1 1 1	11.00 12.10	1	1	748	110 23 00000
	OMDA	0015	KYBD1111D02	1 1 1	11.00 12.40	1	2	748	110 23 00000
	OMDA	0015	OSYS2530D01	1 1	11.20 12.35		3	748	110 23 00000
	OMDA	0015	BOTH2110D01	1 1	12.00 13.15	1	5	748	110 23 00000
	OMDA	0015	CPTR1400D01	1 1	12.00 13.15	1	2	748	110 23 00000
	OMDA	0015	KYBD1010D01	1 1	12.00 13.15	1	7	748	110 23 00000
	OMDA	0015	DVRE0090D01	1 1 1	12.30 13.40		5	748	110 23 00000
	OMDA	0015	SPPR2993D01	1 1 1	12.30 13.40	1	2	748	110 23 00000
	OMDA	0015	BUSE1045D01	1 1	13.20 14.35		17	748	110 23 00000
	OMDA	0015	CPTR1000D01	1 1	13.20 14.35	1	14	748	110 23 00000
	OMDA	0015	CPTR1002DAE	1 1	13.20 14.35	1	1	748	110 23 00000
8	OMDA	0015	CPTR1002D02	1 1	13.20 14.35	1	4	748	110 23 00000
8	OMDA	0015	CPTR1002D05	1 1	13.20 14.35	1	8	748	110 23 00000
8	OMDA	0015	CPTR1200D01	1 1	13.20 14.35	1	1	748	110 23 00000
	OMDA	0015	DVEN0090D01	1 1 1	13.45 14.55		3	748	110 23 00000
	OMDA	0015	DVEN0091D01	1 1 1	13.45 14.55	1	1	748	110 23 00000
4	OMDA	0028	HNUR1211D01	1111	7.45 13.10		11	2,210	110 50 00000
	OMDA	0028	ORNT1000D02	11	8.00 9.00	1	9	2,210	110 50 00000
	OMDA	0028	ORNT1000D05	1	8.00 9.00	1	12	2,210	110 50 00000
4	OMDA	0028	HCOR1212D01	1111	8.00 13.10	1	12	2,210	110 50 00000
4	OMDA	0028	HEKG1113D01	1111	8.00 13.10	1	16	2,210	110 50 00000
4	8	OMDA	ORNT1000D01	111	8.00 14.30	1	23	2,210	110 50 00000
	OMDA	0028	HCOR1200D01	1	11.00 15.00		19	2,210	110 50 00000
	OMDA	0029	HNUR1211D02	1111	8.00 11.00		3	734	110 18 00000
	OMDA	0029	HCOR1212D02	1111	8.00 12.00	1	3	734	110 18 00000
	OMDA	0029	HCOR1212D03	11111	12.30 15.00		15	734	110 18 00000
8	OMDA	0029	HNUR1211D03	11111	12.30 15.00	1	15	734	110 18 00000
	OMDA	0039	ELEC1220D05	11111	8.00 11.00		1	2,700	731 20 00000
	OMDA	0039	ELEC1230D04	11111	8.00 11.00	1	1	2,700	731 20 00000
	OMDA	0039	ELEC2460D05	11111	8.00 11.00	1	1	2,700	731 20 00000
	OMDA	0039	ELEC1120D01	11111	8.00 11.30	1	5	2,700	731 20 00000
	OMDA	0039	ELEC1210D01	11111	8.00 11.30	1	5	2,700	731 20 00000
	OMDA	0039	ELEC1210D03	11111	8.00 11.30	1	1	2,700	731 20 00000
	OMDA	0039	ELEC1220D03	11111	8.00 11.30	1	2	2,700	731 20 00000
	OMDA	0039	ELEC2460D03	11111	8.00 11.30	1	1	2,700	731 20 00000
	OMDA	0039	ELEC2460D02	11111	8.00 12.00	1	2	2,700	731 20 00000
	OMDA	0039	ELEC1220D02	11111	8.00 12.15	1	1	2,700	731 20 00000
	OMDA	0039	ELEC1230D03	11111	8.00 12.15	1	3	2,700	731 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/09/2014 10:36:21
 PAGE NUM 3

L.T.C.-SABINE VALLEY
 BRANCH
 PARISH
 RELATION
 SABINE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMDA	0039	ELEC1210D02	11111	8.00 12.30	1	2,700	731 20	00000
	OMDA	0039	ELEC1311D01	11111	8.00 12.30	1	2,700	731 20	00000
	OMDA	0039	ELEC2460D01	11111	8.00 12.30	1	2,700	731 20	00000
	OMDA	0039	ELEC1311D02	11111	9.00 11.00	1	2,700	731 20	00000
	OMDA	0039	ELEC1120D03	11111	12.00 15.00	2	2,700	731 20	00000
	OMDA	0039	ELEC1230D05	11111	12.00 15.00	1	2,700	731 20	00000
	OMDA	0039	ELEC1120D02	11111	12.30 14.30	1	2,700	731 20	00000
	OMDA	0039	ELEC1220D04	11111	12.30 14.30	1	2,700	731 20	00000
	OMDA	0039	ELEC2460D04	11111	12.30 14.30	1	2,700	731 20	00000
	OMDB	0050	WELD1110D01	11111	7.30 8.20	3	640	110 20	00000
	OMDB	0050	WELD1120D01	11111	8.40 9.25	5	640	110 20	00000
	OMDB	0050	WELD1140D01	11111	9.30 10.05	5	640	110 20	00000
	OMDB	0050	WELD1410D02	11111	13.00 13.50	8	640	110 20	00000
	OMDB	0050	WELD1411D02	11111	14.00 14.50	7	640	110 20	00000
	OMDB	0051	WELD2110D01	11111	7.30 8.35	4	720	110 20	00000
	OMDB	0051	WELD2220D01	11111	7.30 9.00	1	720	110 20	00000
	OMDB	0051	WELD1310D01	11111	8.15 9.05	1	720	110 20	00000
	OMDB	0051	WELD2230D01	11111	8.50 10.05	2	720	110 20	00000
	OMDB	0051	WELD2222D01	11111	9.05 10.35	1	720	110 20	00000
	OMDB	0051	WELD1410D01	11111	9.10 10.00	1	720	110 20	00000
	OMDB	0051	WELD1412D01	11111	10.10 11.25	2	720	110 20	00000
	OMDB	0051	WELD2310D01	11111	10.15 11.35	1	720	110 20	00000
	OMDB	0051	WELD2221D01	11111	10.40 12.10	1	720	110 20	00000
	OMDB	0051	WELD1510D01	11111	11.15 12.30	1	720	110 20	00000
	OMDB	0051	WELD1512D01	11111	11.15 12.30	1	720	110 20	00000
	OMDB	0051	WELD1511D01	11111	11.30 12.30	1	720	110 20	00000
	OMDB	0051	WELD2311D01	11111	12.00 13.20	1	720	110 20	00000
	OMDB	0051	WELD1420D01	11111	13.00 14.20	1	720	110 20	00000
	OMDB	0051	WELD1411D01	11111	13.10 14.30	1	720	110 20	00000
	OMDB	0052	WELD2111D01	11111	8.50 10.05	2	740	110 5	00000
	OMDB	0052	WELD2210D01	11111	10.10 11.30	3	740	110 5	00000
	OMDB	0052	WELD1210D01	11111	10.30 11.20	1	740	110 5	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	4
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	48
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		52
TOTAL NUMBER OF RECORDS READ		134
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		134
NUMBER OF JOINT-CLASS RECORDS		104
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/09/2014 10:36:21
 PAGE NUM 1

L.T.C.-SABINE VALLEY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			277
WEEKLY STUDENT CONTACT HOURS	6,235		6,235
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,298		1,298
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	24,930	13,850	38,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,529		29,529
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,471		12,471
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	120.2	.0	77.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	50.0	.0	32.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.2	.0	42.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			277
WEEKLY STUDENT CONTACT HOURS	6,235		6,235
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,298		1,298
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	24,930	13,850	38,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,529		29,529
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,471		12,471
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	120.2	.0	77.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	50.0	.0	32.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.2	.0	42.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY