BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 10/22/2013 12:26:00
PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
4		A000	A101	BARB1310E01	11111	8.00	14.30					13	341	630	23	00000
4		A000	A101	BARB1430E01	11111	8.00	14.30	1				8	341	630	23	00000
4		A000	A101	BARB2111E01	11111	8.00	14.30	1				13	341	630	23	00000
4	8	A000	A101	BARB1441E01	11111	8.00	14.45	1				11	341	630	23	00000
4		A000	A104	BARB1231E01	11111	8.00	14.30					12	495	110	32	00000
4		A000	A104	BARB1330E01	11111	8.00	14.45	1				7	495	110	32	00000
4		A000	A104	BARB2120E01	11111	8.00	14.45	1				9	495	110	32	00000
4		A000	A105	BARB1211E01	11111	8.00	14.30					12	526	210	14	00000
4	8	A000	A105	BARB1341E01	11111	8.00	14.45	1				13	526	210	14	00000
4	8	A000	A105	BARB2131E01	11111	8.00	14.45	1				9	526	210	14	00000
4	8	A000	A105	BARB2993E01	11111	8.00	14.45	1				4	526	210	14	00000
4	8	A000	A105	BARB2995EP2	11111	8.00	16.00	1				3	526	210	14	00000
4	8	A000	A105	BARB2995EP3	11111	8.00	16.00	1				4	526	210	14	00000
	8	A000	A105	BARB2993EAP	11111	18.30	21.30					31	526	210	14	00000
		A000	A200	CPTR1000EN1	1	17.00	20.00					20	776	140	22	00000
		A000	A201	ACCT1200E01	1 1	8.00	9.00					5	769	140	22	00000
		A000	A201	ACCT1200E01	1 1	8.00	9.30					5	769	140	22	00000
		A000	A201	ACCT1100E01	1 1	9.00	10.00					1	769	140	22	00000
		A000	A201	ACCT1100E01	1 1	9.30	11.00					1	769	140	22	00000
		A000	A205	ISYS1650E01	1111	11.45	13.00					3	499	210	15	00000
4		A000	A207	CREN10009JB	11111	8.00	16.00					2	451	210	14	00000
		A000	A207	CPTR1320E01	11111	9.30	10.45	1				3	451	210	14	00000
		A000	A207	CPTR1310E01	1111	12.00	13.00					1	451	210	14	00000
		A000	A207	ISYS1440E01	1111	13.00	14.15					1	451	210	14	00000
		A000	A208	CSRV1000E01	11111	8.00	9.00					9	511	210	15	00000
		A000	A208	OSYS1100E01	11111	8.00	9.00	1				10	511	210	15	00000
		A000	A208	CPTR1000EC2	11111	8.00	11.00	1				2	511	210	15	00000
	8	A000	A208	CPTR1000E01	11111	9.30	10.45	1				15	511	210	15	00000
	89	A000	A208	CPTR1000E01	11111	9.30	10.45					19	511	210	15	00000
	8	A000	A208	CPTR1002E02	11111	9.30	10.45	1				2	511	210	15	00000
	8	A000	A208	MATR1350M01	11111	9.30	10.45	1				4	511	210	15	00000
	8	A000	A208	CPTR1002E01	1111	9.30	10.45	1				5	511	210	15	00000
		A000	A208	ISYS1550E01	1 1 1	11.00	12.30					1	511	210	15	00000
		A000	A208	JOBS2450E01	11111	12.00	13.00	1				9	511	210	15	00000
		A000	A208	JOBS2450E02	11111	12.00	13.00	1				13	511	210	15	00000
	8	A000	A208	KYBD1010E02	1111	12.00	13.00	1				2	511	210	15	00000
	8	A000	A208	KYBD1111E01	1111	12.00	13.00	1				1	511	210	15	00000
	8	A000	A208	CPTR1000ESB	11	12.00	13.45	1				2	511	210	15	00000
	8	A000	A208	CPTR1000ECR	1 1	12.00	13.45	1				9	511	210	15	00000
	8	A000	A208	BUSM1050E01	1111	13.00	14.15	1				2	511	210	15	00000
	8	A000	A208	BUSE1030E01	1111	13.00	14.30	1				4	511	210	15	00000
	8	A000	A208	BUSE1045E01	1111	13.00	14.30	1				6	511	210	15	00000
		A000	A208	JOBS2450E03	1	17.00	20.00					20	511	210	15	00000
4		A000	A209	CADD1210E01	11111	8.00	14.45					4	1,149	220	22	00000
4		A000	A209	CADD2300E01	11111	8.00	14.45	1				1	1,149	220	22	00000
4		A000	A209	CADD2310E01	11111	8.00	14.45	1				5	1,149	220	22	00000
4		A000	A209	DRFT1110E01	11111	8.00	14.45	1				2	1,149	220	22	00000
4		A000	A209	DRFT1140E01	11111	8.00	14.45	1				1	1,149	220	22	00000
4		A000	A209	DRFT1160E01	11111	8.00	14.45	1				2	1,149	220	22	00000
4		A000	A209	DRFT1161E01	11111	8.00	14.45	1				1	1,149	220	22	00000
4		A000	A209	DRFT2310E01	11111	8.00	14.45	1				1	1,149	220	22	00000

ERRORS/ WARNINGS		BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
4		A000	A209	DRFT2320E01	11111	8.00	14.45	1				3	1,149	220	22	00000
4		A000	A209	DRFT2330E01	11111	8.00	14.45	1				1	1,149	220	22	00000
4		A000	A209	DRFT2360E01	11111	8.00	14.45	1				3	1,149	220	22	00000
4		B000	B101	INCT2110E01	1 1	8.00	14.45					4	33	110	22	00000
4		B000	B101	INCT2120E01	1 1	8.00	14.45	1				7	33	110	22	00000
4		B000	B101	INTE1330E01	1 1	8.00	14.45	1				8	33	110	22	00000
4		B000	B101	INTE2110E01	1 1	8.00	14.45	1				1	33	110	22	00000
4		B000	B101	INTE2120E01	1 1	8.00	14.45	1				2	33	110	22	00000
4		B000	B101	INCT1120E01	1	8.00	14.45	1				1	33	110	22	00000
		B000	B101	INCT2850EN1	1 1	16.00	19.00					2	33	110	22	00000
		B000	B101	INTE2850EN1	1 1	16.00	19.00	1				15	33	110	22	00000
		B000	B102	INCT2020E01	1 1	8.00	11.00					6	383	110	22	00000
		B000	B102	INTE1200E02	1 1	8.00	11.00	1				3	383	110	22	00000
		B000	B102	INTE2020E01	1 1	8.00	11.00	1				4	383	110	22	00000
		B000	B102	INCT1100E01	1 1	8.00	11.00					2	383	110	22	00000
		B000	B102	INCT2902E01	1 1	8.00	11.00	1				2	383	110	22	00000
		B000	B102	INTE1100E01	1 1	8.00	11.00	1				11	383	110	22	00000
		B000	B102	CPTR1010E01	1 1	11.45	14.45					4	383	110	22	00000
		B000	B102	INCT1200E01	1 1	11.45	14.45	1				2	383	110	22	00000
		B000	B102	INCT2902E02	1 1	11.45	14.45	1				4	383	110	22	00000
		B000	B102	INTE1200E01	1 1	11.45	14.45	1				10	383	110	22	00000
		B000	B102	INCT1110E01	1 1	11.45	14.45					3	383	110	22	00000
		B000	B102	INTE1110E01	1 1	11.45	14.45	1				10	383	110	22	00000
		B000	B102	INCT1210EN1	1 1	16.00	19.00					3	383	110	22	00000
		B000	B102	INCT2010EN1	1 1	16.00	19.00	1				9	383	110	22	00000
		B000	B102	INTE1210EN1	1 1	16.00	19.00					1	383	110	22	00000
		B000	B103	SPCH1015B01	1 1	11.00	12.15					5	297	110	20	00000
		B000	B103	MATH1015B01	1 1	11.00	12.15					4	297	110	20	00000
		B000	B103	KYBD1010E01	1	11.45	14.45					5	297	110	20	00000
		B000	B103	INTE2010EN1	1 1	16.00	19.00					3	297	110	20	00000
4		B000	B104	BARB1110E01	11111	8.00	14.45					6	33	110	18	00000
4		B000	B104	BARB1120E01	11111	8.00	14.45	1				7	33	110	18	00000
4		B000	B104	BARB1131E01	11111	8.00	14.45	1				7	33	110	18	00000
4		B000	B104	BARB1140E01	11111	8.00	14.45	1				7	33	110	18	00000
4	8	B000	B104	BARB1150E01	11111	8.00	14.45	1				7	33	110	18	00000
4	8	B000	B104	BARB1160E01	11111	8.00	14.45	1				7	33	110	18	00000
4	8	B000	B104	BARB1220E01	11111	8.00	14.45	1				7	33	110	18	00000
4	8	B000	B104	BARB1420E01	11111	8.00	14.45	1				7	33	110	18	00000
4	8	B000	B104	BARB2630E01	11111	8.00	14.45	1				8	33	110	18	00000
4	8	B000	B104	BARB1410E01	1 11	8.00	14.45	1				7	33	110	18	00000
4		C000	C101	HACR1210E01	11111	8.00	15.00					3	78	110	13	00000
4		C000	C101	HACR1220E01	11111	8.00	15.00	1				4	78	110	13	00000
4		C000	C101	HACR1230E01	11111	8.00	15.00	1				5	78	110	13	00000
4		C000	C101	HACR1240E01	11111	8.00	15.00	1				3	78	110	13	00000
4	8	C000	C101	HACR2530E01	11111	8.00	15.00	1				17	78	110	13	00000
4	8	C000	C101	HACR2540E01	11111	8.00	15.00	1				17	78	110	13	00000
4	8	C000	C101	HACR2550E01	11111	8.00	15.00	1				15	78	110	13	00000
4	8	C000	C101	HACR2560E01	11111	8.00	15.00	1				15	78	110	13	00000
		C000	C101	HACR1210EN1	1 1	17.00	17.45					2	78	110	13	00000
		C000	C101	HACR2530EN1	1 1	17.00	17.45					1	78	110	13	00000
		C000	C101	HACR1220EN1	1 1	17.46	18.30					2	78	110	13	00000

L.T.C.-SHREVEPORT BOSSIER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS		BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
		C000	C101	HACR2540EN1	1 1	17.46	18.30	1				2	78	110	13	00000
		C000	C101	HACR1230EN1	1 1	18.31	19.15					1	78	110	13	00000
		C000	C101	HACR2550EN1	1 1	18.31	19.15	1				1	78	110	13	00000
		C000	C101	HACR2560EN1	1 1	19.16	20.00					1	78	110	13	00000
4		C000	C102	HACR1150E01	11111	8.00	15.00					14	274	110	13	00000
4	8	C000	C102	HACR1160E01	11111	8.00	15.00	1				14	274	110	13	00000
4	89	C000	C102	HACR1160E01	11111	8.00	15.00					16	274	110	13	00000
4	8	C000	C102	HACR1170E01	11111	8.00	15.00	1				19	274	110	13	00000
4	8	C000	C102	HACR1410E01	11111	8.00	15.00	1				1	274	110	13	00000
4	8	C000	C102	HACR1420E01	11111	8.00	15.00	1				1	274	110	13	00000
4	8	C000	C102	HACR2510E01	11111	8.00	15.00	1				1	274	110	13	00000
4	8	C000	C102	HACR2520E01	11111	8.00	15.00	1				1	274	110	13	00000
		C000	C102	HACR1150EN1	1 1	17.00	17.45					9	274	110	13	00000
		C000	C102	HACR1160EN1	1 1	17.46	18.30					9	274	110	13	00000
		C000	C102	HACR1170EN1	1 1	18.31	19.15					2	274	110	13	00000
		C000	C102	HACR1180EN1	1 1	19.16	20.00					6	274	110	13	00000
		C000	C103	CLRP1110EB1	11111	8.00	10.00					9	33	110	25	00000
		C000	C103	CLRP1131EB4	11111	8.00	10.00	1				4	33	110	25	00000
		C000	C104	CLRP1121EH2	11111	8.00	10.30					9	33	110	22	00000
4		C000	C104	CLRP1110E01	11111	8.00	14.45	1				8	33	110	22	00000
4		C000	C104	CLRP1121E01	11111	8.00	14.45	1				8	33	110	22	00000
4		C000	C104	CLRP1131E01	11111	8.00	14.45	1				8	33	110	22	00000
4	8	C000	C104	CLRP1140E01	11111	8.00	14.45	1				1	33	110	22	00000
4	8	C000	C104	CLRP1150E01	11111	8.00	14.45	1				6	33	110	22	00000
4	8	C000	C104	CLRP1210E01	11111	8.00	14.45	1				8	33	110	22	00000
4	8	C000	C104	CLRP1220E01	11111	8.00	14.45	1				8	33	110	22	00000
4	8	C000	C104	CLRP1230E01	11111	8.00	14.45	1				9	33	110	22	00000
4	8	C000	C104	CLRP1311E01	11111	8.00	14.45	1				5	33	110	22	00000
4	8	C000	C104	CLRP1320E01	11111	8.00	14.45	1				2	33	110	22	00000
4	8	C000	C104	CLRP2111E01	11111	8.00	14.45	1				4	33	110	22	00000
4	8	C000	C104	CLRP2121E01	11111	8.00	14.45	1				3	33	110	22	00000
4	8	C000	C104	CLRP2130E01	11111	8.00	14.45	1				10	33	110	22	00000
4	8	C000	C104	CLRP2140E01	11111	8.00	14.45	1				11	33	110	22	00000
4		D000	D102	WELD1110E01	11111	8.00	14.45					21	1,040	110	43	00000
4		D000	D102	WELD2110E01	11111	8.00	14.45	1				8	1,040	110	43	00000
4		D000	D103	OAGT2995E09	11111	8.00	16.00					35	910	110	25	00000
4	8	D000	D103	OAGT2995E18	11111	8.00	16.00	1				10	910	110	25	00000
4	8	D000	D103	OAGT2996E15	1111	8.00	16.00	1				14	910	110	25	00000
4	8	D000	D103	OAGT2996E21	1	8.00	16.00	1				23	910	110	25	00000
4	8	D000	D103	OAGT2996E23	1	8.00	16.00	1				2	910	110	25	00000
4		D000	D103	OAGT2996E25	111	8.00	16.00					1	910	110	25	00000
4		D000	D103	OAGT2996E16	1	8.00	16.00	1				12	910	110	25	00000
4		D000	D103	OAGT2996E17	1	8.00	16.00	1				12	910	110	25	00000
4		D000	D103	OAGT2996E18	1	8.00	16.00	1				1	910	110	25	00000
4		D000	D103	OAGT2996E19	1	8.00	16.00	1				2	910	110	25	00000
4		D000	D103	OAGT2996E20	1	8.00	16.00	1				2	910	110	25	00000
4	8	D000	D103	OAGT2996E22	1	8.00	16.00	1				10	910	110	25	00000
4	8	D000	D103	OAGT2996E24	1	8.00	16.00	1				8	910	110	25	00000
4		D000	D103	OAGT2996E27	1	8.00	16.00					2	910	110	25	00000
4		D000	D103	OAGT2995E61	11111	8.00	17.00	1				11	910	110	25	00000
4		D000	D103	OAGT2995E28	1	8.00	17.00	1				1	910	110	25	00000

ERRORS/ WARNINGS		BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
4		D000	D103	OAGT2996E29	1	8.00	17.00	1				1	910	110	25	00000
4		D000	D103	OAGT2996E14	1	8.00	17.00					4	910	110	25	00000
4		D000	D103	OAGT2996E30	1	8.00	17.00	1				3	910	110	25	00000
4		D000	D103	OAGT2996E31	1	8.00	17.00	1				9	910	110	25	00000
4		D000	D103	OAGT2996E28	1	8.00	17.00					13	910	110	25	00000
4		D000	D103	OAGT2996E32	1	8.00	17.00	1				4	910	110	25	00000
4		D000	D103	OAGT2996E33	1	8.00	17.00	1				8	910	110	25	00000
		D000	D103	MTTC2991EN1	11111	16.00	19.00	1				4	910	110	25	00000
		D000	D106	DPET1120E01	11111	8.00	11.00					8	67	110	25	00000
4		D000	D106	DPET2140E01	11111	8.00	14.00	1				17	67	110	25	00000
4	8	D000	D106	DPET1310E01	11111	8.00	14.30	1				14	67	110	25	00000
4	8	D000	D106	DPET1330E01	11111	8.00	14.30	1				11	67	110	25	00000
4	8	D000	D106	DPET2110E01	11111	8.00	14.30	1				9	67	110	25	00000
4	8	D000	D106	DPET2210E01	11111	8.00	14.30	1				19	67	110	25	00000
4	8	D000	D106	DPET2240E01	11111	8.00	14.30	1				5	67	110	25	00000
4	8	D000	D106	DPET2130E01	1	8.00	14.45	1				1	67	110	25	00000
	8	D000	D106	DPET1320E01	11111	12.00	14.30	1				10	67	110	25	00000
4		D000	D112	WELD1510EN1	111	7.00	21.00					1	72	210	30	00000
4		D000	D112	WELD1120E01	11111	8.00	14.45	1				28	72	210	30	00000
4	8	D000	D112	WELD1130E01	11111	8.00	14.45	1				25	72	210	30	00000
4	8	D000	D112	WELD1140E01	11111	8.00	14.45	1				25	72	210	30	00000
4	8	D000	D112	WELD1210E01	11111	8.00	14.45	1				23	72	210	30	00000
4	8	D000	D112	WELD1310E01	11111	8.00	14.45	1				7	72	210	30	00000
4	8	D000	D112	WELD1410E01	11111	8.00	14.45	1				7	72	210	30	00000
4	8	D000	D112	WELD1411E01	11111	8.00	14.45	1				7	72	210	30	00000
4	8	D000	D112	WELD1412E01	11111	8.00	14.45	1				7	72	210	30	00000
4	8	D000	D112	WELD1420E01	11111	8.00	14.45	1				4	72	210	30	00000
4	8	D000	D112	WELD1510E01	11111	8.00	14.45	1				5	72	210	30	00000
4	8	D000	D112	WELD1511E01	11111	8.00	14.45	1				5	72	210	30	00000
4	8	D000	D112	WELD1512E01	11111	8.00	14.45	1				5	72	210	30	00000
4	8	D000	D112	WELD2111E01	11111	8.00	14.45	1				12	72	210	30	00000
4	8	D000	D112	WELD2210E01	11111	8.00	14.45	1				11	72	210	30	00000
4	8	D000	D112	WELD2230E01	11111	8.00	14.45	1				10	72	210	30	00000
4	8	D000	D112	WELD2310E01	11111	8.00	14.45	1				4	72	210	30	00000
4	8	D000	D112	WELD2311E01	11111	8.00	14.45	1				4	72	210	30	00000
4	8	D000	D112	WELD2995EP1	11111	8.00	16.00	1				3	72	210	30	00000
4	8	D000	D112	WELD2995EP2	11111	8.00	16.00	1				1	72	210	30	00000
		D000	D112	WELD1110EN1	11111	17.00	21.00					9	72	210	30	00000
		D000	D112	WELD1120EN1	111	17.00	21.00	1				15	72	210	30	00000
		D000	D112	WELD1130EN1	111	17.00	21.00	1				17	72	210	30	00000
	8	D000	D112	WELD1140EN1	111	17.00	21.00	1				17	72	210	30	00000
	8	D000	D112	WELD1210EN1	111	17.00	21.00	1				12	72	210	30	00000
	8	D000	D112	WELD1310EN1	111	17.00	21.00	1				4	72	210	30	00000
	8	D000	D112	WELD1410EN1	111	17.00	21.00	1				2	72	210	30	00000
	8	D000	D112	WELD1411EN1	111	17.00	21.00	1				1	72	210	30	00000
	8	D000	D112	WELD1412EN1	111	17.00	21.00	1				2	72	210	30	00000
	8	D000	D112	WELD1420EN1	111	17.00	21.00	1				2	72	210	30	00000
	8	D000	D112	WELD1511EN1	111	17.00	21.00	1				1	72	210	30	00000
	8	D000	D112	WELD1512EN1	111	17.00	21.00	1				2	72	210	30	00000
	8	D000	D112	WELD2110EN1	111	17.00	21.00	1				3	72	210	30	00000
	8	D000	D112	WELD2111EN1	111	17.00	21.00	1				3	72	210	30	00000

L.T.C.-SHREVEPORT BOSSIER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
8	D000	D112	WELD2112EN1	111	17.00	21.00	1				1	72	210	30	00000
8	D000	D112	WELD2210EN1	111	17.00	21.00	1				7	72	210	30	00000
8	D000	D112	WELD2222EN1	111	17.00	21.00	1				1	72	210	30	00000
8	D000	D112	WELD2230EN1	111	17.00	21.00	1				4	72	210	30	00000
8	D000	D112	WELD2310EN1	111	17.00	21.00	1				4	72	210	30	00000
8	D000	D112	WELD2311EN1	111	17.00	21.00	1				5	72	210	30	00000
	E000	E115	HNUR1300E03	1 1	8.00	11.00					13	130	110	49	00000
	E000	E115	HNUR1320E01	1	9.35	11.30	1				23	130	110	49	00000
	E000	E115	HNUR1320E03	1 1	12.15	13.15					25	130	110	49	00000
	E000	E115	HNUR1300E01	1 1 1	12.15	14.30	1				20	130	110	49	00000
	E000	E115	HNUR1270E03	111	13.30	14.30	1				21	130	110	49	00000
	E000	E118	AHSC1000E03	11	8.00	10.00					12	621	110	35	00000
	E000	E118	AHSC1000E04	11111	12.30	14.30					25	621	110	35	00000
	E000	E123	HNUR2133E01	11	7.30	9.25					18	300	110	48	00000
9	E000	E123	HNUR2133E01	11	7.30	11.30					18	300	110	48	00000
	E000	E123	HNUR2813E01	1	9.35	11.30					18	300	110	48	00000
	E000	E123	HNUR2713E01	111	12.15	13.15					18	300	110	48	00000
	E000	E123	HNUR2723E01	111	13.30	14.30					18	300	110	48	00000
	E000	E125	OPET2121E01	1 1 1	10.00	10.50					5	494	110	20	00000
4	E000	E126	HPHL1022E01	11111	7.30	15.30					14	494	110	34	00000
4	E000	E126	HPHL1011E01	11	8.00	14.00	1				14	494	110	34	00000
4	E000	E126	HPHL1022E01	11	8.00	14.00	1				14	494	110	34	00000
4	E000	E126	MAST1210E01	11	8.00	14.30					23	494	110	34	00000
	E000	E126	HPHL1022E01	1	12.15	14.30	1				14	494	110	34	00000
	E000	E127	HNUR1270E01	1 1	7.30	9.25					35	60	210	35	00000
8	E000	E127	HNUR1211E02	1 1 1	7.30	11.30	1				24	60	210	35	00000
8	E000	E127	HNUR1212E01	1	7.30	11.30	1				24	60	210	35	00000
4	E000	E127	HNUR1211E01	11	7.30	14.30					17	60	210	35	00000
4	E000	E127	HCOR1212E01	11111	7.30	15.30	1				17	60	210	35	00000
	E000	E127	HEKG1011E01	1 1	8.00	11.30	1				12	60	210	35	00000
4 89	E000	E127	HEKG1011E01	1 1	8.00	15.00					12	60	210	35	00000
8	E000	E127	HCOR1120E01	111	9.30	11.30	1				16	60	210	35	00000
	E000	E127	HCOR1160E01	111	12.15	14.30					12	60	210	35	00000
	E000	E127	HMDT1170E01	111	12.30	13.30	1				16	60	210	35	00000
	E000	E130	OPET1141E01	1 1 1	8.00	9.50					4	267	210	23	00000
	E000	E130	OPET1251E01	1 1 1	8.00	9.50	1				3	267	210	23	00000
	E000	E130	OPET1321E01	1 1 1	8.00	9.50	1				3	267	210	23	00000
	E000	E130	OPET2131E01	1 1 1	8.00	9.50	1				5	267	210	23	00000
	E000	E130	OPET1111E01	1 1	8.00	9.50					4	267	210	23	00000
	E000	E130	OPET1221E01	1 1	8.00	9.50	1				1	267	210	23	00000
	E000	E130	OPET2111E01	1 1	8.00	9.50	1				5	267	210	23	00000
	E000	E130	OPET2161E01	1 1	8.00	9.50	1				2	267	210	23	00000
	E000	E130	OPET1261E01	1 1 1	10.00	10.50					2	267	210	23	00000
	E000	E130	OPET1151E01	1 1 1	10.00	12.40	1				4	267	210	23	00000
	E000	E130	OPET1331E01	1 1 1	10.00	12.40	1				2	267	210	23	00000
	E000	E130	OPET2141E01	1 1 1	10.00	12.40	1				4	267	210	23	00000
	E000	E130	OPET1121E01	1 1	10.00	12.40					3	267	210	23	00000
4	E000	E130	OPET1231E01	1 1	12.40	12.40					2	267	210	23	00000
	E000	E130	OPET1161E01	1 1 1	12.50	14.00					1	267	210	23	00000
	E000	E130	OPET1311E01	1 1 1	12.50	14.00	1				3	267	210	23	00000
	E000	E130	OPET1341E01	1 1 1	12.50	14.00	1				5	267	210	23	00000

L.T.C.-SHREVEPORT BOSSIER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS		BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
		E000	E130	OPET2151E01	1 1 1	12.50	14.00	1				2	267	210	23	00000
		E000	E130	OPET1131E01	1 1	12.50	14.00					4	267	210	23	00000
4		E000	E130	OPET1241E01	1 1	14.00	14.00					2	267	210	23	00000
4		E000	E145	ORNT1000E02	1 1	8.00	15.30					72	714	610	65	00000
4	8	E000	E145	ORNT1000E01	11	8.00	15.30	1				46	714	610	65	00000
		E000	E145	ORNT1000EN1	111	17.00	21.45					56	714	610	65	00000
		E000	E150	AHEN1000E01	1 1	8.00	9.15					1	680	110	150	00000
		E000	E150	AHMA1000E01	1	8.00	9.15	1				1	680	110	150	00000
		E000	E150	DVMA0090E01	1 1	9.30	10.45					8	680	110	150	00000
		E000	E150	DVEN0090E01	1 1	9.30	10.45					4	680	110	150	00000
		E000	E150	AHEN1000E02	111	12.00	14.45					1	680	110	150	00000
		E000	E150	DVMA0090E02	1	12.00	14.45	1				10	680	110	150	00000
		E000	E150	DVRE0090E01	1	12.00	14.45					5	680	110	150	00000
		E000	E150	DVRE0090E02	1	12.00	14.45	1				3	680	110	150	00000
		E000	E150	AHRE1000E01	11	12.00	14.45					3	680	110	150	00000
		E000	E150	DVEN0090E02	1	15.00	17.45					5	680	110	150	00000
		E000	E150	AHMA1000E02	1	15.00	17.45					3	680	110	150	00000
		E000	E150	DVMA0090E03	1	15.00	17.45	1				19	680	110	150	00000
		E000	E150	DVRE0090E02	1	15.00	17.45	1				5	680	110	150	00000
4		E000	E157	CULN1321E01	11111	8.00	13.30					6	449	630	72	00000
		E000	E157	CULN2430E01	11111	13.00	15.30	1				4	449	630	72	00000
		E000	E165	GRPH2110E01	1111	8.00	10.45					1	46	210	33	00000
		E000	E165	GRPH1230EC2	1111	8.00	11.00	1				2	46	210	33	00000
		E000	E165	GRPH1300E01	1111	8.00	11.00	1				6	46	210	33	00000
		E000	E165	GRPH1420E01	1111	8.00	11.00	1				5	46	210	33	00000
		E000	E165	GRPH1530E01	1 1	9.15	10.30	1				5	46	210	33	00000
		E000	E165	GRPH2120E01	1111	10.45	13.45					1	46	210	33	00000
		E000	E165	GRPH1430E01	1111	11.30	14.00	1				5	46	210	33	00000
		E000	E167	CULN1110E01	11111	8.00	11.00					16	46	110	30	00000
		E000	E167	CULN1160E01	11111	8.00	11.00	1				2	46	110	30	00000
4		E000	E167	CULN1240E01	11111	8.00	14.00	1				5	46	110	30	00000
		E000	E167	CULN2310E01	11111	8.30	12.30	1				5	46	110	30	00000
		E000	E167	CULN1130E01	11111	9.30	12.30	1				14	46	110	30	00000
	8	E000	E167	CULN1170E01	11111	9.30	12.30	1				14	46	110	30	00000
	8	E000	E167	CULN1140E01	11111	11.30	14.30	1				15	46	110	30	00000
	8	E000	E167	CULN1220E01	11111	12.00	15.00	1				3	46	110	30	00000
		E000	E169	GRPH1350E01	1111	11.30	14.30					6	220	220	20	00000
4		F000	F108	AUTO1630E01	11111	8.00	14.45					26	583	110	31	00000
	8	F000	F109	AUTO1400EB1	11111	8.00	10.00					34	583	110	20	00000
4	8	F000	F109	AUTO1200E01	11111	8.00	14.45	1				26	583	110	20	00000
4	8	F000	F109	AUTO1210E01	11111	8.00	14.45	1				28	583	110	20	00000
4	8	F000	F109	AUTO1220E01	11111	8.00	14.45	1				28	583	110	20	00000
4	8	F000	F109	AUTO1230E01	11111	8.00	14.45	1				28	583	110	20	00000
4	8	F000	F109	AUTO1240E01	11111	8.00	14.45	1				28	583	110	20	00000
4	8	F000	F109	AUTO1600E01	11111	8.00	14.45	1				25	583	110	20	00000
4	8	F000	F109	AUTO1610E01	11111	8.00	14.45	1				24	583	110	20	00000
4	8	F000	F109	AUTO1620E01	11111	8.00	14.45	1				26	583	110	20	00000
4	8	F000	F109	AUTO1640E01	11111	8.00	14.45	1				26	583	110	20	00000
4	8	F000	F109	AUTO1650E01	11111	8.00	14.45	1				26	583	110	20	00000
4	8	F000	F109	AUTO1660E01	11111	8.00	14.45	1				26	583	110	20	00000
4		F000	F115	ELEC1311E01	1111	8.00	13.45					3	782	110	30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 10/22/2013 12:26:00
PAGE NUM 7

L.T.C.-SHREVEPORT BOSSIER
BRANCH
PARISH
RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
4		F000	F115	ELEC1120E01	11111	8.00	14.45	1				11	782	110	30	00000
4		F000	F115	ELEC1210E01	11111	8.00	14.45	1				3	782	110	30	00000
4		F000	F115	ELEC1410E01	11111	8.00	14.45	1				6	782	110	30	00000
4		F000	F115	ELEC1420E01	11111	8.00	14.45	1				6	782	110	30	00000
4		F000	F115	ELEC1430E01	11111	8.00	14.45	1				10	782	110	30	00000
4		F000	F115	ELEC1440E01	11111	8.00	14.45	1				6	782	110	30	00000
4	8	F000	F115	ELEC2460E01	11 11	8.00	14.45	1				9	782	110	30	00000
		F000	F115	ELEC1120EN1	111	16.30	21.00					4	782	110	30	00000
		F000	F115	ELEC1210EN1	111	16.30	21.00	1				2	782	110	30	00000
		F000	F115	ELEC1311EN1	111	16.30	21.00	1				2	782	110	30	00000
		F000	F115	ELEC1330EN1	111	16.30	21.00	1				4	782	110	30	00000
		F000	F115	ELEC1410EN1	111	16.30	21.00	1				4	782	110	30	00000
		F000	F115	ELEC1420EN1	111	16.30	21.00	1				2	782	110	30	00000
		F000	F115	ELEC1430EN1	111	16.30	21.00	1				1	782	110	30	00000
		F000	F115	ELEC1440EN1	111	16.30	21.00	1				2	782	110	30	00000
		F000	F115	ELEC2460EN1	111	16.30	21.00	1				4	782	110	30	00000
		F000	F115	ELEC2995EA1	1 1	18.00	20.00	1				20	782	110	30	00000
	8	F000	F115	ELEC2995EA2	1 1	18.00	20.00	1				25	782	110	30	00000
	8	F000	F115	ELEC2995EA3	1 1	18.00	20.00	1				10	782	110	30	00000
	8	F000	F115	ELEC2995EA4	1 1	18.00	20.00	1				21	782	110	30	00000
	8	F000	F115	ELEC2995EA5	1 1	18.00	20.00	1				17	782	110	30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT L.T.C.-SHREVEPORT BOSSIER
FALL DATA 2013
RUN DATE 10/22/2013 12:26:00

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	156
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	120
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	4

------- T O T A L S -------

TOTAL ERRORS	
TOTAL WARNINGS	280
TOTAL NUMBER OF RECORDS READ	327
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	323
NUMBER OF JOINT-CLASS RECORDS	230
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZATION - SUMMARY PAGE **L.T.C.-SHREVEPORT BOSSIER**

RUN DATE 10/22/2013 12:26:00
PAGE NUM 1

*CLASSROOM FACILITIES	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			43
TOTAL NUMBER OF STATIONS (CAPACITY)			1,336
WEEKLY STUDENT CONTACT HOURS	36,740	504	37,244
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,870	2,150	6,020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,902	90	6,992
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	120,240	66,800	187,040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	171,449	1,904	173,353
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	73,481	1,008	74,489
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	178.3	4.2	116.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	61.1	1.5	39.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.9	52.9	43.0

CLASSROOM	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			40
TOTAL NUMBER OF STATIONS (CAPACITY)			1,270
WEEKLY STUDENT CONTACT HOURS	36,710	444	37,154
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,600	2,000	5,600
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,882	84	6,966
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	114,300	63,500	177,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	171,009	1,772	172,781
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	73,421	888	74,309
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	191.2	4.2	124.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	64.2	1.4	41.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.9	50.1	43.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			66
WEEKLY STUDENT CONTACT HOURS	30	60	90
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20	6	26
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,940	3,300	9,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	440	132	572
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	60	120	180
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	7.4	4.0	6.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.0	3.6	1.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	13.6	90.9	31.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			785
WEEKLY STUDENT CONTACT HOURS	12,299	1,941	14,240
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,497	532	4,029
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	70,650	39,250	109,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	86,497	15,390	101,887
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,598	3,882	28,480
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	185.0	50.7	137.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.8	9.9	25.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.4	25.2	28.0

CLASS LABORATORY	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			743
WEEKLY STUDENT CONTACT HOURS	11,387	1,941	13,328
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,703	532	3,235
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	66,870	37,150	104,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	69,077	15,390	84,467
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	22,774	3,882	26,656
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	158.1	56.0	121.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.1	10.4	25.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.0	25.2	31.6

OPEN LABBORATORY	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			42
WEEKLY STUDENT CONTACT HOURS	912		912
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	794		794
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,780	2,100	5,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,420		17,420
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,824		1,824
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	441.1	.0	283.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	48.3	.0	31.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	10.5	.0	10.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY