

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/14/2014 15:31:12
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.		
	A000	A101	BARB1211E01	11111	8.00 10.15		7	630	23	00000	
	A000	A101	BARB1231E01	11111	13.05 14.05		10	630	23	00000	
	A000	A104	BARB1441E01	11111	8.00 10.40		4	110	32	00000	
4	A000	A104	BARB1350E01	11111	10.20 10.40	1	2	110	32	00000	
4	A000	A104	BARB1430E01	11111	10.45 11.05		8	110	32	00000	
	A000	A104	BARB1330E01	11111	10.45 11.25	1	7	110	32	00000	
	A000	A104	BARB1310E01	11111	12.00 13.00		5	110	32	00000	
	A000	A104	BARB2120E01	11111	12.20 12.50	1	2	110	32	00000	
	A000	A104	BARB2131E01	11111	15.00 17.05		6	110	32	00000	
	A000	A105	BARB1341E01	11111	11.35 12.15		4	210	14	00000	
	A000	A105	BARB1321E01	11111	14.10 14.55		9	210	14	00000	
	A000	A105	BARB2111E01	11111	15.00 15.45		1	210	14	00000	
	A000	A207	JOBS2450E01	11111	12.00 13.00		13	210	14	00000	
	A000	A207	JOBS2450EN1	1	17.00 20.00		9	210	14	00000	
	A000	A208	CSRV1000E01	11111	8.00 8.30		7	210	15	00000	
	A000	A208	OSYS1100E01	11111	8.35 9.05		5	210	15	00000	
	A000	A208	CPTR1000E01	11111	9.30 10.30		23	210	15	00000	
8	A000	A208	CPTR1002E01	11111	9.30 10.30	1	5	210	15	00000	
	A000	A208	KYBD1010E01	11111	12.00 12.30		4	210	15	00000	
4	A000	A208	KYBD1111E01	11111	12.35 13.00		1	210	15	00000	
	A000	A208	BUSE1030E01	11111	13.15 14.00		2	210	15	00000	
	A000	A208	CPTR1000EN1	1	17.00 20.00		21	210	15	00000	
	A000	A211	ACCT1100E01	11111	9.05 9.35		1	110	33	00000	
	B000	B102	INTE2902E01	1 1 1	8.00 11.00		2	110	22	00000	
	B000	B102	INTE2850E01	1 1	8.00 11.00	1	7	110	22	00000	
	B000	B102	INTE1330E01	1 1	8.00 11.00		1	110	22	00000	
4	B000	B102	INTE1200E01	1 1	8.00 14.45	1	6	110	22	00000	
	B000	B102	INTE2010E01	1 1	11.45 14.45		6	110	22	00000	
	B000	B102	INTE2030E01	1 1	11.45 14.45	1	1	110	22	00000	
	B000	B102	INTE1110E01	1 1	11.45 14.45		9	110	22	00000	
	B000	B102	INTE2020E01	1 1	11.45 14.45	1	3	110	22	00000	
	B000	B102	INTE2110E01	11111	18.00 21.00		2	110	22	00000	
	B000	B102	INTE2120E01	11111	18.00 21.00	1	3	110	22	00000	
	B000	B102	INTE2130E01	11111	18.00 21.00	1	1	110	22	00000	
	B000	B103	INTE1100E01	1 1	8.00 11.00		9	110	20	00000	
4	B000	B104	BARB1110E01	11111	8.00 8.25		11	33	110	18	00000
	B000	B104	BARB1120E01	11111	8.30 9.05		11	33	110	18	00000
4	B000	B104	BARB1131E01	11111	9.10 9.30		10	33	110	18	00000
	B000	B104	BARB1160E01	11111	9.35 10.15		12	33	110	18	00000
4	B000	B104	BARB1220E01	11111	10.20 10.40		11	33	110	18	00000
4	B000	B104	BARB1410E01	11111	10.45 11.00		12	33	110	18	00000
	B000	B104	BARB1140E01	11111	12.00 12.40		14	33	110	18	00000
	B000	B104	BARB1150E01	11111	12.45 13.25		12	33	110	18	00000
	B000	B104	BARB1420E01	11111	13.30 14.00		2	33	110	18	00000
	C000	C101	HACR1210E01	11111	8.00 9.25		1	78	110	13	00000
	C000	C101	HACR2510E01	11111	8.00 9.25	1	7	78	110	13	00000
	C000	C101	HACR1220E01	11111	9.30 11.00		1	78	110	13	00000
	C000	C101	HACR2520E01	1 1	9.30 11.00	1	6	78	110	13	00000
	C000	C101	HACR1230E01	11111	12.00 13.25		1	78	110	13	00000
	C000	C101	HACR2530E01	11111	12.00 13.25	1	6	78	110	13	00000
	C000	C101	HACR1240E01	11111	13.30 14.55		4	78	110	13	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/14/2014 15:31:12
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	C000	C101	HACR1410EN1	1 1	17.00 17.45		1	78	110 13 00000
	C000	C101	HACR1420EN1	1 1	17.50 18.25		1	78	110 13 00000
	C000	C101	HACR2560EN1	1 1	18.30 19.15		4	78	110 13 00000
	C000	C101	HACR2520EN1	1 1	18.35 19.55	1	1	78	110 13 00000
	C000	C101	HACR2550EN1	1 1	19.20 20.05	1	2	78	110 13 00000
	C000	C101	HACR1240EN1	1 1	19.45 21.00	1	2	78	110 13 00000
	C000	C101	HACR2530EN1	1 1	20.00 21.00	1	4	78	110 13 00000
	C000	C101	HACR2540EN1	1 1	20.10 21.00	1	1	78	110 13 00000
	C000	C102	HACR1410E01	11111	8.00 9.00		15	274	110 13 00000
	C000	C102	HACR1410E02	11111	8.00 9.00	1	1	274	110 13 00000
8	C000	C102	HACR1150E01	11111	8.00 9.25	1	18	274	110 13 00000
8	C000	C102	HACR1420E01	11111	9.05 10.00	1	15	274	110 13 00000
8	C000	C102	HACR1420E02	11111	9.05 10.00	1	1	274	110 13 00000
8	C000	C102	HACR1160E01	11111	9.30 11.00	1	19	274	110 13 00000
8	C000	C102	HACR2560E01	11111	10.05 11.00	1	9	274	110 13 00000
8	C000	C102	HACR2560E02	11111	10.05 11.00	1	1	274	110 13 00000
	C000	C102	HACR1170E01	11111	12.00 13.25		19	274	110 13 00000
8	C000	C102	HACR2550E01	11111	12.00 13.25	1	14	274	110 13 00000
8	C000	C102	HACR2550E02	11111	12.00 13.25	1	1	274	110 13 00000
	C000	C102	HACR1180E01	11111	13.30 14.55		18	274	110 13 00000
8	C000	C102	HACR2540E01	11111	13.30 14.55	1	18	274	110 13 00000
8	C000	C102	HACR2540E02	11111	13.30 14.55	1	1	274	110 13 00000
4	C000	C102	HACR1150EN1	1 1	17.00 17.25		3	274	110 13 00000
	C000	C102	HACR1160EN1	1 1	17.30 18.00		2	274	110 13 00000
	C000	C102	HACR1170EN1	1 1	18.30 19.00		2	274	110 13 00000
	C000	C102	HACR1180EN1	1 1	20.00 21.00		3	274	110 13 00000
4	C000	C103	CLRP1110E01	11111	8.00 8.29		11	33	110 25 00000
	C000	C103	CLRP1320E01	11111	8.00 11.30	1	2	33	110 25 00000
4	C000	C103	CLRP1121E01	11111	8.30 8.59	1	20	33	110 25 00000
	C000	C103	CLRP2140E01	11111	10.15 11.40		1	33	110 25 00000
	C000	C103	CLRP2130E01	11111	11.45 14.45		20	33	110 25 00000
	C000	C103	CLRP1150E01	11111	13.45 15.00	1	8	33	110 25 00000
4	C000	C104	CLRP2111E02	11111	8.00 8.29		8	33	110 22 00000
	C000	C104	CLRP1230E01	11111	8.00 10.14	1	1	33	110 22 00000
	C000	C104	CLRP1311E01	11111	8.00 10.25	1	8	33	110 22 00000
8	C000	C104	CLRP1131E01	11111	9.00 10.14	1	20	33	110 22 00000
	C000	C104	CLRP1210E01	11111	11.45 13.44		6	33	110 22 00000
	C000	C104	CLRP2121E01	11111	12.15 12.59	1	3	33	110 22 00000
	C000	C104	CLRP1220E01	11111	12.25 13.59	1	1	33	110 22 00000
	C000	C104	CLRP2111E01	11111	13.00 14.15	1	3	33	110 22 00000
	D000	D102	WELD1110E01	11	8.00 8.55		20	1,040	110 43 00000
	D000	D102	WELD2210E01	11111	8.00 9.15	1	22	1,040	110 43 00000
	D000	D102	WELD2230E01	11111	9.30 10.45		21	1,040	110 43 00000
	D000	D102	WELD1140E01	11	10.35 11.10	1	20	1,040	110 43 00000
	D000	D102	WELD1120E01	11	12.00 13.10		30	1,040	110 43 00000
	D000	D102	WELD1130E01	11	13.15 14.10		28	1,040	110 43 00000
	D000	D102	WELD1210E01	11	14.15 15.10		19	1,040	110 43 00000
	D000	D102	WELD1310E01	11	15.15 16.10		28	1,040	110 43 00000
	D000	D106	DPET2140E01	11111	8.00 9.29		4	67	110 25 00000
	D000	D106	DPET1210E01	11111	9.16 11.00	1	1	67	110 25 00000
	D000	D106	DPET1310E01	11111	9.30 10.30	1	8	67	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/14/2014 15:31:12
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	D000	D106	DPET1330E01	11111	13.31 14.31		19	67	110 25 00000
	D000	D106	DPET1150E01	11111	14.01 15.15	1	1	67	110 25 00000
	D000	D107	DPET1120E01	11111	8.00 9.29		8	130	110 16 00000
	D000	D107	DPET2210E01	11111	12.00 12.59		4	130	110 16 00000
8	D000	D107	DPET1140E01	11111	12.00 13.30	1	2	130	110 16 00000
	D000	D107	DPET1320E01	11111	12.00 13.30	1	19	130	110 16 00000
	D000	D108	DPET2130E01	11111	8.00 9.59		16	4,845	210 45 00000
	D000	D108	DPET2240E01	11111	10.31 11.30		18	4,845	210 45 00000
	D000	D108	DPET1220E01	11111	11.45 13.00		4	4,845	210 45 00000
	D000	D108	DPET1231E01	11111	13.01 14.00		3	4,845	210 45 00000
	D000	D112	WELD1410E01	11111	8.00 8.50		10	72	210 30 00000
	D000	D112	WELD1420E01	11111	8.00 9.30	1	6	72	210 30 00000
	D000	D112	WELD2112E01	11111	8.00 9.30	1	1	72	210 30 00000
	D000	D112	WELD1411E01	11111	9.00 10.30	1	15	72	210 30 00000
	D000	D112	WELD1510E01	11111	9.35 11.05	1	6	72	210 30 00000
	D000	D112	WELD2113E01	11111	9.35 11.05	1	1	72	210 30 00000
	D000	D112	WELD2310E01	11111	12.00 13.15		2	72	210 30 00000
	D000	D112	WELD1412E01	11111	12.00 13.30	1	11	72	210 30 00000
	D000	D112	WELD1511E01	11111	12.00 13.30	1	7	72	210 30 00000
	D000	D112	WELD2311E01	11111	13.30 14.45		4	72	210 30 00000
	D000	D112	WELD1512E01	11111	13.35 15.05	1	8	72	210 30 00000
	D000	D112	WELD2110E01	11111	13.45 15.00	1	26	72	210 30 00000
	D000	D112	WELD2111E01	11111	15.15 16.30		24	72	210 30 00000
	D000	D112	WELD1420EN1	1	17.00 21.00		3	72	210 30 00000
	D000	D112	WELD2110EN1	1	17.00 21.00	1	3	72	210 30 00000
	D000	D112	WELD2220EN1	1	17.00 21.00	1	1	72	210 30 00000
	D000	D112	WELD1510EN1	1	17.00 21.00		1	72	210 30 00000
	D000	D112	WELD1512EN1	1	17.00 21.00	1	2	72	210 30 00000
	D000	D112	WELD2111EN1	1	17.00 21.00	1	5	72	210 30 00000
	D000	D112	WELD2311EN1	1	17.00 21.00	1	4	72	210 30 00000
	D000	D112	WELD1511EN1	1	17.00 21.00		1	72	210 30 00000
	D000	D112	WELD2310EN1	1	17.00 21.00	1	5	72	210 30 00000
	D000	D112	WELD2210EN1	111	18.30 19.40	1	3	72	210 30 00000
	D000	D112	WELD2230EN1	111	19.45 21.00		2	72	210 30 00000
	E000	E115	AHSC1000E01	1 1 1	7.30 9.00		47	130	110 49 00000
	E000	E115	HNUR1322EN1	1	17.00 19.30		44	130	110 49 00000
	E000	E115	HNUR1000EN1	1	17.00 20.00		38	130	110 49 00000
4	E000	E118	HNUR2996E01	11	7.30 14.30		2	621	110 35 00000
	E000	E121	AHEN1000E01	11111	8.30 11.30		1	315	110 35 00000
	E000	E121	AHRE1000E01	11111	8.30 11.30	1	1	315	110 35 00000
	E000	E121	DVMA0090E01	11111	8.30 11.30	1	2	315	110 35 00000
	E000	E121	AHMA1000E02	11111	12.30 15.30		1	315	110 35 00000
	E000	E121	AHRE1000E02	11111	12.30 15.30	1	2	315	110 35 00000
	E000	E121	DVMA0090E02	11111	12.30 15.30	1	2	315	110 35 00000
	E000	E121	AHMA1000E03	11111	14.00 15.30	1	2	315	110 35 00000
	E000	E121	AHRE1000E03	11111	14.00 15.30	1	1	315	110 35 00000
	E000	E121	DVEN0090E03	11111	14.00 15.30	1	3	315	110 35 00000
	E000	E121	DVMA0090E03	11111	14.00 15.30	1	7	315	110 35 00000
	E000	E121	DVRE0090E03	11111	14.00 15.30	1	2	315	110 35 00000
	E000	E121	AHMA1000EN1	11111	18.00 20.00		6	315	110 35 00000
	E000	E121	AHRE1000EN1	11111	18.00 20.00	1	1	315	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/14/2014 15:31:12
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	E000	E121	DVEN0090EN1	11111	18.00 20.00	1	2	315	110 35 00000
	E000	E121	DVRE0090EN1	11111	18.00 20.00	1	1	315	110 35 00000
4	E000	E123	HNUR2712E01	11	7.30 9.25		19	300	110 48 00000
	E000	E123	HNUR2138E01	111	7.30 15.30		19	300	110 48 00000
	E000	E123	HNUR2722E01	11	9.35 11.30		19	300	110 48 00000
	E000	E123	HNUR2812E01	11	12.15 14.30		19	300	110 48 00000
	E000	E126	HPHL1011E01	11	7.30 11.30		5	494	110 34 00000
	E000	E126	HPHL1022E01	11	12.15 14.30		5	494	110 34 00000
	E000	E127	HEKG1011E01	111	7.30 9.25		4	60	210 35 00000
	E000	E127	HNUR1211E02	11	7.30 10.00		14	60	210 35 00000
	E000	E127	HCOR1200E01	1 1	9.35 11.30		23	60	210 35 00000
	E000	E127	BOTH1210E01	111	12.15 13.15		22	60	210 35 00000
	E000	E127	HCOR1601E01	11	13.00 15.00		22	60	210 35 00000
	E000	E127	HCOR1160E01	111	13.30 14.30		4	60	210 35 00000
4	E000	E147	HNUR1411E01	111	7.30 9.25		40	739	110 49 00000
	E000	E147	HNUR2118E01	11	7.30 15.30		40	739	110 49 00000
	E000	E147	HNUR2522E01	11	9.35 11.30		40	739	110 49 00000
	E000	E147	HNUR2611E01	11	12.15 13.15		40	739	110 49 00000
	E000	E147	HNUR1460E01	111	13.30 14.30		40	739	110 49 00000
	E000	E158	CULN1240E01	1	8.00 8.50		2	60	210 34 00000
	E000	E158	CULN2310E01	111	8.00 12.00	1	3	60	210 34 00000
	E000	E158	CULN1321E01	11	8.00 12.25		5	60	210 34 00000
4	E000	E158	CULN1240E01	1 1	8.00 15.00		2	60	210 34 00000
	E000	E165	CULN1130E01	1 1	10.15 12.00		8	46	210 33 00000
	E000	E165	CULN1220E01	1 1	12.35 15.00		1	46	210 33 00000
	E000	E167	CULN1170E01	1 1	8.00 10.00		11	46	110 30 00000
	E000	E167	CULN1160E01	1 1	9.00 11.30	1	1	46	110 30 00000
	E000	E167	CULN1140E01	1 1	10.30 12.00		10	46	110 30 00000
	E000	E167	CULN2430E01	1 1 1	12.30 14.59		2	46	110 30 00000
4	F000	F110	AUTO1700E01	11111	8.00 8.20		26	731	110 20 00000
4	F000	F110	AUTO1710E01	11111	8.24 8.44		26	731	110 20 00000
4	F000	F110	AUTO1720E01	11111	8.48 9.08		26	731	110 20 00000
4	F000	F110	AUTO1730E01	11111	9.12 9.32		26	731	110 20 00000
4	F000	F110	AUTO1740E01	11111	9.36 9.56		26	731	110 20 00000
4	F000	F110	AUTO1300E01	11111	10.00 10.20		25	731	110 20 00000
	F000	F115	ELEC1330E01	1 1	8.00 9.00		8	782	110 30 00000
	F000	F115	ELEC1120E01	1 1 1	8.00 9.25	1	7	782	110 30 00000
	F000	F115	ELEC1210E01	1 1	8.00 11.00	1	3	782	110 30 00000
	F000	F115	ELEC2460E01	1 1 1	10.00 11.00	1	7	782	110 30 00000
	F000	F115	ELEC1410E01	1 1	13.35 14.40		10	782	110 30 00000
	F000	F115	ELEC1430E02	1 1	14.50 15.30		1	782	110 30 00000
	F000	F115	ELEC1120EN1	111	16.30 18.00		3	782	110 30 00000
	F000	F115	ELEC1210EN1	111	16.30 19.00	1	2	782	110 30 00000
	F000	F115	ELEC2460EN1	111	18.05 18.35	1	3	782	110 30 00000
	F000	F115	ELEC1311EN1	111	19.05 21.00		2	782	110 30 00000
	F000	F115	ELEC1410EN1	1	20.05 21.00	1	2	782	110 30 00000
4	F000	F118	AUTO1310E01	11111	10.24 10.44		26	500	210 100 00000
4	F000	F118	AUTO1320E01	11111	10.48 11.08		25	500	210 100 00000
4	F000	F118	AUTO1330E01	11111	12.00 12.20		26	500	210 100 00000
4	F000	F118	AUTO1340E01	11111	12.24 12.44		26	500	210 100 00000
4	F000	F118	AUTO1510E01	11111	13.12 13.32		24	500	210 100 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2014
 RUN DATE 10/14/2014 15:31:12
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER

BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	F000	F118	AUTO1520E01	11111	13.36 13.56		500	210 100	00000
4	F000	F118	AUTO1530E01	11111	14.00 14.20		500	210 100	00000
	F000	F119	ELEC1420E01	1 1	9.05 11.00		550	210 150	00000
	F000	F119	ELEC1440E01	1	11.45 13.30		550	210 150	00000
	F000	F119	ELEC1311E01	1 1	11.45 14.45	1	550	210 150	00000
	F000	F119	ELEC1330EN1	1 1	16.30 18.00		550	210 150	00000
	F000	F119	ELEC1420EN1	1 1	18.05 19.00		550	210 150	00000
	F000	F119	ELEC1440EN1	1	19.05 20.00		550	210 150	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	29
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	13
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	42
TOTAL NUMBER OF RECORDS READ	- - - - -	212
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	212
NUMBER OF JOINT-CLASS RECORDS	- - - - -	81
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/14/2014 15:31:12

PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			43
TOTAL NUMBER OF STATIONS (CAPACITY)			1,336
WEEKLY STUDENT CONTACT HOURS	7,107	462	7,569
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,870	2,150	6,020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,560	226	1,786
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	120,240	66,800	187,040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	42,471	6,031	48,502
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,214	925	15,139
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	40.3	10.5	29.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.8	1.4	8.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.5	15.3	31.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			40
TOTAL NUMBER OF STATIONS (CAPACITY)			1,270
WEEKLY STUDENT CONTACT HOURS	7,107	462	7,569
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,600	2,000	5,600
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,560	226	1,786
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	114,300	63,500	177,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	42,471	6,031	48,502
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,214	925	15,139
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	43.3	11.3	31.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.4	1.5	8.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.5	15.3	31.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/14/2014 15:31:12
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			785
WEEKLY STUDENT CONTACT HOURS	2,497	220	2,718
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	532	108	640
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	70,650	39,250	109,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	22,159	3,774	25,933
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,995	441	5,436
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.1	10.3	21.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.1	1.1	4.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.5	11.7	21.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			743
WEEKLY STUDENT CONTACT HOURS	2,497	220	2,718
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	532	108	640
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	66,870	37,150	104,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	22,159	3,774	25,933
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,995	441	5,436
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.1	11.4	24.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.5	1.2	5.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.5	11.7	21.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY