

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/14/2014 08:45:20
 PAGE NUM 1

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	OLAA	0101	ACCT2100A01	1 1 1	8.00 8.55		11	679	110 25	00000
	OLAA	0101	BUSO1100A01	1 1	8.00 9.30		14	679	110 25	00000
	OLAA	0101	BOTH1230A01	1 1	10.30 11.58		8	679	110 25	00000
	OLAA	0101	MATH1015A01	1	17.00 20.00		9	679	110 25	00000
	OLAA	0104	BUSN1100A01	1 1 1	9.20 10.19		4	610	110 32	00000
	OLAA	0104	CSRV1000A01	1 1	12.00 12.45		12	610	110 32	00000
	OLAA	0104	BOTH1210A01	1 1	12.30 13.45		5	610	110 32	00000
	OLAA	0104	BIOL1010A01	1	16.31 19.31		21	610	110 32	00000
	OLAA	0106	KYBD1111A01	1 1 1	9.20 10.27		1	982	210 25	00000
	OLAA	0106	KYBD1010A01	1 1 1	9.30 10.20	1	4	982	210 25	00000
	OLAA	0106	BOTH2110A01	1 1	13.30 14.45		4	982	210 25	00000
	OLAA	0107	BUSO1440A01	1 1	10.00 11.30		3	884	210 23	00000
	OLAA	0107	BUSO1310A01	1 1	12.30 14.00		3	884	210 23	00000
	OLAA	0107	BUSO1320A01	1 1	12.30 14.00	1	8	884	210 23	00000
	OLAA	0107	CPTR1002A01	1 1 1	13.31 14.30		6	884	210 23	00000
4	OLAA	0108	HNUR1211A01	1	7.30 14.25		21	724	110 35	00000
4	OLAA	0108	HCOR1200A01	1	8.00 14.00		18	724	110 35	00000
4	OLAA	0108	HCOR1200A02	1	8.00 14.00	1	1	724	110 35	00000
4	OLAA	0108	HPHL1013A01	111	8.00 14.00		19	724	110 35	00000
	OLAA	0108	BUSO1540A01	1 1	10.00 11.25	1	1	724	110 35	00000
	OLAA	0202	CDYC1110A01	1 1	8.00 9.15		16	583	110 40	00000
	OLAA	0202	CDYC1410A01	1 1	9.30 11.15		13	583	110 40	00000
	OLAA	0202	CDYC1332A01	1	11.30 14.30		3	583	110 40	00000
	OLAA	0208	CSSK1000A02	1	10.00 10.50		4	608	110 18	00000
	OLAA	0208	CSSK1000A03	1	14.00 14.50		5	608	110 18	00000
	OLAA	0301	HNUR1300A01	1 1 1	8.00 11.00		23	1,100	110 32	00000
4	OLAA	0301	HNUR1211A02	1 1	8.00 15.00		24	1,100	110 32	00000
4	OLAA	0301	HNUR1411A01	1 1	8.00 15.00	1	22	1,100	110 32	00000
	OLAA	0301	HNUR1270A01	1 1 1	12.00 13.20		24	1,100	110 32	00000
	OLAA	0301	HNUR1320A01	1 1 1	13.30 14.50		26	1,100	110 32	00000
	OLAA	0501	INTE2110A01	1 1	9.00 11.15		6	951	210 29	00000
	OLAA	0501	INTE2120A01	1 1	9.00 11.15	1	14	951	210 29	00000
	OLAA	0501	INTE2902A01	11111	11.25 12.50		1	951	210 29	00000
	OLAA	0501	INTE2010A01	1 1 1	14.00 15.25		16	951	210 29	00000
	OLAA	0504	INTE1000A01	1 1 1	9.00 9.50		14	773	210 21	00000
	OLAA	0504	INTE1200A01	1 1 1	9.00 11.15	1	3	773	210 21	00000
	OLAA	0504	INTE1100A01	1 1 1	10.00 10.50	1	14	773	210 21	00000
	OLAA	0504	INTE1110A01	1 1 1	12.00 14.30		15	773	210 21	00000
	OLAA	0504	INTE1330A01	1 1	13.25 15.29		9	773	210 21	00000
	OLAA	0504	INTE2840A01	1	15.30 19.45		7	773	210 21	00000
	OLAA	0504	CPTR1000A02	1	15.31 18.31	1	6	773	210 21	00000
4	OLAA	0505	HNUR2991A01	11111	8.00 15.00		18	1,033	110 34	00000
4	OLAA	0505	HNUR2523A01	1 11	8.00 15.00	1	13	1,033	110 34	00000
4	OLAA	0505	HNUR2813A01	1 11	8.00 15.00	1	18	1,033	110 34	00000
	OLAA	0601	ENGL1015A01	1 1	15.00 16.30		21	870	110 25	00000
	OLAA	0601	DVEN0091A05	1 1	15.30 16.45		6	870	110 25	00000
	OLAA	0602	DVEN0091A01	1 1	8.00 9.15		7	858	210 19	00000
	OLAA	0602	DVEN0091A03	1 1	8.00 9.15		14	858	210 19	00000
	OLAA	0602	DVEN0091A04	1 1	12.30 13.45		6	858	210 19	00000
	OLAA	0602	DVEN0092A01	1 1	14.00 15.15		11	858	210 19	00000
	OLAA	0602	DVMA0091A06	1 1	15.45 17.00		11	858	210 19	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OLAA 0604	DVMA0091A01	1 1	10.00 11.30		11	682	210 21	00000
	OLAA 0604	DVMA0091A04	1 1	11.00 12.25		13	682	210 21	00000
	OLAA 0604	DVMA0091A02	1 1	12.00 13.30		10	682	210 21	00000
	OLAA 0604	DVMA0091A05	1 1	14.00 15.30		13	682	210 21	00000
	OLAA 0604	DVMA0092A02	1 1	15.00 16.15		16	682	210 21	00000
	OLAA 0604	MATH1160A01	1	16.00 17.45		15	682	210 21	00000
	OLAA 0604	DVMA0092A01	1 1	16.30 17.45		17	682	210 21	00000
	OLAA 0604	DVMA0091A07	1 1	17.15 18.45		8	682	210 21	00000
4	OLAA 0610	HNUR2611A01	11111	8.00 15.00		19	854	110 16	00000
8	OLAA 0610	HNUR1361A01	11111	12.00 15.00	1	15	854	110 16	00000
	OLAA 0610	HIST2020A01	1	17.00 20.00		5	854	110 16	00000
	OLAA 0610	PSYC2015A01	1	17.00 20.00		19	854	110 16	00000
	OLAC 2101	JIND1305A01	1	17.00 21.00		2	1,023	220 15	00000
	OLAC 2101	JIND2105A01	1	17.00 21.00	1	1	1,023	220 15	00000
	OLAC 2101	JIND2205A01	1	17.00 21.00	1	5	1,023	220 15	00000
	OLAC 2101	JIND2305A01	1	17.00 21.00	1	3	1,023	220 15	00000
	OLAC 2101	JIND1315A01	1	17.00 21.00		2	1,023	220 15	00000
	OLAC 2101	JIND2115A01	1	17.00 21.00	1	1	1,023	220 15	00000
	OLAC 2101	JIND2215A01	1	17.00 21.00	1	5	1,023	220 15	00000
	OLAC 2101	JIND2315A01	1	17.00 21.00	1	3	1,023	220 15	00000
	OLAC 2104	JIND1100A01	1	17.00 21.00		10	567	220 14	00000
	OLAC 2104	JIND1200A01	1	17.00 21.00	1	4	567	220 14	00000
	OLAC 2104	JIND1220A01	1	17.00 21.00	1	1	567	220 14	00000
	OLAC 2104	JIND1110A01	1	17.00 21.00		10	567	220 14	00000
	OLAC 2104	JIND1210A01	1	17.00 21.00	1	4	567	220 14	00000
	OLAC 2104	JIND1230A01	1	17.00 21.00	1	1	567	220 14	00000
	OLAD 1600	WELD1310A02	11111	13.20 13.56		15	2,780	220 15	00000
	OLAD 1600	WELD1310A03	11111	13.20 13.56	1	1	2,780	220 15	00000
4	OLAD 1600	WELD1310A01	11111	16.00 22.00		8	2,780	220 15	00000
	OLAD 1801	WELD1110A02	1 1 1	7.00 9.00		4	140	110 15	00000
	OLAD 1801	WELD1110A03	11111	7.30 8.18	1	8	140	110 15	00000
	OLAD 1801	WELD1120A02	11111	8.20 9.20		9	140	110 15	00000
	OLAD 1801	WELD1130A02	11111	9.21 10.10		7	140	110 15	00000
	OLAD 1801	WELD1130A03	11111	9.21 10.10	1	1	140	110 15	00000
	OLAD 1801	WELD1140A02	11111	10.15 10.55		15	140	110 15	00000
	OLAD 1801	WELD1210A02	11111	12.31 13.19		13	140	110 15	00000
	OLAD 1801	WELD1110A01	11111	16.00 22.00		8	140	110 15	00000
4	OLAD 1801	WELD1110A04	11111	16.00 22.00	1	1	140	110 15	00000
4	OLAD 1801	WELD1120A01	11111	16.00 22.00	1	2	140	110 15	00000
4	OLAD 1801	WELD1130A01	11111	16.00 22.00	1	8	140	110 15	00000
4	OLAD 1801	WELD1140A01	11111	16.00 22.00	1	8	140	110 15	00000
4	OLAD 1801	WELD1210A01	11111	16.00 22.00	1	8	140	110 15	00000
	OLAE 1800	WELD1411A02	11111	7.00 8.25		5	2,306	220 20	00000
	OLAE 1800	WELD1411A03	11111	7.00 8.25	1	1	2,306	220 20	00000
	OLAE 1800	WELD2230A01	11111	7.00 8.25	1	6	2,306	220 20	00000
	OLAE 1800	WELD1511A01	11111	7.00 8.40	1	4	2,306	220 20	00000
	OLAE 1800	WELD2220A01	11111	7.00 8.40	1	3	2,306	220 20	00000
	OLAE 1800	WELD1412A02	11111	8.26 9.50	1	7	2,306	220 20	00000
	OLAE 1800	WELD1512A01	11111	8.41 10.20	1	1	2,306	220 20	00000
	OLAE 1800	WELD2221A01	11111	8.41 10.20	1	1	2,306	220 20	00000
8	OLAE 1800	WELD2310A01	11111	9.21 10.45	1	6	2,306	220 20	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	OLAE 1800	WELD2110A02	11111	9.51 11.15	1	7	2,306	220 20	00000
8	OLAE 1800	WELD2311A01	11111	10.46 12.10	1	5	2,306	220 20	00000
8	OLAE 1800	WELD2111A01	11111	11.16 12.40	1	9	2,306	220 20	00000
8	OLAE 1800	WELD1420A03	11111	11.19 12.59	1	2	2,306	220 20	00000
8	OLAE 1800	WELD1420A02	11111	12.11 13.50	1	4	2,306	220 20	00000
8	OLAE 1800	WELD1510A01	11111	13.00 14.40	1	1	2,306	220 20	00000
8	OLAE 1800	WELD2210A02	11111	13.30 14.55	1	7	2,306	220 20	00000
8	OLAE 1800	WELD1410A02	11111	14.00 14.50	1	12	2,306	220 20	00000
8	OLAE 1800	WELD1410A03	11111	14.00 14.50	1	1	2,306	220 20	00000
	OLAE 1800	MMAT1410A01	1 1	16.00 20.00		9	2,306	220 20	00000
4	OLAE 1800	WELD1410A01	11111	16.00 22.00	1	8	2,306	220 20	00000
4	OLAE 1800	WELD1411A01	11111	16.00 22.00	1	8	2,306	220 20	00000
4	8 OLAE 1800	WELD1412A01	11111	16.00 22.00	1	8	2,306	220 20	00000
4	8 OLAE 1800	WELD1420A01	11111	16.00 22.00	1	2	2,306	220 20	00000
4	8 OLAE 1800	WELD2110A01	11111	16.00 22.00	1	2	2,306	220 20	00000
4	8 OLAE 1800	WELD2210A01	11111	16.00 22.00	1	2	2,306	220 20	00000
4	8 OLAE 1800	WELD2310A16	11111	16.00 22.00	1	2	2,306	220 20	00000
	OLAM 0906	HACR1150A01	1 1 1	8.00 9.40		7	530	110 15	00000
	OLAM 0906	HACR1170A01	1 1	8.00 10.30		8	530	110 15	00000
	OLAM 0906	HACR2810A01	1 1 1	8.00 11.45		1	530	110 15	00000
4	OLAM 0906	HACR2820A01	1 1	8.00 14.30		1	530	110 15	00000
	OLAM 0906	HACR1410A01	11111	8.20 9.00	1	3	530	110 15	00000
	OLAM 0906	HACR2540A01	1 1 1	9.20 11.00		4	530	110 15	00000
	OLAM 0906	HACR2560A01	1 1	9.20 12.20		4	530	110 15	00000
	OLAM 0906	HACR1160A01	1 1 1	9.45 11.25		8	530	110 15	00000
	OLAM 0906	HACR1180A01	1 1	10.35 14.30		8	530	110 15	00000
	OLAM 0906	HACR2550A01	1 1 1	11.30 13.10		4	530	110 15	00000
4	OLAM 1006	MTTC2991A01	11111	8.00 8.25		1	530	110 15	00000
	OLAM 1006	MTTC2220A01	11111	8.00 8.40	1	5	530	110 15	00000
	OLAM 1006	MTTC2120A01	11111	8.00 9.30	1	5	530	110 15	00000
	OLAM 1006	MTTC2510A01	11111	9.00 9.40	1	4	530	110 15	00000
8	OLAM 1006	MTTC2110A02	11111	9.35 10.05	1	9	530	110 15	00000
	OLAM 1006	MTTC2230A01	11111	10.10 11.40		7	530	110 15	00000
	OLAM 1006	MTTC2410A01	11111	11.45 12.55		4	530	110 15	00000
	OLAM 1006	MTTC2431A01	11111	13.00 14.20		6	530	110 15	00000
	OLAM 1006	MTTC2210A01	11111	14.25 15.05		4	530	110 15	00000
	OLAM 1107	BLDG1150A01	1 1	7.30 11.00		7	529	110 15	00000
	OLAM 1107	BLDG1150A02	1 1	7.30 11.00		1	529	110 15	00000
4	OLAM 1107	BLDG1210A01	1 1	7.30 15.00		8	529	110 15	00000
4	OLAM 1107	BLDG1220A01	1 1	7.30 15.00		1	529	110 15	00000
4	OLAM 1107	BLDG1310A01	1 1	7.30 15.00	1	9	529	110 15	00000
	OLAM 1107	BLDG1110A01	1	8.00 9.00		5	529	110 15	00000
	OLAM 1107	BLDG1130A01	1	9.01 11.05		4	529	110 15	00000
	OLAM 1107	BLDG1140A01	1 1	12.00 14.00		2	529	110 15	00000
	OLAM 1107	BLDG1120A01	1 1	12.00 15.00		2	529	110 15	00000
	OLAM 1107	JOBS2450A01	1	15.30 17.30		11	529	110 15	00000
	OLAM 1206	DPET1310A01	11111	8.00 8.45		16	529	110 16	00000
	OLAM 1206	DPET1231A01	11111	8.00 9.15	1	2	529	110 16	00000
	OLAM 1206	DPET2120A01	11111	8.00 9.15	1	1	529	110 16	00000
8	OLAM 1206	DPET1130A01	1 1 1	8.00 10.45	1	16	529	110 16	00000
	OLAM 1206	DPET1141A02	1 1	8.00 11.00		16	529	110 16	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 10/14/2014 08:45:20
 PAGE NUM 4

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OLAM 1206	DPET2130A01	11111	8.46 10.29	1	2	529	110 16	00000
8	OLAM 1206	DPET1330A01	11111	9.20 10.00	1	15	529	110 16	00000
8	OLAM 1206	DPET1150A01	11111	9.20 10.20	1	2	529	110 16	00000
8	OLAM 1206	DPET1141A01	11111	10.01 11.15	1	2	529	110 16	00000
8	OLAM 1206	DPET2240A01	11111	10.30 11.10	1	14	529	110 16	00000
8	OLAM 1206	DPET1140A01	1 1 1	11.00 13.25	1	17	529	110 16	00000
8	OLAM 1206	DPET1310A02	11111	12.00 13.15	1	1	529	110 16	00000
8	OLAM 1206	DPET1320A01	11111	12.00 13.15	1	16	529	110 16	00000
8	OLAM 1206	DPET2140A01	1 1	12.35 15.05	1	2	529	110 16	00000
8	OLAM 1206	DPET2110A01	1 1 1	13.30 15.05		30	529	110 16	00000
8	OLAM 1206	DPET1220A02	11111	13.31 14.59	1	4	529	110 16	00000
	OLAM 1206	DPET2210A01	11111	15.10 16.10		1	529	110 16	00000
	OLAY 0109	CSSK1000H01	11111	13.35 15.30		18	625	110 19	00000
	OLAY 0110	BLDG1110H01	11111	7.00 8.00		18	471	110 14	00000
	OLAY 0110	BLDG1120H01	11111	8.05 9.00		18	471	110 14	00000
	OLAY 0110	BLDG1130H01	11111	9.05 10.00		18	471	110 14	00000
	OLAY 0110	BLDG1140H01	11111	10.05 11.00		18	471	110 14	00000
	OLAY 0110	BLDG1150H01	11111	11.05 12.00		18	471	110 14	00000
	OLAZ 0008	WELD1412A51	1111	7.00 8.30		2	379	110 9	00000
	OLAZ 0008	WELD2110A51	1 1	9.35 10.30		4	379	110 9	00000
	OLAZ 0008	WELD1510A51	1	9.35 11.30		6	379	110 9	00000
	OLAZ 0008	WELD1411A51	1 1	10.35 12.00		2	379	110 9	00000
	OLAZ 0008	WELD2311A51	1	11.45 13.00		3	379	110 9	00000
	OLAZ 0008	WELD1420A51	1 1	12.30 14.30		2	379	110 9	00000
	OLAZ 0008	WELD2230A51	1	13.30 15.00		3	379	110 9	00000
	OLAZ 0008	WELD1420A52	1 1	17.00 20.00		2	379	110 9	00000
	OLAZ 0014	WELD1110A51	1111	7.25 8.25		9	1,507	220 6	00000
	OLAZ 0014	WELD1110A52	1111	17.00 18.00		6	1,507	220 6	00000
	OLAZ 0014	WELD1120A52	1111	18.05 19.05		4	1,507	220 6	00000
	OLAZ 0014	WELD1140A52	1111	19.15 20.15		3	1,507	220 6	00000
	OLAZ 0015	WELD1140A51	1111	7.25 8.25		1	611	220 6	00000
	OLAZ 0015	WELD1110A50	1111	12.00 12.40		3	611	220 6	00000
	OLAZ 0018	HACR2560A52	1 1	15.00 17.00		4	1,517	220 15	00000
	OLAZ 0018	HACR1210A52	1	15.00 18.00		2	1,517	220 15	00000
	OLAZ 0018	HACR1150A52	1 1	17.05 19.00		6	1,517	220 15	00000
	OLAZ 0018	HACR1220A52	1	18.05 21.00		2	1,517	220 15	00000
	OLAZ 0018	HACR1160A52	1 1	19.05 22.00		5	1,517	220 15	00000
	OLAZ 0027	CPTR1000A52	1	16.00 19.00		3	336	210 10	00000
	OLAZ 0031	WELD1310A51	1111	7.25 8.25		1	320	220 6	00000
	OLAZ 0031	WELD1210A51	1111	8.30 9.30		2	320	220 6	00000
	OLAZ 0031	WELD1410A51	1111	8.30 9.30	1	7	320	220 6	00000
	OLAZ 0031	WELD1410A50	1111	12.45 13.30		3	320	220 6	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	29
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	30
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		59
TOTAL NUMBER OF RECORDS READ		195
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		195
NUMBER OF JOINT-CLASS RECORDS		74
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/14/2014 08:45:20

PAGE NUM 1

L.T.C. - SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			453
WEEKLY STUDENT CONTACT HOURS	8,236	111	8,347
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,250	30	1,280
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	40,770	22,650	63,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	26,010	450	26,460
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,472	222	16,694
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	63.1	2.7	41.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	40.4	1.0	26.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.3	49.3	63.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			435
WEEKLY STUDENT CONTACT HOURS	8,236	111	8,347
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,250	30	1,280
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	39,150	21,750	60,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	26,010	450	26,460
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,472	222	16,694
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.1	2.9	43.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	42.1	1.0	27.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.3	49.3	63.1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/14/2014 08:45:20
 PAGE NUM 2

L.T.C. - SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			28
TOTAL NUMBER OF STATIONS (CAPACITY)			484
WEEKLY STUDENT CONTACT HOURS	3,108	344	3,452
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,520	1,400	3,920
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	488	120	608
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,560	24,200	67,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,096	1,588	10,684
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,216	688	6,904
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	19.4	8.6	15.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.3	2.8	10.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	68.3	43.3	64.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			163
WEEKLY STUDENT CONTACT HOURS	1,007	24	1,031
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	232	6	238
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,670	8,150	22,820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,230	126	5,356
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,015	48	2,063
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.2	1.5	21.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.7	.6	9.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.5	38.1	38.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/14/2014 08:45:20

PAGE NUM 3

L.T.C.-SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			321
WEEKLY STUDENT CONTACT HOURS	2,100	320	2,420
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	256	114	370
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28,890	16,050	44,940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,866	1,462	5,328
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,201	640	4,841
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	14.2	11.4	13.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.5	4.0	10.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	108.7	43.8	90.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY