

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 14:46:42
 PAGE NUM 1

L.T.C.-TALLULAH/M. SURLES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	0004	0117	ENGL 101173	1 1	13.00 14.15		5	748	110 24	00000	
	0004	0117	ORNT1000057	1	13.00 14.15	1	16	748	110 24	00000	
	0004	0118A	ACCT1100041	11111	8.00 8.50		6	600	110 14	00000	
	0004	0118A	ACCT1250052	1 1 1	9.00 9.50		5	600	110 14	00000	
	0004	0118A	OSYS1100057	1 1	9.30 10.45		9	600	110 14	00000	
	0004	0118A	ACCT1300048	1111	11.00 11.50		7	600	110 14	00000	
	0004	0118A	KYBD1010041	1 1	13.00 14.15		8	600	110 14	00000	
	0004	0118B	CPTR1010042	11111	8.00 8.50		4	616	140 15	00000	
	0004	0118B	INCT2902087	1 1 1	8.00 8.50	1	9	616	140 15	00000	
	0004	0118B	INCT2110057	11111	9.00 9.50		14	616	140 15	00000	
	0004	0118B	CPTR1002042	1 1 1	10.00 10.50		18	616	140 15	00000	
	0004	0118B	INCT1250056	11111	11.00 11.50		14	616	140 15	00000	
	0004	0118B	INCT2850057	1111	13.00 14.15		10	616	140 15	00000	
4	0004	0120	DVEN 91043	11111	8.00 15.00		3	765	110 20	00000	
4	0004	0120	DVEN 92043	11111	8.00 15.00	1	5	765	110 20	00000	
4	0004	0120	DVMA 90043	11111	8.00 15.00	1	2	765	110 20	00000	
4	0004	0120	DVMA 91044	11111	8.00 15.00	1	2	765	110 20	00000	
4	0004	0120	DVMA 92045	11111	8.00 15.00	1	5	765	110 20	00000	
4	0004	0120	DVRE 91046	11111	8.00 15.00	1	4	765	110 20	00000	
4	0004	0120	DVRE 92046	11111	8.00 15.00	1	2	765	110 20	00000	
4	0004	0134	JOBS2450057	11111	8.00 15.00		2	2,507	210 25	00000	
4	0004	0134	WELD1110057	11111	8.00 15.00	1	5	2,507	210 25	00000	
4	0004	0134	WELD1110191	11111	8.00 15.00	1	23	2,507	210 25	00000	
4	0004	0134	WELD1120058	11111	8.00 15.00	1	7	2,507	210 25	00000	
4	8	0004	0134	WELD1130058	11111	8.00 15.00	1	3	2,507	210 25	00000
4	8	0004	0134	WELD1140058	11111	8.00 15.00	1	7	2,507	210 25	00000
4	8	0004	0134	WELD1210058	11111	8.00 15.00	1	5	2,507	210 25	00000
4	8	0004	0134	WELD1210182	11111	8.00 15.00	1	1	2,507	210 25	00000
4	8	0004	0134	WELD1310058	11111	8.00 15.00	1	5	2,507	210 25	00000
4	8	0004	0134	WELD1410058	11111	8.00 15.00	1	5	2,507	210 25	00000
4	8	0004	0134	WELD1410191	11111	8.00 15.00	1	21	2,507	210 25	00000
4	8	0004	0134	WELD1411058	11111	8.00 15.00	1	3	2,507	210 25	00000
4	8	0004	0134	WELD1411181	11111	8.00 15.00	1	3	2,507	210 25	00000
4	8	0004	0134	WELD1411185	11111	8.00 15.00	1	2	2,507	210 25	00000
4	8	0004	0134	WELD1412058	11111	8.00 15.00	1	4	2,507	210 25	00000
4	8	0004	0134	WELD1412185	11111	8.00 15.00	1	1	2,507	210 25	00000
4	8	0004	0134	WELD1420058	11111	8.00 15.00	1	6	2,507	210 25	00000
4	8	0004	0134	WELD1420191	11111	8.00 15.00	1	1	2,507	210 25	00000
4	8	0004	0134	WELD1510058	11111	8.00 15.00	1	6	2,507	210 25	00000
4	8	0004	0134	WELD1511059	11111	8.00 15.00	1	5	2,507	210 25	00000
4	8	0004	0134	WELD1511127	11111	8.00 15.00	1	2	2,507	210 25	00000
4	8	0004	0134	WELD1512059	11111	8.00 15.00	1	3	2,507	210 25	00000
4	8	0004	0134	WELD2110050	11111	8.00 15.00	1	1	2,507	210 25	00000
4	8	0004	0134	WELD2110171	11111	8.00 15.00	1	2	2,507	210 25	00000
4	8	0004	0134	WELD2111050	11111	8.00 15.00	1	1	2,507	210 25	00000
4	8	0004	0134	WELD2111191	11111	8.00 15.00	1	2	2,507	210 25	00000
4	8	0004	0134	WELD2310050	11111	8.00 15.00	1	1	2,507	210 25	00000
4	8	0004	0134	WELD2311050	11111	8.00 15.00	1	1	2,507	210 25	00000
4	0004	0137	AUTO1100052	11111	8.00 15.00		2	5,739	210 25	00000	
4	0004	0137	AUTO1100191	11111	8.00 15.00	1	4	5,739	210 25	00000	
4	0004	0137	AUTO1110052	11111	8.00 15.00	1	1	5,739	210 25	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 14:46:42
 PAGE NUM 2

L.T.C.-TALLULAH/M. SURLES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
4	0004	0137	AUTO1120170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1130170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1200170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1210170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1220186	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1230170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1240170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1300170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1310170	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1310187	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1320187	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1330187	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1340187	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1400052	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1420052	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1430053	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1440053	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1500053	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1510053	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1830173	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1840054	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	AUTO1850054	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	DPET1120054	11111	8.00 15.00	1	5,739	210	25	00000	
4	0004	0137	DPET1120191	11111	8.00 15.00	1	5,739	210	25	00000	
4	8	0004	0137	DPET1130054	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET1130055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET1140055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET1141055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET1150055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET1240055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2110055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2110169	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2130055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2130169	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2140055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2210055	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2231175	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2240056	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2991056	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	DPET2999185	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	JOBS2450057	11111	8.00 15.00	1	5,739	210	25	00000
4	89	0004	0137	JOBS2450057	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	ORNT1000057	11111	8.00 15.00	1	5,739	210	25	00000
4	89	0004	0137	ORNT1000057	11111	8.00 15.00	1	5,739	210	25	00000
4	8	0004	0137	ORNT1000191	11111	8.00 15.00	1	5,739	210	25	00000
		0009	0001	BOTH1300042	1 1 1	8.00 8.50	10	1,716	210	10	00000
		0009	0001	BOTH1120041	1 1	8.00 9.15	7	1,716	210	10	00000
		0009	0001	BUSE1030042	1 1 1	9.00 9.50	9	1,716	210	10	00000
		0009	0001	MACH1350050	1 1	9.30 10.45	1	1,716	210	10	00000
		0009	0001	JOBS2450069	1 1 1	10.00 10.50	9	1,716	210	10	00000
		0009	0001	ISYS1440061	1111	11.00 11.50	1	1,716	210	10	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 14:46:42
 PAGE NUM 3

L.T.C.-TALLULAH/M. SURLES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.		
	0009	0001	KYBD1111047	11111	13.00 14.15		3		210	10	00000	
	0009	0001	ENGL 101192	1 1	13.00 14.15	1	12	1,716	210	10	00000	
	0009	0001	KYBD1010047	1 1	14.30 15.45		12	1,716	210	10	00000	
4	0009	0010	DVEN 90043	11111	8.00 15.00		4	1,386	110	35	00000	
4	0009	0010	DVEN 91043	11111	8.00 15.00	1	3	1,386	110	35	00000	
4	0009	0010	DVEN 92043	11111	8.00 15.00	1	2	1,386	110	35	00000	
4	0009	0010	DVMA 90044	11111	8.00 15.00	1	14	1,386	110	35	00000	
4	0009	0010	DVMA 91045	11111	8.00 15.00	1	4	1,386	110	35	00000	
4	0009	0010	DVMA 92045	11111	8.00 15.00	1	4	1,386	110	35	00000	
4	0009	0010	DVRE 90045	11111	8.00 15.00	1	4	1,386	110	35	00000	
4	0009	0010	DVRE 91046	11111	8.00 15.00	1	3	1,386	110	35	00000	
4	0009	0010	DVRE 92059	11111	8.00 15.00	1	3	1,386	110	35	00000	
	0009	0011	HCOR1110192	11111	8.00 10.00		16	420	110	20	00000	
	8	0009	0011	HCOR1120192	11111	8.00 10.00	1	16	420	110	20	00000
	8	0009	0011	HCOR1160192	11111	8.00 10.50	1	16	420	110	20	00000
	8	0009	0011	HCOR1120059	11111	8.30 12.30	1	17	420	110	20	00000
4	8	0009	0011	HPHL1011060	11111	8.30 14.30	1	14	420	110	20	00000
	8	0009	0011	HCOR1160060	1 1	8.45 9.45	1	14	420	110	20	00000
	8	0009	0011	HMDT1170060	1 1	8.45 9.45	1	17	420	110	20	00000
	0009	0011	HCOR1110059	11111	13.30 14.30		17	420	110	20	00000	
	0009	0016	INCT1200047	11111	9.00 9.50		2	2,700	140	40	00000	
	0009	0016	INCT1300172	11111	9.00 9.50	1	1	2,700	140	40	00000	
	0009	0016	INCT1110046	11111	10.00 10.50		2	2,700	140	40	00000	
	0009	0016	CPTR1010059	11111	11.00 11.50		6	2,700	140	40	00000	
	0009	0016	INCT1120184	1111	11.00 11.50	1	7	2,700	140	40	00000	
	0009	0016	CPTR1002172	1 1	11.00 11.50	1	14	2,700	140	40	00000	
	0009	0016	CPTR1320172	1111	13.00 14.10		8	2,700	140	40	00000	
	0009	0016	CPTR2640172	1111	13.00 14.15	1	3	2,700	140	40	00000	
	0009	0016	INCT2261172	1111	14.15 15.45		2	2,700	140	40	00000	
	0009	0017	INCT2902172	1111	14.15 15.45		3	384	680	15	00000	
4	0011	0024	JOBS2450061	11111	8.00 15.00		1	2,900	210	27	00000	
4	0011	0024	WELD1110061	11111	8.00 15.00	1	1	2,900	210	27	00000	
4	0011	0024	WELD1110192	11111	8.00 15.00	1	6	2,900	210	27	00000	
4	0011	0024	WELD1130061	11111	8.00 15.00	1	1	2,900	210	27	00000	
4	0011	0024	WELD1210061	11111	8.00 15.00	1	3	2,900	210	27	00000	
4	0011	0024	WELD1310061	11111	8.00 15.00	1	2	2,900	210	27	00000	
4	0011	0024	WELD1410061	11111	8.00 15.00	1	2	2,900	210	27	00000	
4	0011	0024	WELD1410193	11111	8.00 15.00	1	6	2,900	210	27	00000	
4	0011	0024	WELD1411062	11111	8.00 15.00	1	2	2,900	210	27	00000	
4	0011	0024	WELD1412062	11111	8.00 15.00	1	1	2,900	210	27	00000	
4	0011	0024	WELD1420062	11111	8.00 15.00	1	3	2,900	210	27	00000	
4	0011	0024	WELD1510062	11111	8.00 15.00	1	1	2,900	210	27	00000	
4	0011	0024	WELD2110062	11111	8.00 15.00	1	1	2,900	210	27	00000	
4	0011	0024	WELD2111062	11111	8.00 15.00	1	1	2,900	210	27	00000	
4	0011	0024	WELD2230062	11111	8.00 15.00	1	2	2,900	210	27	00000	
4	0011	0024	WELD2310062	11111	8.00 15.00	1	2	2,900	210	27	00000	
4	0011	0024	WELD2311063	11111	8.00 15.00	1	2	2,900	210	27	00000	
	0072	0104	HNUR1300158	11111	8.00 11.00		23	854	110	36	00000	
	0072	0104	HNUR1411056	11111	8.00 11.00	1	22	854	110	36	00000	
	0072	0104	HNUR1211158	1 1	11.30 16.30		8	854	110	36	00000	
	0072	0104	HNUR1270056	1 1	12.00 15.00		22	854	110	36	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 11/21/2013 14:46:42
 PAGE NUM 4

L.T.C.-TALLULAH/M. SURLES

BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0072	0104	HNUR1320056	1 1	12.00 15.00	1	22	854	110 36 00000
	0072	0104	ORNT1000159	1 1	15.00 16.05		24	854	110 36 00000
	0072	0115	HCOR1110192	11111	12.30 14.30		21	877	110 25 00000
8	0072	0115	HCOR1120192	11111	12.30 14.30	1	21	877	110 25 00000
8	0072	0115	HCOR1160192	11111	12.30 14.30	1	21	877	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 11/21/2013 14:46:42

L.T.C.-TALLULAH/M. SURLES

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	110
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	53
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	2

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	165
TOTAL NUMBER OF RECORDS READ	- - - - -	158
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	156
NUMBER OF JOINT-CLASS RECORDS	- - - - -	119
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/21/2013 14:46:42
PAGE NUM 1

L.T.C. - TALLULAH/M. SURLES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			506
WEEKLY STUDENT CONTACT HOURS	6,081		6,081
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	663		663
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	45,540	25,300	70,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,550		18,550
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,162		12,162
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	35.1	.0	22.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.7	.0	17.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	65.6	.0	65.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			426
WEEKLY STUDENT CONTACT HOURS	5,591		5,591
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,620	900	2,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	525		525
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,340	21,300	59,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,380		14,380
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,182		11,182
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.4	.0	20.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.2	.0	18.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	77.8	.0	77.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/21/2013 14:46:42
 PAGE NUM 2

L.T.C. - TALLULAH/M. SURLES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			80
WEEKLY STUDENT CONTACT HOURS	490		490
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	138		138
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,200	4,000	11,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,170		4,170
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	980		980
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.1	.0	32.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.6	.0	8.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.5	.0	23.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			112
WEEKLY STUDENT CONTACT HOURS	9,096		9,096
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	485		485
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,080	5,600	15,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,430		11,430
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,193		18,193
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.9	.0	28.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	180.5	.0	116.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	159.2	.0	159.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/21/2013 14:46:42

PAGE NUM 3

L.T.C. -TALLULAH/M. SURLES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			112
WEEKLY STUDENT CONTACT HOURS	9,096		9,096
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	485		485
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,080	5,600	15,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,430		11,430
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,193		18,193
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.9	.0	28.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	180.5	.0	116.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	159.2	.0	159.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY