

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 1

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0001	0100	159	8	71 730		0001	0101	206	7	71 730
	0001	0102	91	1	71 730		0001	0103	177	2	71 730
	0001	0104	16		71 730		0001	0105	195	1	71 730
	0001	0106	58		71 730		0001	0107	54	1	71 730
	0001	0108	8		71 730		0001	0109	14		71 730
	0001	0110	211	2	71 730		0001	0111	136		71 730
	0001	0112	62	2	71 730		0001	0113	10		71 730
	0001	0114	14		71 730		0001	0115	41		71 730
							TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				1,452
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0002	0101	148		00 020		0002	0102	53		00 020
	0002	0103	12		31 970		0002	0104	157		31 685
	0002	0105	561	30	31 680		0002	0106	17		31 685
	0002	0107	138	1	31 310		0002	0108	12		00 030
	0002	0109	15		00 010		0002	0110	23		31 685
	0002	0111	212	7	31 685		0002	0112	378	9	31 685
	0002	0113	54		00 020		0002	0114	144	3	00 030
	0002	0115	218	3	00 030		0002	0201	218		00 020
	0002	0202	64		00 020		0002	0203	23		00 030
	0002	0204	67	1	31 970		0002	0205	173	2	31 970
	0002	0206	12		00 030		0002	0207	8		31 970
	0002	0208	212	2	31 970		0002	0209	49	1	31 970
	0002	0210	9	1	31 970		0002	0211	52	1	31 970
	0002	0212	5		31 970		0002	0213	9		31 970
	0002	0214	239	2	31 970		0002	0215	8		31 970

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		
				CLASS	OTHER LAB.	FUNC.	ROOM TYPE					CLASS	OTHER LAB.	FUNC.	ROOM TYPE	
								TOTAL								
								NUMBER								
								CLASSROOMS								
								COMPUTER								
								CLASSES								
								LABS								
								210								
								SPECIAL								
								LABS								
								220								
	0003	0100	1038		1	46	310		0003	0101	823		1	46	310	
	0003	0102	183		1	46	310		0003	0102A	23			45	315	
	0003	0103	407		1	46	310		0003	0104	202		1	46	310	
	0003	0104A	25			45	315		0003	0105	730			00	030	
	0003	0106	311			00	030		0003	0107	389			00	030	
	0003	0108	251			00	030		0003	0109	201			00	030	
	0003	0110	129			72	731		0003	0111	348		10	46	350	
	0003	0112	310			00	020		0003	0113	802	29		11	110	
	0003	0113A	16			45	115		0003	0114	960			00	020	
	0003	0115	314		1	46	314		0003	0116	294			45	315	
	0003	0117	48		1	31	919		0003	0118	70			00	020	
	0003	0119	78		1	46	310		0003	0120	21		5	31	650	
	0003	0121	861	37		11	110		0003	0122	112			77	731	
	0003	0123	92			77	731		0003	0124	1050	42		11	110	
	0003	0126	57			00	010		0003	0126A	36			64	715	
	0003	0127	48			00	030		0003	0128	35			00	030	
	0003	0129	227		4	31	919		0003	0130	238			31	919	
	0003	0131	318			00	020		0003	0132	57			45	115	
	0003	0133	57			45	115		0003	0134	2224	124		11	110	
	0003	0135	1248			00	020		0003	0136	310			00	020	
	0003	0137	70		1	46	315		0003	0138	115		1	46	310	
	0003	0139	174		1	11	310		0003	0140	87			44	315	
	0003	0141	277		1	11	310		0003	0142	53		1	11	310	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 3

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0003	0143	372	1		11 310		0003	0144	100	1		11 310
	0003	0145	100	1		11 310		0003	0146	100	1		11 310
	0003	0147	55			00 020		0003	0148	482			00 020
	0003	0149	104	1		11 310		0003	0150	106	1		11 310
	0003	0151	106	1		11 310		0003	0153	106	1		11 310
	0003	0154	104	1		11 310		0003	0155	106	1		11 310
	0003	0156	108	1		11 310		0003	0157	108	1		11 310
	0003	0158	104	1		11 310		0003	0159	396	8		41 250
	0003	0160	633	19		11 110		0003	0160A	15			45 115
	0003	0201	1563	48		11 110		0003	0202	480			00 030
	0003	0203	1340	41		11 210		0003	0204	310			00 020
	0003	0205	1207			00 020		0003	0206	228			00 020
	0003	0207	1889	70		11 110		0003	0208	1000	39		11 110
9	0003	0212	404	4		11 410		0003	0213	69			00 010
	0003	0214	57			00 010		0003	0214A	29			64 715
	0003	0215	48			00 030		0003	0216	227			31 919
	0003	0217	238			31 919		0003	0218	185			00 020
	0003	0219	1202			00 020		0003	0220	310			00 020
	0003	0221	710	30		44 240		0003	0221A	690	26		44 220
	0003	0222	995	36		11 110		0003	0223	995	40		11 110
	0003	0301	365	1		46 310		0003	0302	184	1		46 310
	0003	0303	175			45 315		0003	0304	158			45 315
	0003	0305	149	2		46 315		0003	0306	372			44 731
	0003	0307	575			00 030		0003	0308	1002	38		11 140
	0003	0309	130	1		11 310		0003	0310	85			11 315
	0003	0311	130			11 315		0003	0312	310			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 4

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	
	0003	0313	1082			00	020	0003	0314	222			00	020
	0003	0315	765	18		11	140	0003	0316	775	25		11	140
	0003	0317	409		2	31	650	0003	0318	1114	50		11	110
	0003	0319A	29			45	115	0003	0320	48			00	030
	0003	0321	238			31	919	0003	0323	272			00	020
	0003	0324	1127			00	020	0003	0325	310			00	020
	0003	0326	71			00	020	0003	0327	64		1	31	919
	0003	0328	36			72	731	0003	0329	64		1	31	919
	0003	0330	112		1	11	310	0003	0331	114		1	11	310
	0003	0332	114		1	11	310	0003	0333	114		1	11	310
	0003	0334	114			46	315	0003	0335	345		8	22	250
	0003	0337	53			00	020	0003	0338	101		1	11	310
	0003	0339	22			45	315	0003	0340	516			00	020
	0003	0341	19			45	315	0003	0342	100		1	11	310
	0003	0343	104		1	11	310	0003	0344	102		1	11	310
	0003	0345	104		1	11	310	0003	0346	104		1	11	310
	0003	0347	102		1	11	310	0003	0348	104		1	11	310
	0003	0349	102		1	11	310	0003	0350	104		1	11	310
	0003	0351	104		1	11	310	0003	0352	104		1	11	310
	0003	0353	104		1	11	310	0003	0354	103		1	11	310
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					31,869	
								TOTAL NUMBER CLASSROOMS					11	
								TOTAL NUMBER COMPUTER CLASSROOMS					3	
								TOTAL NUMBER LABS					210	
								TOTAL NUMBER SPECIAL LABS					220	
	0004	1101A	260		2	91	920	0004	1101B	65		1	91	920
	0004	1102A	260		2	91	920	0004	1102B	65		1	91	920
	0004	1103A	260		2	91	920	0004	1103B	65		1	91	920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 5

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0004	1104A	260	2	91 920		0004	1104B	65	1	91 920
	0004	1105A	260	2	91 920		0004	1105B	65	1	91 920
	0004	1106A	260	2	91 920		0004	1106B	65	1	91 920
	0004	1107A	260	2	91 920		0004	1107B	65	1	91 920
	0004	1108A	260	2	91 920		0004	1108B	65	1	91 920
	0004	1109A	260	2	91 920		0004	1109B	65	1	91 920
	0004	1110A	260	2	91 920		0004	1110B	65	1	91 920
	0004	1111A	260	2	91 920		0004	1111B	65	1	91 920
	0004	1112A	260	2	91 920		0004	1112B	65	1	91 920
	0004	1113A	260	2	91 920		0004	1113B	65	1	91 920
	0004	1114A	260	2	91 920		0004	1114B	65	1	91 920
	0004	1115A	260	2	91 920		0004	1115B	65	1	91 920
	0004	1116A	260	2	91 920		0004	1116B	65	1	91 920
	0004	1117A	260	2	91 920		0004	1117B	65	1	91 920
	0004	1118A	260	2	91 920		0004	1118B	65	1	91 920
	0004	1119A	260	2	91 920		0004	1119B	65	1	91 920
	0004	1120A	260	2	91 920		0004	1120B	65	1	91 920
	0004	1121A	260	2	91 920		0004	1121B	65	1	91 920
	0004	1122A	260	2	91 920		0004	1122B	65	1	91 920
	0004	1123A	260	2	91 920		0004	1123B	65	1	91 920
	0004	1124A	260	2	91 920		0004	1124B	65	1	91 920
	0004	1125A	260	2	91 920		0004	1125B	65	1	91 920
	0004	1126A	260	2	91 920		0004	1126B	65	1	91 920
	0004	1127A	260	2	91 920		0004	1127B	65	1	91 920
	0004	1128A	260	2	91 920		0004	1128B	65	1	91 920
	0004	1129A	260	2	91 920		0004	1129B	65	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 6

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0004	1130A	260	2	91 920		0004	1130B	65	1	91 920
	0004	1131A	260	2	91 920		0004	1131B	65	1	91 920
	0004	1132A	260	2	91 920		0004	1132B	65	1	91 920
	0004	1133A	260	2	91 920		0004	1133B	65	1	91 920
	0004	1134A	260	2	91 920		0004	1134B	65	1	91 920
	0004	1135A	260	2	91 920		0004	1135B	65	1	91 920
	0004	1136A	260	2	91 920		0004	1136B	65	1	91 920
	0004	1137A	260	2	91 920		0004	1137B	65	1	91 920
	0004	1138A	260	2	91 920		0004	1138B	65	1	91 920
	0004	1139A	260	2	91 920		0004	1139B	65	1	91 920
	0004	1140A	260	2	91 920		0004	1140B	65	1	91 920
	0004	1141	1160		00 020		0004	1142	154		00 020
	0004	1143	160		00 020		0004	1144	154		00 020
	0004	1145	1269		00 020		0004	1150	529	5	91 935
	0004	1151	36		00 030		0004	1152	53		91 935
	0004	1153	82		00 030		0004	1154	115	2	91 935
	0004	1156	65		00 030		0004	1156A	58		00 020
	0004	1157	187		91 935		0004	1158	323		00 020
	0004	1159	35		00 030		0004	1160	16		00 030
	0004	1201A	260	2	91 920		0004	1201B	65	1	91 920
	0004	1202A	260	2	91 920		0004	1202B	65	1	91 920
	0004	1203A	260	2	91 920		0004	1203B	65	1	91 920
	0004	1204A	260	2	91 920		0004	1204B	65	1	91 920
	0004	1205A	260	2	91 920		0004	1205B	65	1	91 920
	0004	1206A	260	2	91 920		0004	1206B	65	1	91 920
	0004	1207A	260	2	91 920		0004	1207B	65	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 7

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION

OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0004	1208A	260	2	91 920		0004	1208B	65	1	91 920
	0004	1209A	260	2	91 920		0004	1209B	65	1	91 920
	0004	1210A	260	2	91 920		0004	1210B	65	1	91 920
	0004	1211A	260	2	91 920		0004	1211B	65	1	91 920
	0004	1212A	260	2	91 920		0004	1212B	65	1	91 920
	0004	1213A	260	2	91 920		0004	1213B	65	1	91 920
	0004	1214A	260	2	91 920		0004	1214B	65	1	91 920
	0004	1215A	260	2	91 920		0004	1215B	65	1	91 920
	0004	1216A	260	2	91 920		0004	1216B	65	1	91 920
	0004	1217A	260	2	91 920		0004	1217B	65	1	91 920
	0004	1218A	260	2	91 920		0004	1218B	65	1	91 920
	0004	1219A	260	2	91 920		0004	1219B	65	1	91 920
	0004	1220A	260	2	91 920		0004	1220B	65	1	91 920
	0004	1221A	260	2	91 920		0004	1221B	65	1	91 920
	0004	1222A	260	2	91 920		0004	1222B	65	1	91 920
	0004	1223A	260	2	91 920		0004	1223B	65	1	91 920
	0004	1224A	260	2	91 920		0004	1224B	65	1	91 920
	0004	1225A	260	2	91 920		0004	1225B	65	1	91 920
	0004	1226A	260	2	91 920		0004	1226B	65	1	91 920
	0004	1227A	260	2	91 920		0004	1227B	65	1	91 920
	0004	1228A	260	2	91 920		0004	1228B	65	1	91 920
	0004	1229A	260	2	91 920		0004	1229B	65	1	91 920
	0004	1230A	260	2	91 920		0004	1230B	65	1	91 920
	0004	1231A	260	2	91 920		0004	1231B	65	1	91 920
	0004	1232A	260	2	91 920		0004	1232B	65	1	91 920
	0004	1234A	260	2	91 920		0004	1234B	65	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 8

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0004	1235A	260	2	91 920		0004	1235B	65	1	91 920
	0004	1236A	260	2	91 920		0004	1236B	65	1	91 920
	0004	1237A	260	2	91 920		0004	1237B	65	1	91 920
	0004	1238A	260	2	91 920		0004	1238B	65	1	91 920
	0004	1239A	260	2	91 920		0004	1239B	65	1	91 920
	0004	1240A	260	2	91 920		0004	1240B	65	1	91 920
	0004	1241	1160		00 020		0004	1242	154		00 020
	0004	1243	160		00 020		0004	1244	154		00 020
	0004	1245	1269		00 020		0004	1250	529	5	91 935
	0004	1253	58		00 030		0004	1253A	22		00 030
	0004	1257	187		91 935		0004	1258	482	10	91 935
	0004	1258A	58		00 020		0004	1259	35		00 030
	0004	1260	237	10	91 935		0004	1301A	260	2	91 920
	0004	1301B	65	1	91 920		0004	1302A	260	2	91 920
	0004	1302B	65	1	91 920		0004	1303A	260	2	91 920
	0004	1303B	65	1	91 920		0004	1304A	260	2	91 920
	0004	1304B	65	1	91 920		0004	1305A	260	2	91 920
	0004	1305B	65	1	91 920		0004	1306A	260	2	91 920
	0004	1306B	65	1	91 920		0004	1307A	260	2	91 920
	0004	1307B	65	1	91 920		0004	1308A	260	2	91 920
	0004	1308B	65	1	91 920		0004	1309A	260	2	91 920
	0004	1309B	65	1	91 920		0004	1310A	260	2	91 920
	0004	1310B	65	1	91 920		0004	1311A	260	2	91 920
	0004	1311B	65	1	91 920		0004	1312A	260	2	91 920
	0004	1312B	65	1	91 920		0004	1313A	260	2	91 920
	0004	1313B	65	1	91 920		0004	1314A	260	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 9

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0004	1314B	65	1	91 920		0004	1315A	260	2	91 920
	0004	1315B	65	1	91 920		0004	1316A	260	2	91 920
	0004	1316B	65	1	91 920		0004	1317A	260	2	91 920
	0004	1317B	65	1	91 920		0004	1318A	260	2	91 920
	0004	1318B	65	1	91 920		0004	1319A	260	2	91 920
	0004	1319B	65	1	91 920		0004	1320A	260	2	91 920
	0004	1320B	65	1	91 920		0004	1321A	260	2	91 920
	0004	1321B	65	1	91 920		0004	1322A	260	2	91 920
	0004	1322B	65	1	91 920		0004	1323A	260	2	91 920
	0004	1323B	65	1	91 920		0004	1324A	260	2	91 920
	0004	1324B	65	1	91 920		0004	1325A	260	2	91 920
	0004	1325B	65	1	91 920		0004	1326A	260	2	91 920
	0004	1326B	65	1	91 920		0004	1327A	260	2	91 920
	0004	1327B	65	1	91 920		0004	1328A	260	2	91 920
	0004	1328B	65	1	91 920		0004	1329A	260	2	91 920
	0004	1329B	65	1	91 920		0004	1330A	260	2	91 920
	0004	1330B	65	1	91 920		0004	1331A	260	2	91 920
	0004	1331B	65	1	91 920		0004	1332A	260	2	91 920
	0004	1332B	65	1	91 920		0004	1333A	260	2	91 920
	0004	1333B	65	1	91 920		0004	1334A	260	2	91 920
	0004	1334B	65	1	91 920		0004	1335A	260	2	91 920
	0004	1335B	65	1	91 920		0004	1336A	260	2	91 920
	0004	1336B	65	1	91 920		0004	1337A	260	2	91 920
	0004	1337B	65	1	91 920		0004	1338A	260	2	91 920
	0004	1338B	65	1	91 920		0004	1339A	260	2	91 920
	0004	1339B	65	1	91 920		0004	1340A	260	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 10

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0004	1340B	65	1		91 920		0004	1341	1160			00 020
	0004	1342	154			00 020		0004	1343	160			00 020
	0004	1344	154			00 020		0004	1345	1269			00 020
	0004	1350	529	2		91 935		0004	1353	58	2		00 030
	0004	1353A	22	2		00 030		0004	1357	187	2		91 935
	0004	1358	482	2		91 935		0004	1358A	58			00 020
	0004	1359	35	2		00 030		0004	1360	237	10		91 935
TOTAL NET ASSIGN SQ. FT. IN ROOM FILE 42,429													
TOTAL NUMBER CLASSROOMS													
TOTAL NUMBER COMPUTER CLASSROOMS													
TOTAL NUMBER LABS 210													
TOTAL NUMBER SPECIAL LABS 220													
	0005	2101A	110	1		91 920		0005	2101B	110	1		91 920
	0005	2101C	38	1		91 919		0005	2101D	102			00 020
	0005	2102A	110	1		91 920		0005	2102B	110	1		91 920
	0005	2102C	38	1		91 919		0005	2102D	102			00 020
	0005	2103A	110	1		91 920		0005	2103B	110	1		91 920
	0005	2103C	38	1		91 919		0005	2103D	102			00 020
	0005	2104A	110	1		91 920		0005	2104B	110	1		91 920
	0005	2104C	38	1		91 919		0005	2104D	102			00 020
	0005	2105A	110	1		91 920		0005	2105B	110	1		91 920
	0005	2105C	38	1		91 919		0005	2105D	102			00 020
	0005	2106A	110	1		91 920		0005	2106B	110	1		91 920
	0005	2106C	38	1		91 919		0005	2106D	102			00 020
	0005	2107A	110	1		91 920		0005	2107B	110	1		91 920
	0005	2107C	38	1		91 919		0005	2107D	102			00 020
	0005	2108A	110	1		91 920		0005	2108B	110	1		91 920
	0005	2108C	38	1		91 919		0005	2108D	102			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 11

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2109A	110	1		91 920		0005	2109B	110	1		91 920
	0005	2109C	38	1		91 919		0005	2109D	102			00 020
	0005	2110A	110	1		91 920		0005	2110B	110	1		91 920
	0005	2110C	38	1		91 919		0005	2110D	102			00 020
	0005	2111	140			00 020		0005	2112	151			00 020
	0005	2113	140			00 020		0005	2114	180			00 020
	0005	2115	140			00 020		0005	2116	140			00 020
	0005	2117	193			00 020		0005	2118	390			00 020
	0005	2119	110			00 020		0005	2120	578			00 020
	0005	2121	480	5		00 020		0005	2122	14			00 030
	0005	2123	26			00 030		0005	2124	29			00 030
	0005	2150	53			91 935		0005	2152	856	3		92 310
	0005	2153	856	3		92 310		0005	2154	790	3		91 660
	0005	2155	131			00 030		0005	2156	52	10		00 030
	0005	2156A	58			00 020		0005	2157	1525			91 630
	0005	2157A	57	1		91 919		0005	2157B	57	1		91 919
	0005	2157C	284			91 635		0005	2157D	284	5		91 635
	0005	2158	592	5		00 020		0005	2158A	106			00 030
	0005	2158B	12			00 030		0005	2158C	77			00 030
	0005	2158D	100	1		00 030		0005	2158E	66			00 020
	0005	2159	234	5		91 350		0005	2160	170			00 020
	0005	2161	435	8		92 310		0005	2162	308	4		92 310
	0005	2162A	61	1		91 919		0005	2163	132	1		92 310
	0005	2164A	134	1		92 310		0005	2164B	143	1		92 310
	0005	2165	234	1		92 310		0005	2166	149			91 315
	0005	2167	95	1		92 310		0005	2168	145	1		92 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 12

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2169	126	1	92 310		0005	2170	257	3	91 650
	0005	2170A	23		00 030		0005	2171A	210	1	91 950
	0005	2171B	179	1	91 950		0005	2171C	95	1	91 919
	0005	2171D	372		91 950		0005	2171E	74		91 919
	0005	2172A	88	1	91 950		0005	2172B	203	1	91 950
	0005	2172C	82	1	91 919		0005	2172D	207		91 950
	0005	2174A	115	1	91 950		0005	2174B	163	1	91 950
	0005	2174C	77	1	91 919		0005	2176A	176	1	91 950
	0005	2176B	113	1	91 950		0005	2176C	76	1	91 919
	0005	2201A	110	1	91 920		0005	2201B	110	1	91 920
	0005	2201C	38	1	91 919		0005	2201D	102		91 935
	0005	2202A	110	1	91 920		0005	2202B	110	1	91 920
	0005	2202C	38	1	91 919		0005	2202D	102		91 935
	0005	2203A	110	1	91 920		0005	2203B	110	1	91 920
	0005	2203C	38	1	91 919		0005	2203D	102		91 935
	0005	2204A	110	1	91 920		0005	2204B	110	1	91 920
	0005	2204C	38	1	91 919		0005	2204D	102		91 935
	0005	2205A	110	1	91 920		0005	2205B	110	1	91 920
	0005	2205C	38	1	91 919		0005	2205D	102		91 935
	0005	2206A	110	1	91 920		0005	2206B	110	1	91 920
	0005	2206C	38	1	91 919		0005	2206D	102		91 935
	0005	2207A	110	1	91 920		0005	2207B	110	1	91 920
	0005	2207C	38	1	91 919		0005	2207D	102		91 935
	0005	2208A	110	1	91 920		0005	2208B	110	1	91 920
	0005	2208C	38	1	91 919		0005	2208D	102		91 935
	0005	2209A	110	1	91 920		0005	2209B	110	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 13

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2209C	38	1		91 919		0005	2209D	102			91 935
	0005	2210A	110	1		91 920		0005	2210B	110	1		91 920
	0005	2210C	38	1		91 919		0005	2210D	102			91 935
	0005	2211A	110	1		91 920		0005	2211B	110	1		91 920
	0005	2211C	38	1		91 919		0005	2211D	102			91 935
	0005	2212A	110	1		91 920		0005	2212B	110	1		91 920
	0005	2212C	38	1		91 919		0005	2212D	102			91 935
	0005	2213A	110	1		91 920		0005	2213B	110	1		91 920
	0005	2213C	38	1		91 919		0005	2213D	102			91 935
	0005	2214A	110	1		91 920		0005	2214B	110	1		91 920
	0005	2214C	38	1		91 919		0005	2214D	102			91 935
	0005	2215A	110	1		91 920		0005	2215B	110	1		91 920
	0005	2215C	38	1		91 919		0005	2215D	102			91 935
	0005	2216A	110	1		91 920		0005	2216B	110	1		91 920
	0005	2216C	38	1		91 919		0005	2216D	102			91 935
	0005	2217A	110	1		91 920		0005	2217B	110	1		91 920
	0005	2217C	38	1		91 919		0005	2217D	102			91 935
	0005	2218A	110	1		91 920		0005	2218B	110	1		91 920
	0005	2218C	38	1		91 919		0005	2218D	102			91 935
	0005	2219A	110	1		91 920		0005	2219B	110	1		91 920
	0005	2219C	38	1		91 919		0005	2219D	102			91 935
	0005	2220A	110	1		91 920		0005	2220B	110	1		91 920
	0005	2220C	38	1		91 919		0005	2220D	102			91 935
	0005	2221A	110	1		91 920		0005	2221B	110	1		91 920
	0005	2221C	38	1		91 919		0005	2221D	102			91 935
	0005	2222A	110	1		91 920		0005	2222B	110	1		91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 14

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2222C	38	1	91 919		0005	2222D	102		91 935
	0005	2223A	110	1	91 920		0005	2223B	110	1	91 920
	0005	2223C	38	1	91 919		0005	2223D	102		91 935
	0005	2224A	110	1	91 920		0005	2224B	110	1	91 920
	0005	2224C	38	1	91 919		0005	2224D	102		91 935
	0005	2225A	110	1	91 920		0005	2225B	110	1	91 920
	0005	2225C	38	1	91 919		0005	2225D	102		91 935
	0005	2226A	110	1	91 920		0005	2226B	110	1	91 920
	0005	2226C	38	1	91 919		0005	2226D	102		91 935
	0005	2227A	110	1	91 920		0005	2227B	110	1	91 920
	0005	2227C	38	1	91 919		0005	2227D	102		91 935
	0005	2228A	110	1	91 920		0005	2228B	110	1	91 920
	0005	2228C	38	1	91 919		0005	2228D	102		91 935
	0005	2229A	110	1	91 920		0005	2229B	110	1	91 920
	0005	2229C	38	1	91 919		0005	2229D	102		91 935
	0005	2230A	110	1	91 920		0005	2230B	110	1	91 920
	0005	2230C	38	1	91 919		0005	2230D	102		91 935
	0005	2231A	110	1	91 920		0005	2231B	110	1	91 920
	0005	2231C	38	1	91 919		0005	2231D	102		91 935
	0005	2232A	110	1	91 920		0005	2232B	110	1	91 920
	0005	2232C	38	1	91 919		0005	2232D	102		91 935
	0005	2234A	110	1	91 920		0005	2234B	110	1	91 920
	0005	2234C	38	1	91 919		0005	2234D	102		91 935
	0005	2236A	110	1	91 920		0005	2236B	110	1	91 920
	0005	2236C	38	1	91 919		0005	2236D	102		91 935
	0005	2238A	110	1	91 920		0005	2238B	110	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 15

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0005	2238C	38	1		91 919		0005	2238D	102			91 935
	0005	2239	1553			00 020		0005	2240	489			00 020
	0005	2241	720			00 020		0005	2242	140			00 020
	0005	2243	151			00 020		0005	2244	140			00 020
	0005	2250	260	5		00 020		0005	2250A	16			00 030
	0005	2250B	24			00 030		0005	2251	195	3		00 020
	0005	2252	483	5		00 020		0005	2253	45			00 030
	0005	2253A	31			00 030		0005	2253B	58			00 030
	0005	2254	22			00 030		0005	2254A	17			00 030
	0005	2301A	110	1		91 920		0005	2301B	110	1		91 920
	0005	2301C	38	1		91 919		0005	2301D	102			91 935
	0005	2302A	110	1		91 920		0005	2302B	110	1		91 920
	0005	2302C	38	1		91 919		0005	2302D	102			91 935
	0005	2303A	110	1		91 920		0005	2303B	110	1		91 920
	0005	2303C	38	1		91 919		0005	2303D	102			91 935
	0005	2304A	110	1		91 920		0005	2304B	110	1		91 920
	0005	2304C	38	1		91 919		0005	2304D	102			91 935
	0005	2305A	110	1		91 920		0005	2305B	110	1		91 920
	0005	2305C	38	1		91 919		0005	2305D	102			91 935
	0005	2306A	110	1		91 920		0005	2306B	110	1		91 920
	0005	2306C	38	1		91 919		0005	2306D	102			91 935
	0005	2307A	110	1		91 920		0005	2307B	110	1		91 920
	0005	2307C	38	1		91 919		0005	2307D	102			91 935
	0005	2308A	110	1		91 920		0005	2308B	110	1		91 920
	0005	2308C	38	1		91 919		0005	2308D	102			91 935
	0005	2309A	110	1		91 920		0005	2309B	110	1		91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 16

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2309C	38	1		91 919		0005	2309D	102			91 935
	0005	2310A	110	1		91 920		0005	2310B	110	1		91 920
	0005	2310C	38	1		91 919		0005	2310D	102			91 935
	0005	2311A	110	1		91 920		0005	2311B	110	1		91 920
	0005	2311C	38	1		91 919		0005	2311D	102			91 935
	0005	2312A	110	1		91 920		0005	2312B	110	1		91 920
	0005	2312C	38	1		91 919		0005	2312D	102			91 935
	0005	2313A	110	1		91 920		0005	2313B	110	1		91 920
	0005	2313C	38	1		91 919		0005	2313D	102			91 935
	0005	2314A	110	1		91 920		0005	2314B	110	1		91 920
	0005	2314C	38	1		91 919		0005	2314D	102			91 935
	0005	2315A	110	1		91 920		0005	2315B	110	1		91 920
	0005	2315C	38	1		91 919		0005	2315D	102			91 935
	0005	2316A	110	1		91 920		0005	2316B	110	1		91 920
	0005	2316C	38	1		91 919		0005	2316D	102			91 935
	0005	2317A	110	1		91 920		0005	2317B	110	1		91 920
	0005	2317C	38	1		91 919		0005	2317D	102			91 935
	0005	2318A	110	1		91 920		0005	2318B	110	1		91 920
	0005	2318C	38	1		91 919		0005	2318D	102			91 935
	0005	2319A	110	1		91 920		0005	2319B	110	1		91 920
	0005	2319C	38	1		91 919		0005	2319D	102			91 935
	0005	2320A	110	1		91 920		0005	2320B	110	1		91 920
	0005	2320C	38	1		91 919		0005	2320D	102			91 935
	0005	2321A	110	1		91 920		0005	2321B	110	1		91 920
	0005	2321C	38	1		91 919		0005	2321D	102			91 935
	0005	2322A	110	1		91 920		0005	2322B	110	1		91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 17

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0005	2322C	38	1		91 919		0005	2322D	102			91 935
	0005	2323A	110	1		91 920		0005	2323B	110	1		91 920
	0005	2323C	38	1		91 919		0005	2323D	102			91 935
	0005	2324A	110	1		91 920		0005	2324B	110	1		91 920
	0005	2324C	38	1		91 919		0005	2324D	102			91 935
	0005	2325A	110	1		91 920		0005	2325B	110	1		91 920
	0005	2325C	38	1		91 919		0005	2325D	102			91 935
	0005	2326A	110	1		91 920		0005	2326B	110	1		91 920
	0005	2326C	38	1		91 919		0005	2326D	102			91 935
	0005	2327A	110	1		91 920		0005	2327B	110	1		91 920
	0005	2327C	38	1		91 919		0005	2327D	102			91 935
	0005	2328A	110	1		91 920		0005	2328B	110	1		91 920
	0005	2328C	38	1		91 919		0005	2328D	102			91 935
	0005	2329A	110	1		91 920		0005	2329B	110	1		91 920
	0005	2329C	38	1		91 919		0005	2329D	102			91 935
	0005	2330A	110	1		91 920		0005	2330B	110	1		91 920
	0005	2330C	38	1		91 919		0005	2330D	102			91 935
	0005	2331A	110	1		91 920		0005	2331B	110	1		91 920
	0005	2331C	38	1		91 919		0005	2331D	102			91 935
	0005	2332A	110	1		91 920		0005	2332B	110	1		91 920
	0005	2332C	38	1		91 919		0005	2332D	102			91 935
	0005	2334A	110	1		91 920		0005	2334B	110	1		91 920
	0005	2334C	38	1		91 919		0005	2334D	102			91 935
	0005	2336A	110	1		91 920		0005	2336B	110	1		91 920
	0005	2336C	38	1		91 919		0005	2336D	102			91 935
	0005	2338A	110	1		91 920		0005	2338B	110	1		91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 18

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2338C	38	1	91 919		0005	2338D	102		91 935
	0005	2339	1553		00 020		0005	2340	489		00 020
	0005	2341	720		00 020		0005	2342	140		00 020
	0005	2343	151		00 020		0005	2344	140		00 020
	0005	2350	260	3	00 020		0005	2350A	16		00 030
	0005	2350B	24		00 030		0005	2351	195	3	00 020
	0005	2352	483	5	91 935		0005	2353	45		00 030
	0005	2353A	31		00 030		0005	2353B	58		00 020
	0005	2354	22		00 030		0005	2354A	17		00 030
	0005	2401A	110	1	91 920		0005	2401B	110	1	91 920
	0005	2401C	38	1	91 919		0005	2401D	102		91 935
	0005	2402A	110	1	91 920		0005	2402B	110	1	91 920
	0005	2402C	38	1	91 920		0005	2402D	102		91 935
	0005	2403A	110	1	91 920		0005	2403B	110	1	91 920
	0005	2403C	38	1	91 919		0005	2403D	102		91 935
	0005	2404A	110	1	91 920		0005	2404B	110	1	91 920
	0005	2404C	38	1	91 919		0005	2404D	102		91 935
	0005	2405A	110	1	91 920		0005	2405B	110	1	91 920
	0005	2405C	38	1	91 919		0005	2405D	102		91 935
	0005	2406A	110	1	91 920		0005	2406B	110	1	91 920
	0005	2406C	38	1	91 919		0005	2406D	102		91 935
	0005	2407A	110	1	91 920		0005	2407B	110	1	91 920
	0005	2407C	38	1	91 919		0005	2407D	102		91 935
	0005	2408A	110	1	91 920		0005	2408B	110	1	91 920
	0005	2408C	38	1	91 919		0005	2408D	102		91 935
	0005	2409A	110	1	91 920		0005	2409B	110	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 19

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2409C	38	1	91 919		0005	2409D	102		91 935
	0005	2410A	110	1	91 920		0005	2410B	110	1	91 920
	0005	2410C	38	1	91 919		0005	2410D	102		91 935
	0005	2411A	110	1	91 920		0005	2411B	110	1	91 920
	0005	2411C	38	1	91 919		0005	2411D	102		91 935
	0005	2412A	110	1	91 920		0005	2412B	110	1	91 920
	0005	2412C	38	1	91 919		0005	2412D	102		91 935
	0005	2413A	110	1	91 920		0005	2413B	110	1	91 920
	0005	2413C	38	1	91 919		0005	2413D	102		91 935
	0005	2414A	110	1	91 920		0005	2414B	110	1	91 920
	0005	2414C	38	1	91 919		0005	2414D	102		91 935
	0005	2415A	110	1	91 920		0005	2415B	110	1	91 920
	0005	2415C	38	1	91 919		0005	2415D	102		91 935
	0005	2416A	110	1	91 920		0005	2416B	110	1	91 920
	0005	2416C	38	1	91 919		0005	2416D	102		91 935
	0005	2417A	110	1	91 920		0005	2417B	110	1	91 920
	0005	2417C	38	1	91 919		0005	2417D	102		91 935
	0005	2418A	110	1	91 920		0005	2418B	110	1	91 920
	0005	2418C	38	1	91 919		0005	2418D	102		91 935
	0005	2419A	110	1	91 920		0005	2419B	110	1	91 920
	0005	2419C	38	1	91 919		0005	2419D	102		91 935
	0005	2420A	110	1	91 920		0005	2420B	110	1	91 920
	0005	2420C	38	1	91 919		0005	2420D	102		91 935
	0005	2421A	110	1	91 920		0005	2421B	110	1	91 920
	0005	2421C	38	1	91 919		0005	2421D	102		91 935
	0005	2422A	110	1	91 920		0005	2422B	110	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 20

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2422C	38	1	91 919		0005	2422D	102		91 935
	0005	2423A	110	1	91 920		0005	2423B	110	1	91 920
	0005	2423C	38	1	91 919		0005	2423D	102		91 935
	0005	2424A	110	1	91 920		0005	2424B	110	1	91 920
	0005	2424C	38	1	91 919		0005	2424D	102		91 935
	0005	2425A	110	1	91 920		0005	2425B	110	1	91 920
	0005	2425C	38	1	91 919		0005	2425D	102		91 935
	0005	2426A	110	1	91 920		0005	2426B	110	1	91 920
	0005	2426C	38	1	91 919		0005	2426D	102		91 935
	0005	2427A	110	1	91 920		0005	2427B	110	1	91 920
	0005	2427C	38	1	91 919		0005	2427D	102		91 935
	0005	2428A	110	1	91 920		0005	2428B	110	1	91 920
	0005	2428C	38	1	91 919		0005	2428D	102		91 935
	0005	2429A	110	1	91 920		0005	2429B	110	1	91 920
	0005	2429C	38	1	91 919		0005	2429D	102		91 935
	0005	2430A	110	1	91 920		0005	2430B	110	1	91 920
	0005	2430C	38	1	91 919		0005	2430D	102		91 935
	0005	2431A	110	1	91 920		0005	2431B	110	1	91 920
	0005	2431C	38	1	91 919		0005	2431D	102		91 935
	0005	2432A	110	1	91 920		0005	2432B	110	1	91 920
	0005	2432C	38	1	91 919		0005	2432D	102		91 935
	0005	2434A	110	1	91 920		0005	2434B	110	1	91 920
	0005	2434C	38	1	91 919		0005	2434D	102		91 935
	0005	2436A	110	1	91 920		0005	2436B	110	1	91 920
	0005	2436C	38	1	91 919		0005	2436D	102		91 935
	0005	2438A	110	1	91 920		0005	2438B	110	1	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 21

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0005	2438C	38	1	91 919		0005	2438D	102		91 935
	0005	2439	1553		00 020		0005	2440	489		00 020
	0005	2441	720		00 020		0005	2442	140		00 020
	0005	2443	151		00 020		0005	2444	140		00 020
	0005	2450	260	5	00 020		0005	2450A	16		00 030
	0005	2450B	24		00 030		0005	2451	195	3	00 020
	0005	2452	483	5	00 020		0005	2453	45		00 030
	0005	2453A	31		00 030		0005	2453B	58		00 020
	0005	2454	22		00 030		0005	2454A	17		00 030
TOTAL NET ASSIGN SQ. FT. IN ROOM FILE											50,308
TOTAL NUMBER CLASSROOMS											
TOTAL NUMBER COMPUTER CLASSROOMS											
TOTAL NUMBER LABS											210
TOTAL NUMBER SPECIAL LABS											220
	0006	4101A	113	1	91 920		0006	4101B	113	1	91 920
	0006	4101C	39	1	91 919		0006	4101D	103		91 935
	0006	4102A	113	1	91 920		0006	4102B	113	1	91 920
	0006	4102C	39	1	91 919		0006	4102D	103		91 935
	0006	4103A	113	1	91 920		0006	4103B	113	1	91 920
	0006	4103C	39	1	91 919		0006	4103D	103		91 935
	0006	4104A	113	1	91 920		0006	4104B	113	1	91 920
	0006	4104C	39	1	91 919		0006	4104D	103		91 935
	0006	4105A	113	1	91 920		0006	4105B	113	1	91 920
	0006	4105C	39	1	91 919		0006	4105D	103		91 935
	0006	4106A	113	1	91 920		0006	4106B	113	1	91 920
	0006	4106C	39	1	91 919		0006	4106D	103		91 935
	0006	4107A	113	1	91 920		0006	4107B	113	1	91 920
	0006	4107C	39	1	91 919		0006	4107D	103		91 935

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 22

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0006	4108A	109	1		91 920		0006	4108B	109	1		91 920
	0006	4108C	46	1		91 919		0006	4108D	108			91 935
	0006	4109A	113	1		91 920		0006	4109B	113	1		91 920
	0006	4109C	39	1		91 919		0006	4109D	103			91 935
	0006	4110A	113	1		91 920		0006	4110B	113	1		91 920
	0006	4110C	39	1		91 919		0006	4110D	103			91 935
	0006	4111A	109	1		91 920		0006	4111B	109	1		91 920
	0006	4111C	46	1		91 919		0006	4111D	108			91 935
	0006	4112A	113	1		91 920		0006	4112B	113	1		91 920
	0006	4112C	39	1		91 919		0006	4112D	103			91 935
	0006	4113A	113	1		91 920		0006	4113B	113	1		91 920
	0006	4113C	39	1		91 919		0006	4113D	103			91 935
	0006	4114A	113	1		91 920		0006	4114B	113	1		91 920
	0006	4114C	39	1		91 919		0006	4114D	103			91 935
	0006	4115A	113	1		91 920		0006	4115B	113	1		91 920
	0006	4115C	39	1		91 919		0006	4115D	103			91 935
	0006	4116A	113	1		91 920		0006	4116B	113	1		91 920
	0006	4116C	39	1		91 919		0006	4116D	103			91 935
	0006	4117A	113	1		91 920		0006	4117B	113	1		91 920
	0006	4117C	39	1		91 919		0006	4117D	103			91 935
	0006	4118A	113	1		91 920		0006	4118B	113	1		91 920
	0006	4118C	39	1		91 919		0006	4118D	103			91 935
	0006	4119A	113	1		91 920		0006	4119B	113	1		91 920
	0006	4119C	39	1		91 919		0006	4119D	103			91 935
	0006	4120A	113	1		91 920		0006	4120B	113	1		91 920
	0006	4120C	39	1		91 919		0006	4120D	103			91 935

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 23

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0006	4121A	113	1		91 920		0006	4121B	113	1		91 920
	0006	4121C	39	1		91 919		0006	4121D	103			91 935
	0006	4122A	113	1		91 920		0006	4122B	113	1		91 920
	0006	4122C	39	1		91 920		0006	4122D	103			91 935
	0006	4123A	113	1		91 920		0006	4123B	113	1		91 920
	0006	4123C	39	1		91 919		0006	4123D	103			91 935
	0006	4124A	113	1		91 920		0006	4124B	113	1		91 920
	0006	4124C	39	1		91 919		0006	4124D	103			91 935
	0006	4140	371			00 020		0006	4141	429			00 020
	0006	4142	753			00 020		0006	4143	567			00 020
	0006	4144	538			00 020		0006	4145	157			00 020
	0006	4146	162			00 020		0006	4147	157			00 020
	0006	4150	190			91 935		0006	4151	142			00 030
	0006	4153	122			91 935		0006	4154	120	1		91 310
	0006	4154A	74			81 081		0006	4156	344	5		00 020
	0006	4157	381	5		00 020		0006	4157A	50			00 030
	0006	4157B	58			00 030		0006	4158	2224	30		91 455
	0006	4159	67			00 010		0006	4160	474			81 081
	0006	4201A	113	1		91 920		0006	4201B	113	1		91 920
	0006	4201C	39	1		91 919		0006	4201D	103			91 935
	0006	4202A	113	1		91 920		0006	4202B	113	1		91 920
	0006	4202C	39	1		91 919		0006	4202D	103			91 935
	0006	4203A	113	1		91 920		0006	4203B	113	1		91 920
	0006	4203C	39	1		91 919		0006	4203D	103			91 935
	0006	4204A	113	1		91 920		0006	4204B	113	1		91 920
	0006	4204C	39	1		91 919		0006	4204D	103			91 935

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 24

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0006	4205A	113	1	91 920		0006	4205B	113	1	91 920
	0006	4205C	39	1	91 919		0006	4205D	103		91 935
	0006	4206A	113	1	91 920		0006	4206B	113	1	91 920
	0006	4206C	39	1	91 919		0006	4206D	103		91 935
	0006	4207A	113	1	91 920		0006	4207B	113	1	91 920
	0006	4207C	39	1	91 919		0006	4207D	103		91 935
	0006	4208A	109	1	91 920		0006	4208B	109	1	91 920
	0006	4208C	46	1	91 919		0006	4208D	108		91 935
	0006	4209A	113	1	91 920		0006	4209B	113	1	91 920
	0006	4209C	39	1	91 919		0006	4209D	103		91 935
	0006	4210A	113	1	91 920		0006	4210B	113	1	91 920
	0006	4210C	39	1	91 919		0006	4210D	103		91 935
	0006	4211A	109	1	91 920		0006	4211B	109	1	91 920
	0006	4211C	46	1	91 919		0006	4211D	108		91 935
	0006	4212A	113	1	91 920		0006	4212B	113	1	91 920
	0006	4212C	39	1	91 919		0006	4212D	103		91 935
	0006	4213A	113	1	91 920		0006	4213B	113	1	91 920
	0006	4213C	39	1	91 919		0006	4213D	103		91 935
	0006	4214A	113	1	91 920		0006	4214B	113	1	91 920
	0006	4214C	39	1	91 919		0006	4214D	103		91 935
	0006	4215A	113	1	91 920		0006	4215B	113	1	91 920
	0006	4215C	39	1	91 919		0006	4215D	103		91 935
	0006	4216A	113	1	91 920		0006	4216B	113	1	91 920
	0006	4216C	39	1	91 919		0006	4216D	103		91 935
	0006	4217A	113	1	91 920		0006	4217B	113	1	91 920
	0006	4217C	39	1	91 919		0006	4217D	103		91 935

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 25

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0006	4218A	113	1	91 920		0006	4218B	113	1	91 920
	0006	4218C	39	1	91 919		0006	4218D	103		91 935
	0006	4219A	113	1	91 920		0006	4219B	113	1	91 920
	0006	4219C	39	1	91 919		0006	4219D	103		91 935
	0006	4220A	113	1	91 920		0006	4220B	113	1	91 920
	0006	4220C	39	1	91 919		0006	4220D	103		91 935
	0006	4221A	113	1	91 920		0006	4221B	113	1	91 920
	0006	4221C	39	1	91 919		0006	4221D	103		91 935
	0006	4222A	113	1	91 920		0006	4222B	113	1	91 920
	0006	4222C	39	1	91 919		0006	4222D	103		91 935
	0006	4223A	113	1	91 920		0006	4223B	113	1	91 920
	0006	4223C	39	1	91 919		0006	4223D	103		91 935
	0006	4224A	113	1	91 920		0006	4224B	113	1	91 920
	0006	4224C	39	1	91 919		0006	4224D	103		91 935
	0006	4225A	113	1	91 920		0006	4225B	113	1	91 920
	0006	4225C	39	1	91 919		0006	4225D	103		91 935
	0006	4226A	113	1	91 920		0006	4226B	113	1	91 920
	0006	4226C	39	1	91 919		0006	4226D	103		91 935
	0006	4227A	113	1	91 920		0006	4227B	113	1	91 920
	0006	4227C	39	1	91 919		0006	4227D	103		91 935
	0006	4228A	113	1	91 920		0006	4228B	113	1	91 920
	0006	4228C	39	1	91 920		0006	4228D	103		91 935
	0006	4240	529		00 020		0006	4241	429		00 020
	0006	4242	834		00 020		0006	4244	646		00 020
	0006	4245	157		00 020		0006	4246	162		00 020
	0006	4247	157		00 020		0006	4250	200		91 935

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 26

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0006	4251	66		00 030		0006	4252	52		00 030
	0006	4253	344	5	91 935		0006	4254	710	5	91 935
	0006	4255	28		00 030		0006	4255A	21		00 030
	0006	4256	186	5	00 020		0006	4257	81		00 030
	0006	4301A	113	1	91 920		0006	4301B	113	1	91 919
	0006	4301C	39	1	91 919		0006	4301D	103		91 935
	0006	4302A	113	1	91 920		0006	4302B	113	1	91 920
	0006	4302C	39	1	91 919		0006	4302D	103		91 935
	0006	4303A	113	1	91 920		0006	4303B	113	1	91 920
	0006	4303C	39	1	91 919		0006	4303D	103		91 935
	0006	4304A	113	1	91 920		0006	4304B	113	1	91 920
	0006	4304C	39	1	91 919		0006	4304D	103		91 935
	0006	4305A	113	1	91 920		0006	4305B	113	1	91 920
	0006	4305C	39	1	91 919		0006	4305D	103		91 935
	0006	4306A	113	1	91 920		0006	4306B	113	1	91 920
	0006	4306C	39	1	91 919		0006	4306D	103		91 935
	0006	4307A	113	1	91 920		0006	4307B	113	1	91 920
	0006	4307C	39	1	91 919		0006	4307D	103		91 935
	0006	4308A	109	1	91 920		0006	4308B	109	1	91 920
	0006	4308C	46	1	91 919		0006	4308D	108		91 935
	0006	4309A	113	1	91 920		0006	4309B	113	1	91 920
	0006	4309C	39	1	91 919		0006	4309D	103		91 935
	0006	4310A	113	1	91 920		0006	4310B	113	1	91 920
	0006	4310C	39	1	91 919		0006	4310D	103		91 935
	0006	4311A	113	1	91 920		0006	4311B	113	1	91 920
	0006	4311C	39	1	91 919		0006	4311D	103		91 935

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 27

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE
	0006	4312A	113	1		91 920		0006	4312B	113	1		91 920
	0006	4312C	39	1		91 919		0006	4312D	103			91 935
	0006	4313A	113	1		91 920		0006	4313B	113	1		91 920
	0006	4313C	39	1		91 919		0006	4313D	103			91 935
	0006	4314A	113	1		91 920		0006	4314B	113	1		91 920
	0006	4314C	39	1		91 919		0006	4314D	103			91 935
	0006	4315A	113	1		91 920		0006	4315B	113	1		91 920
	0006	4315C	39	1		91 919		0006	4315D	103			91 935
	0006	4316A	113	1		91 920		0006	4316B	113	1		91 920
	0006	4316C	39	1		91 919		0006	4316D	103			91 935
	0006	4317A	113	1		91 920		0006	4317B	113	1		91 920
	0006	4317C	39	1		91 919		0006	4317D	103			91 935
	0006	4318A	113	1		91 920		0006	4318B	113	1		91 920
	0006	4318C	39	1		91 919		0006	4318D	103			91 935
	0006	4319A	113	1		91 920		0006	4319B	113	1		91 920
	0006	4319C	39	1		91 919		0006	4319D	103			91 935
	0006	4320A	113	1		91 920		0006	4320B	113	1		91 920
	0006	4320C	39	1		91 919		0006	4320D	103			91 935
	0006	4321A	113	1		91 920		0006	4321B	113	1		91 920
	0006	4321C	39	1		91 919		0006	4321D	103			91 935
	0006	4322A	113	1		91 920		0006	4322B	113	1		91 920
	0006	4322C	39	1		91 919		0006	4322D	103			91 935
	0006	4323A	113	1		91 920		0006	4323B	113	1		91 920
	0006	4323C	39	1		91 919		0006	4323D	103			91 935
	0006	4324A	113	1		91 920		0006	4324B	113	1		91 920
	0006	4324C	39	1		91 919		0006	4324D	103			91 935

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 28

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	
	0006	4325A	113	1	91 920		0006	4325B	113	1	91 920	
	0006	4325C	39	1	91 919		0006	4325D	103		91 935	
	0006	4326A	113	1	91 920		0006	4326B	113	1	91 920	
	0006	4326C	39	1	91 919		0006	4326D	103		91 935	
	0006	4327A	113	1	91 920		0006	4327B	113	1	91 920	
	0006	4327C	39	1	91 919		0006	4327D	103		91 935	
	0006	4328A	113	1	91 920		0006	4328B	113	1	91 920	
	0006	4328C	39	1	91 919		0006	4328D	103		91 935	
	0006	4340	529		00 020		0006	4341	429		00 020	
	0006	4342	834		00 020		0006	4344	646		00 020	
	0006	4345	157		00 020		0006	4346	162		00 020	
	0006	4347	157		00 020		0006	4350	200		91 935	
	0006	4351	66		00 030		0006	4352	52		00 030	
	0006	4353	344	5	91 935		0006	4354	710	5	00 020	
	0006	4355	28		00 030		0006	4355A	21		00 030	
	0006	4356	186	5	00 020		0006	4357	81		00 030	
							TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				34,462	
							TOTAL NUMBER CLASSROOMS					
							TOTAL NUMBER COMPUTER CLASSROOMS					
							TOTAL NUMBER LABS 210					
							TOTAL NUMBER SPECIAL LABS 220					
	0007	0007	27		00 030		0007	0034	58		00 020	
	0007	0035	74		00 020		0007	0036	79		00 020	
	0007	0037	74		00 020		0007	0101	170		00 020	
	0007	0102	122	1	46 313		0007	0103	110	1	46 310	
	0007	0104	148	1	46 310		0007	0105	300	10	46 350	
	0007	0106	35	1	00 030		0007	0107	300	1	46 310	
	0007	0108	227	1	46 310		0007	0109	193	1	46 310	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 29

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0007	0110	749	20		11 110		0007	0111	120	1		46 310
	0007	0112	120		1	46 310		0007	0113	121	1		46 310
	0007	0114	121		1	46 310		0007	0115	16			00 030
	0007	0116	640			11 750		0007	0117	228	2		21 250
	0007	0118	302		2	22 250		0007	0120	50	1		00 030
	0007	0121	305		8	52 650		0007	0122	219	6		11 240
	0007	0123	122			46 315		0007	0124	199	1		46 310
	0007	0125	117		1	46 310		0007	0126	117	1		46 310
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					4,880
								TOTAL NUMBER CLASSROOMS					1
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0008	0100	180			52 525		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					180
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0009	0100	218			21 750		0009	0100A	104			00 030
	0009	0100B	84			00 030		0009	0102	124			21 575
	0009	0103	300			00 020		0009	0104	215			00 020
	0009	0105	72			00 030		0009	0106	50	1		00 030
	0009	0107	36			00 010		0009	0108	345			00 020
	0009	0109	200			00 020		0009	0109A	153			21 570
	0009	0109B	153			21 570		0009	0109C	153			21 570
	0009	0109D	153		5	21 575		0009	0110	164			21 575
	0009	0111	200			00 020		0009	0111A	153	5		21 260
	0009	0111B	153			21 570		0009	0111C	153			21 570
	0009	0111D	153			21 570		0009	0112	70			00 020
	0009	0112E	70			00 030		0009	0114	200			21 575

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 30

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	
	0009	0116	393			21	575	0009	0118	210			00 030	
	0009	0119	215			00	020	0009	0200	330			00 020	
	0009	0201	350			00	020	0009	0202	150	1		21 310	
	0009	0203	160	1		21	310	0009	0204	240	10		21 350	
	0009	0205	72	1		00	030	0009	0206	50	1		00 030	
	0009	0207	36			00	010	0009	0208	343			00 020	
	0009	0209	200			00	020	0009	0209A	153			21 570	
	0009	0209B	153			21	570	0009	0209C	153			21 570	
	0009	0209D	153			21	575	0009	0210	80			00 020	
	0009	0211	200			00	020	0009	0211A	153			21 575	
	0009	0211B	153			21	570	0009	0211C	153			21 570	
	0009	0211D	153			21	570	0009	0212	240			21 575	
	0009	0214	590			00	030	TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					4,337	
													TOTAL NUMBER CLASSROOMS	
													TOTAL NUMBER COMPUTER CLASSROOMS	
													TOTAL NUMBER LABS 210	
													TOTAL NUMBER SPECIAL LABS 220	
9	0013	0100	8045	5		72	210	0013	0101	279			00 020	
	0013	0102	110	1		46	310	0013	0103	100			48 115	
	0013	0104	625	16		11	110	0013	0105	141	1		46 310	
	0013	0106	500			11	731	0013	0107	375			64 731	
	0013	0108	45			00	010	0013	0109	40	1		46 315	
	0013	0110	79	1		00	030	0013	0111	79	1		00 030	
	0013	0112	42	1		00	030	0013	0113	42	1		00 030	
													TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	9,936
													TOTAL NUMBER CLASSROOMS	1
													TOTAL NUMBER COMPUTER CLASSROOMS	
													TOTAL NUMBER LABS 210	1
													TOTAL NUMBER SPECIAL LABS 220	
	0015	5101A	133	1		91	950	0015	5101B	117	1		91 950	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 31

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0015	5101C	117	1		91 950		0015	5101D	133	1		91 950
	0015	5101E	140	1		91 950		0015	5101F	230	2		91 950
	0015	5102A	133	1		91 950		0015	5102B	117	1		91 950
	0015	5102C	117	1		91 950		0015	5102D	133	1		91 950
	0015	5102E	140	1		91 950		0015	5102F	230	1		91 950
	0015	5103A	133	1		91 950		0015	5103B	117	1		91 950
	0015	5103C	117	1		91 950		0015	5103D	133	1		91 950
	0015	5103E	140	1		91 950		0015	5103F	230	1		91 950
	0015	5104A	133	1		91 950		0015	5104B	117	1		91 950
	0015	5104C	117	1		91 950		0015	5104D	133	1		91 950
	0015	5104E	140	1		91 950		0015	5104F	230	1		91 950
	0015	5105A	133	1		91 950		0015	5105B	117	1		91 950
	0015	5105C	117	1		91 950		0015	5105D	133	1		91 950
	0015	5105E	140	1		91 950		0015	5105F	230	1		91 950
	0015	5106A	131	1		91 950		0015	5106E	137	1		91 950
	0015	5106F	123	1		91 950		0015	5107A	133	1		91 950
	0015	5107B	117	1		91 950		0015	5107C	117	1		91 950
	0015	5107D	133	1		91 950		0015	5107E	140	1		91 950
	0015	5107F	230	1		91 950		0015	5108A	133	1		91 950
	0015	5108B	117	1		91 950		0015	5108C	117	1		91 950
	0015	5108D	133	1		91 950		0015	5108E	140	1		91 950
	0015	5108F	230	1		91 950		0015	5109A	131	1		91 950
	0015	5109E	137	1		91 950		0015	5109F	123	1		91 950
	0015	5110A	131	1		91 950		0015	5110E	137	1		91 950
	0015	5110F	123	1		91 950		0015	5111A	123	1		91 950
	0015	5111B	130	1		91 950		0015	5111E	128	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 32

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0015	5111F	148	1		91 950		0015	5112A	123	1		91 950
	0015	5112B	130	1		91 950		0015	5112E	128	1		91 950
	0015	5112F	148	1		91 950		0015	5113A	133	1		91 950
	0015	5113B	117	1		91 950		0015	5113C	117	1		91 950
	0015	5113D	133	1		91 950		0015	5113E	140	1		91 950
	0015	5113F	230	1		91 950		0015	5114A	133	1		91 950
	0015	5114B	117	1		91 950		0015	5114C	117	1		91 950
	0015	5114D	133	1		91 950		0015	5114E	140	1		91 950
	0015	5114F	230	1		91 950		0015	5150	660			00 020
	0015	5151	360			00 020		0015	5152	56			00 030
	0015	5153	94			00 030		0015	5154	56			91 955
	0015	5155	410			00 020		0015	5156	58			00 030
	0015	5157	828			00 020		0015	5158	412			00 020
	0015	5159	270			00 020		0015	5160	160			00 020
	0015	5161	251			00 020		0015	5201A	133			91 950
	0015	5201B	117			91 950		0015	5201C	117			91 950
	0015	5201D	133			91 950		0015	5201E	140			91 950
	0015	5201F	230			91 950		0015	5202A	133	1		91 950
	0015	5202B	117	1		91 950		0015	5202C	117	1		91 950
	0015	5202D	133	1		91 950		0015	5202E	140	1		91 950
	0015	5202F	230	1		91 950		0015	5203A	133	1		91 950
	0015	5203B	117	1		91 950		0015	5203C	117	1		91 950
	0015	5203D	133	1		91 950		0015	5203E	140	1		91 950
	0015	5203F	230	1		91 950		0015	5204A	133	1		91 950
	0015	5204B	117	1		91 950		0015	5204C	117	1		91 950
	0015	5204D	133	1		91 950		0015	5204E	140	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 33

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION

OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0015	5204F	230	1	91 950		0015	5205A	133	1	91 950
	0015	5205B	117	1	91 950		0015	5205C	117	1	91 950
	0015	5205D	133	1	91 950		0015	5205E	140	1	91 950
	0015	5205F	230	1	91 950		0015	5206A	131	1	91 950
	0015	5206E	137	1	91 950		0015	5206F	123	1	91 950
	0015	5207A	133	1	91 950		0015	5207B	117	1	91 950
	0015	5207C	117	1	91 950		0015	5207D	133	1	91 950
	0015	5207E	140	1	91 950		0015	5207F	230	1	91 950
	0015	5208A	133	1	91 950		0015	5208B	117	1	91 950
	0015	5208C	117	1	91 950		0015	5208D	133	1	91 950
	0015	5208E	140	1	91 950		0015	5208F	230	1	91 950
	0015	5209A	131	1	91 950		0015	5209E	137	1	91 950
	0015	5209F	123	1	91 950		0015	5210A	131	1	91 950
	0015	5210E	137	1	91 950		0015	5210F	123	1	91 950
	0015	5211A	123	1	91 950		0015	5211B	130	1	91 950
	0015	5211E	128	1	91 950		0015	5211F	148	1	91 950
	0015	5212A	123	1	91 950		0015	5212B	130	1	91 950
	0015	5212E	128	1	91 950		0015	5212F	148	1	91 950
	0015	5213A	133	1	91 950		0015	5213B	117	1	91 950
	0015	5213C	117	1	91 950		0015	5213D	133	1	91 950
	0015	5213E	140	1	91 950		0015	5213F	230	1	91 950
	0015	5214A	133	1	91 950		0015	5214B	117	1	91 950
	0015	5214C	117	1	91 950		0015	5214D	133	1	91 950
	0015	5214E	140	1	91 950		0015	5214F	230	1	91 950
	0015	5250	660		00 020		0015	5251	360		91 955
	0015	5253	150		91 955		0015	5254	56		00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 34

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0015	5255	410		00 020		0015	5256	58		00 030
	0015	5257	828		00 020		0015	5258	412		00 020
	0015	5259	270		00 020		0015	5260	160		00 020
	0015	5261	251		00 020		0015	5301A	133	1	91 950
	0015	5301B	117	1	91 950		0015	5301C	117	1	91 950
	0015	5301D	133	1	91 950		0015	5301E	140	1	91 950
	0015	5301F	230	1	91 950		0015	5302A	133	1	91 950
	0015	5302B	117	1	91 950		0015	5302C	117	1	91 950
	0015	5302D	133	1	91 950		0015	5302E	140	1	91 950
	0015	5302F	230	1	91 950		0015	5303A	133	1	91 950
	0015	5303B	117	1	91 950		0015	5303C	117	1	91 950
	0015	5303D	133	1	91 950		0015	5303E	140	1	91 950
	0015	5303F	230	1	91 950		0015	5304A	133	1	91 950
	0015	5304B	117	1	91 950		0015	5304C	117	1	91 950
	0015	5304D	133	1	91 950		0015	5304E	140	1	91 950
	0015	5304F	230	1	91 950		0015	5305A	133	1	91 950
	0015	5305B	117	1	91 950		0015	5305C	117	1	91 950
	0015	5305D	133	1	91 950		0015	5305E	140	1	91 950
	0015	5305F	230	1	91 950		0015	5306A	131	1	91 950
	0015	5306E	137	1	91 950		0015	5306F	123	1	91 950
	0015	5306G	62	1	91 950		0015	5307A	133	1	91 950
	0015	5307B	117	1	91 950		0015	5307C	117	1	91 950
	0015	5307D	133	1	91 950		0015	5307E	140	1	91 950
	0015	5307F	230	1	91 950		0015	5308A	133	1	91 950
	0015	5308B	117	1	91 950		0015	5308C	117	1	91 950
	0015	5308D	133	1	91 950		0015	5308E	140	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 35

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0015	5308F	230	1		91 950		0015	5309A	131	1		91 950
	0015	5309E	137	1		91 950		0015	5309F	123	1		91 950
	0015	5310A	131	1		91 950		0015	5310E	137	1		91 950
	0015	5310F	123	1		91 950		0015	5311A	123	1		91 950
	0015	5311B	130	1		91 950		0015	5311E	128	1		91 950
	0015	5311F	148	1		91 950		0015	5312A	123	1		91 950
	0015	5312B	130	1		91 950		0015	5312E	128	1		91 950
	0015	5312F	148	1		91 950		0015	5313A	133	1		91 950
	0015	5313B	117	1		91 950		0015	5313C	117	1		91 950
	0015	5313D	133	1		91 950		0015	5313E	140	1		91 950
	0015	5313F	230	1		91 950		0015	5314A	133	1		91 950
	0015	5314B	117	1		91 950		0015	5314C	117	1		91 950
	0015	5314D	133	1		91 950		0015	5314E	140	1		91 950
	0015	5314F	230	1		91 950		0015	5350	660			00 020
	0015	5351	360	1		91 955		0015	5353	150	1		91 955
	0015	5354	56	1		00 030		0015	5355	410	1		00 020
	0015	5356	58			00 030		0015	5357	828			00 020
	0015	5358	412			00 020		0015	5359	270			00 020
	0015	5360	160			00 020		0015	5361	251			00 020
	0015	A51011	50	1		91 950		0015	A51012	57	1		91 950
	0015	A51021	50	1		91 950		0015	A51022	57	1		91 950
	0015	A51031	50	1		91 950		0015	A51032	57	1		91 950
	0015	A51041	50	1		91 950		0015	A51042	57	1		91 950
	0015	A51051	50	1		91 950		0015	A51052	57	1		91 950
	0015	A51061	62	1		91 950		0015	A51071	50	1		91 950
	0015	A51072	57	1		91 950		0015	A51081	50	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 36

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0015	A51082	57	1	91 950		0015	A51091	62	1	91 950
	0015	A51101	62	1	91 950		0015	A51111	62	1	91 950
	0015	A51121	62	1	91 950		0015	A51131	50	1	91 950
	0015	A51132	57	1	91 950		0015	A51141	50	1	91 950
	0015	A51142	57	1	91 950		0015	A52011	50		91 950
	0015	A52012	57		91 950		0015	A52021	50	1	91 950
	0015	A52022	57	1	91 950		0015	A52031	50	1	91 950
	0015	A52032	57	1	91 950		0015	A52041	50	1	91 950
	0015	A52042	57	1	91 950		0015	A52051	50	1	91 950
	0015	A52052	57	1	91 950		0015	A52061	62	1	91 950
	0015	A52071	50	1	91 950		0015	A52072	57	1	91 950
	0015	A52081	50	1	91 950		0015	A52082	57	1	91 950
	0015	A52091	62	1	91 950		0015	A52101	62	1	91 950
	0015	A52111	62	1	91 950		0015	A52121	62	1	91 950
	0015	A52131	50	1	91 950		0015	A52132	57	1	91 950
	0015	A52141	50	1	91 950		0015	A52142	57	1	91 950
	0015	A53011	50	1	91 950		0015	A53012	57	1	91 950
	0015	A53021	50	1	91 950		0015	A53022	57	1	91 950
	0015	A53031	50	1	91 950		0015	A53032	57	1	91 950
	0015	A53041	50	1	91 950		0015	A53042	57	1	91 950
	0015	A53051	50	1	91 950		0015	A53052	57	1	91 950
	0015	A53071	50	1	91 950		0015	A53072	57	1	91 950
	0015	A53081	50	1	91 950		0015	A53082	57	1	91 950
	0015	A53091	62	1	91 950		0015	A53101	62	1	91 950
	0015	A53111	62	1	91 950		0015	A53112	62	1	91 950
	0015	A53121	62	1	91 950		0015	A53131	50	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 37

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0015	A53132	57	1		91 950		0015	A53141	50	1		91 950
	0015	A53142	57	1		91 950		0015	B51111	62	1		91 950
	0015	B51121	62	1		91 950		0015	B52111	62	1		91 950
	0015	B52121	62	1		91 950		0015	B53122	62	1		91 950
	0015	C51011	50	1		91 950		0015	C51012	57	1		91 950
	0015	C51021	50	1		91 950		0015	C51022	57	1		91 950
	0015	C51031	50	1		91 950		0015	C51032	57	1		91 950
	0015	C51041	50	1		91 950		0015	C51042	57	1		91 950
	0015	C51051	50	1		91 950		0015	C51052	57	1		91 950
	0015	C51071	50	1		91 950		0015	C51072	57	1		91 950
	0015	C51081	50	1		91 950		0015	C51082	57	1		91 950
	0015	C51131	50	1		91 950		0015	C51132	57	1		91 950
	0015	C51141	50	1		91 950		0015	C51142	57	1		91 950
	0015	C52011	50			91 950		0015	C52012	57			91 950
	0015	C52021	50			91 950		0015	C52022	57	1		91 950
	0015	C52031	50	1		91 950		0015	C52032	57	1		91 950
	0015	C52041	50	1		91 950		0015	C52042	57	1		91 950
	0015	C52051	50	1		91 950		0015	C52052	57	1		91 950
	0015	C52071	50	1		91 950		0015	C52072	57	1		91 950
	0015	C52081	50	1		91 950		0015	C52082	57	1		91 950
	0015	C52131	50	1		91 950		0015	C52132	57	1		91 950
	0015	C52141	50	1		91 950		0015	C52142	57	1		91 950
	0015	C53011	50	1		91 950		0015	C53012	57	1		91 950
	0015	C53021	50	1		91 950		0015	C53022	57	1		91 950
	0015	C53031	50	1		91 950		0015	C53032	57	1		91 950
	0015	C53041	50	1		91 950		0015	C53042	57	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 38

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE
	0015	C53051	50	1	91 950		0015	C53052	57	1	91 950
	0015	C53071	50	1	91 950		0015	C53072	57	1	91 950
	0015	C53081	50	1	91 950		0015	C53082	57	1	91 950
	0015	C53131	50	1	91 950		0015	C53132	57	1	91 950
	0015	C53141	50	1	91 950		0015	C53142	57	1	91 950
							TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				38,339
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0016	6101A	133	1	91 950		0016	6101B	117	1	91 950
	0016	6101C	117	1	91 950		0016	6101D	133	1	91 950
	0016	6101E	140	1	91 950		0016	6101F	230	1	91 950
	0016	6102A	133	1	91 950		0016	6102B	117	1	91 950
	0016	6102C	117	1	91 950		0016	6102D	133	1	91 950
	0016	6102E	140	1	91 950		0016	6102F	230	1	91 950
	0016	6103A	133	1	91 950		0016	6103B	117	1	91 950
	0016	6103C	117	1	91 950		0016	6103D	133	1	91 950
	0016	6103E	140	1	91 950		0016	6103F	230	1	91 950
	0016	6104A	133	1	91 950		0016	6104B	117	1	91 950
	0016	6104C	117	1	91 950		0016	6104D	133	1	91 950
	0016	6104E	140	1	91 950		0016	6104F	230	1	91 950
	0016	6105A	133	1	91 950		0016	6105B	117	1	91 950
	0016	6105C	117	1	91 950		0016	6105D	133	1	91 950
	0016	6105E	140	1	91 950		0016	6105F	230	1	91 950
	0016	6106A	131	1	91 950		0016	6106E	137	1	91 950
	0016	6106F	123	1	91 950		0016	6107A	133	1	91 950
	0016	6107B	117	1	91 950		0016	6107C	117	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 39

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0016	6107D	133	1		91 950		0016	6107E	140	1		91 950
	0016	6107F	230	1		91 950		0016	61072	57	1		91 950
	0016	6108A	133	1		91 950		0016	6108B	117	1		91 950
	0016	6108C	117	1		91 950		0016	6108D	133	1		91 950
	0016	6108E	140	1		91 950		0016	6108F	230	1		91 950
	0016	6109A	131	1		91 950		0016	6109E	137	1		91 950
	0016	6109F	123	1		91 950		0016	6110A	131	1		91 950
	0016	6110E	137	1		91 950		0016	6110F	123	1		91 950
	0016	6111A	123	1		91 950		0016	6111B	130	1		91 950
	0016	6111E	128	1		91 950		0016	6111F	148	1		91 950
	0016	6112A	123	1		91 950		0016	6112B	130	1		91 950
	0016	6112E	128	1		91 950		0016	6112F	148	1		91 950
	0016	6113A	133	1		91 950		0016	6113B	117	1		91 950
	0016	6113C	117	1		91 950		0016	6113D	133	1		91 950
	0016	6113E	140	1		91 950		0016	6113F	230	1		91 950
	0016	6114A	133	1		91 950		0016	6114B	117	1		91 950
	0016	6114C	117	1		91 950		0016	6114D	133	1		91 950
	0016	6114E	140	1		91 950		0016	6114F	230	1		91 950
	0016	6150	660			00 020		0016	6151	360			00 020
	0016	6152	56			00 030		0016	6153	94			00 030
	0016	6154	56			00 010		0016	6155	410			00 020
	0016	6156	58			00 020		0016	6157	828			00 020
	0016	6158	412			00 020		0016	6159	270			00 020
	0016	6160	160			00 020		0016	6161	251			00 020
	0016	6201A	133	1		91 950		0016	6201B	117	1		91 950
	0016	6201C	117	1		91 950		0016	6201D	133	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 40

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0016	6201E	140	1		91 950		0016	6201F	230	1		91 950
	0016	6202A	133	1		91 950		0016	6202B	117	1		91 950
	0016	6202C	117	1		91 950		0016	6202D	133	1		91 950
	0016	6202E	140	1		91 950		0016	6202F	230	1		91 950
	0016	6203A	133	1		91 950		0016	6203B	117	1		91 950
	0016	6203C	117	1		91 950		0016	6203D	133	1		91 950
	0016	6203E	140	1		91 950		0016	6203F	230	1		91 950
	0016	6204A	133	1		91 950		0016	6204B	117	1		91 950
	0016	6204C	117	1		91 950		0016	6204D	133	1		91 950
	0016	6204E	140	1		91 950		0016	6204F	230	1		91 950
	0016	6205A	133	1		91 950		0016	6205B	117	1		91 950
	0016	6205C	117	1		91 950		0016	6205D	133	1		91 950
	0016	6205E	140	1		91 950		0016	6205F	230	1		91 950
	0016	6206A	131	1		91 950		0016	6206E	137	1		91 950
	0016	6206F	123	1		91 950		0016	6207A	133	1		91 950
	0016	6207B	117	1		91 950		0016	6207C	117	1		91 950
	0016	6207D	133	1		91 950		0016	6207E	140	1		91 950
	0016	6207F	230	1		91 950		0016	6208A	133	1		91 950
	0016	6208B	117	1		91 950		0016	6208C	117	1		91 950
	0016	6208D	133	1		91 950		0016	6208E	140	1		91 950
	0016	6208F	230	1		91 950		0016	6209A	131	1		91 950
	0016	6209E	137	1		91 950		0016	6209F	123	1		91 950
	0016	6210A	131	1		91 950		0016	6210E	137	1		91 950
	0016	6210F	123	1		91 950		0016	6211A	123	1		91 950
	0016	6211B	130	1		91 950		0016	6211E	128	1		91 950
	0016	6211F	148	1		91 950		0016	6212A	123	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 41

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE
	0016	6212B	130	1	91 950		0016	6212E	128	1	91 950
	0016	6212F	148	1	91 950		0016	6213A	133	1	91 950
	0016	6213B	117	1	91 950		0016	6213C	117	1	91 950
	0016	6213D	133	1	91 950		0016	6213E	140	1	91 950
	0016	6213F	230	1	91 950		0016	6214A	133	1	91 950
	0016	6214B	117	1	91 950		0016	6214C	117	1	91 950
	0016	6214D	133	1	91 950		0016	6214E	140	1	91 950
	0016	6214F	230	1	91 950		0016	6250	660		00 020
	0016	6251	360		00 020		0016	6253	150		00 030
	0016	6254	56		00 010		0016	6255	410		00 020
	0016	6256	58		00 020		0016	6257	828		00 020
	0016	6258	412		00 020		0016	6259	270		00 020
	0016	6260	160		00 020		0016	6261	251		00 020
	0016	6301A	133	1	91 950		0016	6301B	117	1	91 950
	0016	6301C	117	1	91 950		0016	6301D	133	1	91 950
	0016	6301E	140	1	91 950		0016	6301F	230	1	91 950
	0016	6302A	133	1	91 950		0016	6302B	117	1	91 950
	0016	6302C	117	1	91 950		0016	6302D	133	1	91 950
	0016	6302E	140	1	91 950		0016	6302F	230	1	91 950
	0016	6303A	133	1	91 950		0016	6303B	117	1	91 950
	0016	6303C	117	1	91 950		0016	6303D	133	1	91 950
	0016	6303E	140	1	91 950		0016	6303F	230	1	91 950
	0016	6304A	133	1	91 950		0016	6304B	117	1	91 950
	0016	6304C	117	1	91 950		0016	6304D	133	1	91 950
	0016	6304E	140	1	91 950		0016	6304F	230	1	91 950
	0016	6305A	133	1	91 950		0016	6305B	117	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 42

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION

OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE
	0016	6305C	117	1	91 950		0016	6305D	133	1	91 950
	0016	6305E	140	1	91 950		0016	6305F	230	1	91 950
	0016	6306A	131	1	91 950		0016	6306E	137	1	91 950
	0016	6306F	123	1	91 950		0016	6306G	62	1	91 950
	0016	6307A	133	1	91 950		0016	6307B	117	1	91 950
	0016	6307C	117	1	91 950		0016	6307D	133	1	91 950
	0016	6307E	140	1	91 950		0016	6307F	230	1	91 950
	0016	6308A	133	1	91 950		0016	6308B	117	1	91 950
	0016	6308C	117	1	91 950		0016	6308D	133	1	91 950
	0016	6308E	140	1	91 950		0016	6308F	230	1	91 950
	0016	6309A	131	1	91 950		0016	6309E	137	1	91 950
	0016	6309F	123	1	91 950		0016	6310A	131	1	91 950
	0016	6310E	137	1	91 950		0016	6310F	123	1	91 950
	0016	6311A	123	1	91 950		0016	6311B	130	1	91 950
	0016	6311E	128	1	91 950		0016	6311F	148	1	91 950
	0016	6312A	123	1	91 950		0016	6312B	130	1	91 950
	0016	6312E	128	1	91 950		0016	6312F	148	1	91 950
	0016	6313A	133	1	91 950		0016	6313B	117	1	91 950
	0016	6313C	117	1	91 950		0016	6313D	133	1	91 950
	0016	6313E	140	1	91 950		0016	6313F	230	1	91 950
	0016	6314A	133	1	91 950		0016	6314B	117	1	91 950
	0016	6314C	117	1	91 950		0016	6314D	133	1	91 950
	0016	6314E	140	1	91 950		0016	6314F	230	1	91 950
	0016	6350	660		00 020		0016	6351	360		91 955
	0016	6353	150		91 955		0016	6354	56		00 030
	0016	6355	410		00 020		0016	6356	58		00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 43

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0016	6357	828		00 020		0016	6358	412		00 020
	0016	6359	270		00 020		0016	6360	160		00 020
	0016	6361	251		00 020		0016	A61011	50	1	91 950
	0016	A61012	57	1	91 950		0016	A61021	50	1	91 950
	0016	A61022	57	1	91 950		0016	A61031	50	1	91 950
	0016	A61032	57	1	91 950		0016	A61041	50	1	91 950
	0016	A61042	57	1	91 950		0016	A61051	50	1	91 950
	0016	A61052	57	1	91 950		0016	A61061	62	1	91 950
	0016	A61071	50	1	91 950		0016	A61081	50	1	91 950
	0016	A61082	57	1	91 950		0016	A61091	62	1	91 950
	0016	A61101	62	1	91 950		0016	A61111	62	1	91 950
	0016	A61121	62	1	91 950		0016	A61131	50	1	91 950
	0016	A61132	57	1	91 950		0016	A61141	50	1	91 950
	0016	A61142	57	1	91 950		0016	A62011	50	1	91 950
	0016	A62012	57	1	91 950		0016	A62021	50	1	91 950
	0016	A62022	57	1	91 950		0016	A62031	50	1	91 950
	0016	A62032	57	1	91 950		0016	A62041	50	1	91 950
	0016	A62042	57	1	91 950		0016	A62051	50	1	91 950
	0016	A62052	57	1	91 950		0016	A62061	62	1	91 950
	0016	A62071	50	1	91 950		0016	A62072	57	1	91 950
	0016	A62081	50	1	91 950		0016	A62082	57	1	91 950
	0016	A62091	62	1	91 950		0016	A62101	62	1	91 950
	0016	A62111	62	1	91 950		0016	A62121	62	1	91 950
	0016	A62131	50	1	91 950		0016	A62132	57	1	91 950
	0016	A62141	50	1	91 950		0016	A62142	57	1	91 950
	0016	A63011	50	1	91 950		0016	A63012	57	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 44

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0016	A63021	50	1		91 950		0016	A63022	57	1		91 950
	0016	A63031	50	1		91 950		0016	A63032	57	1		91 950
	0016	A63041	50	1		91 950		0016	A63042	57	1		91 950
	0016	A63051	50	1		91 950		0016	A63052	57	1		91 950
	0016	A63071	50	1		91 950		0016	A63072	57	1		91 950
	0016	A63081	50	1		91 950		0016	A63082	57	1		91 950
	0016	A63091	62	1		91 950		0016	A63101	62	1		91 950
	0016	A63111	62	1		91 950		0016	A63121	62	1		91 950
	0016	A63131	50	1		91 950		0016	A63132	57	1		91 950
	0016	A63141	50	1		91 950		0016	A63142	57	1		91 950
	0016	B61111	62	1		91 950		0016	B61121	62	1		91 950
	0016	B62111	62	1		91 950		0016	B62121	62	1		91 950
	0016	B63111	62	1		91 950		0016	B63121	62	1		91 950
	0016	C61011	50	1		91 950		0016	C61012	57	1		91 950
	0016	C61021	50	1		91 950		0016	C61022	57	1		91 950
	0016	C61031	50	1		91 950		0016	C61032	57	1		91 950
	0016	C61041	50	1		91 950		0016	C61042	57	1		91 950
	0016	C61051	50	1		91 950		0016	C61052	57	1		91 950
	0016	C61071	50	1		91 950		0016	C61072	57	1		91 950
	0016	C61081	50	1		91 950		0016	C61082	57	1		91 950
	0016	C61131	50	1		91 950		0016	C61132	57	1		91 950
	0016	C61141	50	1		91 950		0016	C61142	57	1		91 950
	0016	C62011	50	1		91 950		0016	C62012	57	1		91 950
	0016	C62021	50	1		91 950		0016	C62022	57	1		91 950
	0016	C62031	50	1		91 950		0016	C62032	57	1		91 950
	0016	C62041	50	1		91 950		0016	C62042	57	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 45

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	
	0016	C62051	50	1	91 950		0016	C62052	57	1	91 950	
	0016	C62071	50	1	91 950		0016	C62072	57	1	91 950	
	0016	C62081	50	1	91 950		0016	C62082	57	1	91 950	
	0016	C62131	50	1	91 950		0016	C62132	57	1	91 950	
	0016	C62141	50	1	91 950		0016	C62142	57	1	91 950	
	0016	C63011	50	1	91 950		0016	C63012	57	1	91 950	
	0016	C63021	50	1	91 950		0016	C63022	57	1	91 950	
	0016	C63031	50	1	91 950		0016	C63032	57	1	91 950	
	0016	C63041	50	1	91 950		0016	C63042	57	1	91 950	
	0016	C63051	50	1	91 950		0016	C63052	57	1	91 950	
	0016	C63071	50	1	91 950		0016	C63072	57	1	91 950	
	0016	C63081	50	1	91 950		0016	C63082	57	1	91 950	
	0016	C63131	50	1	91 950		0016	C63132	57	1	91 950	
	0016	C63141	50	1	91 950		0016	C63142	57	1	91 950	
							TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				37,773	
							TOTAL NUMBER CLASSROOMS					
							TOTAL NUMBER COMPUTER CLASSROOMS					
							TOTAL NUMBER LABS 210					
							TOTAL NUMBER SPECIAL LABS 220					
	0017	7101A	133	1	91 950		0017	7101B	117	1	91 950	
	0017	7101C	117	1	91 950		0017	7101D	133	1	91 950	
	0017	7101E	140	1	91 950		0017	7101F	230	1	91 950	
	0017	7102A	133	1	91 950		0017	7102B	117	1	91 950	
	0017	7102C	117	1	91 950		0017	7102D	133	1	91 950	
	0017	7102E	140	1	91 950		0017	7102F	230	1	91 950	
	0017	7103A	133	1	91 950		0017	7103B	117	1	91 950	
	0017	7103C	117	1	91 950		0017	7103D	133	1	91 950	
	0017	7103E	140	1	91 950		0017	7103F	230	1	91 950	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 46

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE
	0017	7104A	133	1		91 950		0017	7104B	117	1		91 950
	0017	7104C	117	1		91 950		0017	7104D	133	1		91 950
	0017	7104E	140	1		91 950		0017	7104F	230	1		91 950
	0017	7105A	123	1		91 950		0017	7105B	130	1		91 950
	0017	7105E	128	1		91 950		0017	7105F	148	1		91 950
	0017	7106A	123	1		91 950		0017	7106B	130	1		91 950
	0017	7106E	128	1		91 950		0017	7106F	148	1		91 950
	0017	7107A	123	1		91 950		0017	7107B	130	1		91 950
	0017	7107E	128	1		91 950		0017	7107F	148	1		91 950
	0017	7108A	133	1		91 950		0017	7108B	117	1		91 950
	0017	7108C	117	1		91 950		0017	7108D	133	1		91 950
	0017	7108E	140	1		91 950		0017	7108F	230	1		91 950
	0017	7109A	133	1		91 950		0017	7109B	117	1		91 950
	0017	7109C	117	1		91 950		0017	7109D	133	1		91 950
	0017	7109E	140	1		91 950		0017	7109F	230	1		91 950
	0017	7110A	133	1		91 950		0017	7110B	117	1		91 950
	0017	7110C	117	1		91 950		0017	7110D	133	1		91 950
	0017	7110E	140	1		91 950		0017	7110F	230	1		91 950
	0017	7111A	133	1		91 950		0017	7111B	117	1		91 950
	0017	7111C	117	1		91 950		0017	7111D	133	1		91 950
	0017	7111E	140	1		91 950		0017	7111F	230	1		91 950
	0017	7112A	123	1		91 950		0017	7112B	130	1		91 950
	0017	7112E	128	1		91 950		0017	7112F	148	1		91 950
	0017	7113A	123	1		91 950		0017	7113B	130	1		91 950
	0017	7113E	128	1		91 950		0017	7113F	148	1		91 950
	0017	7114A	133	1		91 950		0017	7114B	117	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 47

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0017	7114C	117	1		91 950		0017	7114D	133	1		91 950
	0017	7114E	140	1		91 950		0017	7114F	230	1		91 950
	0017	7115A	133	1		91 950		0017	7115B	177	1		91 950
	0017	7115C	177	1		91 950		0017	7115D	133	1		91 950
	0017	7115E	140	1		91 950		0017	7115F	230	1		91 950
	0017	7150	660			00 020		0017	7151	360			91 955
	0017	7152	56			00 030		0017	7153	94			00 030
	0017	7154	56			91 955		0017	7156	58			00 020
	0017	7157	828			00 020		0017	7158	412			00 020
	0017	7159	270			00 020		0017	7160	160			00 020
	0017	7161	251			00 020		0017	7201A	133	1		91 950
	0017	7201B	117	1		91 950		0017	7201C	117	1		91 950
	0017	7201D	133	1		91 950		0017	7201E	140	1		91 950
	0017	7201F	230	1		91 950		0017	7202A	133	1		91 950
	0017	7202B	117	1		91 950		0017	7202C	117	1		91 950
	0017	7202D	133	1		91 950		0017	7202E	140	1		91 950
	0017	7202F	230	1		91 950		0017	7203A	133	1		91 950
	0017	7203B	117	1		91 950		0017	7203C	117	1		91 950
	0017	7203D	133	1		91 950		0017	7203E	140	1		91 950
	0017	7203F	230	1		91 950		0017	7204A	133	1		91 950
	0017	7204B	117	1		91 950		0017	7204C	117	1		91 950
	0017	7204D	133	1		91 950		0017	7204E	140	1		91 950
	0017	7204F	230	1		91 950		0017	7205A	123	1		91 950
	0017	7205B	130	1		91 950		0017	7205E	128	1		91 950
	0017	7205F	148	1		91 950		0017	7206A	123	1		91 950
	0017	7206B	130	1		91 950		0017	7206E	128	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 48

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0017	7206F	148	1	91 950		0017	7207A	123	1	91 950
	0017	7207B	130	1	91 950		0017	7207E	128	1	91 950
	0017	7207F	148	1	91 950		0017	7208A	133	1	91 950
	0017	7208B	117	1	91 950		0017	7208C	117	1	91 950
	0017	7208D	133	1	91 950		0017	7208E	140	1	91 950
	0017	7208F	230	1	91 950		0017	7209A	133	1	91 950
	0017	7209B	117	1	91 950		0017	7209C	117	1	91 950
	0017	7209D	133	1	91 950		0017	7209E	140	1	91 950
	0017	7209F	230	1	91 950		0017	7210A	133	1	91 950
	0017	7210B	117	1	91 950		0017	7210C	117	1	91 950
	0017	7210D	133	1	91 950		0017	7210E	140	1	91 950
	0017	7210F	230	1	91 950		0017	7211A	133	1	91 950
	0017	7211B	117	1	91 950		0017	7211C	117	1	91 950
	0017	7211D	133	1	91 950		0017	7211E	140	1	91 950
	0017	7211F	230	1	91 950		0017	7212A	123	1	91 950
	0017	7212B	130	1	91 950		0017	7212E	128	1	91 950
	0017	7212F	148	1	91 950		0017	7213A	123	1	91 950
	0017	7213B	130	1	91 950		0017	7213E	128	1	91 950
	0017	7213F	148	1	91 950		0017	7214A	133	1	91 950
	0017	7214B	117	1	91 950		0017	7214C	117	1	91 950
	0017	7214D	133	1	91 950		0017	7214E	140	1	91 950
	0017	7214F	230	1	91 950		0017	7215A	133	1	91 950
	0017	7215B	177	1	91 950		0017	7215C	177	1	91 950
	0017	7215D	133	1	91 950		0017	7215E	140	1	91 950
	0017	7215F	230	1	91 950		0017	7250	660		00 020
	0017	7251	360		00 020		0017	7253	150		00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 49

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0017	7254	56		91 955		0017	7256	58		00 020
	0017	7257	828		00 020		0017	7258	412		00 020
	0017	7259	270		00 020		0017	7260	160		00 020
	0017	7261	251		00 020		0017	7301A	133	1	91 950
	0017	7301B	117	1	91 950		0017	7301C	117	1	91 950
	0017	7301D	133	1	91 950		0017	7301E	140	1	91 950
	0017	7301F	230	1	91 950		0017	7302A	133	1	91 950
	0017	7302B	117	1	91 950		0017	7302C	117	1	91 950
	0017	7302D	133	1	91 950		0017	7302E	140	1	91 950
	0017	7302F	230	1	91 950		0017	7303A	133	1	91 950
	0017	7303B	117	1	91 950		0017	7303C	117	1	91 950
	0017	7303D	133	1	91 950		0017	7303E	140	1	91 950
	0017	7303F	230	1	91 950		0017	7304A	133	1	91 950
	0017	7304B	117	1	91 950		0017	7304C	117	1	91 950
	0017	7304D	133	1	91 950		0017	7304E	140	1	91 950
	0017	7304F	230	1	91 950		0017	7305A	123	1	91 950
	0017	7305B	130	1	91 950		0017	7305E	128	1	91 950
	0017	7305F	148	1	91 950		0017	7306A	123	1	91 950
	0017	7306B	130	1	91 950		0017	7306E	128	1	91 950
	0017	7306F	148	1	91 950		0017	7307A	123	1	91 950
	0017	7307B	130	1	91 950		0017	7307E	128	1	91 950
	0017	7307F	148	1	91 950		0017	7308A	133	1	91 950
	0017	7308B	117	1	91 950		0017	7308C	117	1	91 950
	0017	7308D	133	1	91 950		0017	7308E	140	1	91 950
	0017	7308F	230	1	91 950		0017	7309A	133	1	91 950
	0017	7309B	117	1	91 950		0017	7309C	117	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 50

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0017	7309D	133	1		91 950		0017	7309E	140	1		91 950
	0017	7309F	230	1		91 950		0017	7310A	133	1		91 950
	0017	7310B	117	1		91 950		0017	7310C	117	1		91 950
	0017	7310D	133	1		91 950		0017	7310E	140	1		91 950
	0017	7310F	230	1		91 950		0017	7311A	133	1		91 950
	0017	7311B	117	1		91 950		0017	7311C	117	1		91 950
	0017	7311D	133	1		91 950		0017	7311E	140	1		91 950
	0017	7311F	230	1		91 950		0017	7312A	123	1		91 950
	0017	7312B	130	1		91 950		0017	7312E	128	1		91 950
	0017	7312F	148	1		91 950		0017	7313A	123	1		91 950
	0017	7313B	130	1		91 950		0017	7313E	128	1		91 950
	0017	7313F	148	1		91 950		0017	7314A	133	1		91 950
	0017	7314B	117	1		91 950		0017	7314C	117	1		91 950
	0017	7314D	133	1		91 950		0017	7314E	140	1		91 950
	0017	7314F	230	1		91 950		0017	7315A	133	1		91 950
	0017	7315B	177	1		91 950		0017	7315C	177	1		91 950
	0017	7315D	133	1		91 950		0017	7315E	140	1		91 950
	0017	7315F	230	1		91 950		0017	7350	660			00 020
	0017	7351	360			00 020		0017	7353	150			00 030
	0017	7354	56			00 030		0017	7356	58			00 020
	0017	7357	828			00 020		0017	7358	412			00 020
	0017	7359	270			00 020		0017	7360	160			00 020
	0017	7361	251			00 020		0017	A71011	50	1		91 950
	0017	A71012	57	1		00 030		0017	A71021	50	1		91 950
	0017	A71022	57	1		91 950		0017	A71031	50	1		91 950
	0017	A71032	57	1		91 950		0017	A71041	50	1		91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 51

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0017	A71042	57	1	91 950		0017	A71051	62	1	91 950
	0017	A71061	62	1	91 950		0017	A71071	62	1	91 950
	0017	A71081	50	1	91 950		0017	A71082	57	1	91 950
	0017	A71091	50	1	91 950		0017	A71092	57	1	91 950
	0017	A71101	50	1	91 950		0017	A71102	57	1	91 950
	0017	A71111	50	1	91 950		0017	A71112	57	1	91 950
	0017	A71121	62	1	91 950		0017	A71131	62	1	91 950
	0017	A71141	50	1	91 950		0017	A71142	57	1	91 950
	0017	A71151	50	1	91 950		0017	A71152	57	1	91 950
	0017	A72011	50	1	91 950		0017	A72012	57	1	91 955
	0017	A72021	50	1	91 950		0017	A72022	57	1	91 950
	0017	A72031	50	1	91 950		0017	A72032	57	1	91 950
	0017	A72041	50	1	91 950		0017	A72042	57	1	91 950
	0017	A72051	62	1	91 950		0017	A72061	62	1	91 950
	0017	A72071	62	1	91 950		0017	A72081	50	1	91 950
	0017	A72082	57	1	91 950		0017	A72091	50	1	91 950
	0017	A72092	57	1	91 950		0017	A72101	50	1	91 950
	0017	A72102	57	1	91 950		0017	A72111	50	1	91 950
	0017	A72112	57	1	91 950		0017	A72121	62	1	91 950
	0017	A72131	62	1	91 950		0017	A72141	50	1	91 950
	0017	A72142	57	1	91 950		0017	A72151	50	1	91 950
	0017	A72152	57	1	91 950		0017	A73011	50	1	91 950
	0017	A73012	57	1	91 950		0017	A73021	50	1	91 950
	0017	A73022	57	1	91 950		0017	A73031	50	1	91 950
	0017	A73032	57	1	91 950		0017	A73041	50	1	91 950
	0017	A73042	57	1	91 950		0017	A73051	62	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 52

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0017	A73061	62	1	91 950		0017	A73071	62	1	91 950
	0017	A73081	50	1	91 950		0017	A73082	57	1	91 950
	0017	A73091	50	1	91 950		0017	A73092	57	1	91 950
	0017	A73101	50	1	91 950		0017	A73102	57	1	91 950
	0017	A73111	50	1	91 950		0017	A73112	57	1	91 950
	0017	A73121	62	1	91 950		0017	A73131	62	1	91 950
	0017	A73141	50	1	91 950		0017	A73142	57	1	91 950
	0017	A73151	50	1	91 950		0017	A73152	57	1	91 950
	0017	B71051	62	1	91 950		0017	B71061	62	1	91 950
	0017	B71071	62	1	91 950		0017	B71121	62	1	91 950
	0017	B71131	62	1	91 950		0017	B72051	62	1	91 950
	0017	B72061	62	1	91 950		0017	B72071	62	1	91 950
	0017	B72121	62	1	91 950		0017	B72131	62	1	91 950
	0017	B73051	62	1	91 950		0017	B73061	62	1	91 950
	0017	B73071	62	1	91 950		0017	B73121	62	1	91 950
	0017	B73131	62	1	91 950		0017	C71011	50	1	91 950
	0017	C71012	57	1	91 950		0017	C71021	50	1	91 950
	0017	C71022	57	1	91 950		0017	C71031	50	1	91 950
	0017	C71032	57	1	91 950		0017	C71041	50	1	91 950
	0017	C71042	57	1	91 950		0017	C71081	50	1	91 950
	0017	C71082	57	1	91 950		0017	C71091	50	1	91 950
	0017	C71092	57	1	91 950		0017	C71101	50	1	91 950
	0017	C71102	57	1	91 950		0017	C71111	50	1	91 950
	0017	C71112	57	1	91 950		0017	C71141	50	1	91 950
	0017	C71142	57	1	91 950		0017	C71151	50	1	91 950
	0017	C71152	57	1	91 950		0017	C72011	50	1	91 950

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 54

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0018	0102D	200	1		46 310		0018	0102E	200	1		46 310
	0018	0102F	605	20		46 350		0018	0102G	259			46 314
	0018	0102H	170			46 314		0018	0102J	99	2		46 315
	0018	0102K	99	2		46 315		0018	0102L	197			52 315
	0018	0102M	297			46 315		0018	0102N	836			31 315
	0018	0103	388			00 030		0018	0103A	87			00 030
	0018	0103B	72			46 315		0018	0103C	72			46 315
	0018	0104	241			00 020		0018	0105	45			00 020
	0018	0105J	22			00 010		0018	0105M	183	5		00 030
	0018	0105W	283	7		00 030		0018	0106	683			00 020
	0018	0106S	150			00 020		0018	0107	144	1		46 310
	0018	0108	123			00 020		0018	0109	144	1		46 310
	0018	0110	2424	144		11 110		0018	0111	87			46 315
	0018	0113	143	1		46 310		0018	0114	110			00 020
	0018	0115	149	1		46 310		0018	0116	932			00 020
	0018	0117	149	1		46 310		0018	0119	143	1		46 310
	0018	0120	2499	56		11 410		0018	0121	87			46 315
	0018	0123	143	1		46 310		0018	0125	143	1		46 310
9	0018	0126	3283	55		11 410		0018	0127	86			00 030
	0018	0128	256			46 314		0018	0129	116			46 315
	0018	0130	1047	4		13 270		0018	0131	113	1		46 310
	0018	0133	74	1		46 310		0018	0134	650			00 020
	0018	0134E	60			00 030		0018	0134S	145			00 020
	0018	0135	437			00 020		0018	0136	171			00 020
	0018	0137	110			00 020		0018	0137E	93			00 030
	0018	0138	525			00 020		0018	0139	85			00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 55

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0018	0140	1107	40		52 650		0018	0141	388			00 030
	0018	0142	1084	40		52 650		0018	0143	45			00 020
	0018	0143J	16			00 010		0018	0143M	183	5		00 030
	0018	0143W	283	7		00 030		0018	0144	270			91 635
	0018	0145	167			00 020		0018	0146	1783	50		52 650
	0018	0147	154	1		46 314		0018	0148	94			46 315
	0018	0149	76	1		46 310		0018	0150	657			00 020
	0018	0150S	204			00 030		0018	0151	76	1		46 310
	0018	0153	49	1		46 310		0018	0155	49	1		46 310
	0018	0157	49	1		46 310		0018	0159	78	1		46 310
	0018	0160	416			00 030		0018	0161	73	1		46 310
	0018	0162	461			00 030		0018	0163	100			46 313
	0018	0164	601			72 720		0018	0165	275	1		46 310
	0018	0166	1187			72 750		0018	0167	102			00 020
	0018	0169	447			00 020		0018	0170	4141	230		11 110
	0018	0170A	92			48 115		0018	0171	85			00 030
	0018	0173	132			46 314		0018	0174	565	1		46 310
	0018	0174A	95			46 315		0018	0174B	91	1		00 030
	0018	0174C	158			52 650		0018	0174D	150	1		46 310
	0018	0174E	152			46 314		0018	0174F	150	1		46 310
	0018	0174G	161	1		46 310		0018	0175	118			51 315
	0018	0176	787	1		46 310		0018	0176A	210	10		46 350
	0018	0176B	164	1		53 310		0018	0176C	170	1		53 310
	0018	0176D	68	1		57 590		0018	0176E	73			46 315
	0018	0177	114			00 030		0018	0201	2304	28		11 315
	0018	0202	3544	230		11 110		0018	0202A	15			48 115

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 56

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0018	0203	388		00 030		0018	0203A	85		00 030
	0018	0204	2090		00 020		0018	0205	45		00 020
	0018	0205J	22		00 010		0018	0205M	183	5	00 030
	0018	0205W	283	7	00 030		0018	0207	143	1	46 310
	0018	0209	143	1	46 310		0018	0210	2445	144	11 110
	0018	0211	143	1	46 310		0018	0212	115		00 020
	0018	0212S	193		00 020		0018	0213	153	1	46 310
	0018	0216	2035		00 020		0018	0217	157	1	46 310
	0018	0219	143	1	46 310		0018	0220	3462	54	11 210
	0018	0220A	149		48 215		0018	0220B	104		48 215
	0018	0220C	43		48 215		0018	0220D	273		48 215
	0018	0220E	189		48 215		0018	0220F	454		48 215
	0018	0220G	128		46 215		0018	0220H	131		46 215
	0018	0220J	128		46 215		0018	0220K	153		48 215
	0018	0221	143	1	46 310		0018	0223	143		46 313
	0018	0225	292	1	46 325		0018	0227	85		00 030
	0018	0230	3122		46 670		0018	0231	593	30	46 350
	0018	0232	246		46 325		0018	0234	145		46 313
	0018	0235	238		00 020		0018	0235E	58		00 030
	0018	0236	207	1	46 310		0018	0237	105		00 020
	0018	0237A	158		21 255		0018	0237E	90		00 030
	0018	0239	85		00 030	9	0018	0240	1737	2	22 250
	0018	0241	388		00 030		0018	0242	130		21 215
	0018	0243	45		00 020		0018	0243J	16		00 010
	0018	0243M	183	5	00 030		0018	0243W	283	7	00 030
	0018	0244	174		46 313		0018	0245	292		52 650

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 57

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0018	0246	230			46	325	0018	0247	143		1	46 310
	0018	0248	152	1		46	310	0018	0250	152		1	46 310
	0018	0251	149	1		46	310	0018	0252	1549			83 083
	0018	0253	150	1		46	310	0018	0254	412			00 020
	0018	0255	152	1		46	310	0018	0256	1436	29		21 250
	0018	0257	150			46	313	0018	0258	175			21 255
	0018	0259	292	1		46	310	0018	0260	175			63 760
	0018	0261	143	1		46	310	0018	0262	205		1	46 310
	0018	0264	110			00	020	0018	0264S	206			00 020
	0018	0270	232			00	020	0018	0270A	495		20	46 350
	0018	0270B	233			46	315	0018	0270C	315			64 710
	0018	0270D	101			46	315	0018	0270E	197		2	46 310
	0018	0270F	1431	12		46	310	0018	0270G	220		1	46 310
	0018	0270H	207	1		81	310	0018	0270J	225		1	46 310
	0018	0270K	207	1		46	310	0018	0270L	225		1	46 310
	0018	0270M	225	1		46	310	0018	0270N	207		1	46 310
	0018	0270P	207	1		46	310	0018	0270Q	135		1	46 310
	0018	0270R	128	1		46	310	0018	0270S	127		1	46 310
	0018	0270T	362	4		46	320	0018	0270U	120		1	46 310
	0018	0270V	118	1		81	310	0018	0270W	98			81 313
	0018	0270X	154			81	315	0018	0270Y	160			46 315
	0018	0270Z	147			46	315	0018	0300	265		1	46 310
	0018	0301	593	15		45	350	0018	0302	150			46 315
	0018	0303	85			00	030	9	0018	0304	1700	3	22 250
	0018	0304A	180	1		21	255		0018	0305	388		00 030
	0018	0306	1197			83	083		0018	0307	45		00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 58

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0018	0307J	22			00 010		0018	0307M	183	5		00 030
	0018	0307W	283	7		00 030		0018	0308	70			00 020
	0018	0310	187	1		46 310		0018	0312	146			22 260
	0018	0313	593			21 255		0018	0314	233			63 760
	0018	0315	212			22 260		0018	0316	204	1		46 310
	0018	0317	400	2		21 250		0018	0319	295			21 260
	0018	0321	110			00 020		0018	0322	1450	8		22 250
	0018	0323	2070			00 020		0018	0324	204	1		46 310
	0018	0325	2073			00 020		0018	0326	201	4		21 320
	0018	0328S	173			00 020		0018	0329	238			00 020
	0018	0329E	58			00 030		0018	0330	130			46 315
	0018	0331	140			00 020		0018	0331E	90			00 020
	0018	0332	162	1		22 260		0018	0334S	210			00 020
	0018	0335	144			00 030		0018	0339	85			00 030
	0018	0340	3650	230		11 110		0018	0341	388			00 030
9	0018	0342	1762	4		22 250		0018	0343	45			00 020
	0018	0343J	16			00 010		0018	0343M	183	5		00 030
	0018	0343W	283	7		00 030		0018	0344	204	1		46 310
	0018	0345	292	5		52 650		0018	0346	1317			83 083
	0018	0347	143			21 255		0018	0348	203			81 081
	0018	0350	1150	48		11 110		0018	0352	1580	4		22 250
	0018	0354	146	1		46 315		0018	0356	208	1		46 325
	0018	0358	180	1		46 320		0018	0360	162	1		46 310
	0018	0362	204	1		46 310		0018	0364	1370	1		22 250
9	0018	0366	1370	3		22 250		0018	0368	204	1		46 310
	0018	0369	357	1		21 260		0018	0369A	147	1		22 260

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 59

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0018	0369B	141	1		22 260		0018	0369C	254	1		22 255
	0018	0370	204	1		46 310		0018	0371	110			22 260
	0018	0372	1382	4		22 250		0018	0373S	210			00 020
9	0018	0376	1416	3		22 250		0018	0378	204	1		46 310
	0018	0380	204	1		46 310	9	0018	0382	1370	3		21 250
9	0018	0384	1370	3		22 250		0018	0386	204	1		46 310
	0018	0389	85			00 030		0018	0390	1180			83 083
	0018	0391	104	1		46 310		0018	0392	1127	3		22 250
	0018	0393	181	1		46 310							
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				95,985	
								TOTAL NUMBER CLASSROOMS				6	
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210				1	
								TOTAL NUMBER SPECIAL LABS 220					
	0019	0101	121			00 020		0019	0102	126	14		57 880
	0019	0103	329	21		57 880		0019	0104	50	1		00 030
	0019	0105	65	2		57 313		0019	0106	65	1		57 310
	0019	0107	94			57 730		0019	0108	147	3		57 310
	0019	0109	52	1		00 030		0019	0110	108			57 870
	0019	0111	88	1		57 865		0019	0112	115	2		57 830
	0019	0113	30			57 731		0019	0114	30			57 870
	0019	0115	9			00 010		0019	0116	55	1		00 030
	0019	0117	106	3		57 850		0019	0118	109	3		57 850
	0019	0119	109	3		57 850		0019	0120	106	3		57 850
	0019	0121	97	2		57 310		0019	0122	58	2		57 314
	0019	0123	303	5		57 650		0019	0124	9			00 030
	0019	0125	9			00 030		0019	0126	369			00 020
	0019	0127	355			00 020		0019	0128	84	4		53 650

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 60

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0019	0129	176			00 020		0019	0130	309		10	53 880
	0019	0131	143	1		53 310		0019	0132	125		2	53 313
	0019	0133	306	19		53 315		0019	0134	95			53 315
	0019	0135	110			53 315		0019	0136	163		1	53 314
	0019	0137	167	3		53 314		0019	0138	95		1	53 320
	0019	0139	95	1		53 320		0019	0140	202		5	53 325
	0019	0141	244	9		53 350		0019	0142	145			00 030
	0019	0143	145	2		00 020		0019	0144	33			00 030
	0019	0145	352			00 020		0019	0146	14			00 030
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					4,223
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0020	0101	252	15		52 525		0020	0102	143		2	52 525
	0020	0103	59	1		00 030		0020	0104	59		1	00 030
	0020	0105	13			00 030		0020	0106	13			00 030
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					395
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0021	0101	34			00 030		0021	0102	37			00 020
	0021	0103	236	4		52 525		0021	0104	285		10	52 525
	0021	0105	55			93 665		0021	0106	139		2	93 660
	0021	0201	34			00 030		0021	0202	57		3	52 525
	0021	0203	48	1		52 525		0021	0205	209		2	52 525
	0021	0206	86			00 020		0021	0207	64			52 525
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					1,093
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 61

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	
	0022	0100	310	2		63 525		0022	0101	147	5		63 320	
	0022	0102	213			11 731		0022	0103	135	1		63 325	
	0022	0104	20			63 315		0022	0105	13			00 030	
	0022	0106	45	1		00 030		0022	0107	46	1		00 030	
	0022	0108	553	5		63 525		0022	0109	54			63 525	
	0022	0110	10			63 315		0022	0111	80			00 020	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					1,442	
								TOTAL NUMBER CLASSROOMS						
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210						
								TOTAL NUMBER SPECIAL LABS 220						
	0023	0100	208			00 020		0023	0101	477	8		11 550	
	0023	0102	271			11 555		0023	0103	271	14		11 555	
	0023	0104	550	10		11 550		0023	0105	577	10		11 550	
	0023	0106	495	8		11 550		0023	0107	160	1		46 310	
	0023	0108	135	3		00 030		0023	0109	133	3		00 030	
	0023	0110	58	1		00 030		0023	0111	144			11 555	
	0023	0112	17			00 030		0023	0113	190			00 020	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					2,945	
								TOTAL NUMBER CLASSROOMS						
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210						
								TOTAL NUMBER SPECIAL LABS 220						
	0101	0100	1200			00 020		0101	0100A	264			00 020	
	0101	0100B	264			00 020		0101	0101	466	12		51 315	
	0101	0102	270	12		51 310		0101	0103	243	1		51 350	
	0101	0103A	98			00 020		0101	0104	146			51 315	
	0101	0105	141	1		51 310		0101	0106	107	1		51 315	
	0101	0107	107	1		51 310		0101	0108	107	1		51 315	
	0101	0109	106	1		51 310		0101	0110	29	1		00 030	
	0101	0111	105	1		51 315		0101	0112	105	1		51 315	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 62

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE		
	0101	0113	39			51	315	0101	0114	40			00	030	
	0101	0115	583	36		51	310	0101	0116	24			00	010	
	0101	0117	200	4		00	030	0101	0118	279			51	315	
	0101	0119	564	20		51	315	0101	0120	1110	20		82	082	
	0101	0121	205	3		00	030	0101	0122	222			00	030	
	0101	0123	24			00	020	0101	0200	1164			00	020	
	0101	0200A	264			00	020	0101	0200B	264			00	020	
	0101	0200C	36			81	081	0101	0201	1251	20		51	315	
	0101	0202	128			51	315	0101	0203	105	1		51	315	
	0101	0204	999	20		51	315	0101	0205	132	1		51	315	
	0101	0206	132	1		51	315	0101	0207	30	1		00	030	
	0101	0208	194	4		00	030	0101	0209	825	60		11	110	
	0101	0210	372			51	315	0101	0211	1140	15		51	310	
	0101	0212	48			00	030	0101	0212A	24			00	020	
													TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	9,598	
													TOTAL NUMBER CLASSROOMS		1
													TOTAL NUMBER COMPUTER CLASSROOMS		
													TOTAL NUMBER LABS	210	
													TOTAL NUMBER SPECIAL LABS	220	
	0102	0101	428			00	020	0102	0102	250	8		46	350	
	0102	0103	263	1		46	325	0102	0104	445	1		46	310	
	0102	0105	262	2		46	313	0102	0106	293	1		46	310	
	0102	0107	496			00	020	0102	0108	413			00	030	
	0102	0109	140			00	030	0102	0110	911	54		11	110	
	0102	0111	628	12		11	210	0102	0112	401			00	020	
	0102	0113	871	48		11	110	0102	0114	290			00	020	
	0102	0115	869	18		11	220	0102	0116	237	1		41	215	
	0102	0117	185	4		00	030	0102	0118	41			00	020	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 63

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0102	0119	1023			00 020		0102	0120	45			00 030
	0102	0121	143			00 020		0102	0122	80			00 030
	0102	0123	60			00 010		0102	0124	52			00 020
	0102	0125	184		4	00 030		0102	0126	180			00 030
	0102	0127	190		1	46 310		0102	0128	197		1	11 310
	0102	0129	883	45		11 110		0102	0130	113			00 030
	0102	0131	142		2	00 030		0102	0132	141		2	00 030
	0102	0133	533			00 020		0102	0134	1569		35	11 210
	0102	0135	244		4	11 225		0102	0136	333			48 215
	0102	0137	665			00 020		0102	0138	213		2	46 310
	0102	0139	208		1	46 310		0102	0140	209		1	46 310
	0102	0141	277		10	46 315		0102	0142	718		20	11 650
	0102	0143	291			00 020		0102	0144	75			11 615
	0102	0145	334			11 615		0102	0146	119			11 731
	0102	0147	50			00 030		0102	0148	373			46 615
	0102	0150	145			00 020		0102	0151	264		5	11 220
9	0102	0153	950		20	11 610		0102	0154	276			00 020
	0102	0155	333		15	11 615		0102	0156	45		1	00 030
	0102	0157	310			11 615		0102	0158	3085		284	11 610
	0102	0159	178			00 030		0102	0160	66			00 020
	0102	0161	134		2	11 615		0102	0162	106			00 020
	0102	0163	66			00 020		0102	0164	178			00 030
	0102	0165	272		4	00 030		0102	0166	47			00 020
	0102	0167	628			00 020		0102	0168	78		2	11 615
	0102	0169	47			00 020		0102	0170	272		4	00 030
	0102	0171	64			11 615		0102	0172	64			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 64

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0102	0173	205			00 030		0102	0201	428			00 020
	0102	0203	253	1		46 310		0102	0204	190	1		46 310
	0102	0205	195	1		46 310		0102	0206	297	1		46 310
	0102	0207	175	2		46 310		0102	0208	305	1		46 310
	0102	0209	486	15		11 210		0102	0210	260	1		46 220
	0102	0211	271	1		46 310		0102	0212	269	1		46 310
	0102	0213	248	1		46 310		0102	0214	278	5		11 220
	0102	0215	193			00 020		0102	0216	1013			00 020
	0102	0217	91	1		11 220		0102	0218	89	1		48 220
	0102	0219	70	1		11 220		0102	0220	61	1		11 220
	0102	0221	75	1		11 220		0102	0222	69	1		11 220
	0102	0223	602			00 020		0102	0224	49	1		11 220
	0102	0225	57	1		11 220		0102	0226	47	1		11 220
	0102	0227	60	1		11 220		0102	0228	56	1		11 220
	0102	0229	52	2		11 220		0102	0230	59	1		11 220
	0102	0231	65	1		11 220		0102	0232	61	1		11 220
	0102	0233	64	1		11 220		0102	0234	56	1		11 220
	0102	0235	77	1		11 220		0102	0236	229			00 030
	0102	0237	185	4		00 030		0102	0238	41			00 020
	0102	0239	45			00 030		0102	0240	95			00 020
	0102	0241	143			00 020		0102	0242	1193			00 020
	0102	0243	52			00 020		0102	0244	60			00 010
	0102	0245	184	4		00 030		0102	0246	181			00 030
	0102	0247	167	1		48 310		0102	0248	240			48 215
	0102	0249	1819	70		11 210		0102	0250	180			48 215
	0102	0251	231	1		46 310		0102	0252	109			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 65

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	
	0102	0253	227	8		11 210		0102	0254	583	15		11 210	
	0102	0256	232	1		46 310		0102	0257	179	1		46 310	
	0102	0258	96			00 030		0102	0259	117			00 020	
	0102	0260	306	1		46 310		0102	0261	172	1		46 310	
	0102	0262	307	1		46 310		0102	0263	197	1		46 310	
	0102	0264	190	1		46 310		0102	0265	117			00 020	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					25,604	
								TOTAL NUMBER CLASSROOMS					3	
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210					6	
								TOTAL NUMBER SPECIAL LABS 220					22	
	0103	0101	1230			00 020		0103	0102	239	1		63 313	
	0103	0103	53			48 315		0103	0104	233	1		46 310	
	0103	0105	66	1		46 315		0103	0106	49	1		46 310	
	0103	0107	20	1		46 315		0103	0108	255	1		46 310	
	0103	0109	55	1		46 315		0103	0110	332	1		46 350	
	0103	0111	236			00 030		0103	0112	102			46 315	
	0103	0113	102	1		46 310		0103	0114	168	1		46 310	
	0103	0115	106	1		46 310		0103	0117	117			00 020	
	0103	0118	23			00 030		0103	0119	249			00 020	
	0103	0120	70			00 020		0103	0121	168	1		46 310	
	0103	0122	122	1		46 310		0103	0123	108	1		46 310	
	0103	0124	201			46 315		0103	0127	180	1		63 313	
	0103	0128	169	1		63 320		0103	0129	251	1		63 325	
	0103	0130	86			63 315		0103	0131	38			63 315	
	0103	0132	272			00 020		0103	0133	187	4		00 030	
	0103	0134	237	4		00 030		0103	0135	43			00 010	
	0103	0136	280			00 020		0103	0137	1138	30		11 520	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 66

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0103	0138	162			11 520		0103	0139	114			11 525
	0103	0200	1242			00 020		0103	0201A	66			00 020
	0103	0201B	66			00 020		0103	0201C	66			00 020
	0103	0202	236			00 010		0103	0203	623	50		11 110
	0103	0204	272			00 020		0103	0206	104		1	81 081
	0103	0207	112		1	81 081		0103	0208	96		1	81 081
	0103	0209	96		1	46 315		0103	0210	110		1	81 081
	0103	0211	110		1	81 081		0103	0212	96		1	46 315
	0103	0213	96		1	46 731		0103	0214	112		1	81 081
	0103	0215	116		1	81 081		0103	0216	96			48 315
	0103	0216A	80			81 315		0103	0217	272			00 020
	0103	0218	330		2	46 315		0103	0218A	12			46 315
	0103	0219	79			46 315		0103	0220	155		1	46 315
	0103	0221	95		2	00 030		0103	0222	95		2	00 030
	0103	0223	607	40		11 110		0103	0224	634		45	81 081
	0103	0225	334		1	81 081		0103	0226	513	50		11 110
	0103	0227	506		45	81 081		0103	0228	196		1	81 081
	0103	0229	142			81 081		0103	0230	211		1	81 081
	0103	0231	44			81 081		0103	0232	72			81 081
	0103	0300	1220			00 020		0103	0301A	66			00 020
	0103	0301B	66			00 020		0103	0301C	66			00 020
	0103	0302	236			00 010		0103	0303	623		35	81 081
	0103	0304	203			00 020		0103	0304A	69			00 020
	0103	0305	96		1	81 081		0103	0306	104		1	81 081
	0103	0307	112		1	81 081		0103	0308	96		1	81 081
	0103	0309	96		1	81 081		0103	0310	110		1	81 081

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 68

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
9	0104	0123	1628	20	11 610		0104	0124	1628	160	11 610
	0104	0125	57		00 020		0104	0126	88	1	11 615
	0104	0127	324		00 020		0104	0128	45		00 020
	0104	0129	114		00 020		0104	0130	106		00 020
	0104	0131	30		00 020		0104	0132	108	2	00 030
	0104	0133	44		00 010		0104	0135	108	2	00 030
	0104	0136	176		11 650		0104	0137	494	13	11 220
	0104	0138	45		00 020		0104	0139	221	3	11 615
	0104	0140	2122	150	11 615		0104	0141	78	1	11 615
	0104	0142	25	1	00 030		0104	0143	25	1	00 030
	0104	0144	110	1	46 731		0104	0145	24		00 020
	0104	0146	154	1	46 310		0104	0147	80	1	46 310
	0104	0148	252		00 020		0104	0149	1769		11 615
	0104	0151	36		11 615		0104	0153	78	1	11 615
	0104	0201	102		00 020		0104	0202	102		00 020
	0104	0203	185		00 020		0104	0204	24		00 020
	0104	0205	169	1	46 615		0104	0206	64	2	00 030
	0104	0207	175	17	11 615		0104	0208	175		11 615
	0104	0209	64	2	00 030		0104	0210	24		00 020
	0104	0211	169	1	46 615		0104	0212	48		00 020
	0104	0213	238	5	11 615		0104	0214	600	5	11 615
	0104	0215	126	3	11 615		0104	0216	54	1	00 030
	0104	0217	54	1	00 030		0104	0218	126	3	11 615
	0104	0219	126	3	11 615		0104	0220	54	1	00 030
	0104	0221	54	1	00 030		0104	0222	126	1	46 615
	0104	0223	48		00 020		0104	0224	600	1	11 615

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 69

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	
	0104	0225	236	3		11 615		0104	0226	1867	240		11 610	
	0104	0227	105	1		11 615		0104	0228	84			00 030	
	0104	0229	300			11 615		0104	0229A	52			00 020	
	0104	0230	84	1		11 615		0104	0231	28			00 020	
	0104	0232	36			11 615		0104	0233	1128			11 615	
	0104	0234	42			00 020		0104	0235	198	2		11 615	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					23,599	
								TOTAL NUMBER CLASSROOMS						
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210						
								TOTAL NUMBER SPECIAL LABS 220					1	
	0105	0100	736			00 020		0105	0101	831	1		52 525	
	0105	0102	47	1		00 030		0105	0103	171			52 525	
	0105	0104	112			00 010		0105	0104A	20			00 010	
	0105	0105	691			52 525		0105	0106	36	1		00 030	
	0105	0107	136	5		00 030		0105	0108	711			00 020	
	0105	0108A	20			52 525		0105	0109	136	10		52 525	
	0105	0110	7596	300		52 520		0105	0111	136	10		52 525	
	0105	0112	231	1		46 310		0105	0112A	231	1		46 315	
	0105	0113	145	10		00 030		0105	0114	183	2		46 310	
	0105	0115	36	1		00 030		0105	0116	183	1		46 310	
	0105	0117	100	1		00 020		0105	0118	336			00 030	
	0105	0119	705			48 731		0105	0120	1760	50		52 520	
	0105	0121	182			52 525		0105	0122	2653	75		52 520	
	0105	0123	112			52 525		0105	0124	313			52 525	
	0105	0125	7			46 525		0105	0126	61			00 020	
	0105	0200	381			54 731		0105	0201	1190			52 523	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					17,712	
								TOTAL NUMBER CLASSROOMS						

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 70

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
								TOTAL	NUMBER	COMPUTER	CLASSROOMS		
								TOTAL	NUMBER	LABS	210		
								TOTAL	NUMBER	SPECIAL	LABS	220	
	0106	0100	376			00 030		0106	0101	943			42 620
	0106	0102	1036			00 020		0106	0106	383			46 731
	0106	0107	100	1		46 310		0106	0108	144	1		46 730
	0106	0109	210			46 315		0106	0110	107	1		46 310
	0106	0111	1217	20		11 210		0106	0112	73	24		11 625
	0106	0113	205			11 315		0106	0113A	128			48 315
	0106	0113B	255	1		46 310		0106	0113C	308			46 350
	0106	0113D	31			46 355		0106	0114	786	20		11 210
	0106	0115	151			48 215		0106	0116	301			48 215
	0106	0117	58			00 020		0106	0118	30			00 020
	0106	0119	98	2		00 030		0106	0120	76	2		00 030
	0106	0121	68			00 020		0106	0122	97			00 020
	0106	0123	48			00 010		0106	0124	600			48 215
	0106	0200	1125			00 020		0106	0201	102			48 315
	0106	0202	113			48 315		0106	0203	963	20		11 210
	0106	0204	535	16		11 240		0106	0205	134	3		48 210
	0106	0205A	15			48 215		0106	0205B	15			48 215
	0106	0205C	15			48 215		0106	0205D	61			48 215
	0106	0205E	158			48 215		0106	0206	124	1		46 310
	0106	0207	130			46 315		0106	0208	152	1		46 310
	0106	0209	114	1		48 310		0106	0210	1057	25		11 210
	0106	0210A	150			48 215		0106	0211	112	1		46 310
	0106	0212	153	1		46 310		0106	0213	1214	16		11 210
	0106	0214	422	3		48 215							
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				11,681	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 71

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ROOM TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ROOM TYPE
									TOTAL	NUMBER	CLASSROOMS				
									TOTAL	NUMBER	COMPUTER	CLASSROOMS			
									TOTAL	NUMBER	LABS	210			6
									TOTAL	NUMBER	SPECIAL	LABS	220		
	0107	0100	1687	190		11	110		0107	0101	227		1	46	310
	0107	0102	226		1	46	325		0107	0103	227		1	46	325
	0107	0104	229		1	81	310		0107	0105	227		1	81	310
	0107	0106	229		1	81	310		0107	0107	230		1	81	320
	0107	0108	118		2	81	315		0107	0109	438		16	11	250
	0107	0109A	112			46	731		0107	0111	219		1	81	310
	0107	0112	229		1	46	310		0107	0114	48			00	010
	0107	0115	257		5	00	030		0107	0116	326			00	020
	0107	0117	603		15	81	220		0107	0117A	54			81	225
	0107	0118	197			81	730		0107	0119	134			81	730
	0107	0120	283		1	81	313		0107	0120B	86		1	81	310
	0107	0120C	100		1	81	310		0107	0120D	152		1	81	310
	0107	0120E	61			81	315		0107	0120F	91		1	46	315
	0107	0120G	97		1	81	320		0107	0121	167			81	315
	0107	0121A	167			00	030		0107	0122	326			00	020
	0107	0123	170		1	81	313		0107	0124	170		1	81	313
	0107	0125	1585			00	020		0107	0126	4929			00	020
	0107	0127	430		25	11	110		0107	0127A	992		3	21	250
	0107	0127B	401			21	255		0107	0128	352		4	33	530
	0107	0128A	76		1	46	310		0107	0128B	24			33	535
	0107	0128C	15			00	020		0107	0128D	95			33	535
	0107	0129	196		2	33	530		0107	0129A	147		1	33	535
	0107	0130	169		1	46	530		0107	0130A	135			33	535
	0107	0131	1430		15	46	220		0107	0131A	122		1	46	315

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 72

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0107	0131B	167	1		46 320		0107	0131C	216	1		46 310
	0107	0132	177			11 315		0107	0133	276			00 010
	0107	0134	488			00 030		0107	0135	234			11 315
	0107	0135A	312			48 215		0107	0135B	121	1		00 030
	0107	0136	312	3		48 215		0107	0137	178			48 315
	0107	0137A	178	1		46 310		0107	0139	695	25		11 210
	0107	0140	1050	25		11 210		0107	0141	306	1		46 315
	0107	0141A	222	1		46 310		0107	0141B	129			46 315
	0107	0142	325			00 020		0107	0143	693	32		11 110
	0107	0144	676	20		11 240		0107	0146	478	19		11 240
	0107	0147	336	1		51 315		0107	0148	325			00 020
	0107	0149	283	9		00 030		0107	0150	305	6		00 030
	0107	0151	984	10		11 530		0107	0153	195	2		48 535
	0107	0154	695	15		11 530		0107	0155	325			00 020
	0107	0156	343	15		11 350		0107	0156A	72			48 680
	0107	0156B	199	2		48 530		0107	0156C	36	1		48 535
	0107	0156D	36	1		48 535		0107	0162	642			00 030
	0107	0200E	27			00 020		0107	0201	227	1		81 310
	0107	0202	227	1		32 310		0107	0203	229	1		32 310
	0107	0204	229	1		32 310		0107	0205	340	1		32 310
	0107	0206	114	1		32 310		0107	0207	229	1		32 310
	0107	0208	227	1		32 310		0107	0209	229	1		32 310
	0107	0210	229	1		32 315		0107	0211	227	1		32 310
	0107	0212	229	1		32 310		0107	0213	44			82 082
	0107	0213A	83			82 082		0107	0214	270	2		00 030
	0107	0216	354			00 020		0107	0217	239	1		32 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 73

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0107	0217A	125	1		32 315		0107	0217B	127	1		82 082
	0107	0217C	161	1		46 310		0107	0217D	161	1		46 310
	0107	0217E	119	1		32 315		0107	0218	778	50		82 082
	0107	0219	343	13		32 350		0107	0220	169	1		46 315
	0107	0220A	100			82 082		0107	0221	401			00 020
	0107	0222	42			00 020		0107	0222A	102	1		32 310
	0107	0222B	777	1		32 310		0107	0223	1566			00 020
	0107	0224	780	20		00 030		0107	0225	172	1		33 310
	0107	0226	163	1		46 310		0107	0227	152	1		33 535
	0107	0227A	195	1		46 535		0107	0227B	263			00 020
	0107	0227C	200	2		33 530		0107	0227D	200	1		33 530
	0107	0227E	200	4		33 530		0107	0228	350	1		81 325
	0107	0229	360	1		81 310	9	0107	0230	128	59		21 110
	0107	0230A	1132	30		11 210		0107	0230C	123			46 320
	0107	0231	30			00 010		0107	0232	338	1		81 315
	0107	0232A	56			11 270		0107	0232B	134	1		81 310
	0107	0232C	137	1		11 730		0107	0233	343	1		21 735
	0107	0233A	437	1		46 310		0107	0234	1050	6		21 220
	0107	0234A	86	2		46 735		0107	0236	1378	8		11 220
	0107	0237	353			00 020		0107	0238	695	10		81 081
	0107	0239	170	1		81 313		0107	0239A	160	1		81 310
	0107	0239B	695	14		21 220		0107	0240	695	40		11 110
	0107	0241	353			00 020		0107	0242	307	9		00 030
	0107	0243	285	6		00 030		0107	0244	1472	50		11 110
	0107	0246	337	1		46 315		0107	0247	693	35		11 110
	0107	0248	337			00 020		0107	0249	258	2		33 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 74

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0107	0249A	126	1		33 310		0107	0249B	203	1		33 310
	0107	0249C	66			33 315		0107	0249D	224			33 313
	0107	0249E	108			00 020		0107	0250	130	1		46 735
	0107	0251A	142	1		81 310		0107	0251B	142	3		33 535
	0107	0252	101	1		81 310		0107	0253	53			81 315
	0107	0254	136	1		14 731		0107	0255	136	1		46 310
	0107	0256	106	1		32 310		0107	0257	3616			00 020
	0107	0258	46			00 020							
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				40,389	
								TOTAL NUMBER CLASSROOMS				7	
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210				3	
								TOTAL NUMBER SPECIAL LABS 220				5	
	0108	0101	276			00 020		0108	0102	276			00 020
	0108	0103	1364			00 020		0108	0104	984	6		11 220
	0108	0105	84			48 225		0108	0106	182	1		46 325
	0108	0107	25	1		46 315		0108	0108	75			46 731
	0108	0109	100	1		46 315		0108	0110	110	1		46 310
	0108	0111	296	1		46 313		0108	0112	56	2		46 315
	0108	0113	110	1		46 310		0108	0114	66			48 225
	0108	0115	943	6		11 220		0108	0118	54			48 731
	0108	0119	135	1		11 260		0108	0120	149	3		11 260
	0108	0121	81	1		11 260		0108	0122	90	1		11 260
	0108	0123	81	1		11 260		0108	0124	367	5		11 310
	0108	0124A	81	1		46 315		0108	0124B	103	5		46 315
	0108	0124C	103	1		46 310		0108	0125	1703	17		11 220
	0108	0126	25			00 030		0108	0127	25			00 020
	0108	0128	180	5		00 030		0108	0129	42			46 731

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 75

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0108	0130	230			11 731		0108	0132	65			00 030
	0108	0133	60			00 020		0108	0134	216	4		00 030
	0108	0135	124			00 020		0108	0136	63			48 115
	0108	0139	150		1	46 310		0108	0140	272	1		46 313
	0108	0140A	74		1	46 310		0108	0140B	74	1		46 310
	0108	0141	25			00 020		0108	0201	276			00 020
	0108	0202	1364			00 020		0108	0203	126	1		46 310
	0108	0204	130		1	46 325		0108	0205	276			00 020
	0108	0206	25		1	46 315		0108	0207	25			46 315
	0108	0208	100		8	46 310		0108	0210	358	3		46 313
	0108	0211	100		1	46 310		0108	0212	25	1		46 315
	0108	0213	25			46 355		0108	0214	247	1		46 350
	0108	0215	90		1	46 310		0108	0216	140			46 315
	0108	0217	345		14	46 750		0108	0217A	7			46 755
	0108	0218	682	40		11 110		0108	0219	74	1		48 310
	0108	0219A	145			48 731		0108	0220	1262	24		11 210
	0108	0221	85		1	46 310		0108	0221A	123			48 731
	0108	0222	25		1	00 030		0108	0223	20			00 020
	0108	0224	25		1	00 030		0108	0225	32			11 225
	0108	0226	32		4	00 020		0108	0227	255	5		11 225
	0108	0228	50			48 225		0108	0229	930	30		11 220
	0108	0230	150			81 081		0108	0230A	65	1		81 081
	0108	0230B	65		1	81 081		0108	0230C	65	1		81 081
	0108	0231	23			00 020		0108	0232	23			00 010
	0108	0233	180		3	00 030		0108	0235	64			81 081
	0108	0236	64			00 020		0108	0237	766	20		11 650

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 76

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	
	0108	0238	60			00 020		0108	0239	552	37		11 110	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					13,991	
								TOTAL NUMBER CLASSROOMS					2	
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210					1	
								TOTAL NUMBER SPECIAL LABS 220					4	
	0109	0101	3309			52 620		0109	0105	381			00 030	
	0109	0106	742	40		92 665		0109	0107	253	1		92 310	
	0109	0110	39			92 665		0109	0111	27	1		92 665	
	0109	0117	114	1		81 081		0109	0118	123	1		81 081	
	0109	0119	131	1		81 081		0109	0120	53			00 020	
	0109	0122	102	2		00 020		0109	0123	86	2		81 081	
	0109	0124	77			81 081		0109	0126	147	1		81 081	
	0109	0127	670	15		11 110		0109	0135	5138			92 660	
	0109	0136	982			00 030		0109	0137	71	1		00 030	
	0109	0138	73	1		00 030		0109	0139	156	7		00 030	
	0109	0140	26			00 010		0109	0141	139	3		00 030	
	0109	0142	858	30		42 625		0109	0143	78			00 020	
	0109	0143A	103	1		52 310		0109	0143B	112	1		52 310	
	0109	0143C	112	1		52 310		0109	0143D	103	1		52 310	
	0109	0144	80	1		52 625		0109	0145	80			52 625	
	0109	0146	78	1		52 625		0109	0147	77	1		52 310	
	0109	0153	440			00 020		0109	0154	444			00 020	
	0109	0155	108			00 020		0109	0201	547	37		11 110	
	0109	0202	340			00 030		0109	0203	742	46		11 110	
	0109	0204	239			48 315		0109	0205	758	42		11 110	
	0109	0206	154	1		46 310		0109	0207	124	1		51 315	
	0109	0208	186	3		51 325		0109	0209	195	7		51 315	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 77

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0109	0210	44	1		00 030		0109	0211	86	2		00 030
	0109	0212	550	40		11 110		0109	0213	383			00 030
	0109	0214	35			64 710		0109	0215	92			81 081
	0109	0216	62			00 020		0109	0217	123	1		81 081
	0109	0218	113	1		81 081		0109	0219	85			81 081
	0109	0220	91	1		81 081		0109	0221	296	1		81 081
	0109	0221A	184	1		81 081		0109	0221B	92	1		81 081
	0109	0221C	70	1		81 081		0109	0221D	260	2		81 081
	0109	0222	760	20		11 250		0109	0223	86	2		81 081
	0109	0224	85	1		81 081		0109	0225	86	1		81 081
	0109	0226	87	1		81 081		0109	0228	703	27		11 140
	0109	0229	703	47		11 140		0109	0230	81	1		81 081
	0109	0231	81	1		81 081		0109	0232	162	1		46 310
	0109	0234	90			48 115		0109	0234A	44			48 115
	0109	0235	158	3		00 030		0109	0236	154	2		00 030
	0109	0237	24			00 010		0109	0238	1027	25		11 140
	0109	0241	90	1		46 315		0109	0241A	286	1		46 310
	0109	0241B	214	1		46 310		0109	0241C	330	1		46 325
	0109	0241D	180	1		46 310		0109	0241E	150			46 315
	0109	0241F	188	1		46 310		0109	0241G	30			46 315
	0109	0241H	27	1		46 315		0109	0241K	141			00 020
	0109	0241L	12			46 315		0109	0242	86	1		46 320
	0109	0243	87			46 315		0109	0245	649	52		81 081
	0109	0246	90	1		81 081		0109	0248	89	1		46 310
	0109	0249	492	1		81 081		0109	0249A	147	1		81 081
	0109	0249B	147	1		81 081		0109	0249C	43			81 081

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 78

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0109	0250	830	30		11 110		0109	0251	89			81 081
	0109	0252	83		1	81 081		0109	0253	2475			00 020
	0109	0254	518			00 020		0109	0255	519			00 020
	0109	0256	108			00 020		0109	0301	95		1	81 310
	0109	0302	123		1	81 310		0109	0303	119		1	46 310
	0109	0304	63			00 020		0109	0305	97		1	81 310
	0109	0306	102		1	46 315		0109	0307	363			00 030
	0109	0308	689	20		11 110		0109	0309	130		1	81 310
	0109	0310	173		1	81 310		0109	0311	90			81 315
	0109	0312	108		1	81 315		0109	0314	157		1	81 310
	0109	0314A	190		1	81 325		0109	0315	708		25	11 210
	0109	0316	783		25	11 210		0109	0317	379			00 030
	0109	0318	77		1	21 255		0109	0319	100		1	21 255
	0109	0320	363		4	21 250		0109	0321	130		1	46 310
	0109	0322	880		25	11 210		0109	0323	555			11 650
	0109	0324	286		1	46 310		0109	0325	39			00 020
	0109	0326	729	30		11 110		0109	0327	264		5	48 250
	0109	0327A	72			48 255		0109	0328	758		15	11 240
	0109	0329	99		1	46 715		0109	0330	99		1	46 315
	0109	0331	99			81 081		0109	0332	99		1	81 081
	0109	0333	813	30		11 140		0109	0334	160		2	00 030
	0109	0335	25			00 010		0109	0336	150		3	00 030
	0109	0337	943	105		11 110		0109	0340	91		1	81 310
	0109	0340B	226			81 081		0109	0341	90		1	81 310
	0109	0342	91		1	81 310		0109	0343	91		1	46 310
	0109	0344	91		1	81 310		0109	0345	91		1	46 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 79

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	
	0109	0346	740	15		11 650		0109	0346B	62	10		48 735	
	0109	0348	175			48 255		0109	0349	738	15		11 250	
	0109	0350	2574			00 020		0109	0351	678			00 020	
	0109	0353	674			00 020		0109	0355	72			00 020	
	0109	0401	136			00 020		0109	0402	136			00 020	
	0109	0403	254	4		11 250		0109	0404	161			00 030	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					38,399	
								TOTAL NUMBER CLASSROOMS					9	
								TOTAL NUMBER COMPUTER CLASSROOMS					4	
								TOTAL NUMBER LABS 210					3	
								TOTAL NUMBER SPECIAL LABS 220						
	0110	0101	136	2		11 315		0110	0102	918	28		11 210	
	0110	0104	177			48 255		0110	0105	558	25		11 210	
	0110	0106A	351	5		21 250		0110	0106B	563	6		21 250	
	0110	0107	189	1		46 310		0110	0108	177			48 255	
	0110	0109	178	1		46 310		0110	0110	920	30		11 210	
	0110	0111	182	4		00 030		0110	0112	58	1		21 255	
	0110	0113	33			00 010		0110	0114	117	1		46 255	
	0110	0115	175	3		00 030		0110	0116	952	32		11 210	
	0110	0117	469			00 030		0110	0117A	72			00 030	
	0110	0118	180			48 215		0110	0119	182			00 020	
	0110	0120	78	1		46 250		0110	0120A	114	2		46 250	
	0110	0121	183	2		46 310		0110	0122	120	1		21 250	
	0110	0123	110			48 215		0110	0123A	65			48 215	
	0110	0124	64			21 255		0110	0125	176	5		11 215	
	0110	0126	405	2		21 250		0110	0126A	18			42 620	
	0110	0127	869	32		11 210		0110	0128	1888			00 020	
	0110	0129	48			42 215		0110	0131	107			42 215	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 80

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	
	0110	0133	1529	18		11 240		0110	0134	1888			00 020	
	0110	0201	370	2		21 250	9	0110	0202	146	55		11 110	
	0110	0204	193	1		48 255		0110	0205	380		4	21 320	
	0110	0206	665	16		11 210		0110	0207	180		1	46 310	
	0110	0208	269		1	46 310		0110	0209	189		1	46 310	
	0110	0210	184	2		21 255		0110	0211	180		1	46 310	
	0110	0212	754	24		21 250		0110	0213	35			00 010	
	0110	0214	184		1	46 310		0110	0215	190		4	00 030	
	0110	0216	191	2		21 215		0110	0217	182		3	00 030	
	0110	0218	924	12		11 210		0110	0219	532		5	46 320	
	0110	0220	920	55		11 110		0110	0221	182			00 020	
	0110	0221A	21			00 030		0110	0222	1775			00 020	
	0110	0223	187		1	46 310		0110	0224	114			00 020	
	0110	0224A	184			00 030		0110	0225	186			21 215	
	0110	0227	177			48 215		0110	0229	570		25	11 220	
	0110	0229A	273		28	11 250		0110	0231	187		1	46 310	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					17,201	
								TOTAL NUMBER CLASSROOMS					2	
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210					7	
								TOTAL NUMBER SPECIAL LABS 220					1	
	0111	0101	176			82 082		0111	0102	888			82 082	
	0111	0103	710		10	82 082		0111	0104	76			82 082	
	0111	0105	12118			82 082		0111	0106	114		2	82 082	
	0111	0107	71		1	82 082		0111	0108	71		1	82 082	
	0111	0109	54			82 082		0111	0110	287			82 082	
	0111	0111	205		1	82 082		0111	0112	301		1	82 082	
	0111	0113	38			82 082		0111	0114	183		1	82 082	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 81

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0111	0115	21	1		82 082		0111	0116	165	1		82 082
	0111	0117	244	1		82 082		0111	0118	306			82 082
	0111	0119	240	4		82 082		0111	0120	250	5		82 082
	0111	0121	35	1		82 082		0111	0122	86			82 082
	0111	0123	42	1		82 082		0111	0124	185			82 082
	0111	0125	200	1		82 082		0111	0126	284	1		82 082
	0111	0127	223			82 082		0111	0128	263			82 082
	0111	0129	2025	3		82 082		0111	0130	111			82 082
	0111	0131	46			82 082		0111	0132	148	1		82 082
	0111	0133	54			82 082		0111	0134	69			82 082
	0111	0135	572			82 082		0111	0136	287			82 082
	0111	0137	179	1		82 082		0111	0138	570	5		82 082
	0111	0139	280	1		82 082		0111	0140	1455	40		82 082
	0111	0201	913			82 082		0111	0202	429	15		82 082
	0111	0203	91			82 082		0111	0204	6			82 082
	0111	0205	6			82 082		0111	0206	38			82 082
	0111	0208	75	1		82 082		0111	0209	208	6		82 082
	0111	0210	326	1		82 082		0111	0211	218	2		82 082
	0111	0212	189	1		82 082		0111	0213	1059	5		82 082
	0111	0214	202			82 082		0111	0215	590	2		82 082
	0111	0215A	275	1		82 082		0111	0216	323			82 082
	0111	0217	78			82 082		0111	0218	349			82 082
	0111	0219	204	4		82 082		0111	0220	179	5		82 082
	0111	0221	54			82 082		0111	0222	505			82 082
	0111	0223	212	2		82 082		0111	0224	159	1		82 082
	0111	0225	330	5		82 082		0111	0226	82	1		82 082

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 82

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0111	0227	92	1	82 082		0111	0228	430	3	82 082
	0111	0229	17302	30	82 082		0111	0230	710	5	82 082
	0111	0231	154	1	82 082		0111	0232	155		82 082
	0111	0233	795	4	82 082		0111	0300	619		82 082
	0111	0301	112	1	82 082		0111	0302	304		82 082
	0111	0303	128	1	82 082		0111	0304	1229		82 082
	0111	0305	411		82 082		0111	0306	103	1	82 082
	0111	0307	661	6	82 082		0111	0308	276	2	82 082
	0111	0309	130	2	82 082		0111	0310	193	5	82 082
	0111	0311	218	4	82 082		0111	0312	57		82 082
	0111	0313	234		82 082		0111	0314	387		82 082
	0111	0315	162	2	82 082		0111	0316	1103	8	82 082
	0111	0317	345		82 082		0111	0318	1147		82 082
	0111	0319A	13666	90	82 082		0111	0319B	5440	80	82 082
	0111	0320	38		82 082						
TOTAL NET ASSIGN SQ. FT. IN ROOM FILE											77,333
TOTAL NUMBER CLASSROOMS											
TOTAL NUMBER COMPUTER CLASSROOMS											
TOTAL NUMBER LABS 210											
TOTAL NUMBER SPECIAL LABS 220											
	0112	10002	85		00 020		0112	10003	294		00 020
	0112	10004	2645		00 020		0112	10005	63	1	00 020
	0112	10006	110	1	81 310		0112	10007	213	1	81 081
	0112	10009A	122	1	63 310		0112	10010	228	1	63 325
	0112	10010C	266	4	81 081		0112	10011	126	1	81 081
	0112	10011A	313	1	81 081		0112	10012	121	1	81 081
	0112	10012B	150	1	81 081		0112	10012C	102		81 081
	0112	10013	194	1	63 310		0112	10014	132	5	81 210

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 83

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0112	10015	151	4		00 030		0112	10016	149	4		00 030
	0112	10018	436	1		81 081		0112	10019	126			81 081
	0112	10020	592	4		63 315		0112	10020A	120	1		63 315
	0112	10021	167	1		81 081		0112	10022	136	1		81 081
	0112	10023	739			00 020		0112	10024	256			00 020
	0112	10025	186	1		63 310		0112	10026	151	1		63 310
	0112	10027	214	1		63 310		0112	10028	137			63 315
	0112	10029	144	1		63 310		0112	10030	174	1		63 310
	0112	10031	101			63 315		0112	10032	217	1		63 325
	0112	10033	266	8		63 350		0112	10034	284	1		61 325
	0112	10035	36	1		51 315		0112	10036	21			51 315
	0112	10037	11			51 315		0112	10038	12			63 355
	0112	10039	139	2		46 315		0112	10040	77			00 020
	0112	10041	678			63 315		0112	10042	9			46 315
	0112	10043	9			51 315		0112	10045	233	1		63 314
	0112	10045A	69	1		63 310		0112	10045B	144	1		63 310
	0112	10046	215	1		65 314		0112	10046A	170	1		11 320
	0112	10047	315	21		46 350		0112	10049	395	1		61 350
	0112	10050	322	1		61 325		0112	10051	190			61 315
	0112	10052	26	1		46 315		0112	10053	8			61 315
	0112	10055	208	1		63 310		0112	10057	42			11 115
	0112	10058	43			63 315		0112	10058A	108			63 315
	0112	10059	133	1		63 310		0112	10060	295	1		63 310
	0112	10061	191			00 020		0112	10062	239	1		63 314
	0112	10063	58			63 315		0112	10064	256	1		63 310
	0112	10065	257	1		61 325		0112	10067	20			46 315

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 84

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0112	10068	281	1		11 310		0112	10068A	213	1		63 315
	0112	10069	228	1		51 310		0112	10070	416	1		63 315
	0112	10070A	133	1		11 320		0112	10073	120	1		81 081
	0112	10073A	65			46 731		0112	10073B	224			81 081
	0112	10073C	105	1		46 731		0112	10073D	158	1		46 731
	0112	10075	207	1		51 310		0112	10076	122	1		81 310
	0112	10077	145	1		82 082		0112	10078	144	1		81 310
	0112	10079	229	1		00 030		0112	10080	128			00 020
	0112	10082	154	1		81 081		0112	10086	126	1		63 310
	0112	10087	126	1		63 310		0112	10088	850			00 020
	0112	10089	723	4		64 710		0112	10089A	25			00 020
	0112	10090	167	1		63 310		0112	10091	167	1		63 310
	0112	10101	1849	123		11 110		0112	10102	2568	171		11 110
	0112	10102A	258		11	00 020		0112	10108	713			00 020
	0112	10109	600	25		11 110		0112	10110	245	1		81 310
	0112	10111	1668	47		11 110		0112	10112	158	1		00 020
	0112	10113	268		1	63 350		0112	10114	132	1		63 310
	0112	10115	133		1	63 310		0112	10116	400	24		11 110
	0112	10117	360			00 030		0112	10118	746	18		81 140
	0112	10119	184		1	00 020		0112	10120	1801		21	11 210
	0112	10121	314		1	11 270		0112	10129	186	20		81 140
	0112	10135	421		7	00 030		0112	10136	149		7	00 030
	0112	10137	992		25	48 255		0112	10142	1689	90		11 110
	0112	10146	368			00 020		0112	10157	112		1	46 315
	0112	10160	60		1	56 310		0112	10161	1504			00 030
	0112	20001	358			00 020		0112	20002	85			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 85

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0112	20002A	108			00 020		0112	20003	215			00 020
	0112	20004	2635			00 020		0112	20005	281			00 020
	0112	20006	287			00 020		0112	20007	2635			00 020
	0112	20008	104			00 020		0112	20009	257			00 020
	0112	20010	138			00 020		0112	20011	253			00 020
	0112	20012	179			00 020		0112	20014	135	4		00 030
	0112	20015	143	3		00 030		0112	20017	655	25		81 650
	0112	20018	55			00 020		0112	20019	96	1		11 320
	0112	20020	112	1		63 310		0112	20021	112	1		11 310
	0112	20022	96	1		11 310		0112	20023	55			00 020
	0112	20024	96	1		46 310		0112	20025	112	1		63 310
	0112	20026	112	1		63 310		0112	20027	96	1		11 310
	0112	20028	55			00 020		0112	20029	96	1		22 320
	0112	20030	112	1		11 310		0112	20031	112	1		11 310
	0112	20032	96	1		63 315		0112	20033	198	1		63 310
	0112	20034	153	2		63 315		0112	20035	240	1		11 325
	0112	20036	78			63 315		0112	20037	482	3		11 310
	0112	20038	136	1		63 310		0112	20039	316	1		63 310
	0112	20039A	25	1		46 315		0112	20039B	17			46 315
	0112	20040	175	1		63 310		0112	20041	223	1		63 310
	0112	20042	290	1		46 310		0112	20043	114			46 315
	0112	20044	30	1		63 315		0112	20046	773	40		11 210
	0112	20047	49			11 315		0112	20048	1326	60		81 110
	0112	20049	1159	33		11 110		0112	20050	1159	33		81 081
	0112	20051	1159	33		11 110		0112	20052	1159	57		11 110
	0112	20053	55			00 020		0112	20054	96	1		11 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 86

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0112	20055	112	1		11 310		0112	20056	112	1		11 310
	0112	20057	96	1		11 310		0112	20058	55			00 020
	0112	20059	96	1		11 310		0112	20060	112	1		11 310
	0112	20061	112	1		11 310		0112	20062	96	3		11 310
	0112	20063	55			00 020		0112	20064	96	1		11 310
	0112	20065	112	1		11 310		0112	20066	112	1		11 310
	0112	20067	96	1		11 310		0112	20068	245	2		11 350
	0112	20070	124	3		00 030		0112	20071	124	4		00 020
	0112	20072	1003	27		52 650		0112	20073	74	1		52 650
	0112	20074	55			00 020		0112	20075	112	1		81 081
	0112	20076	112	1		81 081		0112	20077	96	1		81 081
	0112	20078	55	3		81 081		0112	20079	55			81 081
	0112	20080	96	3		81 081		0112	20081	112	1		81 081
	0112	20082	112	1		81 081		0112	20083	96	2		81 081
	0112	20084	462	24		11 110		0112	20085	70			11 115
	0112	20086	70			11 115		0112	20087	460	24		11 110
	0112	20088	124	4		00 030		0112	20089	124	3		00 030
	0112	20091	701	28		11 110		0112	20092	140			81 081
	0112	20093	74	1		00 020		0112	20094	825	26		11 110
	0112	20095	205	34		11 110		0112	20096	49			11 115
	0112	20097	559	18		11 110		0112	20098	526	18		52 650
	0112	20099	115	1		22 250		0112	20100	120	1		52 310
	0112	20101	1137	25		52 650		0112	20101A	110	1		52 310
	0112	20102	157	1		52 310		0112	20103	188	1		52 310
	0112	20104	160	1		52 310		0112	20105	2403	41		11 210
	0112	20109	1002	53		11 110		0112	20110	191	1		11 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 87

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0112	20111	153			11 115		0112	20112	250		1	11 310
	0112	20113	78			11 315		0112	20114	61			00 020
	0112	20115	123		1	11 310		0112	20116	117		1	11 115
	0112	20117	55			00 020		0112	20118	97		2	81 081
	0112	20119	116		1	11 310		0112	20120	116		1	11 310
	0112	20121	97		2	11 310		0112	20122	55			00 020
	0112	20123	97		1	11 320		0112	20124	116		1	11 310
	0112	20125	116		1	11 310		0112	20126	97		1	11 310
	0112	20127	55			00 020	9	0112	20128	97		1	11 110
	0112	20129	116		1	63 310		0112	20130	116		1	11 310
	0112	20131	97		1	63 310		0112	20132	55			00 020
	0112	20133	97		1	63 310		0112	20134	116		1	63 310
	0112	20135	116		1	63 310		0112	20136	97		1	11 310
	0112	20137	188		3	11 310		0112	20138	145			11 315
	0112	20139	238		3	63 310		0112	20140	78			11 315
	0112	20141	152		3	43 270		0112	20142	70			00 010
	0112	20143	70			00 010		0112	20146	427			00 020
	0112	20147	427			00 020		0112	20148	427			00 020
	0112	20149	394			00 020		0112	30001	405			00 020
	0112	30002	85			00 020		0112	30002A	108			00 020
	0112	30003	211			00 020		0112	30004	2699			00 020
	0112	30005	333			00 010		0112	30006	241			00 020
	0112	30007	2699			00 020		0112	30008	139			00 020
	0112	30009	255			00 020		0112	30010	138			00 020
	0112	30011	360			82 082		0112	30012	194			00 020
	0112	30014	127		4	00 030		0112	30015	114		3	00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 88

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0112	30017	328	1		11 315		0112	30018	145			11 315
	0112	30019	237	1		11 310		0112	30021	58			00 020
	0112	30022	96	1		11 310		0112	30023	110	1		11 310
	0112	30024	110	1		11 310		0112	30025	96	1		11 310
	0112	30026	58			00 030		0112	30027	96	1		11 310
	0112	30028	110	1		11 310		0112	30029	112	1		11 310
	0112	30030	96	1		11 310		0112	30031	58			00 020
	0112	30032	96	1		11 310		0112	30033	110	1		11 310
	0112	30034	110	1		11 310		0112	30035	96	1		11 310
	0112	30036	58			00 020		0112	30037	96	1		11 310
	0112	30038	110	1		11 310		0112	30039	110	1		11 310
	0112	30040	96	1		11 310		0112	30041	188	1		22 255
	0112	30042	144			22 255		0112	30043	237	1		22 250
	0112	30044	80	1		11 310		0112	30045	1339	39		11 110
	0112	30046	706	15		11 110		0112	30046A	66			11 115
	0112	30047	47	3		11 110		0112	30048	2525	97		11 220
	0112	30050	1154	40		81 081		0112	30051	1548	36		81 081
	0112	30051A	362	4		81 081		0112	30052	362	11		11 210
	0112	30053	1136	55		11 110		0112	30054	61			00 020
	0112	30055	96			11 315		0112	30056	110	1		11 310
	0112	30057	110	1		81 081		0112	30058	96	1		81 081
	0112	30059	114	3		00 030		0112	30060	114	4		00 030
	0112	30062	768	25		11 110		0112	30063	785	52		11 110
	0112	30064	61			00 020		0112	30065	96	1		11 310
	0112	30066	110	1		11 310		0112	30067	110	1		11 310
	0112	30068	96	1		11 310		0112	30069	61			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 89

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0112	30070	96	1		11 320		0112	30071	110	1		11 310
	0112	30072	110	1		11 310		0112	30073	97	1		81 081
	0112	30074	73			00 020		0112	30075	81	1		11 320
	0112	30076	81	1		11 320		0112	30077	124	1		11 320
	0112	30078	124	1		11 320		0112	30079	81	1		11 320
	0112	30080	81	1		11 315		0112	30081	114	4		00 030
	0112	30082	114	3		00 030		0112	30084	722	36		11 110
	0112	30087	3498	47		11 220		0112	30089	59			11 115
	0112	30090	621	38		11 110		0112	30091	1512	78		11 110
	0112	30093	758	40		11 110		0112	30094	758	31		11 110
	0112	30095	1443	94		11 110		0112	30096	1233	62		11 110
	0112	30097	40			00 020		0112	30098	138	1		11 310
	0112	30099	96	1		11 320		0112	30100	58			00 020
	0112	30101	96	1		11 310		0112	30102	110	1		11 310
	0112	30103	110	1		11 310		0112	30104	96	1		11 310
	0112	30105	58			00 020		0112	30106	96	1		11 310
	0112	30107	110	1		11 310		0112	30108	118	1		11 310
	0112	30109	96	1		11 310		0112	30110	58			00 020
	0112	30111	96	1		81 081		0112	30112	111	1		11 310
	0112	30113	110	1		11 310		0112	30114	96	1		11 320
	0112	30115	58			00 020		0112	30116	96	1		11 310
	0112	30117	111	1		11 310		0112	30118	111	1		11 310
	0112	30119	96	1		11 310		0112	30120	58			00 020
	0112	30121	96	1		11 310		0112	30122	110	1		11 310
	0112	30123	110	1		11 310		0112	30124	96	1		81 081
	0112	30125	188	1		11 310		0112	30126	80	1		63 115

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 90

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0112	30127	237	1		11 325		0112	30128	144			63 315
	0112	30129	156	9		11 731		0112	30130	68			11 731
	0112	30131	70			00 010		0112	30135	32			81 081
	0112	30146	368			00 020		0112	30147	368			00 020
	0112	30148	368			00 020		0112	30149	370			00 020
	0112	40001	285			00 020		0112	40002	199	1		00 030
	0112	40003	108			00 030							
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					85,222
								TOTAL NUMBER CLASSROOMS					31
								TOTAL NUMBER COMPUTER CLASSROOMS					2
								TOTAL NUMBER LABS 210					5
								TOTAL NUMBER SPECIAL LABS 220					2
	0113	0001	3052			00 030		0113	0001A	316			00 030
	0113	0001B	196			63 730		0113	0002	340			00 030
	0113	0003	172			52 525		0113	0004	171			00 030
	0113	0005	162			00 010		0113	0006	340	1		46 310
	0113	0007	156			00 020		0113	0008	90	1		46 310
	0113	0009	110	1		46 310		0113	0010	113	1		46 310
	0113	0011	123	1		46 310		0113	0012	32			46 315
	0113	0013	129			00 020		0113	0014	951	30		11 110
	0113	0014S	63			48 115		0113	0015	172			93 315
	0113	0016	951	30		11 310		0113	0017	172			63 315
	0113	0017A	171			63 731	9	0113	0018	2852	55		11 110
	0113	0019	172			63 731		0113	0020	171			00 030
	0113	0021	156			00 020		0113	0022	90	1		46 310
	0113	0023	101	1		46 310		0113	0024	113	1		46 310
	0113	0025	123	1		46 310		0113	0026	32			46 315
	0113	0027	129			00 020		0113	0028	172			00 010

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 91

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0113	0029	951	39		11 110		0113	0029A	63			48 115
	0113	0030A	147			52 525		0113	0030B	165			00 030
	0113	0031	951	30		11 350		0113	0032	244	1		00 030
	0113	0033	83	1		00 030		0113	0034	63			00 020
	0113	0034A	581	6		93 525		0113	0035	2087			52 525
	0113	0036	73			52 525		0113	0038	171			46 731
	0113	0039	268	1		46 320		0113	0039A	83			46 315
	0113	0039B	235	1		46 310		0113	0039C	56	1		00 030
	0113	0040	320	12		46 310		0113	0041	129			00 020
	0113	0042	171			00 030		0113	0043	510			46 731
	0113	0044	2440	50		11 520		0113	0044A	120	1		46 590
	0113	0045	951	27		46 350		0113	0045A	110			52 525
	0113	0045B	252	7		52 525		0113	0045C	196			52 525
	0113	0046	340			52 525		0113	0047	1250	21		52 525
	0113	0048	129			00 020		0113	0049	171			63 731
	0113	0050	575	3		52 520		0113	0050A	1191	20		52 525
	0113	0050B	1654	20		52 525		0113	0050C	951	5		52 520
	0113	0051	171			00 030		0113	0052	510			63 730
	0113	0053	966			00 020		0113	0054	160			00 020
	0113	0055	4200			00 020		0113	0056	590			00 020
	0113	0057	160			00 020		0113	0058	12601			52 520
	0113	0100	15318			00 020		0113	0100A	790			00 020
	0113	0100B	790			00 020		0113	0101	134	1		46 310
	0113	0101A	43			46 315		0113	0102	134	1		46 310
	0113	0103	261	6		93 660		0113	0103A	196			93 665
	0113	0104	280	6		00 030		0113	0104A	36			63 730

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 92

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0113	0105	289	4	00 030		0113	0105A	79		63 730
	0113	0106	157	1	46 310		0113	0106A	129		46 315
	0113	0106B	85	1	46 315		0113	0106C	157	1	46 325
	0113	0106D	85	1	46 310		0113	0106E	50	1	46 310
	0113	0106F	50	1	46 310		0113	0107	265	1	46 310
	0113	0107A	193	1	46 315		0113	0108	165	1	46 310
	0113	0108A	82		46 315		0113	0109	146		00 010
	0113	0111	289	6	00 030		0113	0111A	129		63 730
	0113	0112	289	4	00 030		0113	0113	263	6	93 660
	0113	0113A	193		93 665		0113	0114	247	1	46 310
	0113	0114A	27		46 315		0113	0115	119		00 010
	0113	0117	289	6	00 030		0113	0117A	129		63 730
	0113	0118	289	4	00 030		0113	0119	157	1	46 325
	0113	0119A	129		52 525		0113	0119B	298	1	46 310
	0113	0119C	147	1	46 310		0113	0119D	70	1	46 310
	0113	0121	289	6	00 030		0113	0121A	36		52 525
	0113	0122	289	4	00 030		0113	0122A	79		63 730
	0113	0123	127	1	93 660		0113	0123A	93	1	46 310
	0113	0123B	180	1	46 320		0113	0123C	246	2	46 320
	0113	0123D	98	1	46 325		0113	0124	35		93 660
	0113	0200	40492	7085	93 523		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				82,367
							TOTAL NUMBER CLASSROOMS				3
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0114	0101	71		93 660		0114	0102	335		00 020
	0114	0103	335		00 020		0114	0104	268		00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 93

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0114	0105	193	5		52 525		0114	0106	215	2		52 525
	0114	0107	94	2		00 030		0114	0108	100			42 625
	0114	0109	1014			42 625		0114	0109A	225	2		42 625
	0114	0110	203			42 625		0114	0111	164			00 020
	0114	0111A	57			00 020		0114	0112	104	5		00 030
	0114	0113	173			42 625		0114	0114	172	4		42 625
	0114	0121	38			00 010		0114	0122	341			00 020
	0114	0122A	523	2		42 625		0114	0123	2000	8		42 625
	0114	0123A	43			00 020		0114	0123B	175	1		81 081
	0114	0124	1811	9		42 625		0114	0126	347	3		46 325
	0114	0127	164			00 020		0114	0128	215	4		00 030
	0114	0129	193	4		00 030		0114	0130	93	4		52 525
	0114	0131	100			52 525		0114	0132	655	38		52 525
	0114	0133	115			52 525		0114	0134	961			52 525
	0114	0134A	41			52 525		0114	0135	154			00 020
	0114	0200	252	1		63 325		0114	0201	606	3		63 310
	0114	0202	48			93 525		0114	0203	48			93 525
	0114	0204	225	1		63 350		0114	0206	132	1		63 310
	0114	0207	23			82 082		0114	0208	47			00 010
	0114	0209	224			00 020		0114	0210	61			00 030
	0114	0211	112			00 020		0114	0212	120			81 081
	0114	0213	247	1		81 081		0114	0214	252	1		81 081
	0114	0215	107	1		81 081		0114	0215A	94	1		81 081
	0114	0216	201	2		81 081		0114	0217	187			81 081
	0114	0218	558	15		81 081		0114	0219	936			11 315
	0114	0220	134	1		46 310		0114	0221	134	1		46 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 94

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	
	0114	0222	134	1	46 310		0114	0223	215	1	46 310	
	0114	0224	285	1	46 310		0114	0225	410		00 020	
	0114	0226	97	1	00 030		0114	0227	112		00 020	
	0114	0228	371		11 510		0114	0229	197	4	46 310	
	0114	0230	556	15	11 510		0114	0231	320		11 515	
	0114	0300	99	2	52 525		0114	0301	166	2	52 525	
	0114	0302	46		52 525		0114	0303	127	2	52 525	
	0114	0304	12540	2700	93 523		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					28,547
							TOTAL NUMBER CLASSROOMS					
							TOTAL NUMBER COMPUTER CLASSROOMS					
							TOTAL NUMBER LABS 210					
							TOTAL NUMBER SPECIAL LABS 220					
	0115	0100	350	3	00 020		0115	0101	410		00 020	
9	0115	0102	1610	30	91 410		0115	0103	143		51 315	
	0115	0104	110	5	51 310		0115	0105	97	1	92 310	
9	0115	0106	528	10	91 410		0115	0107	92		00 020	
	0115	0108	80		00 030		0115	0109	509		00 020	
	0115	0110	4915	100	91 630		0115	0111	6430	80	91 630	
	0115	0112	300	2	91 660		0115	0113	99	1	91 660	
	0115	0114	752		00 030		0115	0115	607	4	91 665	
	0115	0115A	156		92 665		0115	0116	120	1	92 310	
	0115	0117	104	1	92 310		0115	0118A	131	1	92 310	
	0115	0118B	131		92 315		0115	0119	287		00 020	
	0115	0120	68		00 030		0115	0121	131	1	92 310	
	0115	0122	131	1	92 310		0115	0123	129	1	92 310	
	0115	0124	712	32	51 630		0115	0125	2333		92 635	
	0115	0126	372		00 020		0115	0127	146		00 020	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 95

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0115	0128	258		00 020		0115	0130	227	8	00 030
	0115	0131	52		00 020		0115	0132	46		00 010
	0115	0133	62		62 635		0115	0134	62		00 030
	0115	0135	41		00 020		0115	0136	313	7	00 030
	0115	0137	323	1	00 030		0115	0137A	142		00 030
	0115	0141	333		74 635		0115	0142	278		92 635
	0115	0143	926	10	00 020		0115	0144	830	10	51 315
	0115	0145	240	1	51 315		0115	0146	390		00 020
	0115	0147	220	8	51 350		0115	0148	116	2	51 310
	0115	0149	116	2	51 310		0115	0150	119	1	51 310
	0115	0151	592	1	51 310		0115	0153	757		00 020
	0115	0153A	73		00 020		0115	0154	183	1	51 731
	0115	0155	207		00 020		0115	0156	53	2	00 030
	0115	0157	51		00 020		0115	0158	194	1	51 310
	0115	0159	61		51 315		0115	0159A	120		00 030
	0115	0160	343	12	51 350		0115	0161	495	40	51 680
	0115	0162	316	25	51 680		0115	0163	329	12	51 350
	0115	0164	132	2	00 030		0115	0165	163	4	00 030
	0115	0166	31		00 020		0115	0167	234		00 020
	0115	0168	26		00 010		0115	0169	76		51 315
	0115	0170	1237	70	51 680		0115	0171	215		51 685
	0115	0172	241		00 030		0115	0173	58		00 030
	0115	0174	241		00 030		0115	0200	288		00 020
	0115	0201	188		00 010		0115	0202	948		00 020
	0115	0203	155		00 030		0115	0204	1475	23	00 020
	0115	0205A	4094	250	51 680		0115	0205B	1916	100	51 680

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 96

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE
	0115	0205C	1006	60	51 680		0115	0205D	2625	175	51 680
	0115	0205E	1025	70	51 680		0115	0205F	827	50	51 680
	0115	0206	3164	40	00 020		0115	0207	412		92 440
	0115	0208	165		00 020		0115	0209	76		92 440
	0115	0210	204		51 685		0115	0211	177		51 685
	0115	0212	59		00 010		0115	0213	30		51 735
	0115	0214	30		51 730		0115	0215	43		51 750
	0115	0216	39		51 750		0115	0217	46		51 750
	0115	0218	46		51 685		0115	0219	251		51 685
	0115	0220	385	6	51 680		0115	0220A	101		00 020
	0115	0220B	54		00 030		0115	0221	333		00 030
	0115	0222	215		00 030		0115	0223	147		00 030
	0115	0224	1041		51 680		0115	0225	41		51 685
	0115	0226	37		00 010		0115	0227	30		00 020
	0115	0228	240	6	00 020		0115	0229	78		00 030
	0115	0230	315	6	00 020		0115	0231	35		00 020
	0115	0232	278		00 020		0115	0235	200		00 020
	0115	0236	51		00 020		0115	0237	133	1	51 320
	0115	0238	337	6	00 020		0115	0239	165	2	51 310
	0115	0240	143	1	51 310		0115	0241	170	3	51 325
	0115	0242	36		00 010		0115	0243	120	1	51 314
	0115	0244	315	8	51 310		0115	0245	285	9	51 313
	0115	0246	324	12	51 350		0115	0247	158	1	51 325
	0115	0248	159	1	51 310		0115	0249	147	2	51 320
	0115	0250	101		00 030		0115	0251	155		00 030
	0115	0252	196		00 020		0115	0253	107	2	00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 97

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	
	0115	0254	94	2		00 030		0115	0255	145	1		51 310	
	0115	0256	151	1		51 310		0115	0257	155	1		51 310	
	0115	0258	151	1		51 325		0115	0259	930			00 020	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					42,307	
								TOTAL NUMBER CLASSROOMS						
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210						
								TOTAL NUMBER SPECIAL LABS 220						
	0117	0100	895			00 020		0117	0100A	301	6		48 350	
	0117	0100B	303	5		48 545		0117	0100C	452	8		31 540	
	0117	0100D	30			22 545		0117	0100E	120	2		31 540	
	0117	0100F	30			22 545		0117	0100G	120	2		31 540	
	0117	0100H	30			22 545		0117	0100J	120	2		31 540	
	0117	0100K	30			22 545		0117	0100L	128	5		46 310	
	0117	0100M	120	2		31 540		0117	0100N	30			22 545	
	0117	0100P	120	2		31 540		0117	0100R	30			22 545	
	0117	0100S	120	2		31 540		0117	0100T	30			22 545	
	0117	0100U	120	2		31 540		0117	0100V	30			22 545	
	0117	0100W	120	2		31 540		0117	0100X	30			22 545	
	0117	0101	1793	125		11 110		0117	0102	69			00 010	
	0117	0103	72			00 030		0117	0104	373	4		81 081	
	0117	0105	174	2		46 314		0117	0105A	175	1		46 315	
	0117	0106	331	1		46 310		0117	0107	185	1		46 310	
	0117	0108	12			46 315		0117	0109	223	2		22 250	
	0117	0110	223	2		21 250		0117	0111	104	1		47 315	
9	0117	0112	222	2		51 410		0117	0112A	126			21 255	
	0117	0113	130	1		21 320		0117	0114	77			00 010	
	0117	0115	287	2		21 250		0117	0115A	252			21 255	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 98

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0117	0116	679	4		21 250		0117	0117	1240			00 030
	0117	0117A	118			00 030		0117	0150	352	15		46 350
	0117	0151	409	1		46 310		0117	0151A	375	1		46 310
	0117	0151B	175	1		46 310		0117	0151C	208	1		46 310
	0117	0151D	398	1		46 310		0117	0151E	42	1		46 315
	0117	0152	785	10		31 880		0117	0152A	127			00 020
	0117	0152B	33			46 315		0117	0152C	198	3		11 545
	0117	0152D	102	2		11 540		0117	0152E	127	1		46 310
	0117	0152F	160	1		46 310		0117	0152G	160	1		46 310
	0117	0152H	116			48 545		0117	0152J	316			48 545
	0117	0152K	121			48 545		0117	0153	1216	30		11 110
	0117	0153A	98	1		46 315		0117	0153B	81	1		48 315
	0117	0153C	101	1		46 315		0117	0153D	100	1		46 315
	0117	0154	357	10		47 650		0117	0155	317	1		48 545
	0117	0155A	68			48 545		0117	0155B	147	1		48 540
	0117	0155C	147	1		48 540		0117	0155D	157	1		48 540
	0117	0156	490	1		00 020		0117	0156A	263	1		46 310
	0117	0156B	110	1		46 315		0117	0156C	110	1		46 310
	0117	0158	128	1		31 540		0117	0159	133	1		31 540
	0117	0160	2810			00 020		0117	0160D	38			00 030
	0117	0160E	29			00 020		0117	0190A	277	7		00 030
	0117	0190B	219	4		00 030		0117	0200	1311	2		81 081
	0117	0200A	106			81 081		0117	0200B	107			81 081
	0117	0200C	30			00 010		0117	0200D	29			00 020
	0117	0200E	2556			00 020		0117	0201	639	6		11 250
	0117	0202	2371	47		21 250		0117	0202A	396	1		46 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 99

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0117	0202B	840	18		81 081		0117	0202C	272	2		21 255
	0117	0202D	148	2		21 255		0117	0203	243	1		81 081
	0117	0204	1075	8		81 081		0117	0205	1628	48		11 110
	0117	0205A	160	2		21 250		0117	0205B	115	1		21 255
	0117	0206	177	1		81 081		0117	0207	263			81 081
	0117	0250	270	16		81 081		0117	0251	279	1		46 310
	0117	0252	270	1		81 081		0117	0253	270	1		81 081
	0117	0254	1229	36		11 110		0117	0254A	300	1		81 081
	0117	0255	268			81 081		0117	0256	154	1		46 310
	0117	0256A	687	3		21 250		0117	0257	155	1		46 310
	0117	0258	113			00 020		0117	0258A	189	1		46 310
	0117	0259	1360	55		11 110		0117	0260	2349	10		21 250
	0117	0261	176	1		46 650		0117	0261A	672	3		21 250
	0117	0262	176	6		11 320		0117	0263	125			00 020
	0117	0263A	189	1		46 310		0117	0290A	270	7		00 030
	0117	0290B	276	3		00 030		0117	0291	51			00 020
	0117	0300	2513			00 020		0117	0300A	449	4		81 081
	0117	0300B	29			00 030		0117	0301	159	8		00 020
	0117	0301A	122			21 760		0117	0301B	447	3		81 081
	0117	0301C	144	1		46 315		0117	0301D	127	1		46 310
	0117	0301E	147	1		46 315		0117	0301F	104	1		22 310
	0117	0301G	1100	10		81 081		0117	0301H	1015	10		81 081
	0117	0302	190	1		46 310		0117	0303	194	1		81 081
	0117	0304	3207	25		81 081		0117	0304A	222			81 081
	0117	0304B	143	1		81 081		0117	0304C	235	1		81 081
	0117	0304D	238	1		81 081		0117	0305	1340	85		81 081

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 100

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0117	0306	98	1		46 313		0117	0306A	203	1		46 310
	0117	0307	15			22 315		0117	0351	2997	228		81 081
	0117	0352	121	1		81 081		0117	0352A	424	4		81 081
	0117	0353	121	1		81 081		0117	0354	351	1		81 081
	0117	0355	355	3		21 310		0117	0356	208	1		46 313
	0117	0356A	163	1		46 310		0117	0356B	196	1		46 310
	0117	0356C	194	1		46 310		0117	0356D	39			46 315
	0117	0356E	603	3		81 081		0117	0357	1030	5		81 081
	0117	0358	261	4		46 240		0117	0359	1271	16		81 081
	0117	0359A	123	2		81 081		0117	0360	258	1		81 081
	0117	0390A	279	7		00 030		0117	0390B	275	3		00 030
	0117	0391	31			00 010		0117	0400	602			81 081
	0117	0400E	73			81 081		0117	0401	50			81 081
	0117	0402	120			81 081		0117	0403	36			81 081
	0117	0404	125			81 081		0117	0404A	122			81 081
	0117	0404B	127			81 081		0117	0405	189			81 081
	0117	0405A	118			81 081		0117	0405B	141			81 081
	0117	0406	495			81 081		0117	0407	70			81 081
	0117	0408	70	3		81 081		0117	0408A	72	1		81 081
	0117	0409	188	1		81 081		0117	0410	564			81 081
	0117	0411	150	1		81 081		0117	0411A	150			81 081
	0117	0411B	115			81 081		0117	0412	215			81 081
	0117	0413	207			81 081		0117	S0201	1025			00 020
	0117	S0202	229			00 020		0117	S0203	210			00 020
	0117	S0301	1035			00 020		0117	S0302	229			00 020
	0117	S0303	210			00 020							

TOTAL NET ASSIGN SQ. FT. IN ROOM FILE 56,611

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 102

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0118	0155	57			46 315		0118	0156	258			00 020
	0118	0157	115			46 315		0118	0157A	122			46 315
	0118	0158	107			46 315		0118	0159	169			46 315
	0118	0160	525	19		11 240		0118	0161	686	24		11 250
	0118	0162	247			00 020		0118	0162A	263			00 020
	0118	0163	673	39		11 110		0118	0164	264			46 115
	0118	0165	681	36		11 110		0118	0166	389	1		11 310
	0118	0200	49			00 020		0118	0201	2780			00 020
	0118	0201A	276			00 020		0118	0201B	276			00 020
	0118	0201C	118			00 020		0118	0202	588	20		11 250
	0118	0203	96		1	46 310		0118	0204	18			46 315
	0118	0205	18			46 315		0118	0206	439	10		21 250
	0118	0206A	36			21 320		0118	0206B	36			21 320
	0118	0206C	36			21 320		0118	0206D	35			21 320
	0118	0206E	35			21 320		0118	0207	600	34		11 110
	0118	0208	189		1	46 310		0118	0209	230		1	46 325
	0118	0210	53			46 315		0118	0211	109			46 315
	0118	0212	30		1	46 919		0118	0213	8			46 315
	0118	0214	57			46 315		0118	0215	112			46 315
	0118	0216	284		1	46 310		0118	0217	207		1	46 310
	0118	0218	31			46 315		0118	0219	30		1	46 919
	0118	0220	120		1	46 315		0118	0221	137		1	46 310
	0118	0222	64			00 020		0118	0223	120			46 315
	0118	0224	137		1	11 310		0118	0225	120		1	46 315
	0118	0226	137		1	11 310		0118	0227	64			00 020
	0118	0228	120		1	46 315		0118	0229	137		1	11 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 103

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0118	0230	120	1		46 315		0118	0231	137	1		11 310
	0118	0232	64			00 020		0118	0233	120	1		46 315
	0118	0234	137	1		11 310		0118	0235	120	1		46 320
	0118	0236	137	1		46 310		0118	0237	64			00 020
	0118	0238	120	1		46 310		0118	0239	137	1		46 310
	0118	0240	48			00 020		0118	0241	114			46 315
	0118	0242	110	1		46 310		0118	0248	30	1		31 919
	0118	0249	74			46 315		0118	0250	308			46 325
	0118	0251	194			46 350		0118	0252	77			46 315
	0118	0253	66			46 315		0118	0254	364	1		46 310
	0118	0255	116	1		46 310		0118	0256	165			46 315
	0118	0257	168	1		46 310		0118	0258	392			46 350
	0118	0259	905	60		11 110		0118	0260	141	1		46 310
	0118	0261	167	1		46 310		0118	0262	273			46 315
	0118	0262A	232	1		46 310		0118	0262B	90			46 315
	0118	0263	112	2		31 919		0118	0264	131	3		31 919
	0118	0265	474	19		11 240		0118	0266	80	1		11 310
	0118	0266A	50			46 315		0118	0267	80			11 315
	0118	0268	300			46 315		0118	0269	482	26		11 110
	0118	0270	1751	113		11 110		0118	0274	27			00 020
	0118	0275	96	3		31 919		0118	0276	18			00 010
	0118	0277	27			00 020		0118	0278	92	3		31 919
	0118	0279	371			00 030		0118	0279A	96			00 030
	0118	0280	320	6		11 545		0118	0280A	240	2		11 545
	0118	0281	200	3		11 540		0118	0281A	147	3		11 540
	0118	0282	114	4		11 540		0118	0283	114	1		44 545

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 104

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0118	0284	215	6	11 540		0118	0285	64	3	11 540
	0118	0286	64	2	11 540		0118	0287	32		46 545
	0118	0288	61	2	11 545		0118	0289	72	1	46 545
	0118	0290	70		46 545		0118	0300	49		00 020
	0118	0301	2879		00 020		0118	0301A	276		00 020
	0118	0301B	276		00 020		0118	0301C	140		00 020
	0118	0302	688	18	11 650		0118	0302A	92		46 320
	0118	0302B	92		46 320		0118	0302C	144		46 320
	0118	0302D	78		46 320		0118	0302E	78		46 320
	0118	0302G	78		46 320		0118	0303	40		48 315
	0118	0304	40		48 315		0118	0305	597	36	11 110
	0118	0306	189	1	46 310		0118	0307	230	1	46 325
	0118	0308	53		46 315		0118	0309	109		46 315
	0118	0310	8		46 315		0118	0311	30	1	46 919
	0118	0312	112		46 315		0118	0313	57		46 315
	0118	0314	284	1	46 250		0118	0315	207	1	46 310
	0118	0316	31		46 315		0118	0317	30		46 315
	0118	0318	120	1	11 310		0118	0319	137	1	46 310
	0118	0320	64		00 020		0118	0321	120	1	46 315
	0118	0322	137	1	11 310		0118	0323	120	1	46 310
	0118	0324	137	1	46 310		0118	0325	64		00 020
	0118	0326	120	1	46 320		0118	0327	137	1	46 310
	0118	0328	120	1	46 320		0118	0329	137	1	46 310
	0118	0330	64		00 020		0118	0331	120		11 320
	0118	0332	137	1	46 310		0118	0333	309	8	46 350
	0118	0334	95	1	46 310		0118	0334A	95	1	11 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 105

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0118	0335	95	1		46 310		0118	0336	82			00 020
	0118	0337	95	1		21 310		0118	0338	95	1		46 310
	0118	0339	95	1		46 310		0118	0340	801	53		11 110
	0118	0340A	74			48 115		0118	0340B	74			48 115
	0118	0340C	74			48 115		0118	0341	232	1		22 315
	0118	0341A	48			22 315		0118	0342	84	1		22 315
	0118	0343	190			22 315		0118	0344	42			22 315
	0118	0345	154			00 020		0118	0346	139			22 315
	0118	0347	102	1		22 315		0118	0348	162			46 315
	0118	0349	162			46 315		0118	0350	162			46 315
	0118	0351	104			46 315		0118	0352	104			46 315
	0118	0353	104			46 315		0118	0354	154			46 315
	0118	0355	48			00 010		0118	0356	568	35		11 110
	0118	0357	83	2		22 250		0118	0357A	83	1		21 320
	0118	0357B	83			21 320		0118	0357C	83			21 320
	0118	0357D	83			21 320		0118	0357E	83			21 320
	0118	0357F	83			21 320		0118	0357G	83			21 320
	0118	0358	156			00 020		0118	0359	344	3		21 250
	0118	0360	64			21 255		0118	0361	96			46 320
	0118	0362	112			46 320		0118	0363	112			46 320
	0118	0364	96			46 320		0118	0365	55			00 020
	0118	0366	746	57		11 110		0118	0367	132	1		46 310
	0118	0368	184	1		46 310		0118	0369	144	1		46 310
	0118	0370	168	1		46 310		0118	0371	252			46 315
	0118	0372	111	1		46 310		0118	0373	37			48 315
	0118	0374	37			48 315		0118	0375	558	15		11 240

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 106

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	
	0118	0375A	75			11	320	0118	0375B	78			11	320
	0118	0375C	78	2		11	250	0118	0375D	75			11	320
	0118	0375E	78			46	320	0118	0375F	75			46	320
	0118	0375G	80			46	320	0118	0375H	80			46	320
	0118	0376	62			00	020	0118	0377	126			00	020
	0118	0377A	9			46	315	0118	0378	219	1		21	250
	0118	0379	27			00	020	0118	0380	76		3	31	919
	0118	0381	18			00	010	0118	0382	27			00	020
	0118	0383	93	3		31	919	0118	0384	383			00	030
	0118	0384A	96			00	030							
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					42,627	
								TOTAL NUMBER CLASSROOMS					12	
								TOTAL NUMBER COMPUTER CLASSROOMS					1	
								TOTAL NUMBER LABS					210	
								TOTAL NUMBER SPECIAL LABS					220	
	0119	0100	6241	261		11	220	0119	0101	588	4		48	225
	0119	0101A	290	1		46	325	0119	0101B	240		1	46	320
	0119	0101C	240	1		46	310	0119	0102	280	2		11	220
	0119	0103	280	2		11	220	0119	0104	280		1	46	310
	0119	0105	185	1		46	225	0119	0106	667			48	225
	0119	0107	457			48	225	0119	0108	59	1		11	220
	0119	0109	62	1		11	220	0119	0110	62	1		11	220
	0119	0111	62	1		11	220	0119	0112	62	1		11	220
	0119	0113	59	1		11	220	0119	0114	168	4		11	220
	0119	0116	60	1		11	220	0119	0117	64	1		11	220
	0119	0118	60	1		11	225	0119	0119	104	1		11	220
	0119	0120	195			00	020	0119	0121	537		10	00	020
	0119	0122	800			00	020	0119	0123	25			00	010

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 108

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0121	0113	48			00		0121	0114	40			81 315
	0121	0115	1953			00		0121	0116	184			81 310
	0121	0117	26460	652		81		0121	0118	225			81 315
	0121	0119	146	5		81		0121	0119A	9			81 315
	0121	0119B	13			81		0121	0120	280			81 525
	0121	0121	1408			00							
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					29,729
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0122	0100	1150			00		0122	0100A	48			00 020
	0122	0100E	140			00		0122	0101	1100			00 030
	0122	0102	9015	60		52		0122	0102A	136			00 030
	0122	0102B	223	3		52		0122	0103	88			46 315
	0122	0103A	96	2		93		0122	0104	94			46 315
	0122	0104A	152	1		46		0122	0105	34			52 525
	0122	0105A	194	8		46		0122	0106	60			52 525
	0122	0106A	352	1		46		0122	0107	60			52 525
	0122	0107A	30	1		46		0122	0108	83			52 525
	0122	0108A	9			46		0122	0109	2426		105	52 525
	0122	0109A	90			46		0122	0110	305		16	52 525
	0122	0111	99	8		52		0122	0111A	30			46 315
	0122	0112	239	8		52		0122	0112A	221		3	46 320
	0122	0113	94	2		52		0122	0113A	195		3	46 310
	0122	0114	1341	8		52		0122	0114A	106		1	46 310
	0122	0115	2798			00		0122	0115A	25			52 525
	0122	0115B	25			52		0122	0115C	25			52 525

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 109

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0122	0115D	25		52 525		0122	0115M	55	2	31 685
	0122	0115W	65	2	31 685		0122	0116	111		00 020
	0122	0116A	275	6	31 685		0122	0117	25	2	52 525
	0122	0117A	499		00 020		0122	0118	212	5	52 525
	0122	0118A	308		00 020		0122	0119	499	6	52 525
	0122	0119A	262	1	46 313		0122	0119L	53		52 525
	0122	0120	78		52 525		0122	0121	191	3	52 525
	0122	0121A	132	3	00 030		0122	0122	555	16	52 525
	0122	0122A	111	1	46 310		0122	0123	118	1	46 320
	0122	0123A	108	1	46 310		0122	0124	127		52 525
	0122	0124A	99	1	46 310		0122	0125	183		52 525
	0122	0125A	95	1	46 310		0122	0126	31	2	52 525
	0122	0126A	111	1	46 310		0122	0127	150	2	52 525
	0122	0127A	111	1	46 310		0122	0128	235	10	52 525
	0122	0128A	67	1	46 310		0122	0129	111		52 525
	0122	0129A	107	1	46 310		0122	0129B	52		00 020
	0122	0130	206	1	46 325		0122	0130A	129	1	46 310
	0122	0130B	31		46 315		0122	0131	199	1	46 320
	0122	0131A	213	1	46 310		0122	0131B	213	3	52 525
	0122	0132	1686	140	11 350		0122	0132A	44		00 020
	0122	0133	222	2	46 310		0122	0134	1192	52	52 525
	0122	0135	115	8	52 525		0122	0136	173		52 525
	0122	0137	122		52 525		0122	0138	122	8	52 525
	0122	0139	173	6	52 525		0122	0140	1016		00 030
	0122	0140A	218		00 020		0122	0140E	70		00 020
	0122	0141	111		00 020		0122	0142	10		52 525

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 110

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0122	0143	18		52 525		0122	0144	286		00 030
	0122	0145	134	1	46 310		0122	0146	20		52 315
	0122	0147	13		52 315		0122	0148	181	1	46 310
	0122	0149	14		52 315		0122	0150	137	1	46 325
	0122	0150A	165	8	31 350		0122	0150B	343	15	31 350
	0122	0150C	410	15	31 350		0122	0150D	316	10	31 350
	0122	0150E	418	10	31 350		0122	0150F	285	15	31 350
	0122	0150G	374	15	31 350		0122	0151	95		00 020
	0122	0152	121		00 020		0122	0200A	48		00 020
	0122	0200E	140		00 020		0122	0201	200	3	93 660
	0122	0202	200	3	93 660		0122	0203	158		00 020
	0122	0204	137	3	52 635		0122	0205	28	2	52 525
	0122	0206	36		00 010		0122	0207	83		00 020
	0122	0208	83		00 020		0122	0209	458	9	00 030
	0122	0210	458	9	00 030		0122	0211	494	14	00 030
	0122	0212	494	14	00 030		0122	0213	237		00 030
	0122	0214	174		00 020		0122	0215	481	4	93 660
	0122	0216	99	3	93 660		0122	0217	99	3	93 660
	0122	0218	1600	50	93 523		0122	0240E	70		00 020
	0122	0300A	48		00 020		0122	0300E	140		00 020
	0122	0301	200	3	93 660		0122	0302	200	3	93 660
	0122	0303	158		00 020		0122	0304	137	3	00 010
	0122	0305	28	2	93 665		0122	0306	36		00 010
	0122	0307	83		00 020		0122	0308	83		00 020
	0122	0309	458	9	00 030		0122	0310	458	9	00 030
	0122	0311	494	9	00 030		0122	0312	494	9	00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 111

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0122	0313	237		00 030		0122	0314	174		00 020
	0122	0315	318		93 665		0122	0316	318		52 525
	0122	0317	99	50	93 660		0122	0318	117	50	93 660
	0122	0319	3565	160	93 523		0122	0340E	70		00 020
	0122	0400	3282	325	93 523		0122	0400A	48		00 020
	0122	0400E	140		00 020		0122	0401	68	2	00 030
	0122	0402	68	2	00 030		0122	0403	78		00 030
	0122	0404	20		63 730		0122	0405	62	1	00 030
	0122	0406	62	2	00 030		0122	0500	605		00 020
	0122	0500A	48		00 020		0122	0500E	140		00 020
	0122	0501	75		52 525		0122	0502	75		52 525
	0122	0503	492	55	52 525		0122	0503A	348	15	52 525
	0122	0504	109	6	52 525		0122	0505	110	6	52 525
	0122	0506	112	8	93 525		0122	0507	110	6	52 525
	0122	0508	109	6	52 525		0122	0509	111	6	52 525
	0122	0510	43	1	52 525		0122	0511	41		52 525
	0122	0512	41		52 525		0122	0513	45	1	52 525
	0122	0514	72	2	00 030		0122	0515	71	2	00 030
	0122	0516	121	2	52 525		0122	0517	136		00 030
	0122	0518	280	20	93 523		0122	0601	196		00 020
	0122	0602	196		00 020		0122	0603	315		00 020
	0122	0604	196		00 020		0122	0605	196		00 020
	0122	0606	315		00 020		0122	0607	196		00 020
	0122	0608	196		00 020		0122	115AA	2326	250	31 680
	0122	2101	2868	824	93 523		0122	2102	4274	1248	93 523
	0122	2103	4361	991	93 523		0122	2104	4535	924	93 523

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 112

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0122	2105	4361	991	93 523		0122	2106	4274	1224	93 523
	0122	2107	2868	824	93 523		0122	4202	6690	1535	93 523
	0122	4203	5076	1332	93 523		0122	4204	5573	1296	93 523
	0122	4205	5076	1332	93 523		0122	4206	6690	1535	93 523
	0122	6111	478	586	82 082		0122	6112	561	695	82 082
	0122	6113	454	734	93 523		0122	6114	1024	1152	93 523
	0122	6115	866	1083	93 523		0122	6116	1024	1152	93 523
	0122	6117	454	734	93 523		0122	6118	561	695	82 082
	0122	6119	478	586	82 082		0122	6211	637	622	93 523
	0122	6212	984	988	93 523		0122	6213	984	988	93 523
	0122	6214	984	984	93 523		0122	6215	587	604	93 523
	0122	6216	984	988	93 523		0122	6217	984	988	93 523
	0122	6218	984	988	93 523		0122	6219	637	622	93 523
	0122	A0101	283	20	52 525		0122	A0102	130	20	93 523
	0122	A0103	46	20	93 523		0122	B0101	283	20	52 525
	0122	B0102	130	20	93 523		0122	B0103	47	1	52 525
	0122	C0101	283	20	52 525		0122	C0102	130	20	93 523
	0122	C0103	46	1	52 525		0122	D0101	283	20	52 525
	0122	D0102	130	20	93 523		0122	D0103	47	1	52 525
	0122	E0101	280	20	52 525		0122	E0102	125	20	93 523
	0122	E0103	44	1	52 525		0122	F0101	283	20	52 525
	0122	F0102	130	20	93 523		0122	F0103	46	1	52 525
	0122	G0101	283	20	52 525		0122	G0102	130	20	93 523
	0122	G0103	47	1	52 525		0122	H0101	283	20	52 525
	0122	H0102	130	20	93 523		0122	H0103	46	20	93 523
	0122	I0101	283	20	52 525		0122	I0102	130	20	93 523

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 113

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0122	I0103	47	1		52 525		0122	115ACL	34			46 315
	0122	115BCL	34			31 685		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE 117,447					
	TOTAL NUMBER CLASSROOMS												
	TOTAL NUMBER COMPUTER CLASSROOMS												
	TOTAL NUMBER LABS 210												
	TOTAL NUMBER SPECIAL LABS 220												
	0123	0100	3996	96		11 110		0123	0101	780			00 020
	0123	0102	197	3		31 919		0123	0103	187	7		31 919
	0123	0104	132	1		46 310		0123	0105	132	1		46 310
	0123	0106	132	1		46 315		0123	0107	132	1		46 315
	0123	0108	668			00 020		0123	0109	132	1		46 310
	0123	0110	132	1		46 310		0123	0111	132	1		46 310
	0123	0112	132	1		46 310		0123	0113	132	1		11 310
	0123	0114	668	1		00 020		0123	0115	174	1		46 325
	0123	0116	270	7		46 350		0123	0117	438			00 030
	0123	0118	36			46 355		0123	0119	31	1		31 919
	0123	0120	72			46 315		0123	0121	624	23		11 240
	0123	0122	972	4		11 260		0123	0123	1332	29		11 140
	0123	0124	909			48 731		0123	0124A	16			00 030
	0123	0126	731	46		11 110		0123	0127	1312	54		11 110
	0123	0128	1312	40		11 110		0123	0129	289			46 731
	0123	0130	1020			00 030		0123	0131	550			00 020
	TOTAL NET ASSIGN SQ. FT. IN ROOM FILE 13,632												
	TOTAL NUMBER CLASSROOMS 4												
	TOTAL NUMBER COMPUTER CLASSROOMS 1												
	TOTAL NUMBER LABS 210												
	TOTAL NUMBER SPECIAL LABS 220												
	0124	0100	264			00 020		0124	0101	1800			00 020
	0124	0102	275			00 020		0124	0103	256			00 020
	0124	0104	263			00 020		0124	0105	77			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 114

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0124	0106	98		00 030		0124	0107	4158	304	11 610
	0124	0108	77		11 615		0124	0109	400		11 615
	0124	0110	160		00 030		0124	0111	128		52 655
	0124	0112	532	32	52 650		0124	0113	204	1	46 655
	0124	0114	182	1	46 310		0124	0115	138	1	46 310
	0124	0116	148	1	46 310		0124	0117	30	1	46 315
	0124	0118	138		00 020		0124	0119	186	1	46 310
	0124	0120	168	1	46 350		0124	0121	35		00 010
	0124	0122	173		00 030		0124	0123	183	3	00 030
	0124	0124	420	1	46 880		0124	0125	130	1	46 313
	0124	0126	412		46 315		0124	0127	63		00 020
	0124	0128	260	1	46 310		0124	0129	260	1	46 310
	0124	0130	162	1	46 313		0124	0131	408	1	46 325
	0124	0132	781		00 020		0124	0133	504	3	46 310
	0124	0134	198	1	46 731		0124	0135	70		46 315
	0124	0136	35	1	46 315		0124	0138	154		00 020
	0124	0139	54	2	46 315		0124	0140	42	1	46 315
	0124	0141	476	35	46 350		0124	0142	408		46 315
	0124	0143	162	1	46 350		0124	0144	156		46 315
	0124	0145	195	1	46 315		0124	0146	238		00 030
	0124	0147	440	2	57 650		0124	0148	144	1	48 731
	0124	0149	144	1	46 310		0124	0150	152		00 020
	0124	0151	25	1	46 315		0124	0152	127	1	46 310
	0124	0153	124	1	48 731		0124	0155	576		00 030
	0124	0156	576		00 030		0124	0201	2568		00 020
	0124	0202	312		00 020		0124	0203	265		00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 115

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0124	0204	246			00 020		0124	0205	77			00 020
	0124	0206	176	1		46 310		0124	0207	114	1		46 310
	0124	0208	114	1		46 310		0124	0209	114	1		46 310
	0124	0210	114	1		46 310		0124	0211	114	1		46 310
	0124	0212	114	1		46 310		0124	0213	160	1		46 310
	0124	0214	130	1		46 310		0124	0215	598	48		11 210
	0124	0216	65	1		46 315		0124	0217	102			48 215
	0124	0218	2970	75		11 210		0124	0219	891	1		46 215
	0124	0220	85			00 030		0124	0221	2970	75		11 215
	0124	0223	533	20		46 650		0124	0225	153			00 010
	0124	0226	52	1		46 315		0124	0227	70	1		46 315
	0124	0228	130	1		46 310		0124	0229	157	1		46 310
	0124	0230	120	1		46 310		0124	0231	114	1		46 310
	0124	0232	114	1		46 310		0124	0233	114	1		46 310
	0124	0234	114	1		46 310		0124	0235	152	1		46 310
	0124	0236	1380	36		11 240		0124	0237	221	1		46 310
	0124	0238A	221	1		46 310		0124	0238B	80			00 020
	0124	0239A	799	35		11 240		0124	0239B	248	5		11 215
	0124	0240	206	4		00 030		0124	0241	181	4		00 030
	0124	0242	1095	55		11 110		0124	0243	600	30		11 210
	0124	0301	2724			00 020		0124	0302	311			00 020
	0124	0303	276			00 020		0124	0304	264			00 020
	0124	0305	77			00 020		0124	0306	176	1		46 310
	0124	0307	120	1		46 310		0124	0308	114	1		46 310
	0124	0309	114	1		46 310		0124	0310	114	1		46 310
	0124	0311	114	1		46 310		0124	0312	114	1		46 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 117

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0125	0109	82	1		52 315		0125	0110	111	3		52 525
	0125	0111	61	4		52 525		0125	0112	137	4		52 525
	0125	0113	164	2		52 525		0125	0114	220	10		52 525
	0125	0115	201			52 525		0125	0116	73			00 020
	0125	0117	220			52 525		0125	0118	900	37		52 525
	0125	0119	13			52 525		0125	0120	439	10		52 525
	0125	0121	2260	10		52 525		0125	0123	380	25		52 525
	0125	0126	443			00 030		0125	0127	139	4		52 525
	0125	0128	121	6		52 525		0125	0129	51	4		52 525
	0125	0130	24			00 010		0125	0131	820	30		52 525
	0125	0132	63			52 525		0125	0133	100			52 525
	0125	0134	149			52 525		0125	0135	69			00 020
	0125	0136	624	3		52 525		0125	0136A	140			93 525
	0125	0136B	135	1		46 310		0125	0136C	234	1		46 310
	0125	0136D	239	1		64 310		0125	0136E	239	1		64 310
	0125	0136F	26	1		64 315		0125	0136G	90			64 315
	0125	0136H	716			00 020		0125	0137	80	1		64 310
	0125	0138	79	1		64 310		0125	0139	30			64 315
	0125	0140	128	1		52 525		0125	0141	380	25		52 525
	0125	0201	376			00 030		0125	0202	292			00 020
	0125	0203	180	2		93 660		0125	0204	64			93 665
	0125	0205	234	5		00 030		0125	0206	65			00 020
	0125	0207	86	2		00 010		0125	0208	584			00 020
	0125	0209	49			00 010		0125	0210	49			00 020
	0125	0211	288	8		00 030		0125	0212	60			93 665
	0125	0213	180	2		93 660		0125	0214	292			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 118

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0125	0215	376			00	030	0125	0301	41		1	52 525
	0125	0302	470		15	52	525	0125	0303	41		1	00 010
	0125	0304	9709		1800	93	523	TOTAL NET ASSIGN SQ. FT. IN ROOM FILE 20,515					
TOTAL NUMBER CLASSROOMS													
TOTAL NUMBER COMPUTER CLASSROOMS													
TOTAL NUMBER LABS 210													
TOTAL NUMBER SPECIAL LABS 220													
	0126	0100	1926	128		11	110	0126	0101	1926	116		11 110
	0126	0102	244			48	115	0126	0103	65			00 030
	0126	0104	81			00	010	0126	0105	81			00 010
	0126	0106	65			00	010	0126	0107	504			00 020
	0126	0108	411			00	020	0126	0108A	407			00 020
	0126	0108B	476			00	020	0126	0109	1197			00 020
	0126	0109A	666			00	020	0126	0109B	605			00 020
	0126	0110	675	3		21	260	0126	0110A	193		4	21 260
	0126	0110B	137	3		21	250	0126	0110C	90		2	21 250
	0126	0110D	90	2		21	250	0126	0110G	98		4	21 250
	0126	0111	116		1	11	310	0126	0112	116		1	21 310
	0126	0113	517	2		21	250	0126	0114	324		7	21 250
	0126	0115	685	4		21	250	0126	0116	105		1	21 255
	0126	0116A	105	1		21	255	0126	0117	326		1	21 313
	0126	0117A	148		1	31	325	0126	0118	75			00 020
	0126	0119	53			00	020	0126	0120	187		3	22 250
	0126	0120A	127	3		22	250	0126	0121	557		4	22 250
	0126	0122	1722			63	731	0126	0122A	557			63 731
	0126	0122B	156			63	731	0126	0122C	49			63 765
	0126	0122D	246			63	760	0126	0122E	95			63 765

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 119

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0126	0122F	136	1		46 310		0126	0123	128	1		46 310
	0126	0124	121	1		46 310		0126	0125	375	4		21 250
	0126	0126	493	8		21 250		0126	0130	568	5		22 250
	0126	0131	787	5		21 250		0126	0131A	353	7		21 250
	0126	0132	130			21 731		0126	0133	150	1		21 310
	0126	0133A	352	2		21 310		0126	0134	79			21 731
	0126	0135	92			21 731		0126	0136	130	1		21 310
	0126	0137	119	1		21 310		0126	0138	957	5		21 250
	0126	0138A	352	4		21 250		0126	0139	260	5		21 250
	0126	0140	651	15		21 255		0126	0140A	138	1		21 255
	0126	0140B	57	1		21 250		0126	0140C	90	1		21 250
	0126	0141	1098	22		11 210		0126	0141A	182			11 215
	0126	0141B	105			11 215		0126	0142	591	12		11 215
	0126	0142A	70	1		11 210		0126	0143	1098	24		11 215
	0126	0143A	164	1		11 215		0126	0143B	105	1		11 215
	0126	0144	744	47		11 110		0126	0145	744	47		11 210
	0126	0159	30			00 030		0126	0160	167	4		00 030
	0126	0161	55			00 010		0126	0162	30			00 030
	0126	0163	171	4		00 030		0126	0189	44	1		00 030
	0126	0190	24	1		00 030		0126	0191	24			00 030
	0126	0192	279			00 020		0126	0193	1788			00 030
	0126	0194	836			00 030		0126	0195	279			00 020
	0126	0196	354			00 020		0126	0197	354			00 020
	0126	0198	71			00 020		0126	0200	121	1		46 310
	0126	0201	119	1		46 310		0126	0202	128	1		46 310
	0126	0203	114	1		46 310		0126	0204	128	1		46 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 120

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0126	0205	119	1		46 310		0126	0206	121	1		46 310
	0126	0207	504			00 020		0126	0208	504			00 020
	0126	0208A	540			00 020		0126	0208B	540			00 020
	0126	0209	1085			00 020		0126	0209A	540			00 020
	0126	0209B	540			00 020		0126	0210	242	1		46 315
	0126	0210A	194	1		81 081		0126	0210B	237	12		46 350
	0126	0210C	166			46 315		0126	0210D	9			46 315
	0126	0210E	18			00 020		0126	0210F	26	1		00 030
	0126	0211	360	26		11 110		0126	0212	282	5		21 250
	0126	0213	586	12		21 250		0126	0214	286	5		21 250
	0126	0215	592	12		21 250		0126	0216	580	6		21 250
	0126	0216A	100			21 255		0126	0217	28			00 020
	0126	0218	86	2		00 030		0126	0219	59	1		00 020
	0126	0220	856	8		11 240		0126	0222	540	3		41 440
	0126	0223	123	1		46 310		0126	0224	121	1		11 310
	0126	0225	123	1		11 310		0126	0226	121	1		11 310
	0126	0227	123	1		46 310		0126	0228	442	8		21 250
	0126	0230	1054	24		22 210		0126	0231	119			48 215
	0126	0232	1054	24		11 210		0126	0233	1054	24		11 210
	0126	0234	119			48 215		0126	0235	1054	24		11 210
	0126	0236	340	2		48 215		0126	0237	340	2		48 215
	0126	0240	1058	24		82 082		0126	0240A	369			48 215
	0126	0241	737	12		11 210		0126	0242	1058	10		11 210
	0126	0243	744	50		11 210	9	0126	0244	286	48		11 210
9	0126	0245	440	48		11 210		0126	0246	32			00 020
	0126	0247	167	4		00 030		0126	0248	32			00 010

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 121

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0126	0249	32			00 020		0126	0250	167	4		00 030
	0126	0264	1545			00 030		0126	0265	1134			00 030
	0126	0292	338			00 020		0126	0295	338			00 020
	0126	0296	338			00 020		0126	0297	338			00 020
	0126	0298	71			00 020		0126	0300	121	1		46 315
	0126	0301	120	1		46 320		0126	0302	128	1		46 315
	0126	0303	120	1		46 310		0126	0304	128	1		46 310
	0126	0305	120	1		46 310		0126	0306	121	1		46 310
	0126	0307	504			00 020		0126	0308	504			00 020
	0126	0308A	540			00 020		0126	0308B	540			00 020
	0126	0309	1041			00 020		0126	0309A	540	1		46 310
	0126	0309B	540			00 020		0126	0310	242	1		46 315
	0126	0310A	194	4		46 310		0126	0310B	237	1		46 325
	0126	0310C	166			46 315		0126	0310D	9			46 315
	0126	0310E	18			00 020		0126	0310F	26	1		00 010
	0126	0311	360	28		11 350		0126	0312	282	2		21 730
	0126	0313	872	18		11 210		0126	0314	282	5		21 250
	0126	0315	95	1		21 250		0126	0315A	185	2		21 250
	0126	0316	227	4		21 735		0126	0316A	94			21 735
	0126	0316B	86	1		21 735		0126	0316C	86	1		21 735
	0126	0316D	12			00 030		0126	0317	88			00 030
	0126	0318	86	2		00 030		0126	0319	60	1		00 030
	0126	0320	425	1		11 580		0126	0320A	736			11 580
	0126	0321	199	2		21 250		0126	0321A	30			21 255
	0126	0322	297			21 255		0126	0323	123	1		46 310
	0126	0324	121	1		46 310		0126	0325	123	1		46 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 122

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	
	0126	0326	121	1		46 310		0126	0327	123	1		46 310	
	0126	0328	442	8		21 250		0126	0330	1054	21		21 310	
	0126	0331	224	4		21 250		0126	0332	1054	22		21 250	
	0126	0333	1419	15		21 215		0126	0333A	224			48 215	
	0126	0333B	64			48 215		0126	0333C	70			48 215	
	0126	0334	1054	21		11 210		0126	0340	982	30		11 110	
	0126	0340A	147	25		48 215		0126	0341	849	20		11 250	
	0126	0341A	117	1		21 215		0126	0342	982	27		11 210	
	0126	0342A	147			48 215		0126	0343	744	46		11 110	
	0126	0345	736	48		11 110		0126	0352	32			00 020	
	0126	0353	167	4		00 030		0126	0354	32			00 010	
	0126	0355	32			00 020		0126	0356	167	4		00 030	
	0126	0369	1414			00 030		0126	0370	1233			00 030	
	0126	0371	120			00 030		0126	0392	338			00 020	
	0126	0395	338			00 020		0126	0396	338			00 020	
	0126	0397	338			00 020		0126	0398	71			00 020	
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					57,117	
								TOTAL NUMBER CLASSROOMS					7	
								TOTAL NUMBER COMPUTER CLASSROOMS						
								TOTAL NUMBER LABS 210					15	
								TOTAL NUMBER SPECIAL LABS 220						
	0128	0003A	940	48		11 110		0128	0003B	940	49		11 110	
	0128	0003C	932	50		11 110		0128	0003D	940	42		11 110	
	0128	0003E	940	42		11 110		0128	0003F	580	34		11 110	
	0128	0003G	580	34		63 140		0128	0100	950			00 020	
	0128	0101	950			00 020		0128	0101A	289			00 020	
	0128	0101B	10000	170		41 240		0128	0102	814			00 020	
	0128	0103	118			00 010		0128	0103A	130			00 010	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 123

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0128	0104	277	6		00 030		0128	0105	703	9		46 325
	0128	0106	870	32		11 110		0128	0106A	90			00 030
	0128	0107	85	2		46 310		0128	0107A	770	9		46 310
	0128	0107C	584	1		46 310		0128	0108	187	1		46 310
	0128	0109	290	3		63 314		0128	0109A	162	1		64 310
	0128	0110	811			00 020		0128	0110A	115			00 020
	0128	0111	703	2		41 440		0128	0112	146	1		41 310
	0128	0113	1163	3		41 440		0128	0113A	41			41 455
	0128	0114	213	2		64 315		0128	0115	182	1		64 310
	0128	0116	431	3		64 310		0128	0116A	147	1		44 310
	0128	0117	291			00 030		0128	0117A	116			00 030
	0128	0118	1083	6		64 715		0128	0118A	293			00 030
	0128	0119	307	5		00 030		0128	0120	215			00 020
	0128	0121	30			00 030		0128	0122	309			00 020
	0128	0122A	146			00 030		0128	0122B	40			00 030
	0128	0123	1350			00 030		0128	0124	293			00 030
	0128	0125	156			00 030		0128	0126	229			00 020
	0128	0127	204			00 020		0128	0128	280			00 020
	0128	0129	243			00 020		0128	0130	60			00 020
	0128	0131	60			00 020		0128	0132	60			00 020
	0128	0133	60			00 020		0128	0134	80			82 082
	0128	0135	105			00 020		0128	0136	86			00 020
	0128	0137	14200			00 020		0128	0200	168			00 020
	0128	0201	625			00 020		0128	0201A	838			00 020
9	0128	0201B	15700	245		41 430		0128	0201C	187			00 020
	0128	0201E	168			54 315		0128	0202	2702	100		55 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 124

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0128	0203	82		00 010		0128	0204	247	6	00 030
	0128	0205	918	30	41 420		0128	0205A	968	30	55 314
9	0128	0205B	2268	18	41 430		0128	0205C	330	6	00 020
	0128	0205D	188	1	55 310		0128	0206	227	2	41 310
	0128	0206A	149	1	65 310		0128	0206B	224	2	41 310
	0128	0207	69		41 315		0128	0208	69	1	41 315
	0128	0209	141	2	65 315		0128	0210	380	2	41 310
	0128	0211	1994	3	65 310		0128	0211A	139	1	65 310
	0128	0211B	139	1	65 310		0128	0211C	144	1	65 310
	0128	0211D	48		65 315		0128	0211E	537		00 020
	0128	0212	310	1	65 280		0128	0213	650	2	64 314
	0128	0213A	156	2	64 315		0128	0213B	44		64 315
	0128	0214	838	20	00 020		0128	0215	170	1	64 310
	0128	0216	145		00 020		0128	0217	96	1	54 325
	0128	0218	74	1	54 314		0128	0219	99	1	54 314
	0128	0220	58	1	54 314		0128	0221	62	1	54 314
	0128	0222	62	1	54 314		0128	0223	58	1	54 314
	0128	0224	428		00 030		0128	0225	113	4	41 410
	0128	0226	113	4	41 410		0128	0227	156	2	54 310
	0128	0228	234	3	54 310		0128	0229	234	2	55 310
	0128	0230	157	3	55 310		0128	0231	115	4	41 410
	0128	0232	113	6	41 410		0128	0233	264		00 030
	0128	0234	200		00 020		0128	0235	143		00 030
	0128	0236	108		00 020		0128	0237	61	1	41 310
	0128	0238	61	1	41 310		0128	0239	61	1	41 310
	0128	0240	89		41 315		0128	0241	98	1	41 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 125

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0128	0242	74	1	41 310		0128	0243	96	1	41 310
	0128	0244	265	5	00 030		0128	0245	187		00 020
	0128	0246	30		00 030		0128	0247	220		00 020
	0128	0248	330		00 020		0128	0249	187		00 020
	0128	0250	197		00 020		0128	0251	250		00 020
	0128	0252	60		00 020		0128	0253	60		00 020
	0128	0254	60		00 020		0128	0255	60		00 020
	0128	0256	60		82 082		0128	0257	105		00 020
	0128	0258	86		00 020		0128	0259	105	31	64 310
	0128	0300	168		00 020		0128	0301	376		00 020
	0128	0301A	800		00 020		0128	0301B	20274	427	41 420
	0128	0302	2140	60	56 315		0128	0302A	218		00 020
	0128	0303	280	2	56 310		0128	0303A	218	1	56 325
	0128	0303B	64		56 314		0128	0304	66	1	56 315
	0128	0305	68	1	56 314		0128	0306	63	1	56 314
	0128	0307	94	1	53 310		0128	0308	94	2	53 310
	0128	0309	124	2	53 310		0128	0310	140	4	56 315
	0128	0311	158		53 315		0128	0312	81		00 010
	0128	0313	295	6	00 030		0128	0314	476	11	53 310
	0128	0315	143		00 020		0128	0316	97	1	63 310
	0128	0317	76	1	31 310		0128	0318	98	1	31 310
	0128	0319	58	1	63 310		0128	0320	64	1	63 315
	0128	0321	64	1	31 315		0128	0322	58	1	31 315
	0128	0323	427		00 030		0128	0324	113	4	41 410
	0128	0325	113	4	41 410		0128	0326	391	18	41 410
	0128	0328	390	8	63 310		0128	0330	113	6	41 410

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 126

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0128	0331	113	6		41 410		0128	0332	272			00 030
	0128	0333	200			00 020		0128	0334	146			00 030
	0128	0335	703	33		11 140		0128	0336	311	5		00 030
	0128	0337	187			00 020		0128	0338	30			00 020
	0128	0339	197			00 020		0128	0340	197			00 020
	0128	0341	197			00 020		0128	0342	197			00 020
	0128	0343	60			00 020		0128	0344	60			00 020
	0128	0345	60			00 020		0128	0346	60			00 020
	0128	0347	60			82 082		0128	0348	105			00 020
	0128	0349	86			00 020		0128	0400	181			00 020
	0128	0401	590			00 020		0128	0401A	922			81 081
9	0128	0401B	15750	244		41 430		0128	0401C	167			00 020
	0128	0402	2575	3		41 315		0128	0402A	114			00 020
	0128	0402B	123	1		41 310		0128	0403	243	1		41 310
	0128	0404	146			00 030		0128	0405	82			00 010
	0128	0406	244	6		00 030		0128	0407	155			00 020
	0128	0408	150	1		41 325		0128	0409	146	1		41 314
	0128	0410	514	19		41 650		0128	0411	112			46 315
	0128	0412	38	1		41 919		0128	0413	38	1		41 919
	0128	0414	368	1		41 313		0128	0415	52			41 315
	0128	0415A	156			00 020		0128	0416	525	2		41 313
	0128	0417	203	1		41 314		0128	0418	323	1		41 325
	0128	0419	166			41 315		0128	0420	364	14		41 350
	0128	0421	143			00 020		0128	0422	99	1		64 310
	0128	0423	78	1		64 310		0128	0424	98	1		64 310
	0128	0425	58	1		64 310		0128	0426	58	1		64 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 127

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0128	0427	58	1		64 310		0128	0428	58	1		64 310
	0128	0429	427			00 030		0128	0430	113	6		41 455
	0128	0431	113	7		41 455		0128	0432	156	6		41 455
	0128	0433	239	8		41 455		0128	0434	239	8		41 455
	0128	0435	156	8		41 455		0128	0436	113	6		41 455
	0128	0437	113	6		41 455		0128	0438	273			00 030
	0128	0439	271	5		00 030		0128	0440	187			00 020
	0128	0441	30			00 030		0128	0442	80	1		41 314
	0128	0443	80	1		41 314		0128	0444	197			00 020
	0128	0445	197			00 020		0128	0446	197			00 020
	0128	0447	197			00 020		0128	0448	60			00 020
	0128	0449	60			00 020		0128	0450	60			81 081
	0128	0451	60			00 020		0128	0452	60			82 082
	0128	0453	105			00 020		0128	0454	86			00 020
	0128	0455	1836			00 040		0128	0456	1836			00 040
	0128	0457	1836			00 040		0128	0458	1868	4		31 660
	0128	0500	168			00 020		0128	0501	471			00 020
	0128	0501A	824			00 020	9	0128	0501B	15015	199		41 430
	0128	0502	780	9		00 020		0128	0502A	758	17		41 430
	0128	0502B	884	26		31 110		0128	0503A	114			00 020
	0128	0504	146			00 030		0128	0505	126	1		41 325
	0128	0506	86			00 010		0128	0507	244	6		00 030
	0128	0508	201	3		41 440		0128	0508A	168			00 020
	0128	0509	493			41 315		0128	0510	4670			41 420
	0128	0511	2104			41 420		0128	0511A	44			00 030
	0128	0512	134			00 020		0128	0513	62	1		61 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 128

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0128	0514	62	1		61 310		0128	0515	62	1		64 310
	0128	0516	62	1		64 310		0128	0517	67	1		64 310
	0128	0518	65	1		64 310		0128	0519	63	1		64 310
	0128	0519A	63	1		61 310		0128	0520	424			00 030
	0128	0521	113	6		41 410		0128	0522	113	4		61 310
	0128	0523	156	6		63 310		0128	0524	239	1		63 310
	0128	0525	240	8		41 420		0128	0526	147	6		41 410
	0128	0527	113	4		41 410		0128	0528	113	4		41 455
	0128	0529	273			00 030		0128	0530	271	5		00 030
	0128	0531	192			00 020		0128	0532	30			00 030
	0128	0533	197			00 020		0128	0534	197			00 020
	0128	0535	197			00 020		0128	0536	197			00 020
	0128	0537	60			00 020		0128	0538	60			00 020
	0128	0539	60			00 020		0128	0540	60			00 020
	0128	0541	60			82 082		0128	0542	105			00 020
	0128	0543	86			00 020		0128	0544	550	25		31 680
	0128	0600	374			00 020		0128	0601	879			00 020
	0128	0601A	838			81 081		0128	0601B	201			00 020
	0128	0601C	928			00 020		0128	0601D	189			00 020
	0128	0602	382	13		63 650		0128	0603	94			00 010
	0128	0604	276	6		00 030		0128	0605	362	1		61 310
	0128	0606	251	1		61 320		0128	0607	267	1		61 314
	0128	0608	70			63 315		0128	0608A	42	1		00 030
	0128	0609	263	1		61 310		0128	0610	335	1		61 325
	0128	0611	353			61 314		0128	0612	371	1		61 310
	0128	0613	300	1		61 310		0128	0614	225			61 320

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 129

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0128	0615	301	11	61 350		0128	0616	271	1	61 310
	0128	0617	271	1	61 325		0128	0618	244	1	61 320
	0128	0619	72		61 315		0128	0620	39	1	00 030
	0128	0621	38		61 650		0128	0621A	40	1	00 030
	0128	0622	654	27	61 350		0128	0623	414	1	61 310
	0128	0624	241	1	61 320		0128	0625	193		61 315
	0128	0626	271	1	61 310		0128	0627	328	1	61 310
	0128	0628	257	1	61 314		0128	0629	244		61 355
	0128	0630	417		00 030		0128	0631	714	1	61 314
	0128	0632	578	1	61 315		0128	0632A	43		00 020
	0128	0633	256	1	61 313		0128	0634	73		61 590
	0128	0635	247	1	61 314		0128	0636	199	1	61 314
	0128	0637	507	1	61 325		0128	0637A	47	1	00 030
	0128	0638	432	15	61 350		0128	0639	514		61 315
	0128	0640	248	1	61 313		0128	0641	295	1	61 310
	0128	0641A	51		61 315		0128	0642	48	1	00 030
	0128	0643	293	12	61 350		0128	0644	254	1	61 314
	0128	0645	304	1	61 325		0128	0646	221	1	61 313
	0128	0647	131		00 020		0128	0648	266		00 030
	0128	0649	167		00 030		0128	0650	143		61 731
	0128	0651	1043	42	61 680		0128	0652	269	5	00 030
	0128	0653	187		00 020		0128	0654	31		00 030
	0128	0655	101		73 731		0128	0656	307		00 020
	0128	0657	307		00 020		0128	0658	194		00 020
	0128	0659	197		00 020		0128	0660	60		00 020
	0128	0661	60		00 020		0128	0662	60		00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 130

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0128	0663	60			00 020		0128	0664	60			82 082
	0128	0665	105			00 020		0128	0667	86			00 020
	0128	0668	884			00 020		0128	0669	2050			00 020
	0128	0670	629			00 020		0128	0671	1192			00 020
	0128	0672	629			00 020		0128	0673	1260			00 020
	0128	0674	1406			00 020		0128	0675	1099			00 020
	0128	0700	380			00 020		0128	0701	917			00 020
	0128	0701A	838			81 081		0128	0701B	576			00 020
	0128	0701C	500			00 020		0128	0701D	769			00 020
	0128	0701E	500			00 020		0128	0702	237			00 030
	0128	0703	180		1	31 310	9	0128	0704	514		6	31 410
	0128	0704A	50			31 315		0128	0705	410		11	31 350
	0128	0706	514			00 020		0128	0707	301		8	00 030
	0128	0707A	42			00 030		0128	0707B	58			61 315
	0128	0708	320		7	00 030		0128	0708A	42			00 030
	0128	0709	90			61 590		0128	0710	590		1	31 730
	0128	0710A	120			00 020		0128	0711	709			00 030
	0128	0711A	67			00 010		0128	0712	520			00 030
	0128	0713	4236		250	31 680		0128	0713A	41			31 685
	0128	0713B	41			31 685		0128	0714	990		10	31 630
	0128	0715	380			00 020		0128	0716	31			00 030
	0128	0717	170			00 030		0128	0718	333			00 020
	0128	0719	355			00 020		0128	0720	269			00 020
	0128	0721	265			00 020		0128	0722	168			00 020
	0128	0723	65			00 020		0128	0724	72			00 020
	0128	0725	72			00 020		0128	0726	72			00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 131

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0128	0727	72		00 020		0128	0728	138		82 082
	0128	0729	80		00 020		0128	0730	56		00 020
	0128	0800	27		00 020		0128	0801	1994		00 030
	0128	0802	213		00 030		0128	0803	478		00 030
	0128	0803A	130		00 030		0128	0803B	130		00 030
	0128	0804	27		00 020		0128	0805	13455		00 020
	0128	0806	23		00 030		0128	0807	192		00 020
	0128	201D	1007	2	55 314		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				157,518
							TOTAL NUMBER CLASSROOMS				8
							TOTAL NUMBER COMPUTER CLASSROOMS				2
							TOTAL NUMBER LABS				210
							TOTAL NUMBER SPECIAL LABS				220
	0205	0100	160	2	91 920		0205	0101	160	2	91 920
	0205	0102	160	2	91 920		0205	0103	160	2	91 920
	0205	0104	160	2	91 920		0205	0105	160	2	91 920
	0205	0106	160	2	91 920		0205	0107	160	2	91 920
	0205	0108	160	2	91 920		0205	0109	160	2	91 920
	0205	0110	160	2	91 920		0205	0111	160	2	91 920
	0205	0112	160	2	91 920		0205	0113	160	2	91 920
	0205	0114	160	2	91 920		0205	0115	160	2	91 920
	0205	0116	160	2	91 920		0205	0117	160	2	91 920
	0205	0118	160	2	91 920		0205	0119	160	2	91 920
	0205	0120	160	2	91 920		0205	0121	160	2	91 920
	0205	0122	160	2	91 920		0205	0123	160	2	91 920
	0205	0124	160	2	91 920		0205	0125	160	2	91 920
	0205	0126	160	2	91 920		0205	0127	160	2	91 920
	0205	0128	160	2	91 920		0205	0129	160	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 132

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0205	0130	160	2	91 920		0205	0131	160	2	91 920
	0205	0132	160	2	91 920		0205	0133	160	2	91 920
	0205	0134	160	2	91 920		0205	0135	160	2	91 920
	0205	0136	160	2	91 920		0205	0137	160	2	91 920
	0205	0138	160	2	91 920		0205	0139	160	2	91 920
	0205	0140	160	2	91 920		0205	0141	160	2	91 920
	0205	0142	160	2	91 920		0205	0143	160	2	91 920
	0205	0144	160	2	91 920		0205	0145	160	2	91 920
	0205	0146	61	1	91 919		0205	0147	61	1	91 919
	0205	0148	61	1	91 919		0205	0149	61	1	91 919
	0205	0150	61	1	91 919		0205	0151	61	1	91 919
	0205	0152	61	1	91 919		0205	0153	61	1	91 919
	0205	0154	61	1	91 919		0205	0155	61	1	91 919
	0205	0156	61	1	91 919		0205	0157	61	1	91 919
	0205	0158	61	1	91 919		0205	0159	61	1	91 919
	0205	0160	61	1	91 919		0205	0161	61	1	91 919
	0205	0162	61	1	91 919		0205	0163	61	1	91 919
	0205	0164	61	1	91 919		0205	0165	61	1	91 919
	0205	0166	61	1	91 919		0205	0167	61	1	91 919
	0205	0168	61	1	91 919		0205	0169	61	1	91 919
	0205	0170	25		00 030		0205	0171	42		00 020
	0205	0172	104		00 030		0205	0173	25		00 010
	0205	0174	42		00 020		0205	0175	104		00 030
	0205	0176	1480	25	52 650		0205	0177	96	1	52 655
	0205	0178	126		00 020		0205	0179	96		00 020
	0205	0180	25		00 010		0205	0181	69	1	91 919

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 133

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE
	0205	0182	42	1	91 919		0205	0183	168	1	91 310
	0205	0184	240	1	91 950		0205	0185	10		91 315
	0205	0186	40		91 950		0205	0187	162	1	91 950
	0205	0188	13		91 950		0205	0189	101	1	91 919
	0205	0190	494		00 030		0205	0191	21		00 010
	0205	0192	181	1	00 020		0205	0193	317	1	52 650
	0205	0193A	43		00 020		0205	0194	10		00 010
	0205	0200	160	2	91 920		0205	0201	160	2	91 920
	0205	0202	160	2	91 920		0205	0203	160	2	91 920
	0205	0204	160	2	91 920		0205	0205	160	2	91 920
	0205	0206	160	2	91 920		0205	0207	160	2	91 920
	0205	0208	160	2	91 920		0205	0209	160	2	91 920
	0205	0210	160	2	91 920		0205	0211	160	2	91 920
	0205	0212	160	2	91 920		0205	0213	160	2	91 920
	0205	0214	160	2	91 920		0205	0215	160	2	91 920
	0205	0217	160	2	91 920		0205	0218	160	2	91 920
	0205	0219	160	2	91 920		0205	0220	160	2	91 920
	0205	0221	160	2	91 920		0205	0222	160	2	91 920
	0205	0223	160	2	91 920		0205	0224	160	2	91 920
	0205	0225	160	2	91 920		0205	0226	160	2	91 920
	0205	0227	160	2	91 920		0205	0228	160	2	91 920
	0205	0229	160	2	91 920		0205	0230	160	2	91 920
	0205	0231	160	2	91 920		0205	0232	160	2	91 920
	0205	0233	160	2	91 920		0205	0234	160	2	91 920
	0205	0235	160	2	91 920		0205	0236	160	2	91 920
	0205	0237	160	2	91 920		0205	0238	160	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 134

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0205	0240	160	2	91 920		0205	0241	160	2	91 920
	0205	0242	160	2	91 920		0205	0243	160	2	91 920
	0205	0244	160	2	91 920		0205	0245	160	2	91 920
	0205	0246	160	2	91 920		0205	0247	160	2	91 920
	0205	0248	160	2	91 920		0205	0249	160	2	91 920
	0205	0250	160	2	91 920		0205	0251	160	2	91 920
	0205	0252	160	2	91 920		0205	0253	160	2	91 920
	0205	0254	160	2	91 920		0205	0255	160	2	91 920
	0205	0256	160	2	91 920		0205	0257	160	2	91 920
	0205	0258	160	2	91 920		0205	0259	160	2	91 920
	0205	0260	160	2	91 920		0205	0261	160	2	91 920
	0205	0262	61	1	91 919		0205	0263	61	1	91 919
	0205	0264	61	1	91 919		0205	0265	61	1	91 919
	0205	0266	61	1	91 919		0205	0267	61	1	91 919
	0205	0268	25		00 010		0205	0269	61	1	91 919
	0205	0270	61	1	91 919		0205	0271	61	1	91 919
	0205	0272	61	1	91 919		0205	0273	61	1	91 919
	0205	0274	61	1	91 919		0205	0275	61	1	91 919
	0205	0276	61	1	91 919		0205	0277	61	1	91 919
	0205	0278	61	1	91 919		0205	0279	61	1	91 919
	0205	0280	21		00 010		0205	0281	61	1	91 919
	0205	0282	61	1	91 919		0205	0283	61	1	91 919
	0205	0284	61	1	91 919		0205	0285	61	1	91 919
	0205	0286	48		00 030		0205	0287	35		00 030
	0205	0288	35		00 030		0205	0289	48		00 030
	0205	0290	53	1	91 919		0205	0291	53	1	91 919

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 135

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0205	0292	53	1	91 919		0205	0293	53	1	91 919
	0205	0294	53	1	91 919		0205	0295	53	1	91 919
	0205	0296	53	1	91 919		0205	0297	53	1	91 919
	0205	0298	243		00 020		0205	0299	243		00 020
	0205	0300	160	2	91 920		0205	0301	160	2	91 920
	0205	0302	160	2	91 920		0205	0303	160	2	91 920
	0205	0304	160	2	91 920		0205	0305	160	2	91 920
	0205	0306	160	2	91 920		0205	0307	160	2	91 920
	0205	0308	160	2	91 920		0205	0309	160	2	91 920
	0205	0310	160	2	91 920		0205	0311	160	2	91 920
	0205	0312	160	2	91 920		0205	0313	160	2	91 920
	0205	0314	160	2	91 920		0205	0315	160	2	91 920
	0205	0317	160	2	91 920		0205	0318	160	2	91 920
	0205	0319	160	2	91 920		0205	0320	160	2	91 920
	0205	0321	160	2	91 920		0205	0322	160	2	91 920
	0205	0323	160	2	91 920		0205	0324	160	2	91 920
	0205	0325	160	2	91 920		0205	0326	160	2	91 920
	0205	0327	160	2	91 920		0205	0328	160	2	91 920
	0205	0329	160	2	91 920		0205	0330	160	2	91 920
	0205	0331	160	2	91 920		0205	0332	160	2	91 920
	0205	0333	160	2	91 920		0205	0334	160	2	91 920
	0205	0335	160	2	91 920		0205	0336	160	2	91 920
	0205	0337	160	2	91 920		0205	0338	160	2	91 920
	0205	0340	160	2	91 920		0205	0341	160	2	91 920
	0205	0342	160	2	91 920		0205	0343	160	2	91 920
	0205	0344	160	2	91 920		0205	0345	160	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 136

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	
	0205	0346	61	1	91 919		0205	0347	61	1	91 919	
	0205	0348	61	1	91 919		0205	0349	61	1	91 919	
	0205	0350	61	1	91 919		0205	0351	61	1	91 919	
	0205	0352	25		00 010		0205	0353	61	1	91 919	
	0205	0354	61	2	91 919		0205	0355	61	1	91 919	
	0205	0356	61	2	91 919		0205	0357	61	2	91 919	
	0205	0358	61	1	91 919		0205	0359	61	1	91 919	
	0205	0360	61	1	91 919		0205	0361	61	1	91 919	
	0205	0362	61	1	91 919		0205	0363	61	1	91 919	
	0205	0364	25		00 010		0205	0365	61	1	91 919	
	0205	0366	61	1	91 919		0205	0367	61	1	91 919	
	0205	0368	61	1	91 919		0205	0369	61	1	91 919	
	0205	0370	48		00 010		0205	0371	35		00 030	
	0205	0372	35		00 030		0205	0373	48		00 010	
	0205	0374	243		00 020		0205	0375	243		00 020	
							TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				31,310	
							TOTAL NUMBER CLASSROOMS					
							TOTAL NUMBER COMPUTER CLASSROOMS					
							TOTAL NUMBER LABS 210					
							TOTAL NUMBER SPECIAL LABS 220					
	0207	0101	169	2	91 920		0207	0102	169	1	91 920	
	0207	0103	169	2	91 920		0207	0104	169	2	91 920	
	0207	0105	169	2	91 920		0207	0106	169	2	91 920	
	0207	0107	169	2	91 920		0207	0108	169	2	91 920	
	0207	0109	169	2	91 920		0207	0110	169	2	91 920	
	0207	0111	169	2	91 920		0207	0112	169	2	91 920	
	0207	0113	169	2	91 920		0207	0114	169	2	91 920	
	0207	0115	169	2	91 920		0207	0116	210	2	91 920	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 137

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0207	0117	184	2		91 920		0207	0118	184	2		91 920
	0207	0119	184	2		91 920		0207	0120	184	2		91 920
	0207	0121	75	1		91 919		0207	0122	75	1		91 919
	0207	0123	75	1		91 919		0207	0124	75	1		91 919
	0207	0125	75	1		91 919		0207	0126	75	1		91 919
	0207	0127	75	1		91 919		0207	0128	75	1		91 919
	0207	0129	75	1		91 919		0207	0130	75	1		91 919
	0207	0141	2493			00 020		0207	0142	122			00 020
	0207	0143	107			00 020		0207	0144	107			00 020
	0207	0145	222	2		91 950		0207	0146	8	1		91 950
	0207	0147	20	1		91 950		0207	0149	168	1		91 950
	0207	0150	12			91 950		0207	0151	7			91 950
	0207	0152	7			91 950		0207	0153	50	1		91 919
	0207	0154	112	2		91 310		0207	0155	3	1		91 315
	0207	0156	125			00 020		0207	0157	50	1		91 919
	0207	0158	1193	20		52 650		0207	0159	429	10		52 650
	0207	0160	116	1		91 655		0207	0161	10			00 030
	0207	0162	122			00 010		0207	0163	15	1		00 010
	0207	0164	113			00 030		0207	0165	352			00 030
	0207	0166	39			00 020		0207	0167	210			91 655
	0207	0201	169	2		91 920		0207	0202	169	2		91 920
	0207	0203	169	2		91 920		0207	0204	169	2		91 920
	0207	0205	169	2		91 920		0207	0206	169	2		91 920
	0207	0207	169	2		91 920		0207	0208	169	2		91 920
	0207	0209	169	2		91 920		0207	0210	169	2		91 920
	0207	0211	169	2		91 920		0207	0212	169	2		91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 138

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0207	0213	169	2	91 920		0207	0214	169	2	91 920
	0207	0215	169	2	91 920		0207	0216	169	2	91 920
	0207	0217	169	2	91 920		0207	0218	169	2	91 920
	0207	0219	169	2	91 920		0207	0220	169	2	91 920
	0207	0221	169	2	91 920		0207	0222	169	2	91 920
	0207	0223	169	2	91 920		0207	0224	210	2	91 920
	0207	0225	184	2	91 920		0207	0226	184	2	91 920
	0207	0227	184	2	91 920		0207	0228	169	2	91 920
	0207	0229	75	1	91 919		0207	0230	75	1	91 919
	0207	0231	75	1	91 919		0207	0232	75	1	91 919
	0207	0233	75	1	91 919		0207	0234	75	1	91 919
	0207	0235	75	1	91 919		0207	0236	75	1	91 919
	0207	0237	75	1	91 919		0207	0238	75	1	91 919
	0207	0239	75	1	91 919		0207	0240	75	1	91 919
	0207	0241	75	1	91 919		0207	0242	75	1	91 919
	0207	0243	107		00 020		0207	0244	107		00 020
	0207	0245	122	1	00 020		0207	0246	1406		00 020
	0207	0247	61		00 010		0207	0248	61		00 030
	0207	0301	169	2	91 920		0207	0302	169	2	91 920
	0207	0303	169	2	91 920		0207	0304	169	2	91 920
	0207	0305	169	2	91 920		0207	0306	169	2	91 920
	0207	0307	169	2	91 920		0207	0308	169	2	91 920
	0207	0309	169	2	91 920		0207	0310	169	2	91 920
	0207	0311	169	2	91 920		0207	0312	169	2	91 920
	0207	0313	169	2	91 920		0207	0314	169	2	91 920
	0207	0315	169	2	91 920		0207	0316	169	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 140

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0210	0015A	19		91 950		0210	0016A	41	2	63 315
	0210	0017A	68		00 010		0210	0018A	94	2	91 919
	0210	0019A	24		00 020		0210	0020A	290		00 010
	0210	0021A	94		00 020		0210	1001	194	2	91 920
	0210	1002	194	2	91 920		0210	1003	194	2	91 920
	0210	1004	194	2	91 920		0210	1005	194	2	91 920
	0210	1006	194	2	91 920		0210	1007	194	2	91 920
	0210	1008	194	2	91 920		0210	1009	194	2	91 920
	0210	1010	194	2	91 920		0210	1011	194	2	91 920
	0210	1012	194	2	91 920		0210	1013	194	2	91 920
	0210	1014	194	2	91 920		0210	1015	194	2	91 920
	0210	1016	194	2	91 920		0210	1017	194	2	91 920
	0210	1018	194	1	91 920		0210	1019	194	2	91 920
	0210	1020	194	1	91 920		0210	1021	194	2	91 920
	0210	1022	194	2	91 920		0210	1023	194	2	91 920
	0210	1024	194	2	91 920		0210	1025	194	2	91 920
	0210	1026	194	2	91 920		0210	1027	194	1	91 920
	0210	1028	194	2	91 920		0210	1029	194	2	91 920
	0210	1030	194	2	91 920		0210	1031	194	2	91 920
	0210	1032	194	2	91 920		0210	1033	194	2	91 950
	0210	1034	194	2	91 920		0210	1035	194	1	91 950
	0210	1036	194	2	91 920		0210	1037	194	2	91 920
	0210	1038	194	2	91 920		0210	1039	194	2	91 920
	0210	1040	194	2	91 920		0210	1041	194	2	91 920
	0210	1042	194	2	91 920		0210	1043	194	2	91 920
	0210	1044	194	2	91 920		0210	1045	194	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 141

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0210	1046	194	2	91 920		0210	1047	194	2	91 920
	0210	1048	194	2	91 920		0210	1049	194	2	91 920
	0210	1050	194	2	91 920		0210	1051	194	2	91 920
	0210	1052	194	2	91 920		0210	1053	194	2	91 920
	0210	1054	194	2	91 920		0210	1055	194	2	91 920
	0210	1056	194	2	91 920		0210	1057	194	2	91 920
	0210	1058	194	2	91 920		0210	1059	194	2	91 920
	0210	1060	194	2	91 920		0210	1061	194	2	91 920
	0210	1062	194	2	91 920		0210	1063	194	2	91 920
	0210	1064	194	2	91 920		0210	1065	194	2	91 920
	0210	1066	194	2	91 920		0210	1067	194	2	91 920
	0210	1068	194	2	91 920		0210	1069	194	2	91 920
	0210	1070	194	2	91 920		0210	1071	194	2	91 920
	0210	1072	194	2	91 920		0210	1073	50	1	91 919
	0210	1074	50	1	91 919		0210	1075	50	1	91 919
	0210	1076	50	1	91 919		0210	1077	50	1	91 919
	0210	1078	50	1	91 919		0210	1079	50	1	91 919
	0210	1080	50	1	91 919		0210	1081	50	1	91 919
	0210	1082	50	1	91 919		0210	1083	50	1	91 919
	0210	1084	50	1	91 919		0210	1085	50	1	91 919
	0210	1086	50	1	91 919		0210	1087	50	1	91 919
	0210	1088	50	1	91 919		0210	1089	50	1	91 919
	0210	1090	50	1	91 919		0210	1091	50	1	91 919
	0210	1092	50	1	91 919		0210	1093	50	1	91 919
	0210	1094	50	1	91 919		0210	1095	50	1	91 919
	0210	1096	50	1	91 919		0210	1097	50	1	91 919

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 142

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION

OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0210	1098	50	1		91 919		0210	1099	50	1		91 919
	0210	1100	50	1		91 919		0210	1101	50	1		91 919
	0210	1102	50	1		91 919		0210	1103	50	1		91 919
	0210	1104	50	1		91 919		0210	1105	50	1		91 919
	0210	1106	50	1		91 919		0210	1107	50	1		91 919
	0210	1108	50	1		91 919		0210	1109	34			00 010
	0210	1110	40			00 010		0210	1111	34			00 010
	0210	1112	40			00 010		0210	1113	243			00 020
	0210	1113A	115			00 030		0210	1114	210			00 020
	0210	1115	243			00 020		0210	1115A	115			00 030
	0210	1116	210			00 020		0210	1117	1288			00 020
	0210	1118	1288			00 020		0210	1119	1288			00 020
	0210	1120	1288			00 020		0210	2001	194	2		91 920
	0210	2002	194	2		81 081		0210	2003	194	2		91 920
	0210	2004	194	2		81 081		0210	2005	194	2		91 920
	0210	2006	194	2		81 081		0210	2007	194	2		91 920
	0210	2008	194	2		91 920		0210	2009	194	2		91 920
	0210	2010	194	2		91 920		0210	2011	194	2		91 920
	0210	2012	194	2		91 920		0210	2013	194	2		91 920
	0210	2014	194	2		91 920		0210	2015	194	2		91 920
	0210	2016	194	2		91 920		0210	2017	194	2		91 920
	0210	2018	194	2		91 920		0210	2019	194	2		91 920
	0210	2020	194	2		91 920		0210	2021	194	2		91 920
	0210	2022	194	2		91 920		0210	2023	194	2		91 920
	0210	2024	194	2		91 920		0210	2025	194	2		91 920
	0210	2026	194	2		91 920		0210	2027	194	2		91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 143

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0210	2028	194	2	91 920		0210	2029	194	2	91 920
	0210	2030	194	2	91 920		0210	2031	194	2	91 920
	0210	2032	194		81 081		0210	2033	194	2	91 920
	0210	2034	194		81 081		0210	2035	194	2	91 920
	0210	2036	194		81 081		0210	2037	194	2	91 920
	0210	2038	194		81 081		0210	2039	194	2	91 920
	0210	2040	194		81 081		0210	2041	194	2	91 920
	0210	2042	194		81 081		0210	2043	194	2	91 920
	0210	2044	194	2	91 920		0210	2045	194	2	91 920
	0210	2046	194	2	91 920		0210	2047	194	2	91 920
	0210	2048	194	2	91 920		0210	2049	194	2	91 920
	0210	2050	194	2	91 920		0210	2051	194	2	91 920
	0210	2052	194	2	91 920		0210	2053	194	2	91 920
	0210	2054	194	2	91 920		0210	2055	194	2	91 920
	0210	2056	194	2	91 920		0210	2057	194	2	91 920
	0210	2058	194	2	91 920		0210	2059	194	2	91 920
	0210	2060	194	2	91 920		0210	2061	194	2	91 920
	0210	2062	194	2	91 920		0210	2063	194	2	91 920
	0210	2064	194	2	91 920		0210	2065	194	2	91 920
	0210	2066	194	2	91 920		0210	2067	194	2	81 910
	0210	2068	194		81 081		0210	2069	194	2	91 920
	0210	2070	194		81 081		0210	2071	194	2	91 920
	0210	2072	194		81 081		0210	2073	50	1	91 919
	0210	2074	50	1	91 919		0210	2075	50	1	91 919
	0210	2076	50	1	91 919		0210	2077	50	1	91 919
	0210	2078	50	1	91 919		0210	2079	50	1	91 919

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 144

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0210	2080	50	1		91 919		0210	2081	50	1		91 919
	0210	2082	50	1		91 919		0210	2083	50	1		91 919
	0210	2084	50	1		91 919		0210	2085	50	1		91 919
	0210	2086	50	1		91 919		0210	2087	50	1		91 919
	0210	2088	50	1		91 919		0210	2089	50	1		91 919
	0210	2090	50	1		91 919		0210	2091	50	1		91 919
	0210	2092	50	1		91 919		0210	2093	50	1		91 919
	0210	2094	50	1		91 919		0210	2095	50	1		91 919
	0210	2096	50	1		91 919		0210	2097	50	1		91 919
	0210	2098	50	1		91 919		0210	2099	50	1		91 919
	0210	2100	50	1		91 919		0210	2101	50	1		91 919
	0210	2102	50	1		91 919		0210	2103	50	1		91 919
	0210	2104	50	1		91 919		0210	2105	50	1		91 919
	0210	2106	50	1		91 919		0210	2107	50	1		91 919
	0210	2108	50	1		91 919		0210	2109	34			00 010
	0210	2110	40			00 010		0210	2111	34			00 010
	0210	2112	40			00 010		0210	2113	243			00 020
	0210	2113A	115			00 030		0210	2114	210			00 020
	0210	2115	243			00 020		0210	2115A	115			00 030
	0210	2116	210			00 020		0210	2117	1288			00 020
	0210	2118	1288			00 020		0210	2119	1288			00 020
	0210	2120	1288			00 020		0210	3001	194	2		91 920
	0210	3002	194			81 081		0210	3003	194	2		91 920
	0210	3004	194			81 081		0210	3005	194	2		91 920
	0210	3006	194			81 081		0210	3007	194	2		91 920
	0210	3008	194	2		91 920		0210	3009	194	2		91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 145

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0210	3010	194	2	91 920		0210	3011	194	2	91 920
	0210	3012	194	2	91 920		0210	3013	194	2	91 920
	0210	3014	194	2	91 920		0210	3015	194	2	91 920
	0210	3016	194	2	91 920		0210	3017	194	2	91 920
	0210	3018	194	2	91 920		0210	3019	194	2	91 920
	0210	3020	194	2	91 920		0210	3021	194	2	91 920
	0210	3022	194	2	91 920		0210	3023	194	2	91 920
	0210	3024	194	2	91 920		0210	3025	194	2	91 920
	0210	3026	194	2	91 920		0210	3027	194	2	91 920
	0210	3028	194	2	91 920		0210	3029	194	2	91 920
	0210	3030	194	2	91 920		0210	3031	194	2	91 920
	0210	3032	194		81 081		0210	3033	194	2	91 920
	0210	3034	194		81 081		0210	3035	194	2	91 920
	0210	3036	194		81 081		0210	3037	194	2	91 920
	0210	3038	194		81 081		0210	3039	194	2	91 920
	0210	3040	194		81 081		0210	3041	194	2	91 920
	0210	3042	194		81 081		0210	3043	194	2	91 920
	0210	3044	194	2	91 920		0210	3045	194	2	91 920
	0210	3046	194	2	91 920		0210	3047	194	2	91 920
	0210	3048	194	2	91 920		0210	3049	194	2	91 920
	0210	3050	194	2	91 920		0210	3051	194	2	91 920
	0210	3052	194	2	91 920		0210	3053	194	2	91 920
	0210	3054	194	2	91 920		0210	3055	194	2	91 920
	0210	3056	194	2	91 920		0210	3057	194	2	91 920
	0210	3058	194	2	91 920		0210	3059	194	2	91 920
	0210	3060	194	2	91 920		0210	3061	194	2	91 920

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 146

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0210	3062	194	2	91 920		0210	3063	194	2	91 920
	0210	3064	194	2	91 920		0210	3065	194	2	91 920
	0210	3066	194	2	91 920		0210	3067	194	2	91 920
	0210	3068	194		81 081		0210	3069	194	2	91 920
	0210	3070	194		81 081		0210	3071	194	2	91 920
	0210	3072	194		81 081		0210	3073	50	1	91 919
	0210	3074	50	1	91 919		0210	3075	50	1	91 919
	0210	3076	50	1	91 919		0210	3077	50	1	91 919
	0210	3078	50	1	91 919		0210	3079	50	1	91 919
	0210	3080	50	1	91 919		0210	3081	50	1	91 919
	0210	3082	50	1	91 919		0210	3083	50	1	91 919
	0210	3084	50	1	91 919		0210	3085	50	1	91 919
	0210	3086	50	1	91 919		0210	3087	50	1	91 919
	0210	3088	50	1	91 919		0210	3089	50	1	91 919
	0210	3090	50	1	91 919		0210	3091	50	1	91 919
	0210	3092	50	1	91 919		0210	3093	50	1	91 919
	0210	3094	50	1	91 919		0210	3095	50	1	91 919
	0210	3096	50	1	91 919		0210	3097	50	1	91 919
	0210	3098	50	1	91 919		0210	3099	50	1	91 919
	0210	3100	50	1	91 919		0210	3101	50	1	91 919
	0210	3102	50	1	91 919		0210	3103	50	1	91 919
	0210	3104	50	1	91 919		0210	3105	50	1	91 919
	0210	3106	50	1	91 919		0210	3107	50	1	91 919
	0210	3108	50	1	91 919		0210	3109	34		00 010
	0210	3110	40		00 010		0210	3111	34		00 010
	0210	3112	40		00 010		0210	3113	243		00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 147

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0210	3113A	115			00 030		0210	3114	210			00 020
	0210	3115	243			00 020		0210	3115A	115			00 030
	0210	3116	210			00 020		0210	3117	1288			00 020
	0210	3118	1288			00 020		0210	3119	1288			00 020
	0210	3120	1288			00 020		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					50,047
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0228	0100	350	1		63 310		0228	0100A	10			63 315
	0228	0101	72	3		63 315		0228	0102	162			63 315
	0228	0103	54			00 020		0228	0104	54			00 030
	0228	0105	78			63 315		0228	0106	235			63 315
	0228	0106A	9			63 315		0228	0107	51			00 020
	0228	0107A	8			00 030		0228	0108	40	1		63 315
	0228	0108A	7			63 315		0228	0109	126	1		63 310
	0228	0109A	14			63 315		0228	0109B	7			63 315
	0228	0110	248			63 315		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					1,358
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0300	0100	495			65 970		0300	0101	439			65 970
	0300	0102	211			65 970		0300	0103	70			65 970
	0300	0104	22			65 970		0300	0105	366			65 970
	0300	0106	68			65 970		0300	0107	281			65 970
	0300	0108	232			65 970		0300	0109	109			65 970
	0300	0110	641			65 970		0300	0111	157			65 970
	0300	0112	54			65 970		0300	0113	175			65 970

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 149

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	0301	0110	357	6		00 020		0301	0111	110	1		46 310
	0301	0112	253	12		46 630		0301	0113	52			00 020
	0301	0114	132			46 590		0301	0115	129	1		46 310
	0301	0116	108			00 020		0301	0117	113	1		46 310
	0301	0118	58	4		00 030		0301	0119	113	1		46 310
	0301	0120	138	2		00 030		0301	0121	113	1		46 310
	0301	0122	114	1		46 310		0301	0123	113	1		46 310
	0301	0124	114	1		46 310		0301	0125	113	1		46 310
	0301	0126	193	1		46 310		0301	0127	115	1		46 310
	0301	0128	193	1		46 310		0301	0129	167	1		46 310
	0301	0130	352	1		46 325		0301	0131	443			00 020
	0301	0132	232	1		46 310		0301	0133	247	4		00 020
	0301	0134	189			46 315		0301	0135	167			00 020
	0301	0136	438	4		00 020		0301	0137	92	1		46 310
	0301	0138	272			46 325		0301	0139	96	2		46 320
	0301	0140	961	28		46 410		0301	0141	146	1		46 310
	0301	0142	295	2		46 310		0301	0143	23			46 315
	0301	0144	251	12		46 410		0301	0145	118			00 020
	0301	0146	221	4		00 030		0301	0147	180	1		46 310
	0301	0148	215	2		00 030	9	0301	0149	310	5		46 410
	0301	0150	280	8		46 410		0301	0151	396	20		46 350
	0301	0152	344			00 020		0301	0153	391	12		46 410
	0301	0154	295			00 020		0301	0180	665			00 030
	0301	0181	81			00 030		0301	0190	228			64 710
	0301	0191	106			64 710		0301	0192	48			64 710
	0301	0193	38			64 710		0301	0194	123	2		64 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 151

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LABS 220	----	---CLASSIFICATION ROOM FUNC. TYPE
	0303	0101	280			00 020		0303	0102	538	4		62 310
	0303	0102A	139	1		62 310		0303	0102B	139	1		62 310
	0303	0102C	163	1		62 310		0303	0103	88	1		62 310
	0303	0104	88	1		62 310		0303	0105	600			62 315
	0303	0106	490	22		63 315		0303	0107	330	4		63 310
	0303	0108	717			00 020		0303	0109	500			00 020
	0303	0110	116	1		63 310		0303	0110A	116	1		63 310
	0303	0111	116			00 020		0303	0112	116	1		63 310
	0303	0112A	116	1		63 310		0303	0113	350	13		63 350
	0303	0114	152	1		63 315		0303	0114A	210	1		63 325
	0303	0115	242	1		63 310		0303	0116	210	1		63 310
	0303	0117	90	1		64 310		0303	0118	137			00 030
	0303	0119	73			00 020		0303	0119A	56			00 010
	0303	0120	185	6		61 315		0303	0121	80	1		00 030
	0303	0122	80	1		00 030		0303	0123	140			00 020
	0303	0124	203	1		62 325		0303	0126	108	1		62 310
	0303	0127	108			62 315		0303	0128	139	1		62 310
	0303	0129	159			64 715		0303	0130	213	1		62 310
	0303	0132	101	1		62 315		0303	0133	610			00 020
	0303	0133A	15			00 030		0303	0135	125	1		62 310
	0303	0138	80	1		62 310		0303	0139	80	1		62 315
	0303	0140	160	1		62 310		0303	0142	80	1		62 310
	0303	0143	80			62 315		0303	0144	80	1		62 315
	0303	0146	160	1		62 310		0303	0147	160	1		62 310
	0303	0148	95	1		62 315		0303	0149	149	1		62 325

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 152

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0303	0150	272			00 020		0303	0150A	166		1	62 310
	0303	0151	250	4		00 030		0303	0152	250		4	00 030
	0303	0153	97	1		62 310		0303	0153A	78			62 315
	0303	0154	120			62 315		0303	0155	527			62 315
	0303	0156	100			00 020		0303	0157	490		3	62 310
	0303	0158	245			63 315		0303	0159	667			00 020
	0303	0160	307			00 020		0303	107A	80			63 315
	0303	107B	80			63 315		0303	150B	125		1	62 310
	0303	150C	125	1		81 081		0303	150D	125		1	62 310
	0303	150E	125	1		62 315		0303	156A	125		1	62 310
	0303	156B	125	1		62 310		0303	156C	125		1	63 310
	0303	156D	125	1		62 310		0303	158A	245			63 315
TOTAL NET ASSIGN SQ. FT. IN ROOM FILE													9,886
TOTAL NUMBER CLASSROOMS													
TOTAL NUMBER COMPUTER CLASSROOMS													
TOTAL NUMBER LABS 210													
TOTAL NUMBER SPECIAL LABS 220													
	0405	0101	310			31 685		0405	0102	130			65 315
	0405	0103	156	1		65 313		0405	0104	233		2	65 310
	0405	0104A	19			00 030		0405	0105	376		15	65 350
	0405	0106	2371	20		31 680		0405	0107	226			31 685
	0405	0107A	121			31 685		0405	0107B	121			31 685
	0405	0108	261	14		65 315		0405	0108A	110		1	65 315
	0405	0109	448	2		65 310		0405	0110	172			00 020
	0405	0110A	44			65 315		0405	0111	15			65 315
	0405	0112	129			65 315		0405	0113	250		1	65 325
	0405	0114	28	1		65 315		0405	0114A	28			65 315
	0405	0115	232	1		65 310		0405	0116	31		2	65 315

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 153

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	
	0405	0117	17			00	020	0405	0117A	32			00	010
	0405	0118	66	2		00	030	0405	0119	24			00	020
	0405	0119A	99	2		00	030							
													TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	5,620
													TOTAL NUMBER CLASSROOMS	
													TOTAL NUMBER COMPUTER CLASSROOMS	
													TOTAL NUMBER LABS	210
													TOTAL NUMBER SPECIAL LABS	220
	0406	0102	1210			00	020	0406	0103	260	1		52	314
	0406	0104	182	1		52	314	0406	0105	182	1		52	325
	0406	0106	182	1		52	314	0406	0107	303	12		52	350
	0406	0108	84			52	630	0406	0109	39			00	030
	0406	0110	91			00	020	0406	0111	95	1		52	315
	0406	0112	95	1		52	315	0406	0113	13			00	010
	0406	0114	13			52	315	0406	0115	144	2		52	320
	0406	0116	144	1		52	314	0406	0117	144	1		52	320
	0406	0118	224			52	315	0406	0119	228			00	020
	0406	0120	1210	20		00	020	0406	0121	1806	50		52	650
	0406	0122	235			00	020	0406	0123	53			00	030
	0406	0124	375			52	655	0406	0125	238	6		00	030
	0406	0126	243	5		00	030	0406	0127	478			00	020
	0406	0128	42			00	020	0406	0129	40			00	030
	0406	0129A	48			52	315	0406	0130	53			52	730
	0406	0131	53			52	730	0406	0132	27714			52	520
	0406	0133	35			52	730	0406	0134	35			52	730
	0406	0135	35			52	730	0406	0136	319			00	020
	0406	0137	800	2		52	520	0406	0138	800	2		52	520
	0406	0139	800	2		52	520	0406	0140	800	2		52	520

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 154

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0406	0141	800	2	52 520		0406	0142	800	2	52 520
	0406	0143	2305	50	52 520		0406	0144	528		00 020
	0406	0145	50		52 525		0406	0146	3290	20	52 520
	0406	0147	80		00 010		0406	0148	648	5	52 520
	0406	0149	859		00 020		0406	0150	9353	30	52 520
	0406	0151	70		52 730		0406	0152	70		52 730
	0406	0153	760		00 020		0406	0154	1708		00 020
	0406	0155	101		00 030		0406	0156	60		00 020
	0406	0157	48		00 010		0406	0158	1499		00 030
	0406	0159	507		00 030		0406	0160	50		00 020
	0406	0161	489	4	52 525		0406	0162	290	6	52 525
	0406	0163	358	9	52 525		0406	0164	132	4	52 525
	0406	0165	114	5	52 525		0406	0166	1204	30	52 525
	0406	0167	268		52 525		0406	0168	404		00 020
	0406	0169	392	2	52 525		0406	0170	496	1	52 525
	0406	0171	132	1	52 314		0406	0172	138	1	52 310
	0406	0172A	120		52 525		0406	0173	117		52 525
	0406	0174	93		52 525		0406	0175	44	1	52 525
	0406	0176	1127	24	52 525		0406	0177	114	4	52 525
	0406	0178	132	4	52 525		0406	0179	358	9	52 525
	0406	0180	290	5	52 525		0406	0181	489	2	52 525
	0406	0182	50		00 020		0406	0183	20		52 525
	0406	0184	20		52 525		0406	0201	957		00 020
	0406	0202	478		00 020		0406	0203	42		00 020
	0406	0204	40		00 010		0406	0205	14264		52 520
	0406	0206	698		52 520		0406	0207	328		00 020

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 155

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0406	0208	2201		00 030						
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE			74,691
								TOTAL NUMBER CLASSROOMS			
								TOTAL NUMBER COMPUTER CLASSROOMS			
								TOTAL NUMBER LABS 210			
								TOTAL NUMBER SPECIAL LABS 220			
	0407	0100	491	8	65 313		0407	0100A	395		00 020
	0407	0101	698	6	65 315		0407	0103	154	1	62 314
	0407	0104	135	1	62 314		0407	0105	118		65 315
	0407	0106	117	1	62 315		0407	0107	154	1	65 315
	0407	0108	323	8	65 350		0407	0109	945	5	65 315
	0407	0110	155	1	65 310		0407	0111	56	1	65 310
	0407	0112	117	1	65 310		0407	0113	124	1	65 310
	0407	0114	117	1	65 310		0407	0115	188	1	65 314
	0407	0116	238		65 315		0407	0117	176	1	62 314
	0407	0118	162	1	65 310		0407	0119	88		65 315
	0407	0120	186		65 315		0407	0120A	58		65 315
	0407	0121	199	1	62 310		0407	0122	120		83 083
	0407	0123	78		65 715		0407	0124	41		00 030
	0407	0125	90	2	65 315		0407	0126	153		65 315
	0407	0127	104	2	65 315		0407	0128	136	2	65 315
	0407	0129	162		83 083		0407	0130	146		65 731
	0407	0131	135	1	65 310						
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE			6,123
								TOTAL NUMBER CLASSROOMS			
								TOTAL NUMBER COMPUTER CLASSROOMS			
								TOTAL NUMBER LABS 210			
								TOTAL NUMBER SPECIAL LABS 220			
	0501	0100	205	1	71 325		0501	0101	355	1	71 310
	0501	0101A	57		71 315		0501	0101B	21		71 315
	0501	0102	196	1	72 310		0501	0102A	18		71 315

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 157

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	0503	0102	130	1		71 310		0503	0103	131			72 745
	0503	0103A	13			00 030		0503	0103B	11			00 030
	0503	0104	69	2		71 315		0503	0105	159	5		71 315
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					4,184
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0504	0100	145	2		71 315		0504	0101	135	1		71 310
	0504	0102	228	2		71 310		0504	0103	102			71 315
	0504	0103A	68			71 315		0504	0103B	97			00 020
	0504	0103C	119			00 020		0504	0103D	82			00 020
	0504	0103E	17			00 010		0504	0104	33	1		71 315
	0504	0105	237	1		71 325		0504	0106	32	1		71 315
	0504	0107	241	1		71 310		0504	0108	253	1		71 325
	0504	0109	78			71 315		0504	0110	32			00 030
	0504	0111	195	1		71 310		0504	0112	155	1		71 310
	0504	0113	605	1		71 310		0504	0113A	17			71 315
	0504	0114	35			71 315		0504	0115	25			71 315
	0504	0116	186	10		71 350		0504	0117	203	1		71 310
	0504	0118	45			00 020		0504	0119	174	1		71 310
	0504	0120	173	1		71 315		0504	0121	14			00 030
	0504	0122	96	2		71 315		0504	0123	34	1		00 030
	0504	0124	235	2		71 310		0504	0125	6616			63 730
	0504	0200	156	1		76 310		0504	0200A	212	4		76 315
	0504	0201	193	1		76 310		0504	0202	98			71 315
	0504	0203	31			00 030		0504	0204	53	1		71 315
	0504	0205	171	7		71 315		0504	0206	149	1		71 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 158

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	0504	0207	102	1	71 315		0504	0208	221	5	71 310
	0504	0208A	207	1	71 315		0504	0209	29		71 315
	0504	0210	32		71 315		0504	0211	121	1	71 325
							TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				12,011
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0505	0100	2020		63 731		0505	0101	2020		72 730
							TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				4,040
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0506	0100	142		63 730		0506	0101	142	4	72 720
	0506	0102	960		72 725		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				1,244
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0507	0101	282		73 731		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				282
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0508	0101	282		11 580		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				282
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0509	0101	282		11 580		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				282
							TOTAL NUMBER CLASSROOMS				
							TOTAL NUMBER COMPUTER CLASSROOMS				
							TOTAL NUMBER LABS 210				
							TOTAL NUMBER SPECIAL LABS 220				
	0510	0100	2444		11 580		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE				2,444

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 161

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE
	0616	0102	37			52 315		0616	0103	8			00 030
	0616	0104	12			00 030		0616	0105	8			93 731
	0616	0106	201	2		52 630		0616	0107	79	1		00 030
	0616	0108	114	1		93 520		0616	0109	299	1		93 520
	0616	0110	215	1		52 350	9	0616	0111	406	12		52 610
	0616	0112	229	1		61 325		0616	0113	144			93 315
	0616	0114	169	1		93 310		0616	0115	215	1		93 310
	0616	0116	68	1		00 030		0616	0117	15			93 731
	0616	0118	93			93 315		0616	0119	252	10		52 610
	0616	0120	196	1		61 325		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					3,322
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0617	0100	1422			81 081		0617	0101	137	1		81 081
	0617	0102	51			81 081		0617	0103	137	4		81 081
	0617	0104	75	1		81 081		0617	0105	39			81 081
	0617	0106	230			81 081		TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					2,091
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0619	0100	414			72 315		0619	0101	74			72 315
	0619	0102	102			72 315		0619	0103	159	1		72 310
	0619	0104	95	1		72 315		0619	0105	182	4		72 315
	0619	0106	39			72 315		0619	0107	220	1		72 315
	0619	0108	74	1		72 315		0619	0109	8			00 030
	0619	0110	87			72 315		0619	0111	190	1		72 315
	0619	0112	157	1		72 315		0619	0113	39			81 081

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2014
 RUN DATE 11/19/2014 14:09:44
 PAGE NUMBER 165

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	---CLASSIFICATION ROOM FUNC. TYPE
	0700	0204	103			00	020	0700	0301	24812		76	51 740
	0700	0303	103			00	020	0700	0304	103			00 020
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					86,007
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0701	0100	6800	7		52	520						
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					6,800
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	0702	0201	136	1		46	310	0702	0202	136		1	46 315
	0702	0203	136	1		46	310	0702	0204	85			46 315
	0702	0204A	35	1		00	030	0702	0205	136		1	46 310
	0702	0206	136	1		46	310	0702	0207	136		1	46 310
	0702	0208	136	1		46	310	0702	0209	136		1	46 315
	0702	0210	206	4		44	220	0702	0211	125		1	46 310
	0702	0212	192	1		46	310	0702	0220	163		1	00 020
	0702	0220A	50			46	315	0702	0221	110			46 315
	0702	0222	712			00	020	0702	0223	204		10	46 350
	0702	0224	600	20		11	110	0702	0224A	50			64 710
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					2,710
								TOTAL NUMBER CLASSROOMS					1
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					1

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - BLD NUMBER OF THE ROOM FILE DOES NOT MATCH THE BLD NUMBER OF THE BLD FILE. - - - - -
 THE BUILDING NUMBERS SHOULD BE EXACTLY THE SAME ON THE BUILDING FILE AND THE ROOM FILE.
- 2 = ERROR - DUPLICATE RECORD IN THE ROOM FILE. - - - - -
- 3 = ERROR - NET ASSIGNABLE SQUARE FEET IS BLANK OR IS NOT NUMERIC. - - - - -
- 4 = ERROR - CAPACITY IS NOT ENTERED FOR ROOM TYPE 110, 210, 220, 230, 250, 410, 430, 610, 910, 920. - - - - -
- 5 = ERROR - BUILDING DOES NOT CONTAIN ANY ROOMS. - - - - -
 IF THE BUILDING IS A WAREHOUSE, BARN, ETC. WITH NO ROOMS, CODE ONE ROOM WITH THE GROSS AND NET EQUAL.
- 6 = ERROR - FUNCTION USE OF ROOMS IS 00 AND ROOM TYPE NOT 010, 020, 030, 051, 052, OR 053. - - - - -
- 7 = ERROR - ROOM TYPE IS NOT A VALID ROOM USE CODE OR PCS FUNCTION USE CODE IS NOT A VALID CODE - - - - -
- 8 = ERROR - ROOM TYPE IS WRONG (000). - - - - -

TOTAL ERRORS - - - - -

- 9 = WARNING -- RATIO OF NET ASSIGN SQ. FT. TO CAPACITY IS NOT 5 TO 50 SQ. FT. FOR ROOM TYPES 110 410 430
 OR IS NOT 10 TO 400 SQ. FT. FOR ROOM TYPES 210 220 230 250
 OR IS NOT 5 TO 25 SQ. FT. FOR ROOM TYPE 610. - - - - - 30

TOTAL NUMBER OF ROOM RECORDS - - - - -	7,997
TOTAL CLASSROOM CAPACITY	7,174
TOTAL LAB CAPACITY - - - - -	3,753
TOTAL OTHER CAPACITY	61,062
TOTAL NON ASSIGN AREA - ROOMS (FUNCT 00) - - - - -	555,871
TOTAL UNASSIGNED AREA - ROOMS (FUNCT 81, 82, 83)	190,435
TOTAL FACIL IN USE - ROOMS (FUNCT 10 THROUGH 70) - - - - -	1,688,269
TOTAL ASSIGNABLE AREA - ROOMS (FUNCT 10 THROUGH 83)	1,878,704
TOTAL NUMBER OF NON-ASSIGN ROOMS (FUNCT 00) - - - - -	1,760
TOTAL NUMBER OF INSTRUCTIONAL, RESEARCH, ACADEMIC SUPPORT, AND STUDENT SERVICE ROOMS (FUNCTS 10, 20, 40 AND 50)	2,196
TOTAL NUMBER OF PUBLIC SERVICE, INSTITUTIONAL SUPPORT AND INDEPENDENT OPERATIONS ROOMS (FUNCTS 30, 60 AND 70) - - - - -	666
TOTAL NUMBER OF UNASSIGNED ROOMS (FUNCT 81, 82, 83)	413
TOTAL NUMBER OF ASSIGNABLE ROOMS (FUNCT 10 TO 83) - - - - -	6,237
TOTAL NUMBER OF CLASSROOMS (110)	123
TOTAL NUMBER OF COMPUTER CLASSROOMS (140) - - - - -	13
TOTAL NUMBER OF LABS (210)	58
TOTAL NUMBER OF SPECIAL LABS (220) - - - - -	50