

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 10/15/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -AVOYELLES
 BRANCH
 PARISH
 RELATION

AVOYELLES
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0007	DVMA0090001	11 11	8.00 8.50		1	110 40	00000
	A000	0007	DVRE0090001	11 11	8.00 8.50	1	1	110 40	00000
	A000	0007	DVED2993002	1 1	8.00 9.59	1	17	110 40	00000
	A000	0007	DVEN0090002	1 1	8.00 9.59	1	1	110 40	00000
	A000	0007	DVEN0090003	1 1	8.00 9.59	1	1	110 40	00000
	A000	0007	DVMA0090002	11 11	10.00 10.50		1	110 40	00000
	A000	0007	DVED2995001	11 11	10.00 11.50	1	10	110 40	00000
	A000	0007	DVRE0090002	11 11	11.00 11.50	1	1	110 40	00000
	A000	0007	DVMA0090003	11 11	12.30 13.20		2	110 40	00000
	A000	0007	DVRE0090003	11 11	12.30 13.20	1	1	110 40	00000
	A000	0007	ORNT1000001	11 11	12.30 13.20	1	9	110 40	00000
	A000	0007	DVEN0090001	11 11	12.30 14.29	1	1	110 40	00000
	A000	0007	DVMA0090005	1 1	12.30 14.29	1	3	110 40	00000
	A000	0007	DVED2993001	11 11	13.20 14.20	1	1	110 40	00000
	A000	0007	DVMA0090004	11 11	13.20 14.20	1	1	110 40	00000
8	A000	0022	HNUR1211001	111111	8.00 9.29		19	110 20	00000
	A000	0022	HCOR2997001	111111	8.00 9.30	1	19	110 20	00000
	A000	034A	HNUR2123001	111111	8.00 11.00		9	110 50	00000
	A000	034A	HNUR2123004	111111	8.00 11.00	1	1	110 50	00000
	A000	034A	HNUR2123010	111111	8.00 11.00	1	10	110 50	00000
	A000	034A	HNUR2611001	11	8.00 11.00	1	9	110 50	00000
	A000	034A	HNUR2611002	11	8.00 11.00	1	1	110 50	00000
	A000	034A	HNUR2611004	11	8.00 11.00	1	10	110 50	00000
	A000	034A	HNUR2123002	111	8.00 11.00		9	110 50	00000
	A000	034A	HNUR2123006	111	8.00 11.00	1	1	110 50	00000
	A000	034A	HNUR2123012	111	8.00 11.00	1	10	110 50	00000
	A000	034A	HNUR1460002	111	11.30 13.30		9	110 50	00000
	A000	034A	HNUR1460003	111	11.30 13.30	1	9	110 50	00000
	A000	034A	HNUR1460005	111	11.30 13.30	1	1	110 50	00000
	A000	034A	HNUR1460010	111	11.30 13.30	1	10	110 50	00000
	A000	034A	HNUR1460003	11	11.30 13.30	1	9	110 50	00000
	A000	034A	HNUR1460006	11	11.30 13.30	1	1	110 50	00000
	A000	034A	HNUR1460011	11	11.30 13.30	1	10	110 50	00000
	A000	034A	HNUR1460001	1	12.00 13.00		9	110 50	00000
	A000	034A	HNUR1460009	1	12.00 13.00	1	10	110 50	00000
	A000	034A	HNUR1460004	1	12.00 13.00		1	110 50	00000
	B000	0002	HNUR2123007	111111	8.00 11.00		7	210 20	00000
	B000	0002	HNUR2123013	111111	8.00 11.00	1	7	210 20	00000
	B000	0002	HNUR2123016	111111	8.00 11.00	1	6	210 20	00000
	B000	0002	HNUR2611005	11	8.00 11.00	1	7	210 20	00000
8	B000	0002	HNUR2611006	11	8.00 11.00	1	4	210 20	00000
8	B000	0002	HNUR2611003	1	8.00 11.00	1	7	210 20	00000
	B000	0002	HNUR1460007	111111	11.30 13.30		7	210 20	00000
	B000	0002	HNUR1460012	111111	11.30 13.30	1	7	210 20	00000
	B000	0002	HNUR2611007	111111	11.30 13.30	1	4	210 20	00000
	B000	0002	HNUR2123009	1	11.30 14.30	1	7	210 20	00000
8	B000	0002	HNUR2123015	1	11.30 14.30	1	7	210 20	00000
	B000	0002	HNUR1460008	1	12.00 13.00		7	210 20	00000
	B000	0002	HNUR1460013	1	12.00 13.00	1	7	210 20	00000
	B000	0002	HNUR2611007	1	12.00 13.00	1	4	210 20	00000
	B000	0018	HCOR1200001	11	8.00 9.59		22	210 18	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 10/15/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -AVOYELLES
 BRANCH
 PARISH
 RELATION

AVOYELLES
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	B000 0018	HNUR1211001	11	8.00 11.45		26	594	210 18	00000
	B000 0018	HCOR1601002	1	8.30 14.00		22	594	210 18	00000
	B000 0018	HCOR1801001	11	10.00 11.59		23	594	210 18	00000
	B000 0018	HMDT1170001	1 1 1	11.30 12.30	1	1	594	210 18	00000
	B000 0018	HNUR2123018	1	11.30 14.30		6	594	210 18	00000
8	B000 0018	CPTR1000001	11	12.15 14.30	1	23	594	210 18	00000
	B000 0018	HCOR1601001	11	12.30 14.30		22	594	210 18	00000
8	B000 0018	HPLH1022001	11	12.30 15.00	1	6	594	210 18	00000
8	B000 0018	HCOR1200001	1 1 1	12.40 14.00	1	1	594	210 18	00000
	B000 0022	JOBS2450001	1 1	8.00 8.55		3	2,737	730 30	00000
	B000 0022	WELD1120001	1 1 1	8.00 9.59		1	2,737	730 30	00000
	B000 0022	WELD1130001	1 1	8.00 9.59		9	2,737	730 30	00000
	B000 0022	WELD1411001	1 1 1	8.00 10.59		18	2,737	730 30	00000
	B000 0022	CPTR1000001	1 1	10.00 11.55		2	2,737	730 30	00000
	B000 0022	JOBS2450002	11111	11.30 12.29	1	1	2,737	730 30	00000
	B000 0022	WELD1310001	1 1	12.30 14.30		3	2,737	730 30	00000
	B000 0022	WELD1110003	1111	16.55 18.04		1	2,737	730 30	00000
	B000 0029	WELD2220003	11111	8.00 9.59		2	2,700	210 16	00000
	B000 0029	WELD1110004	1 1	8.00 9.59	1	11	2,700	210 16	00000
	B000 0029	WELD1140001	1 1	8.00 9.59	1	4	2,700	210 16	00000
	B000 0029	WELD1310003	1 1	8.00 9.59	1	5	2,700	210 16	00000
	B000 0029	WELD1511001	1 1 1	8.00 10.59		2	2,700	210 16	00000
	B000 0029	WELD1512003	1 1 1	8.00 10.59	1	3	2,700	210 16	00000
	B000 0029	WELD2110002	1 1 1	8.00 10.59	1	5	2,700	210 16	00000
	B000 0029	WELD2210001	1 1 1	8.00 10.59	1	5	2,700	210 16	00000
	B000 0029	WELD2310001	1 1 1	8.00 10.59	1	6	2,700	210 16	00000
	B000 0029	WELD1120003	1 1	8.00 10.59		3	2,700	210 16	00000
	B000 0029	WELD2222002	11111	10.00 11.55	1	2	2,700	210 16	00000
	B000 0029	WELD1110001	1 1	10.00 11.59	1	17	2,700	210 16	00000
8	B000 0029	WELD1210001	1 1	10.00 12.00	1	12	2,700	210 16	00000
8	B000 0029	WELD1420002	1 1	10.00 14.30	1	7	2,700	210 16	00000
8	B000 0029	WELD2110003	1 1	10.00 14.30	1	1	2,700	210 16	00000
8	B000 0029	WELD2111004	1 1	10.00 14.30	1	2	2,700	210 16	00000
8	B000 0029	WELD2220002	1 1	10.00 14.30	1	2	2,700	210 16	00000
8	B000 0029	WELD2230002	1 1	10.00 14.30	1	1	2,700	210 16	00000
8	B000 0029	WELD2310002	1 1	10.00 14.30	1	4	2,700	210 16	00000
8	B000 0029	WELD2311002	1 1	10.00 14.30	1	2	2,700	210 16	00000
	B000 0029	WELD1412001	1 1 1	11.00 14.25		15	2,700	210 16	00000
	B000 0029	WELD2111003	1 1 1	11.00 14.25	1	4	2,700	210 16	00000
8	B000 0029	WELD2311001	1 1 1	11.00 14.25	1	6	2,700	210 16	00000
8	B000 0029	WELD1410003	1 1 1	11.00 14.29	1	17	2,700	210 16	00000
8	B000 0029	WELD1512002	1 1 1	11.00 14.30	1	3	2,700	210 16	00000
	B000 0029	WELD2220001	1 1	11.00 15.30		1	2,700	210 16	00000
	B000 0029	WELD2230004	1 1 1	11.30 14.25		5	2,700	210 16	00000
	B000 0029	WELD1210003	11111	12.30 13.29	1	1	2,700	210 16	00000
	B000 0029	WELD2210002	11111	12.30 13.59	1	2	2,700	210 16	00000
8	B000 0029	WELD1210002	1 1	12.30 14.29	1	17	2,700	210 16	00000
8	B000 0029	WELD1310002	1 1	12.30 14.29	1	2	2,700	210 16	00000
8	B000 0029	WELD1410002	1 1	12.30 14.30	1	12	2,700	210 16	00000
8	B000 0029	WELD1110002	11111	13.20 14.29	1	1	2,700	210 16	00000
8	B000 0029	WELD2310001	11111	14.00 15.29	1	1	2,700	210 16	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 10/15/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-AVOYELLES
 BRANCH
 PARISH
 RELATION
 AVOYELLES
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	B000	0029	WELD2230001	11111	14.00 15.30	1	1	2,700	210 16 00000
	B000	0029	WELD1140002	1111	16.00 16.54		1	2,700	210 16 00000
	B000	0029	WELD2111002	1111	16.00 17.05	1	1	2,700	210 16 00000
	B000	0029	WELD1411002	1111	16.00 18.04	1	3	2,700	210 16 00000
	B000	0029	WELD1412002	1111	16.00 18.05	1	1	2,700	210 16 00000
	B000	0029	WELD2111001	1111	16.00 18.05	1	2	2,700	210 16 00000
	B000	0029	WELD2222001	1111	16.00 18.05	1	3	2,700	210 16 00000
	B000	0029	WELD2230003	1111	16.00 18.05	1	1	2,700	210 16 00000
	B000	0029	WELD1420001	1111	16.00 18.20	1	2	2,700	210 16 00000
	B000	0029	WELD1511002	1111	16.00 18.20	1	2	2,700	210 16 00000
	B000	0029	WELD1512001	1111	16.00 18.20	1	1	2,700	210 16 00000
	B000	0029	WELD2311002	1111	16.10 20.15	1	2	2,700	210 16 00000
	B000	0029	WELD2220002	1111	16.10 20.30	1	2	2,700	210 16 00000
	B000	0029	WELD1210001	1111	18.05 19.14	1	2	2,700	210 16 00000
8	B000	0029	WELD2110001	1111	18.05 20.30	1	4	2,700	210 16 00000
8	B000	0029	WELD1140002	1111	18.10 19.05	1	1	2,700	210 16 00000
8	B000	0029	WELD1130002	1111	18.20 19.30	1	1	2,700	210 16 00000
8	B000	0029	WELD1120002	1111	18.25 19.55	1	2	2,700	210 16 00000
8	B000	0029	WELD1410001	11111	19.15 20.25	1	2	2,700	210 16 00000
8	B000	0029	WELD1140003	1111	19.35 20.30	1	1	2,700	210 16 00000
	C000	0001	BOTH1210001	111	8.00 8.50		7	437	110 6 00000
	C000	0001	BOTH1230001	11	8.00 9.20		5	437	110 6 00000
	C000	0001	KYBD1010001	111	9.00 9.50		6	437	110 6 00000
	C000	0001	BOTH1240001	11	9.30 10.50		5	437	110 6 00000
	C000	0001	OSYS1100001	11	10.00 11.20		6	437	110 6 00000
	C000	0001	SPCH1015001	11	11.00 12.15		1	437	110 6 00000
	C000	0001	BOTH1120001	11	13.30 14.50		5	437	110 6 00000
	C000	0001	BOTH1300001	11	13.30 14.50		6	437	110 6 00000
	C000	0005	ACCT1100001	1111	8.00 9.20		8	995	210 18 00000
	C000	0005	SPPR2993001	11111	8.00 9.29	1	3	995	210 18 00000
	C000	0005	ACCT1200001	1111	9.30 10.50		6	995	210 18 00000
	C000	0005	ISYS1440001	111	9.30 10.50	1	5	995	210 18 00000
	C000	0005	BUSM1050001	111	11.00 11.50		8	995	210 18 00000
	C000	0005	JOBS2450001	11	11.00 11.50		9	995	210 18 00000
	C000	0005	ISYS1440002	1 1	12.30 14.20		2	995	210 18 00000
	C000	0005	BUSE1030001	1 1 1	13.30 14.20		4	995	210 18 00000
	C000	0005	CSRV1000001	1 1 1	14.30 15.20		7	995	210 18 00000
	C000	0014	CPTR1310001	1111	7.00 7.59		6	995	210 18 00000
	C000	0014	CPTR1320001	111	8.00 9.20		3	995	210 18 00000
	C000	0014	CPTR1002001	1	8.00 10.50		6	995	210 18 00000
	C000	0014	BOTH2110001	111	11.00 11.50		2	995	210 18 00000
	C000	0014	MATR1350001	111	11.00 11.50	1	5	995	210 18 00000
	C000	0014	KYBD1111001	11111	12.30 13.20		16	995	210 18 00000
	C000	0014	ISYS1650001	1 1	12.30 14.20	1	5	995	210 18 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	1
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	30
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	31
TOTAL NUMBER OF RECORDS READ	146
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	146
NUMBER OF JOINT-CLASS RECORDS	94
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - AVOYELLES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			146
WEEKLY STUDENT CONTACT HOURS	1530		1530
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	472		472
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13140	7300	20440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19228		19228
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3060		3060
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	87.4	.0	56.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.3	.0	15.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	15.9	.0	15.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			146
WEEKLY STUDENT CONTACT HOURS	1530		1530
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	472		472
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13140	7300	20440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19228		19228
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3060		3060
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	87.4	.0	56.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.3	.0	15.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	15.9	.0	15.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			180
WEEKLY STUDENT CONTACT HOURS	3322	93	3415
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1216	87	1303
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16200	9000	25200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20694	1392	22086
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6644	186	6830
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	168.9	21.8	116.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.0	2.1	27.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.1	13.4	30.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			180
WEEKLY STUDENT CONTACT HOURS	3322	93	3415
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1216	87	1303
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16200	9000	25200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20694	1392	22086
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6644	186	6830
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	168.9	21.8	116.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.0	2.1	27.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.1	13.4	30.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY