

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	A000	0000	HCOR1120L50	11111	8.00 10.00		9		00000
1	A000	0000	HCOR1120L51	11111	8.00 10.00		15		00000
1	A000	0000	WCLT1200L01	1 1 1	8.00 10.40		1		00000
1	A000	0000	IAMT2110L01	1 1 1	11.00 11.50		4		00000
1	A000	0000	ORNT1000L04	111	13.00 17.50		3		00000
	A000	0101	HPHM1503L01	1111	8.00 9.59		17	760	210 20 00000
	A000	0101	HPHM1400L01	1111	8.00 10.00	1	17	760	210 20 00000
4	A000	0101	HPHM1513L01	11111	8.00 16.30	1	15	760	210 20 00000
	A000	0101	HPHM1300L01	1111	10.01 12.00	1	17	760	210 20 00000
	A000	0101	HPHM1200L01	1111	13.00 15.30		17	760	210 20 00000
	A000	0105	HNUR1211L01	11111	8.00 9.50		64	1,680	110 90 00000
	A000	0105	HNUR1411L01	11111	8.00 9.50	1	63	1,680	110 90 00000
	A000	0105	HNUR1300L01	11111	10.00 12.00		63	1,680	110 90 00000
	A000	0105	HNUR1361L01	11111	10.00 12.00	1	64	1,680	110 90 00000
	A000	0105	HNUR1211L01	11111	13.00 15.00		64	1,680	110 90 00000
	A000	0105	HNUR1270L01	11111	13.00 15.00	1	64	1,680	110 90 00000
	A000	0105	HNUR1320L01	11111	13.00 15.00	1	64	1,680	110 90 00000
8	A000	0105	HNUR1411L01	11111	13.00 15.00	1	63	1,680	110 90 00000
	A000	0105	HNUR2991L01	11111	15.01 16.00		29	1,680	110 90 00000
	A000	0105	HNUR2991L02	11111	15.01 16.00	1	63	1,680	110 90 00000
	A000	0107	CPTR1002L01	1 1 1	8.00 8.50		17	620	210 20 00000
	A000	0107	BOTL1300L01	1 1	8.00 9.15		22	620	210 20 00000
8	A000	0107	ORNT1000L05	111	8.00 12.50	1	16	620	210 20 00000
8	A000	0107	KYBD1010L01	1 1 1	9.00 9.50	1	19	620	210 20 00000
	A000	0107	CSRV1000L01	1 1	9.25 10.40		21	620	210 20 00000
	A000	0107	BOTH2110L01	1 1 1	10.00 10.50		11	620	210 20 00000
	A000	0107	MATR1350L01	1 1 1	10.00 10.50	1	6	620	210 20 00000
	A000	0107	KYBD1111L01	1 1	10.50 12.05		22	620	210 20 00000
	A000	0107	BOTH2110L02	1 1 1	11.00 11.50		1	620	210 20 00000
	A000	0107	KYBD1111L01	1 1	11.00 11.50	1	22	620	210 20 00000
	A000	0107	CSRV1000L02	1 1	13.00 14.15		18	620	210 20 00000
	A000	0107	CULN1110L01	1 1 1	14.00 14.50		19	620	210 20 00000
4	A000	0108	SURG2322L01	1111	6.30 14.30		6	100	310 1 00000
4	A000	0108	SURG2322L02	1111	6.30 14.30	1	4	100	310 1 00000
	A000	0108	SURG2310L01	11111	8.00 10.00	1	7	100	310 1 00000
	A000	0108	SURG2310L02	11111	8.00 10.00	1	3	100	310 1 00000
	A000	0108	SURG2310L01	1	8.00 10.00	1	7	100	310 1 00000
	A000	0108	SURG2310L02	1	8.00 10.00	1	3	100	310 1 00000
4	A000	0110	SURG1302L01	11111	6.00 14.30		8	1,034	210 20 00000
4	A000	0110	SURG1302L02	11111	6.00 14.30	1	7	1,034	210 20 00000
	A000	0110	SURG1211L01	1 1	8.00 11.45	1	10	1,034	210 20 00000
	A000	0110	SURG1211L02	1 1	8.00 11.45	1	10	1,034	210 20 00000
	A000	0110	SURG1211L01	11111	8.00 12.00	1	10	1,034	210 20 00000
	A000	0110	SURG1211L02	11111	8.00 12.00	1	10	1,034	210 20 00000
4	A000	0110	SURG1321L01	1 1 1	8.00 14.00	1	12	1,034	210 20 00000
4	A000	0110	SURG1321L02	1 1 1	8.00 14.00	1	8	1,034	210 20 00000
	A000	0110	SURG1111L01	1 1	12.45 14.45		10	1,034	210 20 00000
	A000	0110	SURG1111L02	1 1	12.45 14.45	1	10	1,034	210 20 00000
4	A000	0112	CULN1240L03	1	6.30 12.30		1	2,752	630 120 00000
4	A000	0112	CULN1240L03	1 1 1	6.30 15.30		1	2,752	630 120 00000
4	A000	0112	CULN1240L03	1	6.30 15.30		1	2,752	630 120 00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000	0112	CULN1321L01	11111	7.00 12.50	1	16	2,752	630 120 00000
4	A000	0112	CULN2310L01	11111	7.00 12.50	1	13	2,752	630 120 00000
4	A000	0112	CULN2430L01	11111	7.00 12.50	1	12	2,752	630 120 00000
	A000	0112	CULN1130L02	11111	8.00 10.00	1	14	2,752	630 120 00000
	A000	0112	CULN1130L01	11111	9.00 10.15	1	13	2,752	630 120 00000
	A000	0112	CULN1240L01	11111	9.00 12.50	1	12	2,752	630 120 00000
	A000	0112	CULN1170L01	11111	10.30 11.30	1	14	2,752	630 120 00000
	A000	0112	CULN1170L02	11111	10.30 11.30	1	14	2,752	630 120 00000
	A000	0112	CULN1140L01	11111	11.45 12.59		16	2,752	630 120 00000
	A000	0112	CULN1140L02	11111	11.45 12.59	1	6	2,752	630 120 00000
	A000	0112	ORNT1000L02	1	12.30 13.20	1	18	2,752	630 120 00000
	A000	0112	ORNT1000L09	1	12.30 13.20	1	15	2,752	630 120 00000
	A000	0112	ORNT1000L10	1	12.30 14.20	1	9	2,752	630 120 00000
	A000	0112	CULN1220L01	11111	13.00 13.50	1	11	2,752	630 120 00000
	A000	0112	CULN1160L01	11111	14.00 14.50		8	2,752	630 120 00000
	A000	0114	ACCT1100L01	1 1	8.00 8.50		31	945	210 30 00000
	A000	0114	ACCT1100L01	1 1	8.00 9.15		31	945	210 30 00000
	A000	0114	ACCT1200L01	1 1	9.00 9.50		13	945	210 30 00000
	A000	0114	ACCT1200L01	1 1	9.25 10.40		13	945	210 30 00000
	A000	0114	BUSE1030L01	1 1 1	10.00 10.50		27	945	210 30 00000
	A000	0114	ACCT1400L01	1 1	10.50 12.30		15	945	210 30 00000
7	A000	0114	BUSM1050L01	1 1 1	11.00 12.05			945	210 30 00000
	A000	0201	BOTH1230L01	1 1 1	8.00 8.50		13	576	210 20 00000
	A000	0201	CPTR1002L04	1 1	8.00 9.15		11	576	210 20 00000
	A000	0201	ORNT1000L06	111	8.00 12.50	1	16	576	210 20 00000
8	A000	0201	ISYS1440L01	1 1	9.00 9.50	1	17	576	210 20 00000
	A000	0201	ISYS1440L01	1 1	9.25 10.40		17	576	210 20 00000
	A000	0201	BUSE1045L01	1 1 1	10.00 10.50		22	576	210 20 00000
	A000	0201	BOTH1210L02	1 1	10.50 12.05		18	576	210 20 00000
	A000	0201	OSYS1100L01	1 1 1	11.00 11.50		21	576	210 20 00000
	A000	0201	CPTR1320L01	1 1 1	13.00 14.30		21	576	210 20 00000
	A000	0203	BOTH1240L01	1 1 1	9.00 9.50		17	589	210 20 00000
	A000	0203	WKEY0080L01	1 1	13.00 14.15		2	589	210 20 00000
	A000	0203	WKEY0080L02	1 1	15.15 16.30		3	589	210 20 00000
	A000	0300	ORNT1000L03	111	8.00 12.50		11	459	110 30 00000
4	A000	0300	JOBS2450L02	11111	8.00 13.50	1	6	459	110 30 00000
4	A000	0300	JOBS2450L04	111	8.00 13.50	1	9	459	110 30 00000
	A000	0301	ENGL0091L01	1 1 1	8.00 8.50		13	1,000	110 20 00000
	A000	0301	MATH0091L01	1 1 1	9.00 9.50		13	1,000	110 20 00000
	A000	0301	MATH0090L04	1 1 1	10.00 10.50		19	1,000	110 20 00000
	A000	0301	ENGL0099L02	1 1 1	12.00 12.50		16	1,000	110 20 00000
	A000	0301	MATH0090L03	1 1	12.15 13.30		16	1,000	110 20 00000
	A000	0301	MATH0090L02	1 1 1	14.00 14.50		7	1,000	110 20 00000
	A000	0301	WELD1110L03	1111	14.30 15.20	1	9	1,000	110 20 00000
	A000	0301	ENGL0099L01	1 1	15.00 16.15	1	3	1,000	110 20 00000
	A000	0402	SPPR2991L02	1 1	15.00 15.50		5	704	210 15 00000
	A000	0404	BOTH1120L01	1 1 1	8.00 8.50		17	680	210 21 00000
	A000	0404	BOTH1300L01	1 1	8.00 9.15		12	680	210 21 00000
8	A000	0404	ORNT1000L08	111	8.00 12.50	1	23	680	210 21 00000
8	A000	0404	CPTR1002L05	1 1	9.25 10.40	1	12	680	210 21 00000
	A000	0404	BOTH1300L02	1 1 1	10.00 10.50		16	680	210 21 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0404	CPTR1002L03	1 1 1	11.00 11.50		21	680	210 21 00000	
	A000	0404	CPTR1002L02	1 1 1	13.00 13.50		17	680	210 21 00000	
	A000	0404	ACCT1250L01	1 1	13.00 14.15		16	680	210 21 00000	
4	A000	0408	JOBS2450L01	11111	8.00 13.50		28	1,540	210 30 00000	
4	A000	0409	BARB1430L01	11111	7.30 7.50		4	1,485	210 12 00000	
	A000	0409	BARB1420L02	11111	7.30 8.00	1	4	1,485	210 12 00000	
	A000	0409	BARB2111L03	11111	7.30 8.10	1	3	1,485	210 12 00000	
	A000	0409	BARB1441L01	11111	7.51 10.21	1	4	1,485	210 12 00000	
	A000	0409	BARB1441L02	11111	8.01 10.31	1	2	1,485	210 12 00000	
8	A000	0409	BARB1231L01	11111	8.11 9.11	1	2	1,485	210 12 00000	
	A000	0409	BARB2131L01	11111	9.12 11.11		1	1,485	210 12 00000	
4	A000	0409	BARB2630L01	11111	10.22 10.32	1	3	1,485	210 12 00000	
	A000	0409	BARB1330L02	11111	10.32 11.11		2	1,485	210 12 00000	
4	A000	0409	BARB2991L01	11111	11.12 11.30		1	1,485	210 12 00000	
	A000	0409	BARB1321L02	11111	11.12 11.52	1	3	1,485	210 12 00000	
	A000	0409	BARB1341L01	11111	11.14 11.54	1	2	1,485	210 12 00000	
4	A000	0409	BARB1350L02	11111	11.52 12.12	1	4	1,485	210 12 00000	
	A000	0409	BARB1321L03	11111	12.13 12.53		1	1,485	210 12 00000	
4	A000	0409	BARB2630L02	11111	12.53 13.03		1	1,485	210 12 00000	
	A000	0409	BARB1310L02	11111	13.04 14.04		3	1,485	210 12 00000	
4	A000	0409	BARB2120L02	11111	14.05 14.25		3	1,485	210 12 00000	
	A000	0411	ORNT1000L01	111	8.00 12.50		18	1,705	110 40 00000	
	A000	0413	ORNT1000L07	111	8.00 12.50		36	1,430	210 30 00000	
8	A000	0413	KYBD1010L03	1 1 1	9.00 9.50	1	15	1,430	210 30 00000	
8	A000	0413	WCLA1100L02	1 1 1	9.20 10.55	1	1	1,430	210 30 00000	
	A000	0413	KYBD1010L02	1 1	9.25 10.40		2	1,430	210 30 00000	
	A000	0500	ETRN2720L01	11111	8.00 8.50		14	4,709	210 22 00000	
8	A000	0500	TECM1110L01	1 1 1	8.00 8.50	1	20	4,709	210 22 00000	
	A000	0500	ETRN1000L01	1 1	8.00 8.50		19	4,709	210 22 00000	
	A000	0500	CPTR1000L03	11111	8.00 9.00	1	1	4,709	210 22 00000	
	A000	0500	ELEC2991L03	11111	8.00 9.00	1	1	4,709	210 22 00000	
	A000	0500	ELEC1230L01	11111	8.00 9.20	1	9	4,709	210 22 00000	
	A000	0500	ELEC1330L01	11111	8.00 9.20	1	2	4,709	210 22 00000	
	A000	0500	ETRN1250L01	11111	8.00 9.30	1	1	4,709	210 22 00000	
8	A000	0500	ETRN1215L01	11111	8.00 9.50	1	4	4,709	210 22 00000	
8	A000	0500	ELEC1120L01	11111	8.00 10.00	1	15	4,709	210 22 00000	
8	A000	0500	ELEC1410L01	11111	8.00 10.35	1	2	4,709	210 22 00000	
4	8	A000	0500	ELEC2542L01	11111	8.00 14.30	1	2	4,709	210 22 00000
4	8	A000	0500	ELEC2542L03	11111	8.00 14.30	1	1	4,709	210 22 00000
4	8	A000	0500	ELEC2542L02	11111	8.00 16.30	1	1	4,709	210 22 00000
8	A000	0500	ETRN2110L01	11111	9.00 10.29	1	10	4,709	210 22 00000	
8	A000	0500	ETRN1125L01	11111	9.00 10.50	1	20	4,709	210 22 00000	
8	A000	0500	ELEC1410L02	11111	9.25 10.25	1	1	4,709	210 22 00000	
8	A000	0500	ELEC1420L01	11111	9.25 10.40	1	1	4,709	210 22 00000	
8	A000	0500	ELEC1311L01	11111	9.25 11.40	1	3	4,709	210 22 00000	
8	A000	0500	ETRN1235L01	11111	10.00 11.50	1	10	4,709	210 22 00000	
8	A000	0500	CPTR1000L02	11111	10.00 12.00	1	1	4,709	210 22 00000	
8	A000	0500	ELEC1210L01	11111	10.05 12.00	1	18	4,709	210 22 00000	
8	A000	0500	ETRN2120L01	11111	10.30 11.59	1	9	4,709	210 22 00000	
8	A000	0500	ELEC1440L01	11111	10.45 12.00	1	4	4,709	210 22 00000	
8	A000	0500	ELEC1410L03	11111	10.50 13.45	1	1	4,709	210 22 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
8	A000	0500	ETRN1000L02	1 1	11.00 11.50	1	2	4,709	210 22	00000	
8	A000	0500	ELEC1430L02	11111	11.45 12.45	1	2	4,709	210 22	00000	
8	A000	0500	ELEC2991L02	11111	11.45 13.00	1	1	4,709	210 22	00000	
8	A000	0500	ELEC1430L01	11111	11.45 13.30	1	3	4,709	210 22	00000	
8	A000	0500	ETRN2130L01	11111	12.00 13.29	1	13	4,709	210 22	00000	
8	A000	0500	ETRN2710L01	11111	12.00 13.29	1	5	4,709	210 22	00000	
8	A000	0500	ELEC2460L01	11111	12.30 13.05	1	11	4,709	210 22	00000	
8	A000	0500	ELEC1410L02	11111	12.30 14.30	1	1	4,709	210 22	00000	
8	A000	0500	ELEC1220L01	11111	13.10 14.30	1	6	4,709	210 22	00000	
8	A000	0500	ETRN2800L01	11111	13.30 14.50	1	20	4,709	210 22	00000	
8	A000	0500	ETRN2840L01	11111	13.30 14.50	1	14	4,709	210 22	00000	
8	A000	0500	CPTR1000L13	11111	13.35 14.30	1	4	4,709	210 22	00000	
4	A000	0501	CLTS2912L01	11111	7.00 15.30		6	2,394	210 20	00000	
4	A000	0501	CLTS2922L01	11111	7.00 15.30	1	5	2,394	210 20	00000	
4	A000	0501	CLTS2932L01	11111	7.00 15.30	1	7	2,394	210 20	00000	
4	A000	0501	CLTS2942L01	11111	7.00 15.30	1	6	2,394	210 20	00000	
4	8	A000	0501	JOBS2450L03	11111	8.00 13.50	1	26	2,394	210 20	00000
8	A000	0501	CLTS1030L01	1 1 1	8.30 9.40	1	18	2,394	210 20	00000	
8	A000	0501	CLTS1030L02	1 1 1	8.30 9.40	1	6	2,394	210 20	00000	
	A000	0501	CLTS2450L02	1 1	8.30 10.30		4	2,394	210 20	00000	
	A000	0501	CLTS2450L01	1 1	8.30 10.40	1	19	2,394	210 20	00000	
8	A000	0501	CLTS2710L01	1 1	9.00 11.15	1	19	2,394	210 20	00000	
	A000	0501	CLTS2410L01	1 1 1	9.45 10.50		23	2,394	210 20	00000	
8	A000	0501	CHEM1410L01	1 1 1	9.50 10.40	1	11	2,394	210 20	00000	
8	A000	0501	CHEM1410L03	1 1 1	9.50 10.40	1	1	2,394	210 20	00000	
8	A000	0501	HCOR1160L01	1	10.00 10.50	1	13	2,394	210 20	00000	
	A000	0501	HPHL1022L01	1 1	10.00 13.00		4	2,394	210 20	00000	
	A000	0501	HPHL1022L02	1 1	10.00 13.00	1	2	2,394	210 20	00000	
	A000	0501	CHEM1410L02	1 1 1	10.55 11.40	1	12	2,394	210 20	00000	
	A000	0501	CLTS1030L03	1 1	12.30 13.45		1	2,394	210 20	00000	
	A000	0501	HPHL1022L02	1 1	12.30 15.30	1	2	2,394	210 20	00000	
	A000	0501	HPHL1022L01	1 1	12.30 16.30	1	4	2,394	210 20	00000	
	A000	0501	CLTS2411L01	1	12.50 14.40		12	2,394	210 20	00000	
	A000	0501	CLTS2080L01	111	13.00 14.30		18	2,394	210 20	00000	
	A000	0501	CLTS2411L02	1	13.00 14.50		10	2,394	210 20	00000	
	A000	0501	CLTS2450L03	1 1	14.00 15.15		1	2,394	210 20	00000	
	A000	0501	CLTS2000L01	1 1 1	17.00 19.00		2	2,394	210 20	00000	
1	A000	0503	AUTO1300L01	1 1	8.00 8.55		1			00000	
1	7	A000	0503	AUTO1500L01	1 1	8.00 8.55				00000	
1	A000	0503	AUTO1500L02	1 1	8.00 8.55		5			00000	
1	A000	0503	AUTO1600L01	1 1 1	8.00 9.15		21			00000	
1	A000	0503	AUTO1600L02	1 1 1	8.00 9.15		6			00000	
1	A000	0503	AUTO1800L01	1 1 1	8.00 9.55		17			00000	
1	A000	0503	AUTO1800L02	1 1 1	8.00 9.55		2			00000	
1	A000	0503	AUTO1820L01	1 1	8.00 9.55		16			00000	
1	A000	0503	AUTO1820L02	1 1	8.00 9.55		2			00000	
1	A000	0503	AUTO1310L01	1 1	9.00 9.55		1			00000	
1	A000	0503	AUTO1410L01	1 1	9.00 9.55		1			00000	
1	7	A000	0503	AUTO1510L01	1 1	9.00 9.55				00000	
1	A000	0503	AUTO1510L02	1 1	9.00 9.55		5			00000	
1	A000	0503	AUTO1620L01	1 1 1	9.20 10.35		14			00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	A000	0503	AUTO1620L02	1 1 1	9.20 10.35				00000
1	A000	0503	AUTO1320L01	1 1	10.00 10.55				00000
1	A000	0503	AUTO1420L01	1 1	10.00 10.55				00000
1	7	A000	0503	AUTO1520L01	1 1	10.00 10.55			00000
1	A000	0503	AUTO1520L02	1 1	10.00 10.55				00000
1	A000	0503	AUTO1810L01	1 1 1	10.00 11.55				00000
1	A000	0503	AUTO1810L02	1 1 1	10.00 11.55				00000
1	A000	0503	AUTO1830L01	1 1	10.00 11.55				00000
1	A000	0503	AUTO1830L02	1 1	10.00 11.55				00000
1	A000	0503	BARB1330L01	11111	10.33 11.13				00000
1	A000	0503	AUTO1630L01	1 1 1	10.40 11.55				00000
1	A000	0503	AUTO1630L02	1 1 1	10.40 11.55				00000
1	A000	0503	AUTO1430L01	1 1	11.00 11.50				00000
1	A000	0503	AUTO1330L01	1 1	11.00 11.55				00000
1	A000	0503	AUTO1530L01	1 1	11.00 11.55				00000
1	A000	0503	AUTO1530L02	1 1	11.00 11.55				00000
1	A000	0503	BARB1420L01	11111	11.55 12.25				00000
1	A000	0503	AUTO1640L01	1 1 1	12.50 13.30				00000
1	A000	0503	AUTO1640L02	1 1 1	12.50 13.30				00000
1	A000	0503	AUTO1340L01	1 1	13.00 13.55				00000
1	A000	0503	AUTO1540L01	1 1	13.00 13.55				00000
1	A000	0503	AUTO1540L02	1 1	13.00 13.55				00000
1	A000	0503	AUTO1840L01	1 1 1	13.00 14.55				00000
1	A000	0503	AUTO1840L02	1 1 1	13.00 14.55				00000
1	A000	0503	AUTO1850L01	1 1	13.00 14.55				00000
1	A000	0503	AUTO1850L02	1 1	13.00 14.55				00000
1	A000	0503	AUTO1650L01	1 1 1	13.35 14.15				00000
1	A000	0503	AUTO1650L02	1 1 1	13.35 14.15				00000
1	A000	0503	AUTO1610L01	1 1	14.00 14.55				00000
1	A000	0503	AUTO1610L02	1 1	14.00 14.55				00000
1	A000	0503	AUTO1660L01	1 1 1	14.20 15.00				00000
1	A000	0503	AUTO1660L02	1 1 1	14.20 15.00				00000
	A000	0504	MTTC2110L01	1 1	8.00 8.50				00000
	A000	0504	MTTC2510L04	1 1	8.00 8.50	1	3,528	210 20	00000
	A000	0504	MTTC2310L02	1 1 1	8.00 9.15		3,528	210 20	00000
	A000	0504	MTTC2410L03	1 1	8.00 9.15		3,528	210 20	00000
	A000	0504	MTTC2120L01	1 1	9.00 10.15	1	3,528	210 20	00000
	A000	0504	MTTC2710L04	1 1 1	9.00 11.30		3,528	210 20	00000
	A000	0504	MTTC2320L02	1 1 1	9.16 10.55	1	3,528	210 20	00000
	A000	0504	MTTC2420L03	1 1	9.16 11.15		3,528	210 20	00000
	A000	0504	MTTC2210L01	1 1	10.25 11.15	1	3,528	210 20	00000
	A000	0504	MTTC2331L02	1 1 1	11.16 12.00		3,528	210 20	00000
	A000	0504	MTTC2431L03	1 1	11.16 12.00		3,528	210 20	00000
	A000	0504	MTTC2220L01	1 1	11.16 12.05	1	3,528	210 20	00000
	A000	0504	MTTC2230L01	1 1	12.06 14.35		3,528	210 20	00000
	A000	0504	MTTC2331L02	1 1 1	12.30 14.30		3,528	210 20	00000
	A000	0504	MTTC2431L03	1 1	12.40 14.15		3,528	210 20	00000
	A000	0506	WELD1110L01	11111	6.15 7.05		3,528	210 40	00000
	A000	0506	WELD1130L01	11111	6.15 7.05	1	3,528	210 40	00000
	A000	0506	WELD1310L01	11111	6.15 7.05	1	3,528	210 40	00000
	A000	0506	WELD1510L01	11111	6.15 7.50	1	3,528	210 40	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0506	WELD1140L01	11111	7.06 7.50	1	13	3,528	210 40 00000
	A000	0506	WELD2110L02	11111	7.06 8.15	1	3	3,528	210 40 00000
	A000	0506	WELD1412L01	11111	7.06 8.30	1	3	3,528	210 40 00000
	A000	0506	WELD2210L01	11111	7.06 8.35	1	4	3,528	210 40 00000
	A000	0506	WELD2111L01	11111	7.16 8.45	1	1	3,528	210 40 00000
8	A000	0506	WELD1210L01	11111	7.51 8.40	1	13	3,528	210 40 00000
8	A000	0506	WELD2311L02	11111	8.16 9.25	1	3	3,528	210 40 00000
8	A000	0506	WELD2110L01	11111	8.31 9.55	1	2	3,528	210 40 00000
8	A000	0506	WELD2230L01	11111	8.36 10.05	1	3	3,528	210 40 00000
8	A000	0506	WELD1410L01	11111	8.41 9.30	1	11	3,528	210 40 00000
8	A000	0506	WELD2210L02	11111	8.46 10.15	1	1	3,528	210 40 00000
8	A000	0506	WELD2311L01	11111	8.46 10.15	1	1	3,528	210 40 00000
8	A000	0506	WELD2111L02	11111	9.26 10.45	1	2	3,528	210 40 00000
8	A000	0506	WELD1512L01	11111	9.26 11.05	1	1	3,528	210 40 00000
8	A000	0506	WELD1411L01	11111	9.31 11.00	1	12	3,528	210 40 00000
8	A000	0506	WELD2310L01	11111	9.56 11.20	1	2	3,528	210 40 00000
8	A000	0506	WELD1511L02	11111	10.06 11.45	1	1	3,528	210 40 00000
8	A000	0506	WELD1420L01	11111	10.16 11.55	1	4	3,528	210 40 00000
8	A000	0506	WELD2440L02	11111	10.46 11.20	1	2	3,528	210 40 00000
	A000	0506	WELD2440L01	11111	11.21 12.10		4	3,528	210 40 00000
	A000	0506	WELD1411L05	1111	14.30 15.14		3	3,528	210 40 00000
	A000	0506	WELD1410L04	1111	14.30 15.20	1	9	3,528	210 40 00000
	A000	0506	WELD1510L06	1111	14.30 16.30	1	1	3,528	210 40 00000
	A000	0506	WELD1140L03	1111	15.21 16.30	1	18	3,528	210 40 00000
	A000	0506	WELD1412L05	1111	16.16 18.00	1	3	3,528	210 40 00000
	A000	0506	WELD1210L03	1111	16.31 17.20	1	18	3,528	210 40 00000
	A000	0506	WELD2230L06	1111	16.31 18.00	1	1	3,528	210 40 00000
8	A000	0506	WELD2991L03	1111	17.21 18.00	1	18	3,528	210 40 00000
1	A000	0601	INTE1110L01	1 1 1	8.00 9.50		15		00000
1	A000	0601	INTE1110L02	1 1 1	8.00 9.50		13		00000
1	A000	0601	INTE2020L01	1 1 1	8.00 9.50		20		00000
1	A000	0601	INTE2140L01	1 1 1	8.00 9.50		5		00000
1	A000	0601	INTE1100L01	1 1	8.00 10.40		20		00000
1	A000	0601	INTE1900L01	1 1	8.00 10.40		15		00000
1	A000	0601	INTE2110L01	1 1	8.00 10.40		19		00000
1	A000	0601	INTE1200L01	1 1 1	10.00 11.50		16		00000
1	A000	0601	INTE1200L02	1 1 1	10.00 11.50		12		00000
1	A000	0601	INTE2060L01	1 1 1	10.00 11.50		18		00000
1	A000	0601	INTE2070L01	1 1 1	10.00 11.50		17		00000
1	A000	0601	INTE1800L01	1 1	10.50 12.05		20		00000
1	A000	0601	INTE2545L01	1 1	10.50 12.05		22		00000
1	A000	0601	INTE2545L01	1 1	12.35 14.55		22		00000
1	A000	0601	INTE1800L01	1 1	12.55 14.15		20		00000
1	A000	0601	INTE1210L01	1 1 1	13.00 14.50		19		00000
1	A000	0601	INTE1300L01	1 1 1	13.00 14.50		22		00000
1	A000	0601	INTE2902L01	1 1 1	13.00 14.50		10		00000
	A000	0603	CADD1215L01	11111	8.00 8.50		6	3,111	210 30 00000
	A000	0603	DRFT1110L01	11111	8.00 8.50	1	15	3,111	210 30 00000
	A000	0603	DRFT2310L01	11111	8.00 8.50	1	7	3,111	210 30 00000
	A000	0603	DRFT2341L01	11111	8.00 8.50	1	3	3,111	210 30 00000
	A000	0603	DRFT1161L01	11111	9.00 9.50		11	3,111	210 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0603	DRFT1215L01	11111	9.00 9.50	1	5	3,111	210 30	00000
	A000	0603	DRFT2320L01	11111	9.00 9.50	1	6	3,111	210 30	00000
	A000	0603	DRFT1120L01	11111	10.00 10.50		14	3,111	210 30	00000
	A000	0603	DRFT1230L01	11111	10.00 10.50	1	4	3,111	210 30	00000
	A000	0603	DRFT2330L01	11111	10.00 10.50	1	6	3,111	210 30	00000
	A000	0603	DRFT2343L01	11111	10.00 10.50	1	3	3,111	210 30	00000
	A000	0603	DRFT2366L01	11111	10.00 10.50	1	3	3,111	210 30	00000
	A000	0603	DRFT1130L01	11111	11.00 11.50		18	3,111	210 30	00000
	A000	0603	DRFT2353L01	11111	11.00 11.50	1	1	3,111	210 30	00000
	A000	0603	DRFT2310L02	11111	12.00 12.50		2	3,111	210 30	00000
	A000	0603	DRFT1145L01	11111	13.00 13.50		14	3,111	210 30	00000
	A000	0603	DRFT2320L02	11111	13.00 13.50	1	4	3,111	210 30	00000
	A000	0603	DRFT2344L01	11111	13.00 13.50	1	3	3,111	210 30	00000
	A000	0603	CADD1210L01	11111	14.00 14.50		11	3,111	210 30	00000
	A000	0603	DRFT2330L02	11111	14.00 14.50	1	7	3,111	210 30	00000
	A000	0603	DRFT2342L01	11111	14.00 14.50	1	4	3,111	210 30	00000
	A000	0605	WELD1511L01	11111	7.51 9.25		1	2,967	210 20	00000
	A000	0605	SPPR2991L01	1 1	8.00 8.50	1	2	2,967	210 20	00000
	A000	0605	GRPH1300L01	11111	8.00 10.50	1	11	2,967	210 20	00000
	A000	0605	GRPH1420L01	11111	8.00 10.50	1	5	2,967	210 20	00000
	A000	0605	GRPH1430L01	11111	11.00 12.50		6	2,967	210 20	00000
	A000	0605	GRPH1350L01	11111	11.00 13.50	1	8	2,967	210 20	00000
	A000	0605	GRPH2110L01	11111	12.00 13.50	1	4	2,967	210 20	00000
	A000	0605	GRPH2210L01	11111	12.00 13.50	1	1	2,967	210 20	00000
	A000	0605	GRPH2310L01	11111	12.00 13.50	1	1	2,967	210 20	00000
	A000	0605	GRPH1100L01	11111	13.00 14.50	1	8	2,967	210 20	00000
	A000	0605	SPPR2993L01	1 1	13.30 14.30	1	1	2,967	210 20	00000
8	A000	0605	GRPH2120L01	11111	14.00 15.50	1	5	2,967	210 20	00000
8	A000	0605	GRPH1400L01	1 1 1	14.00 15.50	1	7	2,967	210 20	00000
8	A000	0605	GRPH1200L01	1111	15.00 15.50	1	7	2,967	210 20	00000
	A000	0605	GRPH2110L01	1	16.00 16.50		4	2,967	210 20	00000
	A000	0605	GRPH2310L01	1	16.00 16.50	1	1	2,967	210 20	00000
	A000	0605	GRPH2230L01	1 1	18.00 20.30		1	2,967	210 20	00000
	A000	0607	CIVL1320L01	1 1 1	7.00 7.50		5	546	110 20	00000
	A000	0607	CIVL1120L01	1 1 1	8.00 8.50		10	546	110 20	00000
	A000	0607	CIVL1411L01	1	8.00 11.50		10	546	110 20	00000
	A000	0607	CIVL1141L01	1	8.00 11.50		6	546	110 20	00000
	A000	0607	CIVL1410L01	1 1 1	9.00 9.50		15	546	110 20	00000
	A000	0607	CIVL1441L01	1	9.00 13.50		5	546	110 20	00000
	A000	0607	CIVL1240L01	1 1 1	10.00 11.25		18	546	110 20	00000
	A000	0607	CIVL1121L01	1	10.00 13.50		10	546	110 20	00000
	A000	0607	CIVL2551L01	1	10.00 14.50		6	546	110 20	00000
	A000	0607	CIVL1330L01	1 1 1	12.00 12.50		9	546	110 20	00000
	A000	0607	CIVL1430L01	1 1 1	13.00 13.50		12	546	110 20	00000
	A000	0607	CIVL2560L01	1 1	14.00 15.30		9	546	110 20	00000
	A000	0607	CIVL1321L01	1	14.00 16.50		5	546	110 20	00000
	A000	0607	CIVL1480L01	1	17.00 19.30		11	546	110 20	00000
45	8	G000	0107	AMTA2031L01	11111		11	44	030	00000
45	8	G000	0107	AMTA2070L01	11111		12	44	030	00000
45	8	G000	0107	AMTA2080L01	11111		12	44	030	00000
45	8	G000	0107	AMTA2090L01	11111		8	44	030	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
45	8	G000 0107	AMTA2100L01	1111	8.00 14.25	1	8	44	030	00000
45	8	G000 0107	AMTA2110L01	1111	8.00 14.25	1	9	44	030	00000
4		G000 0113	AMTG1010L01	11111	8.00 14.25		16	615	110 15	00000
4	8	G000 0113	AMTG1020L01	11111	8.00 14.25	1	16	615	110 15	00000
4	8	G000 0113	AMTG1030L01	11111	8.00 14.25	1	16	615	110 15	00000
4	8	G000 0113	AMTG1040L01	11111	8.00 14.25	1	16	615	110 15	00000
4	8	G000 0113	AMTG1050L01	11111	8.00 14.25	1	17	615	110 15	00000
4	8	G000 0113	AMTG1060L01	11111	8.00 14.25	1	16	615	110 15	00000
4	8	G000 0113	AMTG1070L01	11111	8.00 14.25	1	17	615	110 15	00000
4	8	G000 0113	AMTG1080L01	11111	8.00 14.25	1	17	615	110 15	00000
4	8	G000 0113	AMTG1100L01	11111	8.00 14.25	1	7	615	110 15	00000
4	8	G000 0113	AMTG1110L01	11111	8.00 14.25	1	7	615	110 15	00000
1	4	G000 0122	AMTP2220L01	11111	8.00 14.30		10			00000
1	4	G000 0122	AMTP2230L01	11111	8.00 14.30		10			00000
1	4	G000 0122	AMTP2240L01	11111	8.00 14.30		11			00000
1	4	G000 0122	AMTP2250L02	11111	8.00 14.30		17			00000
1	4	G000 0122	AMTP2270L01	11111	8.00 14.30		10			00000
1	4	G000 0122	AMTP2290L01	11111	8.00 14.30		12			00000
1	4	G000 0122	AMTP2300L01	11111	8.00 14.30		9			00000
1	4	G000 0122	AMTP2310L01	1111	8.00 14.30		11			00000
1		G000 0609	HACR1410L01	11111	8.00 8.50		9			00000
1		G000 0609	HACR2520L01	11111	8.00 8.50		6			00000
1		G000 0609	HACR2550L02	11111	8.00 9.15		4			00000
1		G000 0609	HACR1150L01	11111	8.00 9.30		8			00000
1		G000 0609	HACR1210L01	11111	8.00 9.30		4			00000
1		G000 0609	HACR2810L01	11111	8.00 10.50		3			00000
1		G000 0609	HACR2830L01	11111	8.00 10.50		2			00000
1		G000 0609	HACR2920L01	11111	8.00 10.50		1			00000
1		G000 0609	HACR1420L01	11111	9.00 9.50		9			00000
1		G000 0609	HACR2530L01	11111	9.00 9.50		5			00000
1		G000 0609	HACR2830L02	11111	9.16 11.00		3			00000
1		G000 0609	HACR1160L01	11111	9.31 10.50		8			00000
1		G000 0609	HACR1220L01	11111	9.31 10.50		4			00000
1		G000 0609	HACR2510L01	11111	9.51 11.10		8			00000
1		G000 0609	HACR2540L01	11111	10.00 10.50		3			00000
1		G000 0609	HACR2520L02	11111	11.45 12.45		3			00000
1		G000 0609	HACR1170L01	11111	11.45 13.05		8			00000
1		G000 0609	HACR1230L01	11111	11.45 13.05		5			00000
1		G000 0609	HACR2550L01	11111	11.45 13.05		3			00000
1		G000 0609	HACR2820L01	11111	11.45 14.30		4			00000
1		G000 0609	HACR2820L02	11111	11.45 14.30		4			00000
1		G000 0609	HACR2930L01	11111	11.45 14.30		3			00000
1		G000 0609	HACR2530L02	11111	13.05 14.30		2			00000
1		G000 0609	HACR1180L01	11111	13.06 14.30		8			00000
1		G000 0609	HACR1240L01	11111	13.06 14.30		9			00000
1		G000 0609	HACR2560L01	11111	13.06 14.30		4			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	103
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	54
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	6
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	4
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	94
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	261
TOTAL NUMBER OF RECORDS READ	403
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	299
NUMBER OF JOINT-CLASS RECORDS	183
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	11771	27	11799
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1131	5	1136
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43470	24150	67620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33830	100	33930
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	23543	55	23598
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	57.1	.5	36.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.2	.2	34.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	69.6	55.0	69.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	11771	27	11799
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1131	5	1136
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43470	24150	67620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33830	100	33930
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	23543	55	23598
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	57.1	.5	36.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.2	.2	34.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	69.6	55.0	69.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	14009	89	14098
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3372	30	3402
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84870	47150	132020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	79540	760	80300
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	28019	178	28197
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	68.1	1.1	44.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.0	.4	21.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	35.2	23.4	35.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	14009	89	14098
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3372	30	3402
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84870	47150	132020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	79540	760	80300
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	28019	178	28197
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	68.1	1.1	44.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.0	.4	21.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	35.2	23.4	35.1

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY