

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/16/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -LAFOURCHE
 BRANCH
 PARISH LAFOURCHE
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 0104	CPTR1320CW1	1	8.00 13.30		4	400	110 20	00000
	A000 0112	KYBD1111C01	1111	8.00 9.15		8	589	240 21	00000
	A000 0112	ISYS1440C01	1111	9.20 10.35		3	589	240 21	00000
	A000 0112	CSRV1000C01	1 1	9.20 10.50	1	10	589	240 21	00000
	A000 0112	OSYS1100C01	1 1	10.36 12.10		13	589	240 21	00000
	A000 0112	BUSE1030C01	1 1 1	11.00 12.30		6	589	240 21	00000
	A000 0112	MATR1325C01	1 1	12.30 14.00		2	589	240 21	00000
	A000 0112	BOTH1210C01	1 1	12.31 14.01		3	589	240 21	00000
	A000 0112	KYBD1010C01	1 1	14.01 15.35		7	589	240 21	00000
	A000 0112	BUSE1045C01	1 1	14.01 15.35		3	589	240 21	00000
4	A000 0114	HEKG1113C01	1 1 1	7.00 15.00	1	8	770	110 24	00000
	A000 0114	BOTH1210C02	1 1	8.00 9.30		8	770	110 24	00000
	A000 0114	HCOR1200C01	1 1 1	9.31 11.00		8	770	110 24	00000
	A000 0114	BOTH1240C01	1 11	12.00 13.30		2	770	110 24	00000
	A000 0114	BOTH1250C01	1 1 1	13.05 14.45	1	3	770	110 24	00000
	A000 0116	DVEN0090C01	1	7.30 11.30		1	702	240 22	00000
	A000 0116	DVEN0091C01	1	7.30 11.30	1	1	702	240 22	00000
	A000 0116	DVEN0092C01	1	7.30 11.30	1	1	702	240 22	00000
	A000 0116	DVMA0090C01	1	7.30 11.30	1	9	702	240 22	00000
	A000 0116	DVMA0091C01	1	7.30 11.30	1	3	702	240 22	00000
	A000 0116	DVMA0092C01	1	7.30 11.30	1	2	702	240 22	00000
	A000 0116	DVRE0092C03	1	7.30 11.30	1	2	702	240 22	00000
	A000 0116	ACCT1400C01	1	8.00 11.00	1	1	702	240 22	00000
	A000 0116	ACCT1300C01	1 1	8.30 10.30		5	702	240 22	00000
	A000 0116	ACCT1100C01	1 1	10.30 13.00		10	702	240 22	00000
	A000 0116	DVEN0091C02	1	11.31 15.35		1	702	240 22	00000
	A000 0116	DVEN0092C02	1	11.31 15.35	1	3	702	240 22	00000
	A000 0116	DVMA0090C02	1	11.31 15.35	1	2	702	240 22	00000
	A000 0116	DVRE0091C01	1	11.31 15.35	1	1	702	240 22	00000
	A000 0116	DVRE0091C02	1	11.31 15.35	1	1	702	240 22	00000
	A000 0116	DVRE0092C02	1	11.31 15.35	1	1	702	240 22	00000
	A000 0116	BUSM1050C01	1 1 1	13.01 15.05	1	14	702	240 22	00000
	A000 0116	ZMAT1015101	1	17.30 18.45		9	702	240 22	00000
	A000 0122	SURG2221C01	11111	8.00 10.30		6	972	110 21	00000
	A000 0130	CTDP11110C01	11111	7.00 8.25		3	480	110 16	00000
	A000 0130	CTDP11110C02	11111	7.00 8.25	1	4	480	110 16	00000
	A000 0130	CTDP11110C03	11111	7.00 8.25	1	1	480	110 16	00000
	A000 0130	CTDP1120C01	11111	8.30 9.30		3	480	110 16	00000
	A000 0130	CTDP1120C02	11111	8.30 9.30	1	4	480	110 16	00000
	A000 0130	CTDP1120C03	11111	8.30 9.30	1	1	480	110 16	00000
	A000 0130	CTDP1131C01	11111	9.35 10.35		3	480	110 16	00000
	A000 0130	CTDP1131C02	11111	9.35 10.35	1	4	480	110 16	00000
	A000 0130	CTDP1131C03	11111	9.35 10.35	1	1	480	110 16	00000
	A000 0130	CTDP1140C01	11111	10.40 12.05		3	480	110 16	00000
	A000 0130	CTDP1140C02	11111	10.40 12.05	1	4	480	110 16	00000
	A000 0130	CTDP1140C03	11111	10.40 12.05	1	1	480	110 16	00000
	A000 0130	CTDP1211C01	11111	12.10 15.00		3	480	110 16	00000
	A000 0130	CTDP1211C02	11111	12.10 15.00	1	4	480	110 16	00000
	A000 0130	CTDP1211C03	11111	12.10 15.00	1	1	480	110 16	00000
	A000 0134	AUTO1100C01	11111	7.30 10.30		13	3,128	210 18	00000
	A000 0134	AUTO1110C01	11111	7.30 10.30	1	14	3,128	210 18	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/16/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -LAFOURCHE
 BRANCH
 PARISH
 RELATION
 LAFOURCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000 0134	AUTO1120C01	111111	7.30 10.30	1	14	3,128	210 18	00000
8	A000 0134	AUTO1130C01	111111	7.30 10.30	1	14	3,128	210 18	00000
8	A000 0134	ORNT1000C01	111111	7.30 10.30	1	14	3,128	210 18	00000
8	A000 0134	AUTO1810C02	111111	7.30 12.00	1	1	3,128	210 18	00000
4 8	A000 0134	AUTO1100C02	111111	7.30 14.00	1	1	3,128	210 18	00000
4 8	A000 0134	AUTO1820C01	111111	7.30 14.00	1	3	3,128	210 18	00000
4 8	A000 0134	AUTO1830C01	111111	7.30 14.00	1	1	3,128	210 18	00000
4 8	A000 0134	AUTO1840C01	111111	7.30 14.00	1	1	3,128	210 18	00000
4 8	A000 0134	AUTO1850C01	111111	7.30 14.00	1	1	3,128	210 18	00000
4 8	A000 0134	AUTO2993C02	111111	7.30 14.00	1	1	3,128	210 18	00000
8	A000 0134	AUTO1500C01	111111	11.00 14.00	1	14	3,128	210 18	00000
8	A000 0134	AUTO1510C01	111111	11.00 14.00	1	14	3,128	210 18	00000
8	A000 0134	AUTO1520C01	111111	11.00 14.00	1	14	3,128	210 18	00000
8	A000 0134	AUTO1530C01	111111	11.00 14.00	1	14	3,128	210 18	00000
8	A000 0134	AUTO1540C01	111111	11.00 14.00	1	13	3,128	210 18	00000
8	A000 0134	AUTO2993C01	111111	11.00 14.00	1	6	3,128	210 18	00000
8	A000 0134	AUTO1550C02	111111	12.05 14.00	1	1	3,128	210 18	00000
A000 0135	WELD1110C01	111111	7.30 10.30	1	3	2,990	210 24	00000	
A000 0135	WELD1210C01	111111	7.30 10.30	1	3	2,990	210 24	00000	
A000 0135	WELD1410C01	111111	7.30 10.30	1	3	2,990	210 24	00000	
A000 0135	WELD1420C01	111111	7.30 10.30	1	3	2,990	210 24	00000	
4 A000 0135	WELD1110C03	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 A000 0135	WELD1120C04	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 A000 0135	WELD1130C05	111111	7.30 14.00	1	4	2,990	210 24	00000	
4 A000 0135	WELD1140C03	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 A000 0135	WELD1210C03	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 A000 0135	WELD1310C03	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 A000 0135	WELD1310C05	111111	7.30 14.00	1	4	2,990	210 24	00000	
4 A000 0135	WELD1410C03	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 A000 0135	WELD1411C04	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 A000 0135	WELD2110C04	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 8 A000 0135	WELD2110C05	111111	7.30 14.00	1	4	2,990	210 24	00000	
4 8 A000 0135	WELD2111C04	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 8 A000 0135	WELD2111C05	111111	7.30 14.00	1	4	2,990	210 24	00000	
4 8 A000 0135	WELD2993C01	111111	7.30 14.00	1	2	2,990	210 24	00000	
4 8 A000 0135	WELD2993C05	111111	7.30 14.00	1	6	2,990	210 24	00000	
8 A000 0135	WELD1110C02	111111	11.00 14.00	1	4	2,990	210 24	00000	
8 A000 0135	WELD1110C04	111111	11.00 14.00	1	1	2,990	210 24	00000	
8 A000 0135	WELD1210C02	111111	11.00 14.00	1	4	2,990	210 24	00000	
8 A000 0135	WELD1210C04	111111	11.00 14.00	1	1	2,990	210 24	00000	
8 A000 0135	WELD1410C02	111111	11.00 14.00	1	4	2,990	210 24	00000	
A000 0139	OILG2123C01	1	7.30 10.30	1	5	420	215 16	00000	
A000 0139	OILG2420C01	1	12.00 15.00	1	4	420	215 16	00000	
A100 SC07	ACCT1500E01	1 1	9.30 11.30	1	1	540	210 24	00000	
A100 SC07	ACCT1100E01	1 1	9.30 12.00	1	8	540	210 24	00000	
A100 SC15	DVEN0091E01	1	7.30 11.30	1	1	1,833	210 16	00000	
A100 SC15	DVMA0090E01	1	7.30 11.30	1	2	1,833	210 16	00000	
A100 SC15	DVRE0091E01	1	7.30 11.30	1	1	1,833	210 16	00000	
A100 SC15	KYBD1111EW1	1 1	8.00 10.30	1	8	1,833	210 16	00000	
A100 SC15	BOTH2110EW1	1 1	10.40 12.10	1	2	1,833	210 16	00000	
A100 SC15	DVMA0090E02	1	11.31 15.35	1	3	1,833	210 16	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/16/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-LAFOURCHE
 BRANCH
 PARISH
 RELATION

LAFOURCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A100	SC15	DVRE0092E01	1	11.31 15.35	1	1	210 16	00000
4	A100	SC15	ORNT1000E02	1	11.40 11.50		11	210 16	00000
	A100	SC15	BOTH1300E01	1 1	12.30 14.00	1	1	210 16	00000
4	A100	SC18	ORNT1000E01	1	7.27 7.40		6	210 22	00000
	A100	SC18	DPET1240E01	11111	7.27 8.30	1	3	210 22	00000
	A100	SC18	DPET1120E01	11111	7.41 8.55	1	6	210 22	00000
	A100	SC18	DPET1210E01	11111	8.31 9.55	1	6	210 22	00000
	A100	SC18	DPET1130E01	11111	8.56 10.20	1	7	210 22	00000
	A100	SC18	DPET1141E02	11111	9.56 11.30	1	1	210 22	00000
	A100	SC18	DPET1140E01	11111	11.40 12.50		4	210 22	00000
	A100	SC18	DPET1120E02	11111	11.51 13.05	1	11	210 22	00000
	A100	SC18	DPET1141E01	11111	12.51 14.05	1	4	210 22	00000
	A100	SC18	DPET1130E02	11111	13.06 14.30	1	11	210 22	00000
	N000	N0100	OILG1011C01	1	7.30 10.30		5	110 20	00000
	N000	N0100	OILG2348C01	1	12.00 15.00		5	110 20	00000
	N000	N0100	OILG1410C01	1	12.00 15.00		3	110 20	00000
	N000	N0100	OILG2440C01	1	12.00 15.00		5	110 20	00000
	N000	N0200	OILG2113C01	1	7.30 10.30		8	240 20	00000
	N000	N0200	OILG1310C01	1	7.30 11.30	1	4	240 20	00000
	N000	N0200	OILG1320C01	1	7.30 11.30	1	3	240 20	00000
	N000	N0200	OILG2630C01	1	12.00 15.00		9	240 20	00000
	N000	N0300	ELEC2460C01	1 1 1	8.00 9.00		3	110 20	00000
	N000	N0300	ELEC1230C01	1 1	8.00 11.00		4	110 20	00000
	N000	N0300	ELEC1120C01	1 1 1	8.00 11.20		10	110 20	00000
4	N000	N0300	ELEC1210C01	1 1	8.00 13.30		6	110 20	00000
	N000	N0300	ELEC1220C01	1 1 1	9.01 11.05		4	110 20	00000
	N000	N0400	ELEC2520C01	11111	7.30 8.30		1	210 22	00000
	N000	N0400	ELEC1420C01	1 1 1	8.00 10.00	1	10	210 22	00000
	N000	N0400	ELEC1330C01	1 1	8.00 11.00		9	210 22	00000
	N000	N0400	ELEC2540C01	1 1 1	8.31 11.31	1	2	210 22	00000
	N000	N0400	ELEC2720C01	1 1	8.31 11.31		2	210 22	00000
	N000	N0400	ELEC1440C01	11111	11.01 12.50	1	9	210 22	00000
	N000	N0400	ELEC1311C01	11111	12.00 14.15	1	5	210 22	00000
	N000	N0400	ELEC1430C01	11111	13.00 14.00	1	8	210 22	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	26
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	27
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	53
TOTAL NUMBER OF RECORDS READ	136
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	136
NUMBER OF JOINT-CLASS RECORDS	84
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	6

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAFOURCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			311
WEEKLY STUDENT CONTACT HOURS	984		984
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	380		380
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27990	15550	43540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7321		7321
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1968		1968
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.1	.0	18.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.0	.0	4.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.9	.0	26.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			311
WEEKLY STUDENT CONTACT HOURS	984		984
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	380		380
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27990	15550	43540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7321		7321
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1968		1968
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.1	.0	18.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.0	.0	4.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.9	.0	26.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			251
WEEKLY STUDENT CONTACT HOURS	5084		5084
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1170	650	1820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	325		325
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22590	12550	35140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6724		6724
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10169		10169
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.8	.0	17.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.0	.0	28.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	151.2	.0	151.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			251
WEEKLY STUDENT CONTACT HOURS	5084		5084
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1170	650	1820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	325		325
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22590	12550	35140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6724		6724
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10169		10169
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.8	.0	17.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.0	.0	28.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	151.2	.0	151.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY