

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/04/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-LAMAR SALTER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	G0001	HEMS1110C01	111	17.30 21.30		12	2,400	680 60 00000	
	000A	G0001	HEMS1120C01	111	17.30 21.30	1	12	2,400	680 60 00000	
	000A	G0001	HEMS1140C01	111	17.30 21.30	1	12	2,400	680 60 00000	
	000A	G0001	HEMS1160C01	111	17.30 21.30	1	12	2,400	680 60 00000	
	000A	G0001	HEMS1170C01	111	17.30 21.30	1	12	2,400	680 60 00000	
	000A	G0001	HEMS1172C01	111	17.30 21.30	1	12	2,400	680 60 00000	
	000A	G0029	AUTO1200C01	111111	7.30 8.45		2	323	110 20 00000	
	000A	G0029	AUTO1300C01	111111	7.30 8.45	1	2	323	110 20 00000	
	000A	G0029	AUTO1500C01	111111	7.30 8.45	1	3	323	110 20 00000	
	000A	G0029	AUTO2995C01	111111	7.30 8.55	1	6	323	110 20 00000	
	000A	G0029	AUTO1810C01	111111	7.30 9.00	1	1	323	110 20 00000	
	000A	G0029	AUTO1300C02	111111	7.30 9.30	1	1	323	110 20 00000	
	000A	G0029	AUTO1100C01	111111	7.30 10.00	1	3	323	110 20 00000	
	000A	G0029	AUTO1630C02	111111	7.30 10.00	1	3	323	110 20 00000	
	000A	G0029	AUTO1430C01	111111	7.30 10.30	1	2	323	110 20 00000	
	000A	G0029	AUTO1500C02	111111	7.30 10.30	1	7	323	110 20 00000	
4	8	000A	G0029	AUTO1100C02	111111	7.30 14.30	1	2	323	110 20 00000
4	8	000A	G0029	JOBS2450C06	111111	7.30 14.35	1	2	323	110 20 00000
4	8	000A	G0029	ORNT1000C02	11	7.30 14.35	1	6	323	110 20 00000
	8	000A	G0029	AUTO1210C01	111111	8.50 10.05	1	2	323	110 20 00000
	8	000A	G0029	AUTO1310C01	111111	8.50 10.05	1	2	323	110 20 00000
	8	000A	G0029	AUTO1510C01	111111	8.50 10.05	1	3	323	110 20 00000
	8	000A	G0029	AUTO1610C01	1 1	9.00 10.15	1	9	323	110 20 00000
		000A	G0029	AUTO1600C01	1 1 1	9.00 10.45		9	323	110 20 00000
		000A	G0029	AUTO1820C01	111111	9.15 10.15	1	1	323	110 20 00000
		000A	G0029	AUTO1310C02	111111	9.35 11.35	1	1	323	110 20 00000
		000A	G0029	AUTO1110C01	111111	10.05 11.20	1	3	323	110 20 00000
		000A	G0029	AUTO1640C02	111111	10.05 11.20	1	3	323	110 20 00000
		000A	G0029	AUTO1220C01	111111	10.10 11.25	1	2	323	110 20 00000
		000A	G0029	AUTO1320C01	111111	10.10 11.25	1	2	323	110 20 00000
		000A	G0029	AUTO1520C01	111111	10.10 11.25	1	3	323	110 20 00000
		000A	G0029	AUTO1830C01	111111	10.20 11.20	1	1	323	110 20 00000
	8	000A	G0029	AUTO1640C01	1 1	10.20 11.35	1	9	323	110 20 00000
		000A	G0029	AUTO1620C01	1 1 1	11.00 12.45		9	323	110 20 00000
		000A	G0029	AUTO1840C01	111111	11.30 13.00	1	1	323	110 20 00000
		000A	G0029	AUTO1440C01	111111	11.30 14.30	1	2	323	110 20 00000
		000A	G0029	AUTO1510C02	111111	11.30 14.30	1	7	323	110 20 00000
		000A	G0029	AUTO1120C01	111111	12.00 13.15	1	3	323	110 20 00000
		000A	G0029	AUTO1230C01	111111	12.00 13.15	1	2	323	110 20 00000
		000A	G0029	AUTO1330C01	111111	12.00 13.15	1	2	323	110 20 00000
		000A	G0029	AUTO1530C01	111111	12.00 13.15	1	3	323	110 20 00000
	8	000A	G0029	AUTO1650C02	111111	12.00 13.15	1	3	323	110 20 00000
	8	000A	G0029	AUTO1650C01	1 1	12.00 13.15	1	9	323	110 20 00000
	8	000A	G0029	AUTO2993C01	111111	12.00 14.30	1	3	323	110 20 00000
	8	000A	G0029	AUTO2995C02	111111	12.00 14.30	1	3	323	110 20 00000
	8	000A	G0029	AUTO1320C02	111111	12.35 14.35	1	1	323	110 20 00000
	8	000A	G0029	AUTO1630C01	1 1 1	12.50 14.35	1	9	323	110 20 00000
	8	000A	G0029	AUTO1850C01	111111	13.05 14.05	1	1	323	110 20 00000
	8	000A	G0029	AUTO1130C01	111111	13.20 14.35	1	3	323	110 20 00000
	8	000A	G0029	AUTO1240C01	111111	13.20 14.35	1	2	323	110 20 00000
	8	000A	G0029	AUTO1340C01	111111	13.20 14.35	1	2	323	110 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/04/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-LAMAR SALTER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000A G0029	AUTO1540C01	111111	13.20 14.35	1	3	323	110 20	00000
8	000A G0029	AUTO1660C02	111111	13.20 14.35	1	3	323	110 20	00000
8	000A G0029	AUTO1660C01	1 1	13.20 14.35	1	9	323	110 20	00000
	000A G0030	WELD1110C01	111111	7.30 8.20		6	2,520	210 20	00000
	000A G0030	WELD1120C02	111111	7.30 8.25	1	4	2,520	210 20	00000
	000A G0030	WELD1411C02	111111	7.30 8.40	1	1	2,520	210 20	00000
	000A G0030	WELD2110C02	111111	7.30 8.40	1	1	2,520	210 20	00000
	000A G0030	WELD2111C01	111111	7.30 8.40	1	1	2,520	210 20	00000
	000A G0030	WELD2310C01	111111	7.30 8.40	1	1	2,520	210 20	00000
	000A G0030	WELD1110C02	111	7.30 8.55	1	1	2,520	210 20	00000
	000A G0030	WELD1120C01	111111	8.30 9.25	1	6	2,520	210 20	00000
	000A G0030	WELD1140C01	111111	8.30 9.25	1	4	2,520	210 20	00000
	000A G0030	WELD1412C01	111111	8.45 9.55	1	2	2,520	210 20	00000
	000A G0030	WELD2311C01	111111	8.45 9.55	1	1	2,520	210 20	00000
	000A G0030	WELD1140C02	111	9.00 9.55	1	1	2,520	210 20	00000
8	000A G0030	CPTR1000C01	111111	9.00 10.00	1	9	2,520	210 20	00000
8	000A G0030	JOBS2450C01	111111	9.00 10.00	1	1	2,520	210 20	00000
8	000A G0030	WELD1130C01	111111	9.30 10.20	1	6	2,520	210 20	00000
8	000A G0030	WELD1310C02	111111	9.30 10.25	1	5	2,520	210 20	00000
8	000A G0030	WELD2110C01	111111	10.00 11.15	1	2	2,520	210 20	00000
8	000A G0030	WELD1511C01	111111	10.00 11.25	1	1	2,520	210 20	00000
8	000A G0030	WELD1310C03	111	10.00 11.30	1	1	2,520	210 20	00000
8	000A G0030	WELD2222C02	111111	10.05 11.35	1	1	2,520	210 20	00000
8	000A G0030	WELD1210C01	111111	10.30 11.20	1	7	2,520	210 20	00000
8	000A G0030	WELD1411C03	111111	10.30 12.00	1	3	2,520	210 20	00000
8	000A G0030	WELD2110C03	111111	10.30 12.00	1	2	2,520	210 20	00000
	000A G0030	WELD1130C02	111111	12.00 12.55		1	2,520	210 20	00000
	000A G0030	WELD2310C02	111111	12.00 13.10	1	1	2,520	210 20	00000
	000A G0030	WELD1210C02	111	12.00 13.25	1	1	2,520	210 20	00000
	000A G0030	WELD1512C01	111111	12.00 13.30	1	1	2,520	210 20	00000
	000A G0030	WELD1410C01	111111	12.15 13.05	1	6	2,520	210 20	00000
	000A G0030	WELD2111C03	111111	12.30 14.00	1	1	2,520	210 20	00000
	000A G0030	WELD1310C01	111111	13.00 14.00	1	1	2,520	210 20	00000
	000A G0030	WELD1411C01	111111	13.10 14.30	1	6	2,520	210 20	00000
	000A G0030	JOBS2450C09	111111	13.15 14.15	1	1	2,520	210 20	00000
	000A G0030	CPTR1000C02	111111	13.30 14.30	1	4	2,520	210 20	00000
	000A G0030	JOBS2450C10	111111	13.30 14.30	1	4	2,520	210 20	00000
	000A G0030	WELD1410C02	111	13.30 14.30	1	1	2,520	210 20	00000
	000A G0030	JOBS2450C03	111111	14.05 14.35	1	1	2,520	210 20	00000
	000A G0030	WELD2994C01	111	17.00 21.00		6	2,520	210 20	00000
	000A G0030	WELD2994C02	111	17.00 21.00	1	3	2,520	210 20	00000
	000A G0037	CARP1110C01	111111	7.30 8.25		2	323	110 20	00000
	000A G0037	CARP1110C02	111111	7.45 8.25	1	1	323	110 20	00000
	000A G0037	CARP2991C03	111111	12.00 12.55		1	323	110 20	00000
	000A G0037	CARP2620C02	111111	12.15 13.15	1	1	323	110 20	00000
	000A G0037	CARP2995C02	111111	13.00 14.30	1	1	323	110 20	00000
	000A G0040	CARP1150C01	111111	7.30 9.25		2	2,520	210 40	00000
	000A G0040	CARP2131C01	111111	7.30 9.25	1	2	2,520	210 40	00000
	000A G0040	CARP2210C01	111111	7.30 9.40	1	2	2,520	210 40	00000
	000A G0040	CARP2320C01	111111	7.30 9.55	1	3	2,520	210 40	00000
	000A G0040	CARP1120C01	111111	8.30 9.25	1	2	2,520	210 40	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/04/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-LAMAR SALTER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	G0040	ORNT1000C01	111	8.30 13.30	1	3	2,520	210 40	00000	
	000A	G0040	CARP2110C01	11111	9.30 10.25	1	2	2,520	210 40	00000	
	000A	G0040	CARP1130C01	11111	9.30 11.10	1	3	2,520	210 40	00000	
	000A	G0040	CARP2220C01	11111	9.41 12.00	1	2	2,520	210 40	00000	
	000A	G0040	CARP2991C01	11111	10.00 10.55	1	1	2,520	210 40	00000	
	000A	G0040	CARP2230C01	11111	10.00 11.25	1	2	2,520	210 40	00000	
	000A	G0040	CARP2120C01	11111	10.30 12.25	1	2	2,520	210 40	00000	
	000A	G0040	CARP2993C01	11111	11.00 12.00	1	1	2,520	210 40	00000	
	000A	G0040	CARP1140C01	11111	11.15 12.10	1	2	2,520	210 40	00000	
	000A	G0040	CARP2310C01	11111	11.30 14.00	1	2	2,520	210 40	00000	
	000A	G0040	CARP2620C01	11111	12.15 14.30	1	3	2,520	210 40	00000	
	000A	G0040	CARP2995C01	11111	12.30 13.40	1	2	2,520	210 40	00000	
	000A	G0040	CARP2996C01	11111	13.45 14.45		1	2,520	210 40	00000	
	000A	G0201	BOTH1120C01	1 1 1	8.00 8.50		17	575	110 18	00000	
	000A	G0201	JOBS2450C05	1 1 1	9.00 9.50		4	575	110 18	00000	
	000A	G0201	ISYS1440C01	1 1	9.31 11.30		18	575	110 18	00000	
	000A	G0201	BUSE1045C01	1 1 1	10.00 10.50		5	575	110 18	00000	
	000A	G0201	SPPR2997C01	1 1	10.00 14.30		3	575	110 18	00000	
	000A	G0201	BOTH2110C01	1 1 1	11.00 11.50		1	575	110 18	00000	
	000A	G0201	ISYS1650C01	1 1	12.15 14.15		3	575	110 18	00000	
	000A	G0201	BOTH1210C01	1 1 1	13.00 13.50		15	575	110 18	00000	
	000A	G0201	ZANP1000C01	1 1	17.30 19.30		10	575	110 18	00000	
	000A	G0201	ZMTM1000C01	1 1	17.30 19.30	1	10	575	110 18	00000	
	000A	G0203	KYBD1010C01	1 1 1	8.00 8.50		10	1,014	140 24	00000	
4	000A	G0203	ORNT1000C04	11	8.00 15.00	1	20	1,014	140 24	00000	
	8	000A	G0203	BUSE1030C01	1 1 1	9.00 9.50	1	17	1,014	140 24	00000
	000A	G0203	BOTL1300C01	1 1	9.30 11.30		10	1,014	140 24	00000	
	000A	G0203	CPTR1002C01	1 1 1	10.00 10.50		14	1,014	140 24	00000	
	000A	G0203	OSYS2530C01	1 1 1	11.00 11.50		3	1,014	140 24	00000	
	000A	G0203	CPTR1310C01	1 1	12.15 14.15		13	1,014	140 24	00000	
	000A	G0203	KYBD1111C01	1 1 1	13.00 14.15		13	1,014	140 24	00000	
	000A	G0203	SPPR2998C01	11111	13.00 14.30	1	1	1,014	140 24	00000	
	000A	G0228	DVEN0090C01	1 1 1	7.30 9.25		1	630	210 20	00000	
	000A	G0228	DVEN0091C01	1 1 1	7.30 9.25	1	1	630	210 20	00000	
	000A	G0228	DVEN0092C01	1 1 1	7.30 9.25	1	1	630	210 20	00000	
	000A	G0228	DVMA0090C01	1 1 1	7.30 9.25	1	3	630	210 20	00000	
	000A	G0228	DVRE0090C01	1 1 1	7.30 9.25	1	1	630	210 20	00000	
	000A	G0228	DVRE0091C01	1 1 1	7.30 9.25	1	1	630	210 20	00000	
	000A	G0228	DVRE0092C01	1 1 1	7.30 9.25	1	2	630	210 20	00000	
	000A	G0228	DVEN0091C02	1 1 1	9.30 11.25		2	630	210 20	00000	
	000A	G0228	DVMA0090C02	1 1 1	9.30 11.25	1	3	630	210 20	00000	
	000A	G0228	DVMA0092C02	1 1 1	9.30 11.25	1	3	630	210 20	00000	
	000A	G0228	DVRE0091C02	1 1 1	9.30 11.25	1	1	630	210 20	00000	
	000A	G0228	DVRE0092C02	1 1 1	9.30 11.25	1	1	630	210 20	00000	
	000A	G0228	DVEN0091C03	1 1 1	12.30 14.30		2	630	210 20	00000	
	000A	G0228	DVMA0090C03	1 1 1	12.30 14.30	1	4	630	210 20	00000	
	000A	G0228	DVRE0090C03	1 1 1	12.30 14.30	1	1	630	210 20	00000	
	000A	G0228	DVRE0091C03	1 1 1	12.30 14.30	1	1	630	210 20	00000	
4	000A	G0306	HNUR2113C02	1 11	7.30 14.30		25	1,509	110 40	00000	
4	000A	G0306	HNUR2113C01	11	7.30 14.30	1	25	1,509	110 40	00000	
4	8	000A	G0306	HNUR2123C01	11	7.30 14.30	1	25	1,509	110 40	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000B D0002	OPET1111C01	111111	7.30 8.20		4	460	110 20	00000
	000B D0002	OPET1161C01	111111	7.30 8.20	1	3	460	110 20	00000
	000B D0002	OPET1321C01	111111	7.30 8.30	1	3	460	110 20	00000
	000B D0002	OPET2997C01	111111	7.30 9.30	1	4	460	110 20	00000
	000B D0002	JOBS2450C07	111111	7.30 9.50	1	3	460	110 20	00000
	000B D0002	OPET1231C02	111111	7.30 10.00	1	1	460	110 20	00000
4	000B D0002	ORNT1000C03	11	7.30 15.00	1	5	460	110 20	00000
	000B D0002	OPET1121C01	111111	8.25 9.15	1	4	460	110 20	00000
	000B D0002	OPET1221C01	111111	8.31 9.50	1	3	460	110 20	00000
8	000B D0002	OPET1331C01	111111	8.35 9.35	1	3	460	110 20	00000
8	000B D0002	OPET1131C01	111111	9.20 10.20	1	4	460	110 20	00000
8	000B D0002	OPET2999C01	111111	9.35 11.35	1	3	460	110 20	00000
8	000B D0002	OPET1341C01	111111	9.40 11.20	1	3	460	110 20	00000
8	000B D0002	OPET1231C01	111111	9.55 10.55	1	4	460	110 20	00000
8	000B D0002	CPTR1000C03	111111	10.00 13.00	1	2	460	110 20	00000
8	000B D0002	OPET1241C02	111111	10.05 12.35	1	1	460	110 20	00000
8	000B D0002	OPET1141C01	111111	10.25 12.25	1	6	460	110 20	00000
8	000B D0002	OPET1241C01	111111	11.00 12.00	1	4	460	110 20	00000
8	000B D0002	OPET2111C01	111111	11.25 12.25	1	3	460	110 20	00000
8	000B D0002	OPET1251C01	111111	12.05 12.55	1	4	460	110 20	00000
	000B D0002	OPET1261C01	111111	13.00 14.00		4	460	110 20	00000
	000B D0002	OPET1151C01	111111	13.00 14.30	1	6	460	110 20	00000
	000B D0002	OPET2993C01	1 1 1	13.10 14.30	1	10	460	110 20	00000
	000B D0002	JOBS2450C08	111111	13.30 14.30	1	2	460	110 20	00000
	000B D0002	OPET2121C01	111111	13.30 14.30	1	3	460	110 20	00000
	000B D0002	OPET2991C01	1 1	13.30 14.30	1	3	460	110 20	00000
	000C C0001	CDYC1332C01	111111	7.30 8.25		5	1,398	210 40	00000
	000C C0001	CDYC1151C01	111111	7.30 9.20	1	1	1,398	210 40	00000
	000C C0001	CDYC2993C03	111111	8.30 9.20	1	1	1,398	210 40	00000
	000C C0001	CDYC1320C01	111111	8.30 9.30	1	7	1,398	210 40	00000
	000C C0001	CDYC1220C01	111111	9.40 10.40		6	1,398	210 40	00000
	000C C0001	CDYC2993C01	111111	10.30 11.20	1	2	1,398	210 40	00000
	000C C0001	CDYC1241C04	111111	10.45 12.30	1	3	1,398	210 40	00000
	000C C0001	CDYC1220C02	111111	11.30 12.30	1	1	1,398	210 40	00000
	000C C0001	CDYC1340C02	111111	11.35 12.15	1	1	1,398	210 40	00000
	000C C0001	CDYC1110C01	111111	12.00 12.45	1	2	1,398	210 40	00000
	000C C0001	CDYC2995C02	111111	12.20 13.40	1	1	1,398	210 40	00000
	000C C0001	CDYC1330C01	111111	12.50 13.50	1	5	1,398	210 40	00000
	000C C0001	CDYC1110C02	111111	13.05 13.50	1	1	1,398	210 40	00000
	000C C0001	CDYC2997C01	111111	13.20 15.10	1	2	1,398	210 40	00000
	000C C0001	CDYC1410C02	111111	13.55 14.30	1	1	1,398	210 40	00000
	000C C0001	CDYC1130C01	111111	13.55 14.45	1	8	1,398	210 40	00000
	000C C0001	CDYC2991C02	111111	14.00 14.30	1	2	1,398	210 40	00000
	000C C0001	CDYC1333C01	111111	14.00 14.40	1	1	1,398	210 40	00000
	000C C0005	CDYC2211C01	111111	7.30 10.25		4	744	110 20	00000
	000C C0005	CDYC1341C01	111111	9.00 10.50	1	1	744	110 20	00000
	000C C0005	CDYC2211C03	111111	9.00 11.55	1	1	744	110 20	00000
	000C C0005	CDYC1410C01	111111	10.50 11.25	1	2	744	110 20	00000
	000C C0005	CDYC1241C01	111111	11.00 12.50	1	3	744	110 20	00000
	000C C0005	CDYC2999C01	111111	11.30 13.15	1	1	744	110 20	00000
	000C C0005	CDYC2995C01	111111	12.00 13.15	1	2	744	110 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/04/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C.-LAMAR SALTER  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000C	C0005	CDYC1241C03	11111	12.00 13.50	1	2	744	110 20	00000
	000C	C0010	HACR2530C01	11111	7.30 8.20		3	768	240 20	00000
	000C	C0010	SPPR2993C01	11111	7.30 8.30	1	1	768	240 20	00000
	000C	C0010	HACR1150C01	11111	7.30 8.45	1	4	768	240 20	00000
	000C	C0010	HACR1230C01	11111	7.30 8.45	1	3	768	240 20	00000
	000C	C0010	HACR2810C01	11111	7.30 10.15	1	1	768	240 20	00000
	000C	C0010	HACR2920C01	11111	7.30 10.15	1	1	768	240 20	00000
	000C	C0010	HACR2540C01	11111	8.30 10.00	1	3	768	240 20	00000
	000C	C0010	HACR1160C01	11111	9.00 10.15	1	4	768	240 20	00000
	000C	C0010	HACR1240C01	11111	9.00 10.15	1	3	768	240 20	00000
	000C	C0010	HACR2550C01	11111	10.15 11.30		1	768	240 20	00000
	000C	C0010	HACR1410C01	11111	10.20 11.10	1	3	768	240 20	00000
	000C	C0010	HACR1180C02	11111	10.20 11.34	1	1	768	240 20	00000
	000C	C0010	HACR1170C01	11111	10.25 11.40	1	4	768	240 20	00000
	000C	C0010	HACR1420C01	11111	11.15 12.05	1	3	768	240 20	00000
	000C	C0010	HACR2560C01	11111	11.35 12.24	1	4	768	240 20	00000
	000C	C0010	HACR1180C01	11111	11.45 13.00	1	5	768	240 20	00000
	000C	C0010	HACR2510C01	11111	12.25 13.40	1	1	768	240 20	00000
	000C	C0010	SPPR2995C01	1 1 1	12.30 14.30	1	2	768	240 20	00000
	000C	C0010	JOBS2450C04	1 1	12.40 13.40		5	768	240 20	00000
	000C	C0010	HACR1180C03	11111	13.15 14.30	1	1	768	240 20	00000
	000C	C0010	SPPR2995C02	11111	13.15 14.30	1	1	768	240 20	00000
	000C	C0012	HACR1150C02	11111	11.00 12.15		1	2,656	210 20	00000
	000C	C0012	HACR1150C03	11111	12.15 13.30		1	2,656	210 20	00000
	000C	C0012	HACR1160C02	11111	13.00 14.15	1	1	2,656	210 20	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	8
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	45
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	53
TOTAL NUMBER OF RECORDS READ	229
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	229
NUMBER OF JOINT-CLASS RECORDS	189
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAMAR SALTER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			320
WEEKLY STUDENT CONTACT HOURS	4333	80	4413
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1767	16	1783
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28800	16000	44800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	37540	288	37828
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8666	160	8826
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	130.9	2.1	84.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	30.1	1.0	19.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.1	55.6	23.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			238
WEEKLY STUDENT CONTACT HOURS	3763	80	3843
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1675	16	1691
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21420	11900	33320
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35332	288	35620
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7526	160	7686
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	169.2	2.9	109.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	35.1	1.3	23.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.3	55.6	21.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			82
WEEKLY STUDENT CONTACT HOURS	570		570
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	92		92
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7380	4100	11480
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2208		2208
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1140		1140
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.6	.0	16.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.4	.0	9.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.6	.0	51.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			313
WEEKLY STUDENT CONTACT HOURS	1362	108	1470
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1191	48	1239
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28170	15650	43820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34520	960	35480
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2725	216	2941
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	120.3	8.7	80.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.7	1.4	6.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	7.9	22.5	8.3



## SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAMAR SALTER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			313
WEEKLY STUDENT CONTACT HOURS	1362	108	1470
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1191	48	1239
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28170	15650	43820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34520	960	35480
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2725	216	2941
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	120.3	8.7	80.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.7	1.4	6.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	7.9	22.5	8.3

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY