

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 A101	BARB1310001	111111	8.00 14.30		13	341	630 23	00000
4	A000 A101	BARB1430001	111111	8.00 14.30	1	8	341	630 23	00000
4	A000 A101	BARB2111001	111111	8.00 14.30	1	13	341	630 23	00000
4	8 A000 A101	BARB1441001	111111	8.00 14.45	1	11	341	630 23	00000
4	A000 A104	BARB1231001	111111	8.00 14.30		12	495	110 32	00000
4	A000 A104	BARB1110001	111111	8.00 14.45	1	5	495	110 32	00000
4	A000 A104	BARB1120001	111111	8.00 14.45	1	7	495	110 32	00000
4	A000 A104	BARB1131001	111111	8.00 14.45	1	7	495	110 32	00000
4	A000 A104	BARB1140001	111111	8.00 14.45	1	7	495	110 32	00000
4	A000 A104	BARB1150001	111111	8.00 14.45	1	7	495	110 32	00000
4	8 A000 A104	BARB1160001	111111	8.00 14.45	1	7	495	110 32	00000
4	8 A000 A104	BARB1220001	111111	8.00 14.45	1	7	495	110 32	00000
4	8 A000 A104	BARB1330001	111111	8.00 14.45	1	7	495	110 32	00000
4	8 A000 A104	BARB1420001	111111	8.00 14.45	1	7	495	110 32	00000
4	8 A000 A104	BARB2120001	111111	8.00 14.45	1	9	495	110 32	00000
4	8 A000 A104	BARB2630001	111111	8.00 14.45	1	8	495	110 32	00000
4	8 A000 A104	BARB1410001	1 11	8.00 14.45	1	7	495	110 32	00000
4	A000 A105	BARB1211001	111111	8.00 14.30		12	526	210 14	00000
4	8 A000 A105	BARB1341001	111111	8.00 14.45	1	13	526	210 14	00000
4	8 A000 A105	BARB2131001	111111	8.00 14.45	1	9	526	210 14	00000
4	8 A000 A105	BARB2993001	111111	8.00 14.45	1	4	526	210 14	00000
4	8 A000 A105	BARB2993001	1	18.30 21.30		31	526	210 14	00000
	A000 A200	CPTR1000001	1	17.00 20.00		20	776	140 22	00000
	A000 A201	ACCT1200001	1 1	8.00 9.00		5	769	140 22	00000
	A000 A201	ACCT1200001	1 1	8.00 9.30		5	769	140 22	00000
	A000 A201	ACCT1100001	1 1	9.00 10.00		1	769	140 22	00000
	A000 A201	ACCT1100001	1 1	9.30 11.00		1	769	140 22	00000
	A000 A205	ISYS1650001	1111	11.45 13.00		3	499	210 15	00000
	A000 A207	CPTR1310001	1111	12.00 13.00		1	451	210 14	00000
	A000 A207	ISYS1440001	1111	13.00 14.15		1	451	210 14	00000
	A000 A208	CSRV1000001	111111	8.00 9.00		9	511	210 15	00000
	A000 A208	OSYS1100001	111111	8.00 9.00	1	10	511	210 15	00000
	A000 A208	CPTR1000001	111111	9.30 10.45		16	511	210 15	00000
	8 A000 A208	CPTR1000002	111111	9.30 10.45	1	19	511	210 15	00000
	8 A000 A208	CPTR1320001	111111	9.30 10.45	1	3	511	210 15	00000
	8 A000 A208	MATR1350001	111111	9.30 10.45	1	4	511	210 15	00000
	8 A000 A208	CPTR1000001	1111	9.30 10.45	1	5	511	210 15	00000
	A000 A208	ISYS1550001	1 1 1	11.00 12.30		1	511	210 15	00000
	A000 A208	KYBD1111001	1111	11.45 13.00	1	1	511	210 15	00000
	A000 A208	JOBS2450001	111111	12.00 13.00	1	9	511	210 15	00000
	8 A000 A208	JOBS2450002	111111	12.00 13.00	1	13	511	210 15	00000
	8 A000 A208	KYBD1010002	1111	12.00 13.00	1	2	511	210 15	00000
	A000 A208	BUSM1050001	1111	13.00 14.15		2	511	210 15	00000
	A000 A208	BUSE1030001	1111	13.00 14.30	1	4	511	210 15	00000
	A000 A208	BUSE1045001	1111	13.00 14.30	1	6	511	210 15	00000
	A000 A208	JOBS2450003	1	17.00 20.00		22	511	210 15	00000
4	A000 A209	CADD1210001	111111	8.00 14.45		4	1,149	220 22	00000
4	A000 A209	CADD2300001	111111	8.00 14.45	1	1	1,149	220 22	00000
4	A000 A209	CADD2310001	111111	8.00 14.45	1	5	1,149	220 22	00000
4	A000 A209	DRFT1110001	111111	8.00 14.45	1	2	1,149	220 22	00000
4	A000 A209	DRFT1140001	111111	8.00 14.45	1	1	1,149	220 22	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.			
4	A000	A209	DRFT1160001	111111	8.00 14.45	1	2	1,149	220	22	00000	
4	A000	A209	DRFT1161001	111111	8.00 14.45	1	1	1,149	220	22	00000	
4	A000	A209	DRFT2310001	111111	8.00 14.45	1	1	1,149	220	22	00000	
4	A000	A209	DRFT2320001	111111	8.00 14.45	1	3	1,149	220	22	00000	
4	A000	A209	DRFT2330001	111111	8.00 14.45	1	1	1,149	220	22	00000	
4	A000	A209	DRFT2360001	111111	8.00 14.45	1	3	1,149	220	22	00000	
4	A000	A209	CPTR1000002	111111	9.30 10.45	1	2	1,149	220	22	00000	
4	B000	B101	INCT2110001	1 1	8.00 14.45		4	33	110	22	00000	
4	B000	B101	INCT2120001	1 1	8.00 14.45	1	7	33	110	22	00000	
4	B000	B101	INTE2110001	1 1	8.00 14.45	1	1	33	110	22	00000	
4	B000	B101	INTE2120001	1 1	8.00 14.45	1	2	33	110	22	00000	
4	B000	B101	INCT1120001	1	8.00 14.45		1	33	110	22	00000	
4	B000	B101	INTE1330001	1	8.00 14.45	1	9	33	110	22	00000	
4	B000	B101	INCT2850001	1 1	16.00 19.00		2	33	110	22	00000	
	B000	B101	INTE2850001	1 1	16.00 19.00	1	15	33	110	22	00000	
	B000	B102	BINC2902001	1 1	8.00 11.00		2	383	110	22	00000	
	B000	B102	INCT2020001	1 1	8.00 11.00	1	6	383	110	22	00000	
	B000	B102	INTE1200E02	1 1	8.00 11.00	1	3	383	110	22	00000	
	B000	B102	INTE2020001	1 1	8.00 11.00	1	4	383	110	22	00000	
	B000	B102	INCT1100001	1 1	8.00 11.00		2	383	110	22	00000	
	B000	B102	INTE1100001	1 1	8.00 11.00	1	11	383	110	22	00000	
	B000	B102	CPTR1010001	1 1	11.45 14.45		4	383	110	22	00000	
	B000	B102	INCT1200001	1 1	11.45 14.45	1	2	383	110	22	00000	
	B000	B102	INCT2902001	1 1	11.45 14.45	1	4	383	110	22	00000	
	B000	B102	INTE1200001	1 1	11.45 14.45	1	10	383	110	22	00000	
	B000	B102	INCT1110001	1 1	11.45 14.45		3	383	110	22	00000	
	B000	B102	INTE1110001	1 1	11.45 14.45	1	10	383	110	22	00000	
	B000	B102	INCT2010001	1 1	16.00 19.00		9	383	110	22	00000	
	B000	B102	INCT1210001	1 1	16.00 19.00		3	383	110	22	00000	
	B000	B102	INTE1210001	1 1	16.00 19.00	1	1	383	110	22	00000	
	B000	B103	SPCH1015001	1 1	11.00 12.15		5	297	110	20	00000	
	B000	B103	KYBD1010001	1	11.45 14.45	1	5	297	110	20	00000	
	B000	B103	INTE2010001	1 1	16.00 19.00		3	297	110	20	00000	
4	C000	C101	HACR1210001	111111	8.00 15.00		3	78	110	13	00000	
4	C000	C101	HACR1220001	111111	8.00 15.00	1	4	78	110	13	00000	
4	C000	C101	HACR1230001	111111	8.00 15.00	1	5	78	110	13	00000	
4	C000	C101	HACR1240001	111111	8.00 15.00	1	3	78	110	13	00000	
4	8	C000	C101	HACR2530001	111111	8.00 15.00	1	16	78	110	13	00000
4	8	C000	C101	HACR2540001	111111	8.00 15.00	1	16	78	110	13	00000
4	8	C000	C101	HACR2550001	111111	8.00 15.00	1	14	78	110	13	00000
4	8	C000	C101	HACR2560001	111111	8.00 15.00	1	14	78	110	13	00000
	C000	C101	HACR1210001	1 1	17.00 17.45		2	78	110	13	00000	
	C000	C101	HACR2530001	1 1	17.00 17.45	1	1	78	110	13	00000	
	C000	C101	HACR1220001	1 1	17.46 18.30		2	78	110	13	00000	
	C000	C101	HACR2540001	1 1	17.46 18.30	1	2	78	110	13	00000	
	C000	C101	HACR1230001	1 1	18.31 19.15		1	78	110	13	00000	
	C000	C101	HACR2550001	1 1	18.31 19.15	1	1	78	110	13	00000	
	C000	C101	HACR2560001	1 1	19.16 20.00		1	78	110	13	00000	
4	C000	C102	HACR1150001	111111	8.00 15.00		14	274	110	13	00000	
4	8	C000	C102	HACR1160001	111111	8.00 15.00	1	14	274	110	13	00000
4	8	C000	C102	HACR1170001	111111	8.00 15.00	1	16	274	110	13	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	C000 C102	HACR1180001	11111	8.00 15.00	1	19	274	110 13 00000
4	8	C000 C102	HACR1410001	11111	8.00 15.00	1	1	274	110 13 00000
4	8	C000 C102	HACR1420001	11111	8.00 15.00	1	1	274	110 13 00000
4	8	C000 C102	HACR2510001	11111	8.00 15.00	1	1	274	110 13 00000
4	8	C000 C102	HACR2520001	11111	8.00 15.00	1	1	274	110 13 00000
	8	C000 C102	HACR1160001	111	12.15 14.30	1	12	274	110 13 00000
		C000 C102	HACR1150001	1 1	17.00 17.45		9	274	110 13 00000
		C000 C102	HACR1160001	1 1	17.46 18.30		9	274	110 13 00000
		C000 C102	HACR1170001	1 1	18.31 19.15		2	274	110 13 00000
		C000 C102	HACR1180001	1 1	19.16 20.00		5	274	110 13 00000
		C000 C103	CLRP1110001	11111	8.00 10.00		9	33	110 25 00000
		C000 C103	CLRP1131001	11111	8.00 10.00	1	4	33	110 25 00000
		C000 C104	CLRP1121001	11111	8.00 10.30		9	33	110 22 00000
4		C000 C104	CLRP1110001	11111	8.00 14.45	1	8	33	110 22 00000
4		C000 C104	CLRP1121001	11111	8.00 14.45	1	8	33	110 22 00000
4		C000 C104	CLRP1131001	11111	8.00 14.45	1	8	33	110 22 00000
4	8	C000 C104	CLRP1140001	11111	8.00 14.45	1	1	33	110 22 00000
4	8	C000 C104	CLRP1150001	11111	8.00 14.45	1	6	33	110 22 00000
4	8	C000 C104	CLRP1210001	11111	8.00 14.45	1	8	33	110 22 00000
4	8	C000 C104	CLRP1220001	11111	8.00 14.45	1	8	33	110 22 00000
4	8	C000 C104	CLRP1230001	11111	8.00 14.45	1	9	33	110 22 00000
4	8	C000 C104	CLRP1311001	11111	8.00 14.45	1	5	33	110 22 00000
4	8	C000 C104	CLRP1320001	11111	8.00 14.45	1	2	33	110 22 00000
4	8	C000 C104	CLRP2111001	11111	8.00 14.45	1	4	33	110 22 00000
4	8	C000 C104	CLRP2121001	11111	8.00 14.45	1	3	33	110 22 00000
4	8	C000 C104	CLRP2130001	11111	8.00 14.45	1	10	33	110 22 00000
4	8	C000 C104	CLRP2140001	11111	8.00 14.45	1	11	33	110 22 00000
4		D000 D102	WELD1110001	11111	8.00 14.45		23	1,040	110 43 00000
4		D000 D102	WELD2110001	11111	8.00 14.45	1	9	1,040	110 43 00000
		D000 D106	DPET1120001	11111	8.00 11.00		8	67	110 25 00000
4		D000 D106	DPET2140001	11111	8.00 14.00	1	17	67	110 25 00000
4	8	D000 D106	DPET1310001	11111	8.00 14.30	1	14	67	110 25 00000
4	8	D000 D106	DPET1330001	11111	8.00 14.30	1	11	67	110 25 00000
4	8	D000 D106	DPET2210001	11111	8.00 14.30	1	19	67	110 25 00000
4	8	D000 D106	DPET2240001	11111	8.00 14.30	1	4	67	110 25 00000
	8	D000 D106	DPET1320001	11111	12.00 14.30	1	10	67	110 25 00000
		D000 D108	DPET2110001	11111	8.00 14.30		3	4,845	210 45 00000
4		D000 D112	WELD1120001	11111	8.00 14.45		30	72	210 30 00000
4	8	D000 D112	WELD1130001	11111	8.00 14.45	1	27	72	210 30 00000
4	8	D000 D112	WELD1140001	11111	8.00 14.45	1	27	72	210 30 00000
4	8	D000 D112	WELD1210001	11111	8.00 14.45	1	24	72	210 30 00000
4	8	D000 D112	WELD1310001	11111	8.00 14.45	1	7	72	210 30 00000
4	8	D000 D112	WELD1410001	11111	8.00 14.45	1	7	72	210 30 00000
4	8	D000 D112	WELD1411001	11111	8.00 14.45	1	8	72	210 30 00000
4	8	D000 D112	WELD1412001	11111	8.00 14.45	1	8	72	210 30 00000
4	8	D000 D112	WELD1420001	11111	8.00 14.45	1	4	72	210 30 00000
4	8	D000 D112	WELD1510001	11111	8.00 14.45	1	5	72	210 30 00000
4	8	D000 D112	WELD1511001	11111	8.00 14.45	1	5	72	210 30 00000
4	8	D000 D112	WELD1512001	11111	8.00 14.45	1	5	72	210 30 00000
4	8	D000 D112	WELD2111001	11111	8.00 14.45	1	12	72	210 30 00000
4	8	D000 D112	WELD2210001	11111	8.00 14.45	1	10	72	210 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	D000 D112	WELD2230001	111111	8.00 14.45	1	10	72	210 30 00000
4	8	D000 D112	WELD2311001	111111	8.00 14.45	1	4	72	210 30 00000
		D000 D112	WELD1110001	111111	17.00 21.00		9	72	210 30 00000
		D000 D112	WELD1120001	111	17.00 21.00	1	15	72	210 30 00000
		D000 D112	WELD1130001	111	17.00 21.00	1	17	72	210 30 00000
	8	D000 D112	WELD1140001	111	17.00 21.00	1	17	72	210 30 00000
	8	D000 D112	WELD1210001	111	17.00 21.00	1	12	72	210 30 00000
	8	D000 D112	WELD1310001	111	17.00 21.00	1	4	72	210 30 00000
	8	D000 D112	WELD1410001	111	17.00 21.00	1	3	72	210 30 00000
	8	D000 D112	WELD1411001	111	17.00 21.00	1	1	72	210 30 00000
	8	D000 D112	WELD1412001	111	17.00 21.00	1	2	72	210 30 00000
	8	D000 D112	WELD1420001	111	17.00 21.00	1	2	72	210 30 00000
	8	D000 D112	WELD1510001	111	17.00 21.00	1	1	72	210 30 00000
	8	D000 D112	WELD1511001	111	17.00 21.00	1	1	72	210 30 00000
	8	D000 D112	WELD1512001	111	17.00 21.00	1	2	72	210 30 00000
	8	D000 D112	WELD2110001	111	17.00 21.00	1	4	72	210 30 00000
	8	D000 D112	WELD2111001	111	17.00 21.00	1	3	72	210 30 00000
	8	D000 D112	WELD2112001	111	17.00 21.00	1	1	72	210 30 00000
	8	D000 D112	WELD2210001	111	17.00 21.00	1	7	72	210 30 00000
	8	D000 D112	WELD2222001	111	17.00 21.00	1	1	72	210 30 00000
	8	D000 D112	WELD2230001	111	17.00 21.00	1	4	72	210 30 00000
	8	D000 D112	WELD2311001	111	17.00 21.00	1	5	72	210 30 00000
4	8	E000 E112	WELD2310001	111111	8.00 14.45		4	124	310 2 00000
	8	E000 E112	WELD2310001	111	17.00 21.00		4	124	310 2 00000
		E000 E115	HNUR1300003	1 1	8.00 11.00		13	130	110 49 00000
		E000 E115	HNUR1320001	1	9.35 11.30	1	22	130	110 49 00000
		E000 E115	HNUR1320003	1 1	12.15 13.15		25	130	110 49 00000
		E000 E115	HNUR1270003	111	13.30 14.30		22	130	110 49 00000
		E000 E115	HNUR1270002	1	17.00 20.00		1	130	110 49 00000
		E000 E118	AHSC1000E03	11	8.00 10.00		12	621	110 35 00000
		E000 E118	AHSC1000E04	11	12.30 14.30		25	621	110 35 00000
		E000 E123	HNUR1270001	1 1	7.30 9.25		34	300	110 48 00000
		E000 E123	MEDS2133001	11	7.30 9.25	1	18	300	110 48 00000
	8	E000 E123	HNUR1211002	1 1 1	7.30 11.30	1	24	300	110 48 00000
	8	E000 E123	HNUR1212001	1	7.30 11.30	1	24	300	110 48 00000
		E000 E123	HNUR2133001	11	7.30 11.30		18	300	110 48 00000
4		E000 E123	HCOR1212001	111111	7.30 15.30	1	17	300	110 48 00000
		E000 E123	HNUR2813001	1	9.35 11.30	1	18	300	110 48 00000
		E000 E123	HNUR2713001	111	12.15 13.15		18	300	110 48 00000
		E000 E123	HNUR1300001	1 1 1	12.15 14.30	1	20	300	110 48 00000
		E000 E123	HNUR2723001	111	13.30 14.30	1	18	300	110 48 00000
		E000 E125	OPET2131001	1 1 1	8.00 9.50		4	494	110 20 00000
		E000 E125	OPET2121001	1 1 1	10.00 10.50		4	494	110 20 00000
		E000 E125	OPET2151001	1 1 1	12.50 14.00		1	494	110 20 00000
4		E000 E126	HPL1022001	111111	7.30 15.30		14	494	110 34 00000
4		E000 E126	HPL1011001	11	8.00 14.00	1	14	494	110 34 00000
4		E000 E126	PHLB1022001	11	8.00 14.00	1	14	494	110 34 00000
4		E000 E126	MAST1210001	11	8.00 14.30		23	494	110 34 00000
		E000 E126	PHLB1022001	1	12.15 14.30		14	494	110 34 00000
4		E000 E127	HNUR1211001	11	7.30 14.30		17	60	210 35 00000
		E000 E127	HEKG1011001	1 1	8.00 11.30		12	60	210 35 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	E000 E127	HEKG1011002	1 1	8.00 15.00	1	12	60	210 35	00000
	E000 E127	HCOR1120001	111	9.30 11.30	1	16	60	210 35	00000
	E000 E127	HMDT1170001	111	12.30 13.30		16	60	210 35	00000
	E000 E130	OPET1111001	1 1 1	8.00 9.50		4	267	210 23	00000
	E000 E130	OPET1221001	1 1 1	8.00 9.50	1	1	267	210 23	00000
	E000 E130	OPET1321001	1 1 1	8.00 9.50	1	3	267	210 23	00000
	E000 E130	OPET1141001	1 1	8.00 9.50		4	267	210 23	00000
	E000 E130	OPET1251001	1 1	8.00 9.50	1	3	267	210 23	00000
	E000 E130	OPET2111001	1 1	8.00 9.50	1	4	267	210 23	00000
	E000 E130	OPET2161001	1 1	8.00 9.50	1	1	267	210 23	00000
4	E000 E130	OPET2130001	1	8.00 14.45	1	1	267	210 23	00000
	E000 E130	OPET1261001	1 1	10.00 10.50	1	2	267	210 23	00000
	E000 E130	OPET1121001	1 1 1	10.00 12.40		3	267	210 23	00000
	E000 E130	OPET1231001	1 1 1	10.00 12.40	1	2	267	210 23	00000
	E000 E130	OPET1331001	1 1 1	10.00 12.40	1	2	267	210 23	00000
	E000 E130	OPET2141001	1 1 1	10.00 12.40	1	3	267	210 23	00000
	E000 E130	OPET1151001	1 1	10.00 12.40		4	267	210 23	00000
	E000 E130	OPET1131001	1 1 1	12.50 14.00		4	267	210 23	00000
	E000 E130	OPET1241001	1 1 1	12.50 14.00	1	2	267	210 23	00000
	E000 E130	OPET1341001	1 1 1	12.50 14.00	1	5	267	210 23	00000
	E000 E130	OPET1161001	1 1	12.50 14.00		1	267	210 23	00000
	E000 E130	OPET1311001	1 1	12.50 14.00	1	3	267	210 23	00000
4	E000 E145	ORNT1000002	1 1	8.00 15.30		68	714	610 65	00000
4	E000 E145	ORNT1000001	11	8.00 15.30		46	714	610 65	00000
	E000 E145	ORNT1000001	111	17.00 21.45		60	714	610 65	00000
	E000 E150	AHMA1000001	1 1	8.00 9.15		1	680	110 150	00000
	E000 E150	AHEN1000001	1 1	8.00 9.15		1	680	110 150	00000
	E000 E150	DVMA0090001	1 1	9.30 10.45		8	680	110 150	00000
	E000 E150	DVEN0090001	1 1	9.30 10.45		4	680	110 150	00000
	E000 E150	MATH1015001	1 1	11.00 12.15		4	680	110 150	00000
	E000 E150	DVMA0090002	1	12.00 14.45		10	680	110 150	00000
	E000 E150	AHEN1000002	1	12.00 14.45		1	680	110 150	00000
	E000 E150	AHRE1000001	1	12.00 14.45		3	680	110 150	00000
	E000 E150	DVRE0090001	1	12.00 14.45	1	5	680	110 150	00000
	E000 E150	DVRE0090002	1	12.00 14.45		3	680	110 150	00000
	E000 E150	DVEN0090002	1	15.00 17.45		5	680	110 150	00000
	E000 E150	DVMA0090003	1	15.00 17.45		19	680	110 150	00000
	E000 E150	AHMA1000002	1	15.00 17.45		3	680	110 150	00000
	E000 E150	DVRE0090002	1	15.00 17.45		5	680	110 150	00000
4	E000 E157	CULN1321001	11111	8.00 13.30		6	449	630 72	00000
	E000 E157	CULN2430001	11111	13.00 15.30	1	4	449	630 72	00000
	E000 E165	GRPH2110001	1111	8.00 10.45		1	46	210 33	00000
	E000 E165	GRPH1300001	1111	8.00 11.00	1	6	46	210 33	00000
	E000 E165	GRPH1420001	1111	8.00 11.00	1	5	46	210 33	00000
	E000 E165	GRPH1530001	1	9.15 10.30		5	46	210 33	00000
	E000 E165	GRPH2120001	1111	10.45 13.45		1	46	210 33	00000
	E000 E165	GRPH1430001	1111	11.30 14.00	1	5	46	210 33	00000
	E000 E167	CULN1110001	11111	8.00 11.00		16	46	110 30	00000
	E000 E167	CULN1160001	11111	8.00 11.00	1	2	46	110 30	00000
4	E000 E167	CULN1240001	11111	8.00 14.00	1	5	46	110 30	00000
	E000 E167	CULN2310001	11111	8.30 12.30	1	5	46	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	E000	E167	CULN1130001	11111	9.30 12.30	1	14	46	110 30 00000
8	E000	E167	CULN1170001	11111	9.30 12.30	1	14	46	110 30 00000
8	E000	E167	CULN1140001	11111	11.30 14.30	1	15	46	110 30 00000
8	E000	E167	CULN1220001	11111	12.00 15.00	1	3	46	110 30 00000
	E000	E169	GRPH1350001	1111	11.30 14.30		6	220	220 20 00000
4	F000	F108	AUTO1630001	11111	8.00 14.45		26	583	110 31 00000
	F000	F109	AUTO1400001	11111	8.00 10.00		34	583	110 20 00000
4	F000	F109	AUTO1200001	11111	8.00 14.45	1	26	583	110 20 00000
4	F000	F109	AUTO1210001	11111	8.00 14.45	1	28	583	110 20 00000
4	F000	F109	AUTO1220001	11111	8.00 14.45	1	27	583	110 20 00000
4	F000	F109	AUTO1230001	11111	8.00 14.45	1	28	583	110 20 00000
4	F000	F109	AUTO1240001	11111	8.00 14.45	1	28	583	110 20 00000
4	F000	F109	AUTO1600001	11111	8.00 14.45	1	25	583	110 20 00000
4	F000	F109	AUTO1610001	11111	8.00 14.45	1	24	583	110 20 00000
4	F000	F109	AUTO1620001	11111	8.00 14.45	1	26	583	110 20 00000
4	F000	F109	AUTO1640001	11111	8.00 14.45	1	26	583	110 20 00000
4	F000	F109	AUTO1650001	11111	8.00 14.45	1	26	583	110 20 00000
4	F000	F109	AUTO1660001	11111	8.00 14.45	1	26	583	110 20 00000
4	F000	F115	ELEC1311001	11111	8.00 13.45		3	782	110 30 00000
4	F000	F115	ELEC1120001	11111	8.00 14.45	1	12	782	110 30 00000
4	F000	F115	ELEC1210001	11111	8.00 14.45	1	3	782	110 30 00000
4	F000	F115	ELEC1410001	11111	8.00 14.45	1	6	782	110 30 00000
4	F000	F115	ELEC1420001	11111	8.00 14.45	1	6	782	110 30 00000
4	F000	F115	ELEC1430001	11111	8.00 14.45	1	10	782	110 30 00000
4	F000	F115	ELEC1440001	11111	8.00 14.45	1	6	782	110 30 00000
4	F000	F115	ELEC2460001	11 11	8.00 14.45	1	10	782	110 30 00000
	F000	F115	ELEC1120001	111	16.30 21.00		4	782	110 30 00000
	F000	F115	ELEC1210001	111	16.30 21.00	1	2	782	110 30 00000
	F000	F115	ELEC1311001	111	16.30 21.00	1	2	782	110 30 00000
	F000	F115	ELEC1330001	111	16.30 21.00	1	4	782	110 30 00000
	F000	F115	ELEC1410001	111	16.30 21.00	1	4	782	110 30 00000
	F000	F115	ELEC1420001	111	16.30 21.00	1	2	782	110 30 00000
	F000	F115	ELEC1430001	111	16.30 21.00	1	1	782	110 30 00000
	F000	F115	ELEC1440001	111	16.30 21.00	1	2	782	110 30 00000
	F000	F115	ELEC2460001	111	16.30 21.00	1	4	782	110 30 00000
	F000	F115	ELEC2995001	1 1	18.00 20.00	1	19	782	110 30 00000
8	F000	F115	ELEC2995002	1 1	18.00 20.00	1	24	782	110 30 00000
8	F000	F115	ELEC2995003	1 1	18.00 20.00	1	10	782	110 30 00000
8	F000	F115	ELEC2995004	1 1	18.00 20.00	1	21	782	110 30 00000
8	F000	F115	ELEC2995005	1 1	18.00 20.00	1	16	782	110 30 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 125

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 103
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 228

TOTAL NUMBER OF RECORDS READ 295
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 295
NUMBER OF JOINT-CLASS RECORDS 196
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			43
TOTAL NUMBER OF STATIONS (CAPACITY)			1336
WEEKLY STUDENT CONTACT HOURS	34484	493	34977
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3870	2150	6020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6366	96	6462
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	120240	66800	187040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	168332	2198	170530
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	68969	986	69955
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	164.5	4.5	107.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	57.4	1.5	37.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.0	44.9	41.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			40
TOTAL NUMBER OF STATIONS (CAPACITY)			1270
WEEKLY STUDENT CONTACT HOURS	34454	433	34887
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3600	2000	5600
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6346	90	6436
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	114300	63500	177800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	167892	2066	169958
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	68909	866	69775
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	176.3	4.5	114.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	60.3	1.4	39.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.0	41.9	41.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			66
WEEKLY STUDENT CONTACT HOURS	30	60	90
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20	6	26
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5940	3300	9240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	440	132	572
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	60	120	180
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	7.4	4.0	6.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.0	3.6	1.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	13.6	90.9	31.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			785
WEEKLY STUDENT CONTACT HOURS	10878	1563	12441
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1890	1050	2940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2894	508	3402
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	70650	39250	109900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	73054	15054	88108
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	21756	3126	24882
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	153.1	48.4	115.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	30.8	8.0	22.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.8	20.8	28.2

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			743
WEEKLY STUDENT CONTACT HOURS	9951	1563	11514
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2085	508	2593
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	66870	37150	104020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	55304	15054	70358
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	19902	3126	23028
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	121.9	53.5	97.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.8	8.4	22.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.0	20.8	32.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			42
WEEKLY STUDENT CONTACT HOURS	927		927
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	809		809
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3780	2100	5880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17750		17750
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1854		1854
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	449.4	.0	288.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	49.0	.0	31.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	10.4	.0	10.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY