

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -SULLIVAN
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0101	ACCT1200A01	1 1 1	8.00 9.30		8	679	110 25	00000
	000A	0101	ACCT1400A01	1 1	8.00 9.50		6	679	110 25	00000
	000A	0101	ACCT1100A01	1 1 1	11.30 12.55		16	679	110 25	00000
	000A	0101	ACCT1100A03	1 1 1	11.30 12.55	1	1	679	110 25	00000
	000A	0101	BOTH1230A01	1 1 1	13.00 13.50		10	679	110 25	00000
	000A	0101	BOTH1230A02	1 1 1	13.00 13.50	1	1	679	110 25	00000
	000A	0101	ENGL1015A01	1	16.30 19.30		20	679	110 25	00000
	000A	0104	BUSE1030A01	1 1 1	9.00 9.50		20	610	110 32	00000
	000A	0104	BOTH1210A01	1 1	9.30 10.45		13	610	110 32	00000
	000A	0104	BOTH1210A02	1 1	9.30 10.45	1	1	610	110 32	00000
	000A	0104	CSRV1000A01	1 1	10.00 11.15		26	610	110 32	00000
	000A	0104	BOTH1300A01	1 1	11.00 12.15		13	610	110 32	00000
	000A	0104	BOTH1300A03	1 1	11.00 12.15	1	1	610	110 32	00000
	000A	0104	BOTH2110A01	1 1 1	11.30 12.20		7	610	110 32	00000
	000A	0104	JOBS2450A02	1 1	13.00 13.50		7	610	110 32	00000
	000A	0104	HIST2010A01	1	17.00 20.00		6	610	110 32	00000
	000A	0106	KYBD1010A01	1 1 1	8.00 8.50		15	982	210 25	00000
	000A	0106	KYBD1010A02	1 1	8.00 9.15		16	982	210 25	00000
	000A	0106	KYBD1111A01	1 1 1	13.00 14.05		13	982	210 25	00000
	000A	0106	KYBD1111A02	1 1 1	13.30 14.35	1	2	982	210 25	00000
	000A	0106	KYBD1010A03	1	16.00 19.00		3	982	210 25	00000
	000A	0107	MATR1350A01	1 1 1	9.30 10.30		1	884	210 23	00000
	000A	0107	ISYS1650A01	1 1 1	9.30 10.45	1	1	884	210 23	00000
	000A	0107	CPTR1320A01	1 1 1	9.30 10.55	1	2	884	210 23	00000
	000A	0107	ISYS1400A01	1 1 1	9.30 11.00	1	1	884	210 23	00000
	000A	0107	ISYS1440A01	1 1 1	9.30 11.00	1	2	884	210 23	00000
	000A	0107	CPTR1310A02	1 1	10.00 11.15		5	884	210 23	00000
	000A	0107	MATR1350A02	1 1	10.00 11.30	1	2	884	210 23	00000
	000A	0107	ACCT1500A02	1 1	10.00 11.45	1	1	884	210 23	00000
	000A	0107	CPTR1320A02	1 1	10.00 11.45	1	9	884	210 23	00000
	000A	0107	ISYS1440A02	1 1	10.00 12.05	1	1	884	210 23	00000
	000A	0107	CPTR1002A01	1 1	11.45 12.30	1	11	884	210 23	00000
	000A	0107	CPTR1310A03	1 1	13.00 14.15		1	884	210 23	00000
	000A	0107	ISYS1650A03	1 1	13.00 14.30	1	1	884	210 23	00000
	000A	0107	CPTR1320A03	1 1	13.00 14.45	1	5	884	210 23	00000
	000A	0107	ISYS1400A03	1 1	13.00 15.05	1	1	884	210 23	00000
	000A	0107	OSYS1100A02	1 1 1	14.00 14.50		1	884	210 23	00000
	000A	0107	OSYS1100A01	1 1 1	14.15 15.05	1	15	884	210 23	00000
4	000A	0108	HCOR1212A02	11111	7.30 15.30		11	724	110 35	00000
4	000A	0108	HEKG1113A01	11111	8.00 14.00	1	12	724	110 35	00000
4	000A	0108	HNUR1211A03	1 1 1	8.00 14.00	1	11	724	110 35	00000
4	000A	0108	HCOR1200A01	1 1	8.00 14.00		17	724	110 35	00000
	000A	0202	CDYC1320A02	1 1	9.30 10.45		15	583	110 40	00000
	000A	0202	ZNCR1000A01	11111	14.00 16.00		5	583	110 40	00000
	000A	0202	CDYC1330A01	1	18.00 21.00		13	583	110 40	00000
	000A	0204	CDYC1110A01	1 1	8.00 9.15		12	598	220 40	00000
4	000A	0301	HNUR2713A02	11	6.30 14.30		6	1,100	110 32	00000
	000A	0301	HNUR1460A01	11111	8.00 11.00	1	8	1,100	110 32	00000
	000A	0301	HNUR1460A02	11111	8.00 11.00	1	6	1,100	110 32	00000
4	000A	0301	HNUR2713A01	1 11	8.00 15.00	1	13	1,100	110 32	00000
	000A	0301	HNUR2123A02	1 11	12.00 15.00	1	6	1,100	110 32	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A 0401	HCOR1212A07	11111	7.30 13.30		5	1,230	110 56	00000
	000A 0401	ORNT1000A06	1 1 1	8.00 10.00	1	27	1,230	110 56	00000
	000A 0401	HNUR1300A01	1 1 1	8.00 11.00	1	31	1,230	110 56	00000
4	000A 0401	HNUR1211A04	1 1 1	8.00 14.00	1	5	1,230	110 56	00000
4	000A 0401	HNUR1211A01	1 1	8.00 15.00		28	1,230	110 56	00000
4	000A 0401	HNUR1411A01	1 1	8.00 15.00	1	28	1,230	110 56	00000
8	000A 0401	HNUR1270A01	11111	12.00 13.30	1	32	1,230	110 56	00000
	000A 0401	HNUR1320A01	1 1 1	13.30 15.00		32	1,230	110 56	00000
	000A 0401	HNUR1361A01	1 1 1	13.30 15.00	1	32	1,230	110 56	00000
	000A 0406	CADD1210A01	11111	8.00 9.30		5	1,168	240 31	00000
	000A 0406	CADD1215A01	11111	8.00 9.30	1	2	1,168	240 31	00000
	000A 0406	CADD2310A01	11111	8.00 9.30	1	1	1,168	240 31	00000
	000A 0406	DRFT1145A01	11111	8.00 9.30	1	4	1,168	240 31	00000
	000A 0406	DRFT1210A01	11111	9.20 10.30	1	1	1,168	240 31	00000
	000A 0406	DRFT1215A01	11111	9.20 10.30	1	6	1,168	240 31	00000
	000A 0406	DRFT2310A01	11111	9.30 10.50	1	5	1,168	240 31	00000
	000A 0406	DRFT2340A01	11111	9.30 10.50	1	3	1,168	240 31	00000
	000A 0406	DRFT2320A01	11111	10.30 11.50	1	6	1,168	240 31	00000
	000A 0406	DRFT2350A01	11111	10.30 11.50	1	3	1,168	240 31	00000
	000A 0406	DRFT1110A01	1 1 1	10.40 11.30	1	3	1,168	240 31	00000
	000A 0406	DRFT1161A01	1 1	10.40 12.50		4	1,168	240 31	00000
	000A 0406	DRFT1120A01	1 1 1	12.00 12.50		3	1,168	240 31	00000
	000A 0406	DRFT2330A01	11111	12.30 13.50	1	5	1,168	240 31	00000
	000A 0406	DRFT2360A01	11111	12.30 13.50	1	4	1,168	240 31	00000
	000A 0406	DRFT1230A01	1 1	12.30 14.00	1	6	1,168	240 31	00000
	000A 0406	DRFT1130A01	1 1 1	13.00 13.50		5	1,168	240 31	00000
	000A 0501	INTE1100A01	1 1 1	8.00 9.50		8	951	210 29	00000
	000A 0501	INTE1110A01	1 1 1	8.00 9.50	1	7	951	210 29	00000
	000A 0501	INTE2120A02	1 1	8.00 10.50		2	951	210 29	00000
	000A 0501	INTE1800A01	1 1 1	10.00 11.50		11	951	210 29	00000
	000A 0501	INTE1200A01	1 1	12.00 14.50		8	951	210 29	00000
	000A 0501	INTE2110A01	1 1	12.00 14.50	1	2	951	210 29	00000
	000A 0501	INTE2120A01	1 1	12.00 14.50	1	10	951	210 29	00000
	000A 0501	ORNT1000A01	1	14.00 14.50		24	951	210 29	00000
	000A 0501	ORNT1000A02	1	14.00 14.50		27	951	210 29	00000
	000A 0501	ORNT1000A03	1	14.00 14.50		8	951	210 29	00000
	000A 0501	ORNT1000A04	1	14.50 15.30		32	951	210 29	00000
	000A 0501	INTE2855A01	1	15.30 18.30		7	951	210 29	00000
	000A 0501	ORNT1000A07	1	17.00 18.00		17	951	210 29	00000
	000A 0504	INTE1210A01	1 1 1	8.00 9.50		2	773	210 21	00000
	000A 0504	CPTR1010A01	1 1 1	12.00 14.15		14	773	210 21	00000
	000A 0504	INTE2902A01	1 1 1	13.00 15.15	1	2	773	210 21	00000
	000A 0504	CPTR1000A01	1 1	14.15 15.05		5	773	210 21	00000
	000A 0504	CPTR1000A03	1	15.30 18.30		12	773	210 21	00000
4	000A 0505	HNUR2133A02	11	6.30 14.30		10	1,033	110 34	00000
	000A 0602	AHRE1000A01	1 1 1	8.00 9.15		1	858	210 19	00000
	000A 0602	DVEN0090A01	1 1 1	8.00 9.15	1	2	858	210 19	00000
	000A 0602	DVRE0092A01	1 1 1	8.00 9.15	1	9	858	210 19	00000
	000A 0602	DVEN0091A01	1 1 1	8.00 9.20	1	9	858	210 19	00000
	000A 0602	DVEN0092A01	1 1 1	8.00 9.20	1	2	858	210 19	00000
	000A 0602	DVRE0091A01	1 1 1	8.00 9.20	1	4	858	210 19	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -SULLIVAN
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0602	AHRE1000A05	1 1	8.00 9.50		2	858	210 19	00000
	000A	0602	DVEN0090A05	1 1	8.00 10.15	1	3	858	210 19	00000
	000A	0602	DVEN0091A05	1 1	8.00 10.15	1	3	858	210 19	00000
	000A	0602	DVEN0092A05	1 1	8.00 10.15	1	6	858	210 19	00000
	000A	0602	DVRE0090A05	1 1	8.00 10.15	1	2	858	210 19	00000
	000A	0602	DVRE0091A05	1 1	8.00 10.15	1	5	858	210 19	00000
	000A	0602	DVRE0092A05	1 1	8.00 10.15	1	6	858	210 19	00000
	000A	0602	DVEN0090A02	1 1 1	9.30 10.45		3	858	210 19	00000
	000A	0602	DVEN0091A02	1 1 1	9.30 10.50	1	3	858	210 19	00000
	000A	0602	DVEN0091A08	1 1 1	9.30 10.50	1	1	858	210 19	00000
	000A	0602	DVEN0092A02	1 1 1	9.30 10.50	1	9	858	210 19	00000
	000A	0602	DVRE0091A02	1 1 1	9.30 10.50	1	5	858	210 19	00000
	000A	0602	DVRE0092A02	1 1 1	9.30 10.50	1	3	858	210 19	00000
	000A	0602	DVEN0090A03	1 1 1	12.00 13.15		1	858	210 19	00000
	000A	0602	DVRE0092A03	1 1 1	12.00 13.15	1	4	858	210 19	00000
	000A	0602	DVEN0091A03	1 1 1	12.00 13.20	1	7	858	210 19	00000
	000A	0602	DVEN0092A03	1 1 1	12.00 13.20	1	2	858	210 19	00000
	000A	0602	DVRE0090A03	1 1 1	12.00 13.20	1	2	858	210 19	00000
	000A	0602	DVRE0091A03	1 1 1	12.00 13.20	1	4	858	210 19	00000
	000A	0602	AHEN1000A06	1 1	12.00 13.50		1	858	210 19	00000
	000A	0602	AHRE1000A06	1 1	12.00 13.50	1	1	858	210 19	00000
	000A	0602	DVRE0090A06	1 1	12.00 14.14	1	2	858	210 19	00000
	000A	0602	DVEN0091A06	1 1	12.00 14.15	1	1	858	210 19	00000
	000A	0602	DVEN0092A06	1 1	12.00 14.15	1	3	858	210 19	00000
	000A	0602	DVRE0091A06	1 1	12.00 14.15	1	4	858	210 19	00000
	000A	0602	DVRE0092A06	1 1	12.00 14.15	1	3	858	210 19	00000
	000A	0602	AHEN1000A04	1 1 1	13.30 14.45		2	858	210 19	00000
	000A	0602	DVEN0090A04	1 1 1	13.30 14.45	1	1	858	210 19	00000
	000A	0602	DVEN0091A04	1 1 1	13.30 14.50	1	1	858	210 19	00000
	000A	0602	DVRE0090A04	1 1 1	13.30 14.50	1	2	858	210 19	00000
	000A	0602	DVRE0091A04	1 1 1	13.30 14.50	1	3	858	210 19	00000
	000A	0602	DVRE0092A04	1 1 1	13.30 14.50	1	3	858	210 19	00000
	000A	0602	DVEN0092A04	1 1 1	13.30 15.00	1	4	858	210 19	00000
	000A	0602	DVEN0090A07	1	15.30 19.30		3	858	210 19	00000
	000A	0602	DVEN0091A07	1	15.30 19.30	1	2	858	210 19	00000
	000A	0602	DVEN0091A09	1	15.30 19.30	1	1	858	210 19	00000
	000A	0602	DVEN0092A07	1	15.30 19.30	1	3	858	210 19	00000
	000A	0602	DVRE0091A07	1	15.30 19.30	1	4	858	210 19	00000
	000A	0602	DVRE0092A07	1	15.30 19.30	1	2	858	210 19	00000
	000A	0604	AHMA1000A01	1 1 1	8.00 9.15		2	682	210 21	00000
	000A	0604	DVMA0090A01	1 1 1	8.00 9.20	1	25	682	210 21	00000
	000A	0604	DVMA0091A02	1 1	8.00 9.55		12	682	210 21	00000
	000A	0604	DVMA0092A01	1 1 1	9.30 10.50		8	682	210 21	00000
	000A	0604	DVMA0092A02	1 1	10.00 11.55		5	682	210 21	00000
	000A	0604	DVMA0091A01	1 1 1	12.00 13.20		12	682	210 21	00000
	000A	0604	AHMA1000A02	1 1	12.00 13.50		1	682	210 21	00000
	000A	0604	DVMA0090A02	1 1	12.00 13.55	1	22	682	210 21	00000
	000A	0604	DVMA0090A06	1 1	12.00 13.55	1	1	682	210 21	00000
	000A	0604	AHSC1000A01	1 1 1	13.30 14.50		4	682	210 21	00000
	000A	0604	AHSC1000A04	1	13.30 19.30		1	682	210 21	00000
	000A	0604	DVMA0090A04	1 1 1	14.10 15.30		1	682	210 21	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -SULLIVAN
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0604	DVMA0092A03	1 1 1	14.10 15.30	1	2	682	210 21	00000
	000A	0604	AHSC1000A02	1	15.30 19.30		6	682	210 21	00000
	000A	0604	DVMA0091A03	1	16.00 20.00	1	3	682	210 21	00000
	000A	0604	MATH1015A01	1	17.00 20.00		16	682	210 21	00000
	000A	0604	AHMA1000A03	1	17.00 20.30		2	682	210 21	00000
	000A	0604	AHMA1000A04	1	17.00 20.30	1	1	682	210 21	00000
	000A	0604	DVMA0090A03	1	17.00 21.00	1	10	682	210 21	00000
	000A	0608	CRMJ1230A01	1 1 1	8.00 8.50		7	708	110 31	00000
	000A	0608	CRMJ1110A01	1 1	8.00 9.15		7	708	110 31	00000
	000A	0608	CRMJ1110A04	1 1	8.00 9.15	1	1	708	110 31	00000
	000A	0608	CRMJ1310A01	1 1 1	9.00 9.50		11	708	110 31	00000
	000A	0608	CRMJ1120A01	1 1	9.20 10.35		7	708	110 31	00000
	000A	0608	CRMJ1120A04	1 1	9.20 10.35	1	1	708	110 31	00000
	000A	0608	CRMJ1220A01	1 1	10.45 11.55		8	708	110 31	00000
	000A	0608	CRMJ1220A03	1 1	10.45 11.55	1	1	708	110 31	00000
	000A	0608	CRMJ1322A01	1 1 1	11.00 11.50		7	708	110 31	00000
	000A	0608	CRMJ1330A01	1 1 1	13.00 13.50		10	708	110 31	00000
	000A	0608	SOCL2112A01	1 1	13.00 14.15		6	708	110 31	00000
	000A	0608	SOCL2112A03	1 1	13.00 14.15	1	1	708	110 31	00000
	000A	0608	CRMJ2552A01	1 1 1	14.00 14.50		1	708	110 31	00000
	000C	2101	JIND1300A01	11	17.00 21.00		5	1,023	220 15	00000
	000C	2101	JIND2300A01	11	17.00 21.00	1	6	1,023	220 15	00000
	000C	2101	JIND1200A01	1	17.00 21.00	1	10	1,023	220 15	00000
	000C	2101	JIND1210A01	1	17.00 21.00		10	1,023	220 15	00000
	000C	2104	JIND1100A01	1	17.00 21.00		13	567	220 14	00000
	000C	2104	JIND1110A01	1	17.00 21.00		13	567	220 14	00000
	000D	1800	WELD1130A03	111111	7.30 8.30		2	2,780	210 15	00000
	000D	1800	WELD1412A01	111111	7.30 8.50	1	2	2,780	210 15	00000
	000D	1800	WELD1512A01	111111	8.00 9.30	1	1	2,780	210 15	00000
	000D	1800	WELD1420A01	111111	8.00 9.50	1	2	2,780	210 15	00000
	000D	1800	WELD1411A01	111111	8.00 10.30	1	1	2,780	210 15	00000
	000D	1800	WELD1412A02	111111	8.50 10.20	1	1	2,780	210 15	00000
	000D	1800	WELD1310A01	111111	8.50 10.30	1	4	2,780	210 15	00000
	000D	1800	WELD1510A02	111111	9.30 10.55	1	1	2,780	210 15	00000
	000D	1800	WELD1410A04	111111	10.00 10.50	1	8	2,780	210 15	00000
	000D	1800	WELD1130A01	111111	10.00 10.55	1	1	2,780	210 15	00000
8	000D	1800	WELD1512A02	111111	10.00 11.30	1	1	2,780	210 15	00000
8	000D	1800	WELD2220A02	111111	10.00 11.30	1	1	2,780	210 15	00000
	000D	1800	WELD1130A02	111111	12.00 12.55		1	2,780	210 15	00000
	000D	1800	WELD1412A03	111111	12.00 13.20	1	1	2,780	210 15	00000
	000D	1800	WELD1310A02	111111	12.00 13.30	1	1	2,780	210 15	00000
	000D	1800	WELD1511A03	111111	12.00 13.30	1	3	2,780	210 15	00000
	000D	1800	WELD1510A03	111111	12.30 14.30	1	1	2,780	210 15	00000
	000D	1800	WELD1140A01	111111	13.00 14.50	1	1	2,780	210 15	00000
	000D	1800	WELD2110A01	111111	13.20 14.30	1	3	2,780	210 15	00000
	000D	1800	WELD1420A04	111111	13.33 15.00	1	2	2,780	210 15	00000
	000D	1800	WELD1411A04	11 1	17.00 21.00		7	2,780	210 15	00000
	000D	1800	WELD1110A04	1 1	17.00 21.00	1	1	2,780	210 15	00000
	000D	1800	WELD1110A05	1 1	17.00 21.00	1	1	2,780	210 15	00000
	000D	1800	WELD1410A05	1 1	17.00 21.00	1	1	2,780	210 15	00000
	000D	1801	WELD2210A01	111111	8.00 9.20		2	140	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000D 1801	WELD2221A01	111111	8.00 9.30	1	1	140	110 15	00000
	000D 1801	WELD1110A01	111111	8.00 9.50	1	8	140	110 15	00000
	000D 1801	WELD2310A01	111111	8.00 10.10	1	1	140	110 15	00000
	000D 1801	WELD2111A01	111111	8.00 10.30	1	5	140	110 15	00000
	000D 1801	WELD2311A01	111111	8.00 10.30	1	1	140	110 15	00000
	000D 1801	WELD1120A01	111111	9.00 10.55	1	3	140	110 15	00000
	000D 1801	WELD2222A02	111111	10.00 11.30	1	1	140	110 15	00000
8	000D 1801	WELD2210A04	111111	10.35 11.55	1	3	140	110 15	00000
8	000D 1801	WELD2111A04	111111	11.00 11.55	1	2	140	110 15	00000
	000D 1801	WELD1210A01	111111	12.00 12.55		8	140	110 15	00000
	000D 1801	WELD2310A03	111111	12.00 13.10	1	1	140	110 15	00000
	000D 1801	WELD2110A03	111111	12.00 13.20	1	1	140	110 15	00000
	000D 1801	WELD2311A02	111111	12.00 14.30	1	1	140	110 15	00000
	000D 1801	WELD1120A02	111111	13.00 13.50	1	11	140	110 15	00000
	000D 1801	WELD2222A03	111111	13.00 14.30	1	1	140	110 15	00000
8	000D 1801	WELD2111A03	111111	13.20 14.30	1	2	140	110 15	00000
8	000D 1801	WELD2311A03	111111	13.20 14.30	1	3	140	110 15	00000
	000D 1801	WELD1140A05	1 1	17.00 21.00		1	140	110 15	00000
	000D 1801	WELD1210A04	1 1	17.00 21.00	1	1	140	110 15	00000
	000D 1801	WELD1411A05	1 1	17.00 21.00	1	2	140	110 15	00000
	000D 1801	WELD2230A01	1 1	17.00 21.00	1	2	140	110 15	00000
4	000M 0901	HACR1420A01	111111	8.00 14.00		2	2,127	210 15	00000
4	000M 0901	HACR2530A01	111111	8.00 14.00	1	1	2,127	210 15	00000
4	000M 0901	HACR2540A01	111111	8.00 14.00	1	4	2,127	210 15	00000
4	000M 0901	HACR2550A01	111111	8.00 14.00	1	4	2,127	210 15	00000
4	000M 0901	HACR2560A01	111111	8.00 14.00	1	3	2,127	210 15	00000
4	000M 0901	HACR2810A01	111111	8.00 14.00	1	1	2,127	210 15	00000
4	000M 0901	HACR2830A01	111111	8.00 14.00	1	1	2,127	210 15	00000
4	000M 0901	HACR2910A01	111111	8.00 14.00	1	1	2,127	210 15	00000
4	000M 0901	HACR2820A01	111111	8.00 15.00	1	1	2,127	210 15	00000
4	000M 0901	HACR2820A02	111111	8.00 15.00	1	1	2,127	210 15	00000
4	000M 0901	HACR2920A01	111111	8.00 15.00	1	1	2,127	210 15	00000
	000M 0901	JOBS2450A01	1	15.30 17.30		10	2,127	210 15	00000
4	000M 0906	HACR1150A01	111111	8.00 14.00		8	530	110 15	00000
4	000M 0906	HACR1160A01	111111	8.00 14.00	1	8	530	110 15	00000
4	8 000M 0906	HACR1170A01	111111	8.00 14.00	1	8	530	110 15	00000
4	8 000M 0906	HACR1180A01	111111	8.00 14.00	1	8	530	110 15	00000
	000M 0906	HACR2996A01	1 1	16.00 19.30		11	530	110 15	00000
	000M 1006	MTTC2310A01	111111	7.30 8.29		3	530	110 15	00000
	000M 1006	MTTC2110A03	111111	7.30 9.30	1	4	530	110 15	00000
	000M 1006	MTTC2120A01	111111	7.30 9.30	1	1	530	110 15	00000
	000M 1006	MTTC2230A02	111111	7.30 9.30	1	1	530	110 15	00000
	000M 1006	MTTC2431A01	111111	7.30 9.30	1	2	530	110 15	00000
	000M 1006	MTTC2991A01	1 1 1	8.00 8.50	1	1	530	110 15	00000
	000M 1006	MTTC2320A01	111111	8.30 10.09	1	4	530	110 15	00000
	000M 1006	MTTC2120A02	111111	9.45 11.45	1	4	530	110 15	00000
	000M 1006	MTTC2220A02	111111	10.00 10.45	1	1	530	110 15	00000
	000M 1006	MTTC2510A01	111111	10.00 10.45	1	1	530	110 15	00000
8	000M 1006	MTTC2331A01	111111	10.10 12.10	1	4	530	110 15	00000
8	000M 1006	MTTC2210A03	111111	12.00 12.50	1	1	530	110 15	00000
8	000M 1006	MTTC2120A03	111111	12.00 13.55	1	2	530	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000M 1006	MTTC2710A01	111111	12.00 13.55	1	2	530	110 15	00000
8	000M 1006	MTTC2230A01	111111	12.45 14.45	1	4	530	110 15	00000
	000M 1107	BLDG1130A01	111111	8.00 9.40		7	529	110 15	00000
4	000M 1107	BLDG1110A01	111111	9.30 9.55	1	6	529	110 15	00000
	000M 1107	BLDG1410A01	111111	9.45 10.55	1	3	529	110 15	00000
	000M 1107	BLDG1140A01	111111	10.00 10.55	1	7	529	110 15	00000
4	000M 1107	BLDG1330A01	111111	12.00 12.25		7	529	110 15	00000
	000M 1107	BLDG1420A01	111111	12.00 13.55	1	3	529	110 15	00000
	000M 1107	BLDG1320A01	111111	12.00 14.30	1	1	529	110 15	00000
	000M 1107	BLDG1120A01	111111	12.30 13.15	1	6	529	110 15	00000
4	000M 1107	BLDG1440A01	111111	13.30 13.55		6	529	110 15	00000
	000M 1107	BLDG1150A01	111111	14.00 15.00		3	529	110 15	00000
	000M 1107	BLDG1430A01	111111	14.00 15.00	1	1	529	110 15	00000
	000M 1206	DPET1210A01	111111	8.00 9.20		5	529	110 16	00000
	000M 1206	DPET2240A03	111111	10.00 10.50		1	529	110 16	00000
	000M 1206	DPET2130A01	111111	11.45 13.25		3	529	110 16	00000
	000M 1206	DPET2130A03	111111	12.50 14.30	1	1	529	110 16	00000
	000M 1206	DPET1330A05	111111	13.00 13.50	1	1	529	110 16	00000
	000M 1206	DPET2220A01	111111	13.30 14.50	1	3	529	110 16	00000
	000M 1206	DPET1141A01	111111	13.40 14.50	1	9	529	110 16	00000
	000M 1206	DPET1141A02	111111	13.40 14.50	1	2	529	110 16	00000
	000M 1206	DPET1141A05	111111	13.40 14.50	1	1	529	110 16	00000
	000M 1206	DPET1330A06	111111	14.00 14.50	1	1	529	110 16	00000
	000M 1301	DPET1220A03	111111	8.00 9.10		1	2,828	210 15	00000
	000M 1301	DPET1210A02	111111	8.00 9.20	1	3	2,828	210 15	00000
	000M 1301	DPET1330A01	111111	8.00 9.50	1	1	2,828	210 15	00000
	000M 1301	DPET1220A01	111111	9.30 10.40	1	4	2,828	210 15	00000
	000M 1301	DPET1220A02	111111	9.30 10.40	1	4	2,828	210 15	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 30

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 14
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 44

TOTAL NUMBER OF RECORDS READ 283
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 283
NUMBER OF JOINT-CLASS RECORDS 183
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			411
WEEKLY STUDENT CONTACT HOURS	7023	105	7128
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1530	850	2380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1207	44	1251
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36990	20550	57540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	37387	912	38299
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14047	210	14257
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.9	5.2	52.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.0	1.0	24.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	37.6	23.0	37.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			411
WEEKLY STUDENT CONTACT HOURS	7023	105	7128
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1530	850	2380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1207	44	1251
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36990	20550	57540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	37387	912	38299
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14047	210	14257
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.9	5.2	52.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.0	1.0	24.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	37.6	23.0	37.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			370
WEEKLY STUDENT CONTACT HOURS	3102	495	3597
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	837	118	955
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33300	18500	51800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16859	1902	18761
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6204	991	7195
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	48.9	12.4	35.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.6	5.4	13.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.8	52.1	38.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			268
WEEKLY STUDENT CONTACT HOURS	3066	223	3289
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	831	62	893
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	24120	13400	37520
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16619	1078	17697
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6132	447	6579
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.0	8.9	45.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.4	3.3	17.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.9	41.5	37.2

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			102
WEEKLY STUDENT CONTACT HOURS	36	272	308
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6	56	62
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9180	5100	14280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	240	824	1064
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	72	544	616
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.3	22.4	8.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.8	10.7	4.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.0	66.0	57.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY