

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-ACADIAN
 BRANCH
 PARISH
 RELATION

ACADIAN
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000 0102	OSYS530 002	1 1	8.00 9.15		1	797	210 20	00000	
	A000 0102	KYBD000 001	1 1 1	8.00 9.50	1	13	797	210 20	00000	
	A000 0102	KYBD110 001	1 1 1	8.00 9.50	1	14	797	210 20	00000	
8	A000 0102	KYBD210 001	1 1 1	8.00 9.50	1	8	797	210 20	00000	
8	A000 0102	ACCT100 002	1 1	8.00 12.00	1	1	797	210 20	00000	
8	A000 0102	ACCT200 002	1 1	10.00 12.00	1	1	797	210 20	00000	
8	A000 0102	ISYS450 001	1 1 1	11.00 11.50	1	8	797	210 20	00000	
8	A000 0102	ISYS550 001	1 1 1	11.00 11.50	1	1	797	210 20	00000	
8	A000 0102	ISYS650 001	1 1 1	11.00 11.50	1	3	797	210 20	00000	
8	A000 0102	ISYS650 002	1 1 1	11.00 11.50	1	1	797	210 20	00000	
8	A000 0102	OSYS996 002	1 1 1	11.00 11.50	1	3	797	210 20	00000	
	A000 0102	OSYS530 001	1 1	13.00 15.25		8	797	210 20	00000	
	A000 0102	OSYS530 003	1 1	13.00 15.25	1	1	797	210 20	00000	
	A000 0102	OSYS995 001	1 1 1	15.00 15.30	1	1	797	210 20	00000	
	A000 0102	OSYS996 001	1 1 1	15.00 15.30	1	1	797	210 20	00000	
	A000 0102	ORNT000 009	1 1	15.00 15.50	1	17	797	210 20	00000	
	A000 0104	MACH350 001	1 1 1	10.00 10.50		4	1,081	210 20	00000	
	A000 0104	MAST110 001	1 1 1	10.00 10.50	1	3	1,081	210 20	00000	
	A000 0105	ZMOS201 001	1 1	18.00 20.00		1	1,364	210 25	00000	
	A000 0105	ZMOS601 001	1 1	18.00 20.00	1	10	1,364	210 25	00000	
	A000 0106	ACCT996 001	1 1 1	8.00 8.50		12	1,241	210 24	00000	
	A000 0106	ACCT996 002	1 1 1	8.00 8.50	1	1	1,241	210 24	00000	
	A000 0106	ACCT400 002	1 1 1	9.00 9.50		1	1,241	210 24	00000	
	A000 0106	ACCT400 001	1 1	9.00 9.50	1	7	1,241	210 24	00000	
	A000 0106	ENGL030 001	1 1 1	10.00 10.50		12	1,241	210 24	00000	
	A000 0106	ENGL040 001	1 1 1	10.00 10.50	1	10	1,241	210 24	00000	
	A000 0106	ENGL050 001	1 1 1	10.00 10.50	1	8	1,241	210 24	00000	
	A000 0106	ACCT100 001	1 1 1	13.00 14.50		10	1,241	210 24	00000	
	A000 0106	ACCT200 001	1 1 1	13.00 14.50	1	12	1,241	210 24	00000	
	A000 0108	HCOR212 001	1 1 1	8.00 10.40		19	1,379	210 30	00000	
	A000 0108	HNUR211 001	1	8.00 10.40	1	19	1,379	210 30	00000	
	A000 0108	ORNT000 007	1 1	15.00 15.30		3	1,379	210 30	00000	
	A000 0111	HNUR220 001	1	8.00 10.40		21	2,172	210 40	00000	
	A000 0111	HNUR230 001	1	8.00 10.40	1	21	2,172	210 40	00000	
	A000 0111	HNUR120 001	1	12.15 14.55		21	2,172	210 40	00000	
	A000 0111	HNUR611 001	1	14.00 16.00	1	21	2,172	210 40	00000	
	A000 0113	HPHL022 001	1 1 1	12.00 14.50		12	2,245	210 20	00000	
	A000 0113	HPHL011 001	1 1	12.15 14.55	1	12	2,245	210 20	00000	
	A000 0115	DRFT110 002	11111	8.00 11.00		1	2,292	210 15	00000	
	A000 0115	DRFT140 001	11111	8.00 11.00	1	4	2,292	210 15	00000	
4	A000 0115	CADD210 001	11111	8.00 15.00	1	4	2,292	210 15	00000	
4	A000 0115	CADD310 001	11111	8.00 15.00	1	2	2,292	210 15	00000	
4	A000 0115	DRFT110 001	11111	8.00 15.00	1	4	2,292	210 15	00000	
4	A000 0115	DRFT120 001	11111	8.00 15.00	1	4	2,292	210 15	00000	
4	A000 0115	DRFT130 001	11111	8.00 15.00	1	4	2,292	210 15	00000	
4	8	A000 0115	DRFT150 002	11111	8.00 15.00	1	2	2,292	210 15	00000
4	8	A000 0115	DRFT161 001	11111	8.00 15.00	1	5	2,292	210 15	00000
4	8	A000 0115	DRFT210 001	11111	8.00 15.00	1	2	2,292	210 15	00000
4	8	A000 0115	DRFT220 001	11111	8.00 15.00	1	2	2,292	210 15	00000
4	8	A000 0115	DRFT230 001	11111	8.00 15.00	1	1	2,292	210 15	00000
4	8	A000 0115	DRFT320 001	11111	8.00 15.00	1	1	2,292	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -ACADIAN
 BRANCH
 PARISH
 RELATION

ACADIAN
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0115	DRFT330 001	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	DRFT431 001	11111	8.00 15.00	1	2	2,292	210 15 00000
4	8	A000 0115	DRFT531 001	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	DRFT631 001	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	JOBS450 004	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	ORNT000 008	11111	8.00 15.00	1	4	2,292	210 15 00000
		A000 0117	AHRE000 001	1 1 1	8.00 8.50		2	1,980	210 30 00000
		A000 0117	MATH010 002	1 1 1	8.00 8.50	1	1	1,980	210 30 00000
		A000 0117	AHMA000 001	1 1	8.00 9.15	1	2	1,980	210 30 00000
		A000 0117	CPTR000 001	1 1	8.00 9.15	1	26	1,980	210 30 00000
		A000 0117	AHEN000 001	1 1 1	9.00 9.50	1	3	1,980	210 30 00000
		A000 0117	AHSC000 001	1	9.00 10.40	1	3	1,980	210 30 00000
		A000 0117	CPTR640 001	1 1	11.00 11.50		6	1,980	210 30 00000
		A000 0117	DVEN090 001	1	13.00 13.50		1	1,980	210 30 00000
		A000 0117	DVMA090 001	1	13.00 13.50	1	4	1,980	210 30 00000
		A000 0117	DVRE090 001	1	13.00 13.50	1	2	1,980	210 30 00000
		A000 0117	MAST210 001	1 1 1	13.00 14.50	1	21	1,980	210 30 00000
		A000 0117	DVMA090 002	11111	13.00 15.00	1	1	1,980	210 30 00000
		A000 0117	JOBS2450003	1 1	13.40 14.30	1	8	1,980	210 30 00000
		A000 0117	CPTR640 002	1 1 1	15.00 16.15		3	1,980	210 30 00000
4		B000 0201	JOBS450 001	11111	8.00 14.50		1	4,898	210 20 00000
4		B000 0201	MTTC120 001	11111	8.00 14.50	1	5	4,898	210 20 00000
4		B000 0201	MTTC210 001	11111	8.00 14.50	1	2	4,898	210 20 00000
4		B000 0201	MTTC230 001	11111	8.00 14.50	1	1	4,898	210 20 00000
4		B000 0201	MTTC310 001	11111	8.00 14.50	1	3	4,898	210 20 00000
4		B000 0201	MTTC320 001	11111	8.00 14.50	1	5	4,898	210 20 00000
4		B000 0201	MTTC331 001	11111	8.00 14.50	1	2	4,898	210 20 00000
4		B000 0201	MTTC410 001	11111	8.00 14.50	1	2	4,898	210 20 00000
4		B000 0201	MTTC431 001	11111	8.00 14.50	1	2	4,898	210 20 00000
4		B000 0201	MTTC510 001	11111	8.00 14.50	1	1	4,898	210 20 00000
4		B000 0201	MTTC710 001	11111	8.00 14.50	1	2	4,898	210 20 00000
4		B000 0201	ORNT000 005	11111	8.00 14.50	1	1	4,898	210 20 00000
4	8	B000 0201	ORNT000 006	11111	8.00 14.50	1	4	4,898	210 20 00000
4	8	B000 0201	MTTC110 001	11111	8.00 14.80	1	5	4,898	210 20 00000
4		B000 0202	DPET110 001	11111	8.00 14.50		3	3,972	210 20 00000
4		B000 0202	DPET120 001	11111	8.00 14.50	1	5	3,972	210 20 00000
4		B000 0202	DPET130 001	11111	8.00 14.50	1	6	3,972	210 20 00000
4	9	B000 0202	DPET130 001	11111	8.00 14.50		1	3,972	210 20 00000
4		B000 0202	DPET140 001	11111	8.00 14.50	1	2	3,972	210 20 00000
4	9	B000 0202	DPET140 001	11111	8.00 14.50		1	3,972	210 20 00000
4		B000 0202	DPET141 001	11111	8.00 14.50	1	2	3,972	210 20 00000
4	7	B000 0202	DPET150 001	11111	8.00 14.50	1		3,972	210 20 00000
4		B000 0202	DPET210 001	11111	8.00 14.50	1	3	3,972	210 20 00000
4		B000 0202	DPET220 001	11111	8.00 14.50	1	2	3,972	210 20 00000
4	9	B000 0202	DPET220 001	11111	8.00 14.50		1	3,972	210 20 00000
4	8	B000 0202	DPET231 001	11111	8.00 14.50	1	5	3,972	210 20 00000
4	8	B000 0202	DPET240 001	11111	8.00 14.50	1	2	3,972	210 20 00000
4	89	B000 0202	DPET240 001	11111	8.00 14.50		1	3,972	210 20 00000
4	8	B000 0202	DPET310 001	11111	8.00 14.50	1	5	3,972	210 20 00000
4	8	B000 0202	DPET320 001	11111	8.00 14.50	1	3	3,972	210 20 00000
4	8	B000 0202	DPET330 001	11111	8.00 14.50	1	5	3,972	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-ACADIAN
 BRANCH
 PARISH
 RELATION
 ACADIAN
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	B000 0202	ORNT000 003	111111	15.00 15.30		5	3,972	210 20	00000
4	B000 0207	CTDP131 004	111111	7.00 16.00		2	4,739	210 15	00000
4	B000 0207	CTDP131 005	111111	7.00 16.00	1	2	4,739	210 15	00000
4	B000 0207	CTDP131 007	111111	7.00 16.00	1	2	4,739	210 15	00000
4	B000 0207	CTDP131 008	111111	7.00 16.00	1	2	4,739	210 15	00000
4	B000 0207	CTDP140 003	111111	7.00 16.00	1	3	4,739	210 15	00000
4	B000 0207	CTDP140 005	111111	7.00 16.00	1	3	4,739	210 15	00000
4	B000 0207	CTDP211 001	111111	7.00 16.00	1	6	4,739	210 15	00000
4	B000 0207	CTDP211 003	111111	7.00 16.00	1	3	4,739	210 15	00000
4	B000 0208	WEDL110 001	111111	8.00 14.50		5	6,156	210 24	00000
4	B000 0208	WEDL120 001	111111	8.00 14.50	1	1	6,156	210 24	00000
4	B000 0208	WEDL310 001	111111	8.00 14.50	1	8	6,156	210 24	00000
4	B000 0208	WELD110 001	111111	8.00 14.50	1	3	6,156	210 24	00000
4	B000 0208	WELD110 002	111111	8.00 14.50	1	2	6,156	210 24	00000
4	B000 0208	WELD111 001	111111	8.00 14.50	1	2	6,156	210 24	00000
4	B000 0208	WELD111 002	111111	8.00 14.50	1	1	6,156	210 24	00000
4	B000 0208	WELD130 001	111111	8.00 14.50	1	1	6,156	210 24	00000
4	B000 0208	WELD140 001	111111	8.00 14.50	1	6	6,156	210 24	00000
4	B000 0208	WELD210 001	111111	8.00 14.50	1	5	6,156	210 24	00000
4	9 B000 0208	WELD210 001	111111	8.00 14.50		2	6,156	210 24	00000
4	8 B000 0208	WELD230 001	111111	8.00 14.50	1	2	6,156	210 24	00000
4	8 B000 0208	WELD310 001	111111	8.00 14.50	1	2	6,156	210 24	00000
4	8 B000 0208	WELD310 002	111111	8.00 14.50	1	3	6,156	210 24	00000
4	8 B000 0208	WELD311 001	111111	8.00 14.50	1	2	6,156	210 24	00000
4	8 B000 0208	WELD311 002	111111	8.00 14.50	1	1	6,156	210 24	00000
4	8 B000 0208	WELD320 002	111111	8.00 14.50	1	1	6,156	210 24	00000
4	8 B000 0208	WELD410 001	111111	8.00 14.50	1	6	6,156	210 24	00000
4	8 B000 0208	WELD411 001	111111	8.00 14.50	1	4	6,156	210 24	00000
4	8 B000 0208	WELD412 001	111111	8.00 14.50	1	8	6,156	210 24	00000
4	8 B000 0208	WELD420 001	111111	8.00 14.50	1	6	6,156	210 24	00000
4	8 B000 0208	WELD510 001	111111	8.00 14.50	1	1	6,156	210 24	00000
4	0000 0000	HNUR122 002	1 1 1	6.30 15.30	1	10			00000
4	0000 0000	HNUR122 001	111	6.30 15.30	1	11			00000
4	0000 0000	HNUR222 001	111	6.30 15.30	1	11			00000
4	0000 0000	HNUR232 001	111	6.30 15.30	1	11			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	82
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	1
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	39
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	5
TOTAL ERRORS (INCLUDING WARNINGS)	127
TOTAL NUMBER OF RECORDS READ	137
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	127
NUMBER OF JOINT-CLASS RECORDS	105
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	4

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-ACADIAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			373
WEEKLY STUDENT CONTACT HOURS	9246	44	9290
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1440	800	2240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5554	16	5570
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33570	18650	52220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	109356	400	109756
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18492	88	18580
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	385.7	2.0	248.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	55.1	.5	35.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	16.9	22.0	16.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			373
WEEKLY STUDENT CONTACT HOURS	9246	44	9290
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1440	800	2240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5554	16	5570
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33570	18650	52220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	109356	400	109756
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18492	88	18580
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	385.7	2.0	248.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	55.1	.5	35.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	16.9	22.0	16.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			443
WEEKLY STUDENT CONTACT HOURS	9246	44	9290
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5554	16	5570
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	39870	22150	62020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	109356	400	109756
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18492	88	18580
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	324.8	1.7	209.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	46.4	.4	30.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	16.9	22.0	16.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY