

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2005

RUN DATE 01/23/2006

PAGE NUM 1

PROGRAM I-D:Z235B266.

L.T.C. -BASTROP

BRANCH

PARISH

RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	A0100	KYBD1000008	1 1	8.00 9.20		1	294	650 8	00000
	A000	A0100	KYBD1000009	1 1	9.30 10.50		3	294	650 8	00000
	A000	A0102	ISYS1450001	11111	8.00 8.50		5	1,338	210 26	00000
	A000	A0102	ISYS1550001	11111	8.00 8.50	1	2	1,338	210 26	00000
	A000	A0102	KYBD1210001	11111	8.00 8.50	1	6	1,338	210 26	00000
	A000	A0102	KYBD1310001	11111	8.00 8.50	1	2	1,338	210 26	00000
	A000	A0102	KYBD1000001	1 1 1	8.00 8.50	1	6	1,338	210 26	00000
	A000	A0102	ISYS1650008	1 1	8.00 9.20		1	1,338	210 26	00000
	A000	A0102	ISYS1450002	11111	9.00 9.50	1	3	1,338	210 26	00000
	A000	A0102	ISYS1550002	11111	9.00 9.50	1	4	1,338	210 26	00000
	A000	A0102	ISYS1650002	11111	9.00 9.50	1	6	1,338	210 26	00000
	A000	A0102	KYBD1210002	11111	9.00 9.50	1	1	1,338	210 26	00000
	A000	A0102	ISYS1450003	11111	10.00 10.50		13	1,338	210 26	00000
	A000	A0102	ISYS1550003	11111	10.00 10.50	1	4	1,338	210 26	00000
	A000	A0102	ISYS1650003	11111	10.00 10.50	1	3	1,338	210 26	00000
	A000	A0102	KYBD1210003	11111	10.00 10.50	1	1	1,338	210 26	00000
	A000	A0102	KYBD1000003	1 1 1	10.00 10.50	1	6	1,338	210 26	00000
	A000	A0102	ISYS1450005	11111	12.00 12.50		1	1,338	210 26	00000
	A000	A0102	ISYS1550005	11111	12.00 12.50	1	5	1,338	210 26	00000
	A000	A0102	ISYS1650005	11111	12.00 12.50	1	2	1,338	210 26	00000
	A000	A0102	KYBD1210005	11111	12.00 12.50	1	11	1,338	210 26	00000
	A000	A0102	KYBD1000005	1 1 1	12.00 13.20	1	7	1,338	210 26	00000
	A000	A0102	ISYS1650010	1 1	12.00 13.20		1	1,338	210 26	00000
	A000	A0102	KYBD1000010	1 1	12.00 13.20	1	1	1,338	210 26	00000
	A000	A0102	ISYS1450007	11111	14.00 14.50		2	1,338	210 26	00000
	A000	A0102	ISYS1550007	11111	14.00 14.50	1	1	1,338	210 26	00000
	A000	A0102	KYBD1110007	11111	14.00 14.50	1	2	1,338	210 26	00000
	A000	A0102	KYBD1310007	11111	14.00 14.50	1	2	1,338	210 26	00000
	A000	A0102	KYBD1000007	1 1 1	14.00 14.50	1	10	1,338	210 26	00000
	A000	A0105	ACCT1100001	1 1 1	8.00 8.50		10	1,243	110 83	00000
	A000	A0105	ACCT1100001	1 1	8.00 9.20		10	1,243	110 83	00000
	A000	A0105	CPTR1000001	1 1 1	9.00 9.50		25	1,243	110 83	00000
	A000	A0105	CPTR1300001	1 1 1	9.00 9.50	1	3	1,243	110 83	00000
	A000	A0105	CPTR1000002	1 1	9.30 10.50		25	1,243	110 83	00000
	A000	A0105	MATH1050001	1 1 1	10.00 10.50		18	1,243	110 83	00000
	A000	A0105	ACCT1100002	1 1 1	12.00 12.50		23	1,243	110 83	00000
	A000	A0105	ACCT1100002	1 1	12.00 13.20		23	1,243	110 83	00000
	A000	A0105	CPTR1310001	1 1 1	13.00 13.50		18	1,243	110 83	00000
	A000	A0105	BUSI1000001	1 1	13.20 14.50		17	1,243	110 83	00000
	A000	A0107	DVRE0090001	1 1 1	8.00 8.50		1	1,021	110 68	00000
	A000	A0107	WKEY0070001	1 1 1	8.00 8.50	1	12	1,021	110 68	00000
	A000	A0107	WKEY0070008	1 1	8.00 9.20		8	1,021	110 68	00000
	A000	A0107	DVRE0090001	1 1	8.00 9.30	1	1	1,021	110 68	00000
	A000	A0107	DVRE0091002	1 1	8.00 9.30	1	1	1,021	110 68	00000
	A000	A0107	DVRE0091005	1 1	8.00 9.30	1	1	1,021	110 68	00000
	A000	A0107	DVEN0091002	1 1 1	9.00 9.50		2	1,021	110 68	00000
	A000	A0107	DVMA0090002	1 1 1	9.00 9.50	1	7	1,021	110 68	00000
	A000	A0107	DVRE0090002	1 1 1	9.00 9.50	1	3	1,021	110 68	00000
	A000	A0107	DVRE0091002	1 1 1	9.00 9.50	1	3	1,021	110 68	00000
	A000	A0107	DVEN0090003	1 1	9.30 11.00		1	1,021	110 68	00000
	A000	A0107	DVEN0091003	1 1	9.30 11.00	1	1	1,021	110 68	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -BASTROP
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	A0107	DVEN0091005	1 1	9.30 11.00	1	1	1,021	110 68 00000
	A000	A0107	DVEN0092006	1 1	9.30 11.00	1	2	1,021	110 68 00000
	A000	A0107	DVMA0090002	1 1	9.30 11.00	1	3	1,021	110 68 00000
	A000	A0107	DVMA0090003	1 1	9.30 11.00	1	3	1,021	110 68 00000
	A000	A0107	DVMA0090005	1 1	9.30 11.00	1	2	1,021	110 68 00000
	A000	A0107	DVMA0090006	1 1	9.30 11.00	1	3	1,021	110 68 00000
	A000	A0107	DVRE0090002	1 1	9.30 11.00	1	2	1,021	110 68 00000
	A000	A0107	DVRE0090003	1 1	9.30 11.00	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091002	1 1	9.30 11.00	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091003	1 1	9.30 11.00	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091006	1 1	9.30 11.00	1	1	1,021	110 68 00000
	A000	A0107	DVRE0092003	1 1	9.30 11.00	1	1	1,021	110 68 00000
	A000	A0107	DVEN0090003	1 1 1	10.00 10.50	1	1	1,021	110 68 00000
	A000	A0107	DVEN0091003	1 1 1	10.00 10.50	1	1	1,021	110 68 00000
	A000	A0107	DVEN0092003	1 1 1	10.00 10.50	1	1	1,021	110 68 00000
	A000	A0107	DVMA0090003	1 1 1	10.00 10.50	1	8	1,021	110 68 00000
	A000	A0107	DVRE0090003	1 1 1	10.00 10.50	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091003	1 1 1	10.00 10.50	1	6	1,021	110 68 00000
	A000	A0107	DVRE0092003	1 1 1	10.00 10.50	1	1	1,021	110 68 00000
	A000	A0107	DVMA0090003	1 1	11.00 12.30	5	1	1,021	110 68 00000
	A000	A0107	DVEN0090005	1 1 1	12.00 12.50	1	1	1,021	110 68 00000
	A000	A0107	DVEN0091005	1 1 1	12.00 12.50	1	2	1,021	110 68 00000
	A000	A0107	DVMA0090005	1 1 1	12.00 12.50	1	7	1,021	110 68 00000
	A000	A0107	DVRE0090005	1 1 1	12.00 12.50	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091005	1 1 1	12.00 12.50	1	1	1,021	110 68 00000
	A000	A0107	DVRE0092005	1 1 1	12.00 12.50	1	1	1,021	110 68 00000
	A000	A0107	DVEN0090005	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVEN0091002	1 1	12.00 13.30	1	2	1,021	110 68 00000
	A000	A0107	DVEN0091005	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVEN0091006	1 1	12.00 13.30	1	2	1,021	110 68 00000
	A000	A0107	DVEN0092003	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVMA0090002	1 1	12.00 13.30	1	2	1,021	110 68 00000
	A000	A0107	DVMA0090005	1 1	12.00 13.30	1	4	1,021	110 68 00000
	A000	A0107	DVMA0090006	1 1	12.00 13.30	1	3	1,021	110 68 00000
	A000	A0107	DVRE0090002	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVRE0090005	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091003	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091006	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVRE0092006	1 1	12.00 13.30	1	2	1,021	110 68 00000
	A000	A0107	DVRE0092007	1 1	12.00 13.30	1	1	1,021	110 68 00000
	A000	A0107	DVEN0091006	1 1 1	13.00 13.50	2	1	1,021	110 68 00000
	A000	A0107	DVEN0092006	1 1 1	13.00 13.50	1	2	1,021	110 68 00000
	A000	A0107	DVMA0090006	1 1 1	13.00 13.50	1	10	1,021	110 68 00000
	A000	A0107	DVRE0090006	1 1 1	13.00 13.50	1	2	1,021	110 68 00000
	A000	A0107	DVRE0091006	1 1 1	13.00 13.50	1	9	1,021	110 68 00000
	A000	A0107	DVRE0092006	1 1 1	13.00 13.50	1	4	1,021	110 68 00000
	A000	A0107	DVEN0091002	1 1	13.30 15.00	2	1	1,021	110 68 00000
	A000	A0107	DVMA0090002	1 1	13.30 15.00	1	2	1,021	110 68 00000
	A000	A0107	DVMA0090005	1 1	13.30 15.00	1	1	1,021	110 68 00000
	A000	A0107	DVMA0090006	1 1	13.30 15.00	1	4	1,021	110 68 00000
	A000	A0107	DVRE0090006	1 1	13.30 15.00	1	2	1,021	110 68 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -BASTROP
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	A0107	DVRE0091002	1 1	13.30 15.00	1	1	1,021	110 68 00000
	A000	A0107	DVRE0091003	1 1	13.30 15.00	1	4	1,021	110 68 00000
	A000	A0107	DVRE0091006	1 1	13.30 15.00	1	1	1,021	110 68 00000
	A000	A0107	DVRE0092005	1 1	13.30 15.00	1	1	1,021	110 68 00000
	A000	A0107	DVRE0092006	1 1	13.30 15.00	1	2	1,021	110 68 00000
	A000	A0107	DVRE0092007	1 1 1	14.00 14.50	1	1	1,021	110 68 00000
	A000	A0107	WKEY0070003	11111	15.00 15.50	1	17	1,021	110 68 00000
	A000	A0107	WKEY0071003	11111	15.00 15.50	1	1	1,021	110 68 00000
	A000	A0108	MEDI1300001	1 1 1	8.00 8.50	1	5	570	110 38 00000
	A000	A0108	OSYS2996001	1 1 1	8.00 8.50	1	4	570	110 38 00000
	A000	A0108	HCOR2996002	1 1 1	8.00 9.00	1	2	570	110 38 00000
	A000	A0108	JOBS2450003	1 1	8.00 9.20	1	30	570	110 38 00000
	A000	A0108	ENGL1030001	1 1 1	9.00 9.50	1	22	570	110 38 00000
	A000	A0108	ENGL1030002	1 1	9.30 10.50	1	13	570	110 38 00000
	A000	A0108	JOBS2450002	1 1 1	10.00 10.50	1	17	570	110 38 00000
	A000	A0108	ENGL1040001	1 1	12.00 13.20	1	6	570	110 38 00000
	A000	A0108	ENGL1050001	1 1	13.30 14.50	1	15	570	110 38 00000
	A000	A0112	MAST2110001	1 1 1	8.00 8.50	1	8	812	110 54 00000
	A000	A0112	MAST2110003	1 1 1	8.00 8.50	1	2	812	110 54 00000
	A000	A0112	OSYS2991001	1 1 1	8.00 8.50	1	1	812	110 54 00000
	A000	A0112	MACH1350001	1 1	8.00 9.20	1	5	812	110 54 00000
	A000	A0112	MAST2110001	1 1	8.00 9.20	1	9	812	110 54 00000
	A000	A0112	MAST1230001	1 1 1	9.00 9.50	1	20	812	110 54 00000
	A000	A0112	MACH1350002	1 1	9.30 10.50	1	3	812	110 54 00000
	A000	A0112	MAST2110002	1 1	9.30 10.50	1	1	812	110 54 00000
	A000	A0112	OSYS1250001	1 1	9.30 10.50	1	15	812	110 54 00000
	A000	A0112	MAST2110001	1 1 1	10.00 10.50	1	1	812	110 54 00000
	A000	A0112	MAST2110002	1 1 1	10.00 10.50	1	1	812	110 54 00000
	A000	A0112	OSYS2996003	1 1 1	10.00 10.50	1	1	812	110 54 00000
	A000	A0112	MAST2110003	1 1 1	12.00 12.50	1	1	812	110 54 00000
	A000	A0112	OSYS2530001	1 1 1	12.00 12.50	1	21	812	110 54 00000
	A000	A0112	OSYS2996011	1 1 1	12.00 12.50	1	1	812	110 54 00000
	A000	A0112	MAST2110003	1 1	12.00 13.20	1	3	812	110 54 00000
	A000	A0112	OSYS2996010	1 1	12.00 13.20	1	1	812	110 54 00000
	A000	A0112	OSYS2991006	1 1 1	13.00 13.50	1	1	812	110 54 00000
	A000	A0112	OSYS2995002	1 1 1	13.00 14.50	1	1	812	110 54 00000
	A000	A0112	HCOR2996001	11111	13.00 15.00	1	18	812	110 54 00000
8	A000	A0122	ORNT1000001	11111	11.00 11.50	1	65	1,581	610 10 00000
4	C000	C0103	HNUR1310001	11	8.00 14.50	1	23	1,026	110 68 00000
4	C000	C0103	HNUR2120001	11	8.00 14.50	1	23	1,026	110 68 00000
4	C000	C0103	HNUR2220001	11	8.00 14.50	1	23	1,026	110 68 00000
4	C000	C0103	HNUR2230001	11	8.00 14.50	1	24	1,026	110 68 00000
4	C000	C0103	HNUR2993001	11	8.00 14.50	1	23	1,026	110 68 00000
4	C000	C0103	HNUR1211002	11111	8.00 15.00	1	12	1,026	110 68 00000
4	C000	C0107	HCOR1212002	11111	8.00 15.00	1	12	432	110 29 00000
4	C000	C0107	HCOR2993001	11111	8.00 15.00	1	12	432	110 29 00000
4	C000	C0107	HNUR1211001	11111	8.00 15.00	1	16	432	110 29 00000
	E000	E0105	DVEN0091012	11111	8.00 8.50	1	1	502	110 33 00000
	E000	E0105	DVEN0092012	11111	8.00 8.50	1	1	502	110 33 00000
	E000	E0105	DVMA0090012	11111	8.00 8.50	1	2	502	110 33 00000
	E000	E0105	DVRE0092012	11111	8.00 8.50	1	1	502	110 33 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -BASTROP
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	E000	E0105	MATH1110001	1 1 1	8.00 8.50	1	7	110 33	00000
	E000	E0105	JOBS2450001	1 1 1	9.00 9.50		15	110 33	00000
	E000	E0105	DVEN0091014	11111	10.00 10.50		1	110 33	00000
	E000	E0105	DVEN0092014	11111	10.00 10.50	1	1	110 33	00000
	E000	E0105	DVMA0090014	11111	10.00 10.50	1	2	110 33	00000
	E000	E0105	DVRE0092014	11111	10.00 10.50	1	1	110 33	00000
	E000	E0105	ORNT1000002	1111	15.00 15.50		17	110 33	00000
	E000	E0119	ETRN1250002	11111	8.00 10.50		1	210 32	00000
	E000	E0119	ETRN2120002	11111	8.00 10.50	1	1	210 32	00000
	E000	E0119	ETRN1150005	11111	8.00 11.50	1	3	210 32	00000
4	E000	E0119	ETRN1230001	11111	8.00 14.50	1	2	210 32	00000
4	E000	E0119	ETRN1250001	11111	8.00 14.50	1	4	210 32	00000
4	E000	E0119	ETRN1260001	11111	8.00 14.50	1	1	210 32	00000
4	E000	E0119	ETRN2110001	11111	8.00 14.50	1	4	210 32	00000
4	E000	E0119	ETRN2120001	11111	8.00 14.50	1	3	210 32	00000
4	E000	E0119	ETRN2130001	11111	8.00 14.50	1	1	210 32	00000
4	E000	E0119	IDEL2720001	11111	8.00 14.50	1	2	210 32	00000
	E000	E0119	ETRN1140005	11111	11.00 14.50	1	3	210 32	00000
	E000	E0119	ETRN1210005	11111	11.00 14.50	1	1	210 32	00000
	E000	E0119	ETRN1230005	11111	11.00 14.50	1	1	210 32	00000
	E000	E0119	ETRN2130005	11111	11.00 14.50	1	1	210 32	00000
	E000	E0119	IDEL2620005	11111	12.00 12.50	1	1	210 32	00000
	E000	E0119	IDEL2720005	1 1	12.00 12.50	1	2	210 32	00000
	E000	E0119	ETRN1230003	11111	12.00 14.50	1	3	210 32	00000
	E000	E0119	ETRN1250003	11111	12.00 14.50	1	3	210 32	00000
	E000	E0121	CPTR2710002	11111	8.00 9.50		1	110 20	00000
	E000	E0121	CPTR2710004	11111	8.00 10.50	1	1	110 20	00000
	E000	E0121	ETRN2140002	11111	8.00 10.50	1	1	110 20	00000
4	E000	E0121	ETRN2140001	11111	8.00 14.50	1	1	110 20	00000
	E000	E0121	ETRN2140005	11111	11.00 13.50	1	1	110 20	00000
	E000	E0121	CPTR1000003	1 1 1	12.00 12.50	1	16	110 20	00000
4	E000	E0123	ETRN1120011	11111	8.00 14.50		5	210 35	00000
4	E000	E0123	ETRN1130011	11111	8.00 14.50	1	4	210 35	00000
4	E000	E0123	ETRN1210012	11111	8.00 14.50	1	4	210 35	00000
4	E000	E0123	ETRN1220011	11111	8.00 14.50	1	7	210 35	00000
4	E000	E0123	ETRN1230011	11111	8.00 14.50	1	5	210 35	00000
4	E000	E0123	ETRN1240011	11111	8.00 14.50	1	5	210 35	00000
4	E000	E0123	INST11110011	11111	8.00 14.50	1	1	210 35	00000
4	E000	E0123	INST1430001	11111	8.00 14.50	1	3	210 35	00000
4	E000	E0123	INST2610001	11111	8.00 14.50	1	3	210 35	00000
4	E000	E0123	INST2620011	11111	8.00 14.50	1	4	210 35	00000
4	E000	E0123	INST2630011	11111	8.00 14.50	1	3	210 35	00000
4	E000	E0123	INST2720011	11111	8.00 14.50	1	1	210 35	00000
4	E000	E0123	INST2820001	11111	8.00 14.50	1	2	210 35	00000
4	E000	E0123	INST2830001	11111	8.00 14.50	1	2	210 35	00000
4	E000	E0123	INST2840001	11111	8.00 14.50	1	2	210 35	00000
4	E000	E0123	INST1420001	11111	9.00 14.50	1	1	210 35	00000
	E000	E0131	WELD1420002	11111	8.00 10.50		1	210 50	00000
	E000	E0131	WELD1511002	11111	8.00 10.50	1	1	210 50	00000
4	E000	E0131	WELD11110001	11111	8.00 14.50	1	11	210 50	00000
4	E000	E0131	WELD1120001	11111	8.00 14.50	1	5	210 50	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -BASTROP
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	E000 E0131	WELD1130001	111111	8.00 14.50	1	4	2,480	210 50	00000
4	E000 E0131	WELD1140001	111111	8.00 14.50	1	7	2,480	210 50	00000
4	E000 E0131	WELD1210001	111111	8.00 14.50	1	11	2,480	210 50	00000
4	E000 E0131	WELD1310001	111111	8.00 14.50	1	5	2,480	210 50	00000
4	E000 E0131	WELD1410001	111111	8.00 14.50	1	10	2,480	210 50	00000
4	E000 E0131	WELD1411001	111111	8.00 14.50	1	4	2,480	210 50	00000
4	E000 E0131	WELD1412001	111111	8.00 14.50	1	3	2,480	210 50	00000
4	E000 E0131	WELD1510001	111111	8.00 14.50	1	2	2,480	210 50	00000
4	E000 E0131	WELD1511001	111111	8.00 14.50	1	4	2,480	210 50	00000
4	E000 E0131	WELD1512001	111111	8.00 14.50	1	2	2,480	210 50	00000
4	E000 E0131	WELD2110001	111111	8.00 14.50	1	2	2,480	210 50	00000
4 8	E000 E0131	WELD2111001	111111	8.00 14.50	1	6	2,480	210 50	00000
4 8	E000 E0131	WELD2210001	111111	8.00 14.50	1	1	2,480	210 50	00000
4 8	E000 E0131	WELD2220001	111111	8.00 14.50	1	2	2,480	210 50	00000
4 8	E000 E0131	WELD2311001	111111	8.00 14.50	1	5	2,480	210 50	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 50

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 7
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 57

TOTAL NUMBER OF RECORDS READ 219
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 219
NUMBER OF JOINT-CLASS RECORDS 164
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - BASTROP

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			493
WEEKLY STUDENT CONTACT HOURS	5701		5701
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	644		644
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	44370	24650	69020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	32158		32158
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11402		11402
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.5	.0	51.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.7	.0	16.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	35.5	.0	35.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			493
WEEKLY STUDENT CONTACT HOURS	5701		5701
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	644		644
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	44370	24650	69020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	32158		32158
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11402		11402
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.5	.0	51.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.7	.0	16.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	35.5	.0	35.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			284
WEEKLY STUDENT CONTACT HOURS	6175		6175
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	368		368
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	25560	14200	39760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12628		12628
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12351		12351
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.1	.0	32.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	48.3	.0	31.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	97.8	.0	97.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			284
WEEKLY STUDENT CONTACT HOURS	6175		6175
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	368		368
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	25560	14200	39760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12628		12628
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12351		12351
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.1	.0	32.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	48.3	.0	31.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	97.8	.0	97.8

SPACE UTILIZ - SUMMARY PAGE

L. T. C. -BASTROP

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			777
WEEKLY STUDENT CONTACT HOURS	11876		11876
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1530	850	2380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1012		1012
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	69930	38850	108780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44786		44786
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	23753		23753
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.1	.0	42.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.0	.0	21.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	53.0	.0	53.0