

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2005  
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-CHARLES B. COREIL  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	A0102	HNUR2120001	1	7.00 12.00		27	795	110 53 00000	
	A000	A0102	HNUR2611001	1	8.00 10.50		16	795	110 53 00000	
	A000	A0102	HNUR2611002	1	11.00 14.50		11	795	110 53 00000	
	A000	A0102	HNUR2530001	1	12.30 15.30		27	795	110 53 00000	
	A000	A0102	ZPDV0913001	1 1	17.30 19.30		10	795	110 53 00000	
	A000	A0103	HNUR1310001	1	12.30 15.30		27	766	110 51 00000	
	B000	W0101	WELD1110001	111111	8.00 14.50		9	486	110 32 00000	
4	B000	W0101	WELD1120001	111111	8.00 14.50	1	8	486	110 32 00000	
4	B000	W0101	WELD1130001	111111	8.00 14.50	1	7	486	110 32 00000	
4	B000	W0101	WELD1140001	111111	8.00 14.50	1	8	486	110 32 00000	
4	B000	W0101	WELD1110003	111111	9.00 14.50	1	1	486	110 32 00000	
4	B000	W0101	WELD1120003	111111	9.00 14.50	1	1	486	110 32 00000	
4	B000	W0101	WELD1130003	111111	9.00 14.50	1	1	486	110 32 00000	
4	B000	W0101	WELD1140003	111111	9.00 14.50	1	1	486	110 32 00000	
4	B000	W0102	WELD1210001	111111	8.00 14.50		7	2,467	720 26 00000	
4	B000	W0102	WELD1310001	111111	8.00 14.50	1	9	2,467	720 26 00000	
4	B000	W0102	WELD1410001	111111	8.00 14.50	1	8	2,467	720 26 00000	
4	B000	W0102	WELD1411001	111111	8.00 14.50	1	8	2,467	720 26 00000	
4	8	B000	W0102	WELD1412001	111111	8.00 14.50	1	8	2,467	720 26 00000
4	8	B000	W0102	WELD1420001	111111	8.00 14.50	1	5	2,467	720 26 00000
4	8	B000	W0102	WELD1510001	111111	8.00 14.50	1	6	2,467	720 26 00000
4	8	B000	W0102	WELD1511001	111111	8.00 14.50	1	4	2,467	720 26 00000
4	8	B000	W0102	WELD1512001	111111	8.00 14.50	1	4	2,467	720 26 00000
4	8	B000	W0102	WELD2110001	111111	8.00 14.50	1	3	2,467	720 26 00000
4	8	B000	W0102	WELD2111001	111111	8.00 14.50	1	6	2,467	720 26 00000
4	8	B000	W0102	WELD2112001	111111	8.00 14.50	1	3	2,467	720 26 00000
4	8	B000	W0102	WELD2114001	111111	8.00 14.50	1	4	2,467	720 26 00000
4	8	B000	W0102	WELD2210001	111111	8.00 14.50	1	4	2,467	720 26 00000
4	8	B000	W0102	WELD2222001	111111	8.00 14.50	1	1	2,467	720 26 00000
4	8	B000	W0102	WELD2230001	111111	8.00 14.50	1	4	2,467	720 26 00000
4	8	B000	W0102	WELD2310001	111111	8.00 14.50	1	5	2,467	720 26 00000
4	8	B000	W0102	WELD2311001	111111	8.00 14.50	1	5	2,467	720 26 00000
4	8	B000	W0102	WELD2322001	111111	8.00 14.50	1	3	2,467	720 26 00000
4	8	B000	W0102	WELD1210003	111111	9.00 14.50	1	1	2,467	720 26 00000
4	8	B000	W0102	WELD1310003	111111	9.00 14.50	1	1	2,467	720 26 00000
	C000	M0103	AUTO1320002	1 1 1	8.00 8.50		1	5,702	720 15 00000	
	C000	M0103	AUTO1500003	1 1 1	8.00 8.50	1	1	5,702	720 15 00000	
	C000	M0103	AUTO1540001	1 1 1	8.00 8.50	1	1	5,702	720 15 00000	
	C000	M0103	AUTO1700002	1 1 1	8.00 8.50	1	1	5,702	720 15 00000	
	C000	M0103	AUTO1740004	1 1	8.00 8.50		1	5,702	720 15 00000	
	C000	M0103	AUTO1740005	1 1	8.00 8.50	1	1	5,702	720 15 00000	
	C000	M0103	AUTO1310003	1 1	8.00 9.15	1	1	5,702	720 15 00000	
	C000	M0103	AUTO1630004	1 1	8.00 9.15	1	1	5,702	720 15 00000	
	C000	M0103	AUTO1730002	1 1	8.00 9.15	1	1	5,702	720 15 00000	
	C000	M0103	AUTO1130001	1	8.00 11.00		1	5,702	720 15 00000	
	C000	M0103	AUTO1740001	1 1 1	9.00 9.50	1	2	5,702	720 15 00000	
	C000	M0103	AUTO1440001	1 1	9.25 10.40		3	5,702	720 15 00000	
	C000	M0103	AUTO1700001	1 1	9.25 10.40	1	4	5,702	720 15 00000	
	C000	M0103	AUTO1730001	1 1	9.25 10.40	1	2	5,702	720 15 00000	
	C000	M0103	AUTO1400001	1 1 1	10.00 10.50		4	5,702	720 15 00000	
	C000	M0103	AUTO1500001	1 1 1	10.00 10.50	1	4	5,702	720 15 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2005  
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-CHARLES B. COREIL  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	C000	M0103	AUTO1510002	1 1 1	10.00 11.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1710001	1 1	10.50 12.05		4	5,702	720 15 00000
	C000	M0103	AUTO1410001	1 1 1	11.00 11.50		3	5,702	720 15 00000
	C000	M0103	AUTO1500003	1 1 1	11.00 11.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1510001	1 1 1	11.00 11.50	1	4	5,702	720 15 00000
	C000	M0103	AUTO1620002	1 1 1	11.00 11.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1660001	1 1 1	11.00 11.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1620002	1 1	11.00 12.05		1	5,702	720 15 00000
	C000	M0103	AUTO1330001	1 1	12.15 13.15		5	5,702	720 15 00000
	C000	M0103	AUTO1120001	1 1 1	13.00 13.50		1	5,702	720 15 00000
	C000	M0103	AUTO1420001	1 1 1	13.00 13.50	1	3	5,702	720 15 00000
	C000	M0103	AUTO1510003	1 1 1	13.00 13.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1520001	1 1 1	13.00 13.50	1	4	5,702	720 15 00000
	C000	M0103	AUTO1520002	1 1 1	13.00 13.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1800001	1 1 1	13.00 13.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1340001	1 1	13.20 14.35		4	5,702	720 15 00000
	C000	M0103	AUTO1500002	1 1	13.40 14.55	1	1	5,702	720 15 00000
	C000	M0103	AUTO1720001	1 1	13.40 14.55	1	2	5,702	720 15 00000
	C000	M0103	AUTO1430001	1 1 1	14.00 14.50		2	5,702	720 15 00000
	C000	M0103	AUTO1430002	1 1 1	14.00 14.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1510003	1 1 1	14.00 14.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1520002	1 1 1	14.00 14.50	1	1	5,702	720 15 00000
	C000	M0103	AUTO1530001	1 1 1	14.00 14.50	1	3	5,702	720 15 00000
	E000	B0110	ORNT1000001	1 1	8.00 9.15		13	689	110 46 00000
	E000	B0110	ACCT1100001	1 1 1	8.00 9.50		17	689	110 46 00000
	E000	B0110	ACCT1200001	1 1 1	10.00 10.50		6	689	110 46 00000
	E000	B0110	ACCT1300001	1 1 1	10.00 10.50	1	3	689	110 46 00000
	E000	B0110	BUSI1000001	1 1	10.50 12.05		4	689	110 46 00000
	E000	B0110	OSYS1100001	1 1	10.50 12.05	1	11	689	110 46 00000
	E000	B0110	ENGL1030001	1 1 1	11.00 11.50		12	689	110 46 00000
	E000	B0110	ENGL1050001	1 1 1	11.00 11.50	1	3	689	110 46 00000
	E000	B0110	ORNT1000003	1 1 1	13.00 13.50		17	689	110 46 00000
	E000	B0110	OSYS1250001	1 1 1	13.00 13.50	1	4	689	110 46 00000
	E000	B0110	JOBS2450002	1 1	13.00 13.50	1	2	689	110 46 00000
	E000	B0110	JOBS2450001	1 1	13.40 14.55		18	689	110 46 00000
	E000	B0110	ACCT1250001	1 1 1	14.00 14.50		4	689	110 46 00000
	E000	B0110	MATH1050001	1 1 1	14.00 14.50	1	6	689	110 46 00000
	E000	B0114	ISYS1450001	1	8.00 9.15		7	738	110 49 00000
	E000	B0114	ISYS1450001	1 1	8.00 9.50		7	738	110 49 00000
	E000	B0114	CPTR1000001	1	8.00 10.50		13	738	110 49 00000
	E000	B0114	CPTR1000003	1 1	9.25 10.40		15	738	110 49 00000
	E000	B0114	KYBD1000001	1 1	10.00 11.50		14	738	110 49 00000
	E000	B0114	KYBD1110004	1 1	10.00 11.50	1	1	738	110 49 00000
	E000	B0114	KYBD1210002	1 1	10.00 11.50	1	1	738	110 49 00000
	E000	B0114	KYBD1110001	1 1	10.50 12.05		10	738	110 49 00000
	E000	B0114	KYBD1110002	1 1	10.50 12.05	1	1	738	110 49 00000
	E000	B0114	KYBD1210001	1 1	10.50 12.05	1	3	738	110 49 00000
	E000	B0114	CPTR1000002	1	11.00 11.50		13	738	110 49 00000
	E000	B0114	KYBD1110003	1 11	13.00 13.50		1	738	110 49 00000
	E000	B0114	KYBD1210003	1 11	13.00 13.50	1	1	738	110 49 00000
	E000	B0114	CPTR1300001	1 1	13.00 13.50	1	7	738	110 49 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2005  
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-CHARLES B. COREIL  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	E000	B0114	KYBD1110002	1 1	13.00 13.50	1	1	738	110 49	00000
	E000	B0114	KYBD1110004	1	13.00 13.50	1	1	738	110 49	00000
	E000	B0114	CPTR1000002		13.00 14.50	1	13	738	110 49	00000
	E000	B0114	CPTR1300001	1 1	13.40 14.55		7	738	110 49	00000
	E000	B0114	KYBD1000002	1 1	13.40 14.55	1	5	738	110 49	00000
	E000	B0114	KYBD1210002	1 1	13.40 14.55	1	1	738	110 49	00000
	E000	B0114	KYBD1310001	1111	14.00 14.50	1	1	738	110 49	00000
	E000	B0114	KYBD1110001	1 1	14.00 14.50	1	10	738	110 49	00000
	E000	B0114	KYBD1210001	1 1	14.00 14.50	1	3	738	110 49	00000
	E000	B0115	MEDL1300001	1 1	8.00 9.15		10	738	110 49	00000
	E000	B0115	DVEN0090001	1 1	8.00 9.50		2	738	110 49	00000
	E000	B0115	DVEN0092001	1 1	8.00 9.50	1	2	738	110 49	00000
	E000	B0115	DVMA0090001	1 1	8.00 9.50	1	4	738	110 49	00000
	E000	B0115	DVMA0091001	1 1	8.00 9.50	1	1	738	110 49	00000
	E000	B0115	DVRE0090001	1 1	8.00 9.50	1	1	738	110 49	00000
	E000	B0115	DVRE0091001	1 1	8.00 9.50	1	4	738	110 49	00000
	E000	B0115	HCOR1120001		8.00 9.50	1	7	738	110 49	00000
	E000	B0115	MAST1230001	1 1	9.25 10.40		10	738	110 49	00000
	E000	B0115	DVRE0091006	1	10.00 10.50		1	738	110 49	00000
	E000	B0115	MAST2110001	1 1 1	10.00 11.50	1	5	738	110 49	00000
	E000	B0115	DVEN0091003	1 1	10.50 11.40		1	738	110 49	00000
	E000	B0115	DVMA0090003	1 1	10.50 11.40	1	8	738	110 49	00000
	E000	B0115	DVRE0090003	1 1	10.50 11.40	1	1	738	110 49	00000
	E000	B0115	DVEN0090002	1 1	12.15 13.15		1	738	110 49	00000
	E000	B0115	DVEN0091002	1 1	12.15 13.15	1	3	738	110 49	00000
	E000	B0115	DVEN0092002	1 1	12.15 13.15	1	2	738	110 49	00000
	E000	B0115	DVMA0090002	1 1	12.15 13.15	1	7	738	110 49	00000
	E000	B0115	DVRE0092002	1 1	12.15 13.15	1	1	738	110 49	00000
	E000	B0115	CPTR1310001	1 1	12.15 13.30	1	1	738	110 49	00000
	E000	B0115	CPTR1310001	1 1 1	13.00 13.50		1	738	110 49	00000
	E000	B0115	DVEN0090002	1 1 1	13.00 13.50	1	1	738	110 49	00000
	E000	B0115	DVEN0091002	1 1 1	13.00 13.50	1	3	738	110 49	00000
	E000	B0115	DVEN0092002	1 1 1	13.00 13.50	1	2	738	110 49	00000
	E000	B0115	DVMA0090002	1 1 1	13.00 13.50	1	7	738	110 49	00000
	E000	B0115	DVRE0092002	1 1 1	13.00 13.50	1	1	738	110 49	00000
	E000	B0115	DVEN0090003	11111	14.00 14.50		2	738	110 49	00000
	E000	B0115	DVRE0092003	11111	14.00 14.50	1	1	738	110 49	00000
	E000	B0115	DVEN0091003	1 1 1	14.00 14.50	1	1	738	110 49	00000
	E000	B0115	DVMA0090003	1 1 1	14.00 14.50	1	8	738	110 49	00000
	E000	B0115	DVRE0090003	1 1 1	14.00 14.50	1	1	738	110 49	00000
	E000	B0115	DVRE0091006	1 1 1	14.00 14.50	1	1	738	110 49	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	29
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	17
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	46
TOTAL NUMBER OF RECORDS READ	143
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	143
NUMBER OF JOINT-CLASS RECORDS	96
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			366
WEEKLY STUDENT CONTACT HOURS	2702	40	2742
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	441	8	449
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32940	18300	51240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19109	424	19533
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5405	80	5485
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	54.4	1.8	35.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.4	.4	10.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.3	18.9	28.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			366
WEEKLY STUDENT CONTACT HOURS	2702	40	2742
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	441	8	449
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32940	18300	51240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19109	424	19533
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5405	80	5485
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	54.4	1.8	35.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.4	.4	10.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.3	18.9	28.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			375
WEEKLY STUDENT CONTACT HOURS	2702	40	2742
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	441	8	449
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33750	18750	52500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19109	424	19533
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5405	80	5485
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.5	1.5	29.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.0	.4	10.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.3	18.9	28.1