

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	A000	A0101	HNUR411 001	111111	8.00 10.50	1	11	579	210 12	00000	
3	A000	A0102	HMDT170 002	1 1 1	1.40 2.55		9	995	110 20	00000	
3	A000	A0102	HCOR160 001	1 1	1.40 2.55	1	12	995	110 20	00000	
3	8	A000	A0102	HCOR110 002	1	1.40 2.55	1	15	995	110 20	00000
3	8	A000	A0102	HCOR110 001	1 1	2.00 3.20	1	8	995	110 20	00000
	A000	A0102	HNUR211 001	1 1 1	7.45 11.30		17	995	110 20	00000	
	A000	A0102	HPHL011 001	1 1	8.00 10.40	1	11	995	110 20	00000	
	A000	A0102	HNUR530 001	1	9.25 10.40	1	21	995	110 20	00000	
	8	A000	A0102	HCOR120 001	1 1	10.50 12.05		33	995	110 20	00000
	A000	A0103	HNUR411 002	111111	8.00 10.50	1	9	866	110 45	00000	
3	A000	A0103	HNUR460 001	1 1 1	12.30 3.20	1	23	866	110 45	00000	
3	A000	A0103	HNUR110 001	1 11	12.30 3.30	1	25	866	110 45	00000	
3	B000	W0101	WELD110 001	111111	8.00 2.50		5	486	110 32	00000	
3	B000	W0101	WELD120 001	111111	8.00 2.50		5	486	110 32	00000	
3	B000	W0101	WELD130 001	111111	8.00 2.50		1	486	110 32	00000	
3	B000	W0101	WELD140 001	111111	8.00 2.50		1	486	110 32	00000	
3	B000	W0102	WELD110 001	111111	8.00 2.50		6	2,758	720 21	00000	
3	B000	W0102	WELD111 001	111111	8.00 2.50		4	2,758	720 21	00000	
3	B000	W0102	WELD114 001	111111	8.00 2.50		2	2,758	720 21	00000	
3	B000	W0102	WELD210 001	111111	8.00 2.50		2	2,758	720 21	00000	
3	B000	W0102	WELD210 001	111111	8.00 2.50		1	2,758	720 21	00000	
3	B000	W0102	WELD220 001	111111	8.00 2.50		1	2,758	720 21	00000	
3	B000	W0102	WELD222 001	111111	8.00 2.50		3	2,758	720 21	00000	
3	B000	W0102	WELD230 001	111111	8.00 2.50		1	2,758	720 21	00000	
3	B000	W0102	WELD310 001	111111	8.00 2.50		1	2,758	720 21	00000	
3	B000	W0102	WELD310 001	111111	8.00 2.50		8	2,758	720 21	00000	
3	B000	W0102	WELD311 001	111111	8.00 2.50		8	2,758	720 21	00000	
3	B000	W0102	WELD322 001	111111	8.00 2.50		6	2,758	720 21	00000	
3	B000	W0102	WELD410 001	111111	8.00 2.50		3	2,758	720 21	00000	
3	B000	W0102	WELD411 001	111111	8.00 2.50		2	2,758	720 21	00000	
3	B000	W0102	WELD412 001	111111	8.00 2.50		4	2,758	720 21	00000	
3	B000	W0102	WELD420 001	111111	8.00 2.50		1	2,758	720 21	00000	
3	B000	W0102	WELD511 001	111111	8.00 2.50		1	2,758	720 21	00000	
3	B000	W0102	WELD512 001	111111	8.00 2.50		7	2,758	720 21	00000	
3	B000	W0102	WELD993 001	111111	8.00 2.50		1	2,758	720 21	00000	
3	B000	W0102	WELD995 001	111111	8.00 2.50		1	2,758	720 21	00000	
1	C000	M0103	AUTO410 001	111111	10.00 11.00		2			00000	
	C000	M0102	WKEY060 001	1 1	9.00 9.50		2	276	110 18	00000	
	C000	M0102	WKEY080 001	1 1	9.00 9.50	1	1	276	110 18	00000	
3	C000	M0102	WKEY070 001	1 1	12.00 1.00		1	276	110 18	00000	
3	C000	M0103	AUTO520 001	111111	1.00 2.50		3	5,702	720 15	00000	
3	C000	M0103	AUTO530 001	111111	1.00 2.50	1	1	5,702	720 15	00000	
3	C000	M0103	AUTO700 001	111111	1.00 2.50	1	2	5,702	720 15	00000	
3	C000	M0103	AUTO730 001	111111	1.00 2.50	1	4	5,702	720 15	00000	
3	C000	M0103	AUTO420 001	111111	1.00 3.00	1	3	5,702	720 15	00000	
	C000	M0103	AUTO610 002	111111	8.00 8.50		1	5,702	720 15	00000	
	C000	M0103	AUTO740 001	111111	8.00 8.50	1	2	5,702	720 15	00000	
	C000	M0103	AUTO400 001	111111	8.00 9.50	1	3	5,702	720 15	00000	
	C000	M0103	AUTO430 001	111111	8.00 9.50	1	3	5,702	720 15	00000	
	C000	M0103	AUTO710 001	111111	8.00 9.50	1	2	5,702	720 15	00000	
	C000	M0103	AUTO810 002	111111	8.00 9.50	1	1	5,702	720 15	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	C000 M0103	AUTO100 001	111111	8.00 10.00	1	3	5,702	720 15	00000
	C000 M0103	AUTO340 001	111111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO510 001	111111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO650 001	111111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO660 001	111111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO730 002	111111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO100 002	1 111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO130 001	1 111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO200 001	1 111	8.00 10.00	1	1	5,702	720 15	00000
8	C000 M0103	AUTO500 001	1 111	8.00 10.00	1	1	5,702	720 15	00000
	C000 M0103	AUTO410 002	111111	10.00 10.50		1	5,702	720 15	00000
	C000 M0103	AUTO630 001	1 1 1	10.00 10.50	1	1	5,702	720 15	00000
	C000 M0103	AUTO440 001	111111	10.00 11.50	1	2	5,702	720 15	00000
	C000 M0103	AUTO620 001	111111	10.00 11.50	1	1	5,702	720 15	00000
	C000 M0103	AUTO720 001	111111	10.00 11.50	1	1	5,702	720 15	00000
	C000 M0103	AUTO110 001	111111	10.00 12.00	1	2	5,702	720 15	00000
	C000 M0103	AUTO540 001	111111	10.00 12.00	1	2	5,702	720 15	00000
	C000 M0103	AUTO850 001	111111	10.00 12.00	1	1	5,702	720 15	00000
3	E000 B0110	ENGL040 001	1 1 1	1.00 1.50		6	689	110 46	00000
3	E000 B0110	ENGL050 001	1 1 1	1.00 1.50	1	3	689	110 46	00000
3	E000 B0110	ENGL030 001	1 1	1.40 2.55	1	7	689	110 46	00000
	E000 B0110	ACCT100 001	111111	8.00 8.50		16	689	110 46	00000
	E000 B0110	ACCT300 001	1 111	8.00 9.15	1 1	3	689	110 46	00000
	E000 B0110	ACCT200 001	111111	9.00 9.50	1 1	4	689	110 46	00000
	E000 B0110	ACCT250 001	111111	9.00 9.50	1 1	3	689	110 46	00000
	E000 B0110	JOBS450 001	1 1	10.50 12.05		11	689	110 46	00000
	E000 B0110	ORNT000 001	111111	11.00 11.50	1 1	31	689	110 46	00000
3	E000 B0111	MACH350 002	1 1	1.40 2.55		1	689	110 15	00000
3	E000 B0111	DVEN090 001	1111	2.00 2.50	1 1	2	689	110 15	00000
3	E000 B0111	DVEN091 001	1111	2.00 2.50	1 1	1	689	110 15	00000
3	E000 B0111	DVEN092 001	1111	2.00 2.50	1 1	2	689	110 15	00000
3	E000 B0111	DVRE090 001	1111	2.00 2.50	1 1	5	689	110 15	00000
3	E000 B0111	DVRE091 001	1111	2.00 2.50	1 1	2	689	110 15	00000
3	E000 B0111	DVRE092 001	1111	2.00 2.50	1 1	1	689	110 15	00000
	E000 B0111	ACCT250 002	111111	10.00 10.50		1	689	110 15	00000
	E000 B0111	DVRE091 002	1 1 1	10.00 10.50	1 1	1	689	110 15	00000
	E000 B0111	MACH350 001	1 1 1	10.00 10.50	1 1	3	689	110 15	00000
3	E000 B0114	CPTR000 002	1 1 1	1.00 1.50		12	738	110 15	00000
3	E000 B0114	KYBD000 002	1 1	1.40 2.55	1	3	738	110 15	00000
3	E000 B0114	ISYS450 001	111111	2.00 2.50	1 1	4	738	110 15	00000
3	E000 B0114	ISYS550 001	111111	2.00 2.50	1 1	1	738	110 15	00000
	E000 B0114	CPTR300 001	1111	8.00 8.50		2	738	110 15	00000
	E000 B0114	KYBD110 002	1111	8.00 8.50	1 1	1	738	110 15	00000
	E000 B0114	KYBD210 003	1111	8.00 8.50	1 1	1	738	110 15	00000
	E000 B0114	OSYS250 001	1 11	8.00 8.50	1 1	1	738	110 15	00000
	E000 B0114	MAST110 001	11 11	9.00 9.50		1	738	110 15	00000
	E000 B0114	OSYS100 001	1 1 1	9.25 10.40	1	6	738	110 15	00000
	E000 B0114	KYBD110 004	111111	10.00 10.50	1 1	1	738	110 15	00000
	E000 B0114	KYBD000 001	1 1 1	10.00 10.50	1 1	13	738	110 15	00000
	E000 B0114	KBYD110 001	1 1 1	11.00 11.50		13	738	110 15	00000
	E000 B0114	KYBD110 003	1 1 1	11.00 11.50	1 1	1	738	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	E000 B0114	KYBD210 001	1 1 1	11.00 11.50	1 1	3	738	110 15	00000
	E000 B0114	KYBD210 002	1 1 1	11.00 11.50	1 1	2	738	110 15	00000
3	E000 B0114	CPTR000 001	1 1	12.15 1.30		16	738	110 15	00000
3	E000 B0115	DVMA090 002	1 1 1	1.00 1.50	1	13	738	110 15	00000
3	E000 B0115	DVRE092 002	1 1 1	1.00 1.50	1 1	2	738	110 15	00000
3	8 E000 B0115	MAST210 001	111	1.40 2.55	1 1	13	738	110 15	00000
	E000 B0115	CPTR310 001	11111	8.00 8.50	1	1	738	110 15	00000
	E000 B0115	AHMA000 002	1 1 1	8.00 8.50	1 1	1	738	110 15	00000
	E000 B0115	AHMA000 001	1111	8.00 8.50	1 1	1	738	110 15	00000
	E000 B0115	CPTR640 001	1111	8.00 8.50	1 1	2	738	110 15	00000
	E000 B0115	DVRE092 003	1 1	8.00 10.50	1	1	738	110 15	00000
	E000 B0115	AHRE000 002	1 1 1	9.00 9.50	1 1	1	738	110 15	00000
	E000 B0115	DVMA090 001	1111	9.00 9.50	1 1	12	738	110 15	00000
	E000 B0115	MAST230 001	1 1 1	10.00 10.50	1	3	738	110 15	00000
	E000 B0115	CPTR310 002	1 11	10.00 12.05	1 1	9	738	110 15	00000
8	E000 B0115	MEDL300 001	1 1 1	12.00 12.50	1 1	21	738	110 15	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	1
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	54
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	6
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	61
TOTAL NUMBER OF RECORDS READ	118
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	63
NUMBER OF JOINT-CLASS RECORDS	67
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	40

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			221
WEEKLY STUDENT CONTACT HOURS	1238		1238
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	216		216
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19890	11050	30940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5567		5567
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2476		2476
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.7	.0	17.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.4	.0	8.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.5	.0	44.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			221
WEEKLY STUDENT CONTACT HOURS	1238		1238
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	216		216
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19890	11050	30940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5567		5567
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2476		2476
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.7	.0	17.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.4	.0	8.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.5	.0	44.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			15
WEEKLY STUDENT CONTACT HOURS	165		165
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30		30
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	360		360
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	330		330
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.7	.0	10.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	24.4	.0	15.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	91.7	.0	91.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			1
TOTAL NUMBER OF STATIONS (CAPACITY)			12
WEEKLY STUDENT CONTACT HOURS	165		165
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	90	50	140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30		30
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1080	600	1680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	360		360
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	330		330
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.3	.0	21.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	30.6	.0	19.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	91.7	.0	91.7

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			236
WEEKLY STUDENT CONTACT HOURS	1403		1403
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	246		246
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21240	11800	33040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5927		5927
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2806		2806
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.8	.0	16.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.2	.0	8.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.3	.0	47.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY