

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2006  
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-HUEY P. LONG  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	A000	AO21	CPTR300 001	11111	8.00 9.30		7		00000
1	A000	AO22	ACCT100 001	11111	9.30 10.30		16		00000
1	A000	A005	DVMA090 003	11111	8.00 9.00		3		00000
1	A000	A005	AHMA000 003	1 1	8.00 9.30		3		00000
1	4	A000	A005	WELD110 001	11111	8.00 14.30	9		00000
1	4	A000	A005	WELD110 001	11111	8.00 14.30	4		00000
1	4	A000	A005	WELD111 001	11111	8.00 14.30	3		00000
1	4	A000	A005	WELD120 001	11111	8.00 14.30	9		00000
1	4	A000	A005	WELD130 001	11111	8.00 14.30	6		00000
1	4	A000	A005	WELD140 001	11111	8.00 14.30	8		00000
1	4	A000	A005	WELD210 001	11111	8.00 14.30	8		00000
1	4	A000	A005	WELD210 001	11111	8.00 14.30	3		00000
1	4	A000	A005	WELD220 001	11111	8.00 14.30	1		00000
1	4	A000	A005	WELD221 001	11111	8.00 14.30	2		00000
1	4	A000	A005	WELD222 001	11111	8.00 14.30	1		00000
1	4	A000	A005	WELD230 001	11111	8.00 14.30	1		00000
1	4	A000	A005	WELD310 001	11111	8.00 14.30	8		00000
1	4	A000	A005	WELD310 001	11111	8.00 14.30	1		00000
1	4	A000	A005	WELD311 001	11111	8.00 14.30	1		00000
1	4	A000	A005	WELD410 001	11111	8.00 14.30	1		00000
1	4	A000	A005	WELD411 001	11111	8.00 14.30	5		00000
1	4	A000	A005	WELD412 001	11111	8.00 14.30	5		00000
1	4	A000	A005	WELD420 001	11111	8.00 14.30	2		00000
1	4	A000	A005	WELD510 001	11111	8.00 14.30	2		00000
1	4	A000	A005	WELD511 001	11111	8.00 14.30	1		00000
1	A000	A005	AHSC000 001	11111	9.30 10.30		5		00000
1	A000	A005	AHRE000 003	11111	10.30 11.30		1		00000
1	A000	A005	DVMA090 001	11111	10.30 11.30		12		00000
1	A000	A005	DVRE090 001	11111	10.30 11.30		1		00000
1	A000	A005	DVRE091 001	11111	10.30 11.30		1		00000
1	A000	A005	AHSC000 003	1 1	10.30 12.00		3		00000
1	A000	A005	AHMA000 005	11111	11.30 12.30		3		00000
1	A000	A005	DVMA090 005	11111	11.30 12.30		2		00000
1	A000	A021	HCOR120 003	11111	8.00 9.30		15		00000
1	A000	A021	JOBS450 001	11111	9.30 10.30		10		00000
1	A000	A021	MACH350 001	11111	9.30 10.30		7		00000
1	A000	A021	ENGL030 001	11111	10.45 12.00		6		00000
1	A000	A021	ENGL040 001	11111	10.45 12.00		6		00000
1	A000	A021	KYBD110 001	1 1 1	11.00 11.50		4		00000
1	A000	A021	KYBD000 001	11111	12.30 14.00		13		00000
1	A000	A021	KYBD100 001	11111	12.30 14.30		14		00000
1	A000	A022	CPTR000 001	11111	8.00 9.30		15		00000
1	A000	A022	CPTR000 003	11111	8.00 9.30		15		00000
1	A000	A022	KYBD210 001	11111	10.45 11.45		6		00000
1	A000	A022	ACCT500 001	11111	10.45 11.50		1		00000
1	A000	A022	ISYS450 001	11111	12.30 14.30		7		00000
1	A000	A022	ISYS550 001	11111	12.30 14.30		9		00000
1	B000	B001	HNUR120 001	1 1	8.00 11.00		18		00000
1	B000	B001	HNUR230 001	1 1	11.30 13.00		18		00000
1	B000	B001	HNUR530 001	1 1	11.30 13.00		18		00000
1	B000	B001	HNUR650 001	1 1	13.00 14.30		18		00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2006  
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-HUEY P. LONG  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	C000 C001	HNUR211 001	111111	8.00 11.30		10			00000
1	D000 D001	CARP110 002	111111	8.00 11.30		7			00000
1	D000 D001	CARP120 002	111111	8.00 11.30		7			00000
1	D000 D001	CARP130 002	111111	8.00 11.30		7			00000
1 4	D000 D001	CARP120 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP120 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP130 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP131 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP140 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP210 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP320 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP620 001	111111	8.00 14.30		1			00000
1 4	D000 D001	CARP110 001	111111	9.00 14.30		1			00000
1	D000 D001	CARP110 003	111111	11.30 14.30		2			00000
1	D000 D001	CARP120 003	111111	11.30 14.30		3			00000
1	D000 D001	CARP130 003	111111	11.30 14.30		3			00000
1	ROD0 ROD2	HNUR120 002	1 1 1	8.00 11.00		20			00000
1	ROD0 ROD2	HNUR220 002	111111	11.00 14.30		19			00000
1	ROD0 ROD2	HNUR530 002	1 1	11.00 14.30		19			00000
1	ROD0 ROD2	HNUR611 002	1 1	11.00 14.30		20			00000
1	ROD0 ROD3	ACCT200 002	111111	8.00 10.00		2			00000
1	ROD0 ROD3	CPTR310 002	111111	8.00 10.00		2			00000
1	ROD0 ROD3	KYBD000 002	111111	8.00 10.00		5			00000
1	ROD0 ROD3	KYBD110 002	111111	8.00 10.00		7			00000
1	ROD0 ROD3	MACH350 002	111111	8.00 10.00		1			00000
1	ROD0 ROD3	MATH050 002	111111	8.00 10.00		3			00000
1	ROD0 ROD3	ORNT000 002	111111	8.00 10.00		3			00000
1	ROD0 ROD3	KYBD000 006	111111	8.00 11.00		1			00000
1	ROD0 ROD3	KYBD000 004	111111	8.00 12.00		1			00000
1	ROD0 ROD3	CPTR000 004	1 1	9.20 10.30		5			00000
1	ROD0 ROD3	CPTR000 006	111111	10.00 11.30		1			00000
1	ROD0 ROD3	ENGL030 002	111111	10.00 11.30		6			00000
1	ROD0 ROD3	ENGL040 002	111111	10.00 11.30		6			00000
1	ROD0 ROD3	ENGL050 002	111111	10.00 11.30		4			00000
1	ROD0 ROD3	JOBS450 002	111111	10.00 11.30		4			00000
1	ROD0 ROD3	ORNT000 004	1 1	10.30 11.00		6			00000
1	ROD0 ROD3	CPTR000 002	111111	12.00 14.00		5			00000
1	ROD0 ROD3	CPTR310 004	111111	12.00 14.00		1			00000
1	ROD0 ROD3	ISYS450 002	111111	12.00 14.00		3			00000
1	ROD0 ROD3	KYBD210 002	111111	12.00 14.00		1			00000
1	ROD0 ROD3	OSYS100 002	111111	12.00 14.00		1			00000
1	ROD0 ROD3	OSYS250 002	111111	12.00 14.00		2			00000
1	ROD0 ROD4	DVMA090 002	111	11.30 14.30		1			00000
1	ROD0 ROD4	AHMA000 002	111	11.40 13.00		2			00000
1	ROD0 ROD4	DVMA090 004	111	12.00 15.00		3			00000
1	ROD0 ROD4	DVRE091 004	111	12.00 15.00		1			00000
1	ROD0 ROD4	AHSC000 002	111	13.00 14.30		6			00000
1 4	ROD0 ROD6	WELD110 002	111111	7.00 13.30		19			00000
1 4	ROD0 ROD6	WELD110 002	111111	7.00 13.30		2			00000
1 4	ROD0 ROD6	WELD120 002	111111	7.00 13.30		5			00000
1 4	ROD0 ROD6	WELD120 002	111111	7.00 13.30		1			00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2006  
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-HUEY P. LONG  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1 4	ROD0 ROD6	WELD120 003	111111	7.00 13.30		1			00000
1 4	ROD0 ROD6	WELD130 001	111111	7.00 13.30		2			00000
1 4	ROD0 ROD6	WELD130 002	111111	7.00 13.30		2			00000
1 4	ROD0 ROD6	WELD130 002	111111	7.00 13.30		1			00000
1 4	ROD0 ROD6	WELD130 003	111111	7.00 13.30		1			00000
1 4	ROD0 ROD6	WELD131 002	111111	7.00 13.30		3			00000
1 4	ROD0 ROD6	WELD140 001	111111	7.00 13.30		2			00000
1 4	ROD0 ROD6	WELD140 002	111111	7.00 13.30		8			00000
1 4	ROD0 ROD6	WELD140 002	111111	7.00 13.30		1			00000
1 4 7	ROD0 ROD6	WELD210 001	111111	7.00 13.30					00000
1 4	ROD0 ROD6	WELD210 002	111111	7.00 13.30		4			00000
1 4	ROD0 ROD6	WELD220 001	111111	7.00 13.30		3			00000
1 4 7	ROD0 ROD6	WELD230 001	111111	7.00 13.30					00000
1 4	ROD0 ROD6	WELD230 002	111111	7.00 13.30		1			00000
1 4	ROD0 ROD6	WELD310 001	111111	7.00 13.30		1			00000
1 4	ROD0 ROD6	WELD310 002	111111	7.00 13.30		4			00000
1 4	ROD0 ROD6	WELD410 002	111111	7.00 13.30		5			00000
1	ROD0 R0D3	ACCT100 002	111111	12.00 14.00		3			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	120
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	51
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	2
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	173
TOTAL NUMBER OF RECORDS READ	120
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	
NUMBER OF JOINT-CLASS RECORDS	
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY