

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 1 | A000 0000 | AHSC000 099 | 1 11 | 8.00 9.00 | | 1 | | | 00000 |
| 1 | A000 0000 | KYBD000 099 | 1 11 | 8.00 9.00 | | 1 | | | 00000 |
| 1 | 7 A000 0000 | ECDV330 006 | 1 1 | 12.15 13.30 | | | | | 00000 |
| | A000 0101 | CLTS991 001 | 1 1 | 8.00 9.15 | | 9 | 760 | 210 15 | 00000 |
| | A000 0101 | CLTS080 001 | 1 1 1 | 8.00 9.50 | 1 | 11 | 760 | 210 15 | 00000 |
| | 7 A000 0101 | CLTS993 001 | 1 | 8.00 12.00 | 1 | | 760 | 210 15 | 00000 |
| | 8 A000 0101 | CLTS710 001 | 1 1 1 | 9.25 10.40 | 1 | 15 | 760 | 210 15 | 00000 |
| | A000 0101 | CHEM410 001 | 1 1 1 | 10.50 12.05 | | 10 | 760 | 210 15 | 00000 |
| | A000 0101 | CLTS410 001 | 1 1 1 | 12.00 12.50 | 1 | 13 | 760 | 210 15 | 00000 |
| | A000 0101 | CLTS996 001 | 1 1 1 | 13.00 13.50 | | 1 | 760 | 210 15 | 00000 |
| | A000 0101 | CLTS411 001 | 1 1 | 13.00 13.50 | 1 | 13 | 760 | 210 15 | 00000 |
| | 8 A000 0101 | CLTS450 001 | 1 1 | 13.00 14.45 | 1 | 14 | 760 | 210 15 | 00000 |
| | 7 A000 0101 | CLTS910 001 | 1 | 13.00 15.00 | | | 760 | 210 15 | 00000 |
| | A000 0101 | CLTS030 001 | 1 1 | 13.40 14.55 | 1 | 12 | 760 | 210 15 | 00000 |
| | A000 0102 | ECDV341 001 | 1 1 1 | 8.00 10.50 | | 1 | 1,024 | 210 20 | 00000 |
| | A000 0102 | ECDV341 003 | 1 1 | 8.00 12.05 | 1 | 1 | 1,024 | 210 20 | 00000 |
| | A000 0102 | ECDV341 002 | 1 1 1 | 9.00 11.50 | 1 | 2 | 1,024 | 210 20 | 00000 |
| | A000 0102 | ECDV151 003 | 1 1 | 10.50 14.55 | 1 | 4 | 1,024 | 210 20 | 00000 |
| | A000 0102 | ECDV151 001 | 1 1 1 | 11.00 13.50 | 1 | 3 | 1,024 | 210 20 | 00000 |
| | A000 0102 | ECDV151 002 | 1 1 1 | 12.00 14.50 | 1 | 4 | 1,024 | 210 20 | 00000 |
| | 8 A000 0103 | HNUR640 001 | 11111 | 7.15 10.15 | | 28 | 544 | 210 11 | 00000 |
| | 8 A000 0103 | HNUR130 001 | 11111 | 13.00 15.00 | | 28 | 544 | 210 11 | 00000 |
| | 8 A000 0103 | HNUR611 001 | 11111 | 13.00 15.00 | 1 | 28 | 544 | 210 11 | 00000 |
| | 8 A000 0103 | HNUR650 001 | 11111 | 13.30 15.00 | 1 | 29 | 544 | 210 11 | 00000 |
| | 8 A000 0105 | HNUR300 001 | 11111 | 8.00 9.50 | | 30 | 1,680 | 110 1 | 00000 |
| | 4 8 A000 0105 | JOBS450 005 | 11111 | 8.00 14.25 | 1 | 17 | 1,680 | 110 1 | 00000 |
| | 8 A000 0105 | HNUR351 001 | 11111 | 10.10 12.00 | 1 | 31 | 1,680 | 110 1 | 00000 |
| | 8 A000 0105 | HNUR360 001 | 11111 | 10.10 12.00 | 1 | 41 | 1,680 | 110 1 | 00000 |
| | 8 A000 0105 | HNUR411 001 | 11111 | 13.00 15.00 | | 19 | 1,680 | 110 1 | 00000 |
| | 8 A000 0106 | ECDV110 001 | 1 1 1 | 8.00 8.50 | | 9 | 986 | 210 2 | 00000 |
| | 8 A000 0106 | ECDV333 001 | 1 1 | 9.25 10.40 | | 7 | 986 | 210 2 | 00000 |
| | 8 A000 0106 | ECDV120 001 | 1 1 1 | 10.00 10.50 | 1 | 9 | 986 | 210 2 | 00000 |
| | 78 A000 0106 | ECDV220 001 | 1 1 1 | 10.00 10.50 | 1 | | 986 | 210 2 | 00000 |
| | A000 0106 | ECDV333 002 | 1 1 | 12.15 13.30 | | 1 | 986 | 210 2 | 00000 |
| | 8 A000 0106 | ECDV210 001 | 1 1 | 13.00 13.50 | 1 | 7 | 986 | 210 2 | 00000 |
| | 8 A000 0106 | ECDV410 001 | 1 1 1 | 13.40 14.55 | | 12 | 986 | 210 2 | 00000 |
| | 8 A000 0106 | ECDV320 001 | 1 1 1 | 14.00 14.50 | 1 | 6 | 986 | 210 2 | 00000 |
| | A000 0107 | KYBD110 001 | 11111 | 8.00 8.50 | | 16 | 620 | 210 12 | 00000 |
| | 8 A000 0107 | KYBD000 001 | 1 1 1 | 9.00 9.50 | | 22 | 620 | 210 12 | 00000 |
| | 8 A000 0107 | CPTR000 004 | 1 1 | 9.25 10.40 | 1 | 21 | 620 | 210 12 | 00000 |
| | 8 A000 0107 | KYBD110 002 | 1111 | 10.00 10.50 | 1 | 11 | 620 | 210 12 | 00000 |
| | 8 A000 0107 | JOBS450 001 | 1 1 | 11.00 11.50 | | 22 | 620 | 210 12 | 00000 |
| | 8 A000 0107 | ORNT000 003 | 1 | 11.00 11.50 | | 41 | 620 | 210 12 | 00000 |
| | A000 0107 | CULN110 001 | 1 1 1 | 13.00 13.50 | | 17 | 620 | 210 12 | 00000 |
| | 8 A000 0107 | JOBS450 003 | 1 1 | 13.40 14.55 | 1 | 18 | 620 | 210 12 | 00000 |
| | 8 A000 0107 | CULN220 002 | 1 1 1 | 14.00 14.50 | 1 | 7 | 620 | 210 12 | 00000 |
| | 4 8 A000 0108A | HCOR212 003 | 11111 | 7.00 15.00 | | 21 | 440 | 210 9 | 00000 |
| | 4 8 A000 0108A | HCOR212 004 | 11111 | 7.00 15.30 | 1 | 21 | 440 | 210 9 | 00000 |
| | 4 78 A000 0108A | HCOR212 005 | 11111 | 7.00 15.30 | 1 | | 440 | 210 9 | 00000 |
| | 4 78 A000 0108A | HCOR212 006 | 11111 | 7.00 15.30 | 1 | | 440 | 210 9 | 00000 |
| | 8 A000 0108A | HNUR220 001 | 11111 | 7.15 12.15 | 1 | 7 | 440 | 210 9 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETING DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|----------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| 8 | A000 0108A | HNUR220 002 | 111111 | 7.15 12.15 | 1 | 9 | 440 | 210 9 | 00000 | |
| 8 | A000 0108A | HNUR230 001 | 111111 | 7.15 12.15 | 1 | 7 | 440 | 210 9 | 00000 | |
| 8 | A000 0108A | HNUR230 002 | 111111 | 7.15 12.15 | 1 | 6 | 440 | 210 9 | 00000 | |
| 8 | A000 0108A | HNUR300 002 | 111111 | 8.00 9.50 | 1 | 26 | 440 | 210 9 | 00000 | |
| 8 | A000 0108A | HCOR120 004 | 111111 | 8.00 10.30 | 1 | 21 | 440 | 210 9 | 00000 | |
| 4 | 8 | A000 0108A | HCOR110 002 | 111111 | 8.00 15.00 | 1 | 21 | 440 | 210 9 | 00000 |
| 4 | 8 | A000 0108A | HNUR211 002 | 111111 | 8.00 15.00 | 1 | 21 | 440 | 210 9 | 00000 |
| 4 | 8 | A000 0108A | HNUR211 003 | 111111 | 8.00 15.00 | 1 | 21 | 440 | 210 9 | 00000 |
| 4 | 78 | A000 0108A | HNUR211 005 | 111111 | 8.00 15.00 | 1 | 440 | 210 9 | 00000 | |
| 4 | 789 | A000 0108A | HNUR211 005 | 111111 | 8.00 15.00 | 1 | 440 | 210 9 | 00000 | |
| 8 | A000 0108A | HNUR351 002 | 1 1 | 10.10 12.00 | 1 | 32 | 440 | 210 9 | 00000 | |
| 8 | A000 0108A | HNUR411 002 | 111111 | 13.00 15.00 | 1 | 17 | 440 | 210 9 | 00000 | |
| | A000 0110 | SURG401 001 | 1 | 8.00 10.50 | | 7 | 1,034 | 210 21 | 00000 | |
| | A000 0110 | SURG401 002 | 1 | 8.00 10.50 | 1 | 9 | 1,034 | 210 21 | 00000 | |
| | A000 0110 | SURG201 001 | 1 1 1 | 10.00 14.50 | 1 | 8 | 1,034 | 210 21 | 00000 | |
| 8 | A000 0110 | SURG201 002 | 1 1 1 | 10.00 14.50 | 1 | 10 | 1,034 | 210 21 | 00000 | |
| 8 | A000 0110 | SURG201 001 | 1 1 | 13.00 14.50 | 1 | 8 | 1,034 | 210 21 | 00000 | |
| 8 | A000 0110 | SURG201 002 | 1 1 | 13.00 14.50 | 1 | 10 | 1,034 | 210 21 | 00000 | |
| | A000 0110 | SURG101 001 | 111111 | 15.00 16.00 | | 7 | 1,034 | 210 21 | 00000 | |
| | A000 0110 | SURG101 002 | 111111 | 15.00 16.00 | 1 | 9 | 1,034 | 210 21 | 00000 | |
| 1 | 4 | A000 0113 | ORNT000 006 | 111 | 8.00 14.25 | | 17 | | | 00000 |
| 8 | A000 0114 | ACCT200 001 | 111111 | 8.00 8.50 | | 9 | 945 | 210 1 | 00000 | |
| 7 | A000 0114 | KYBD310 002 | 111111 | 9.00 9.50 | | | 945 | 210 1 | 00000 | |
| 8 | A000 0114 | ACCT300 001 | 1111 | 9.00 9.50 | 1 | 18 | 945 | 210 1 | 00000 | |
| 8 | A000 0114 | ENGL30 001 | 1 1 1 | 10.00 10.50 | | 17 | 945 | 210 1 | 00000 | |
| 8 | A000 0114 | ACCT100 001 | 1111 | 11.00 11.50 | | 20 | 945 | 210 1 | 00000 | |
| 8 | A000 0114 | ENGL30 002 | 1 1 1 | 13.00 13.50 | | 21 | 945 | 210 1 | 00000 | |
| 8 | A000 0114 | MAST230 001 | 11 | 15.30 16.45 | | 17 | 945 | 210 1 | 00000 | |
| | A000 0116 | ACCT100 003 | 1111 | 10.00 10.50 | | 21 | 945 | 210 19 | 00000 | |
| | A000 0116 | ACCT100 002 | 1111 | 13.00 13.50 | | 22 | 945 | 210 19 | 00000 | |
| | A000 0200 | HOST010 001 | 1 1 1 | 8.00 8.50 | | 8 | 600 | 210 15 | 00000 | |
| | A000 0200 | DRFT996 001 | 1 1 1 | 8.00 9.50 | 1 | 2 | 600 | 210 15 | 00000 | |
| 7 | A000 0200 | HOST292 001 | 111111 | 8.00 11.50 | 1 | | 600 | 210 15 | 00000 | |
| | A000 0200 | HOST080 001 | 1 1 1 | 9.00 9.50 | 1 | 8 | 600 | 210 15 | 00000 | |
| 7 | A000 0200 | CPTR000 009 | 1 1 | 9.25 10.40 | 1 | | 600 | 210 15 | 00000 | |
| 7 | A000 0200 | ENGL060 001 | 1 1 | 9.25 10.40 | 1 | | 600 | 210 15 | 00000 | |
| 8 | A000 0200 | HOST020 001 | 1 1 1 | 10.00 10.50 | 1 | 7 | 600 | 210 15 | 00000 | |
| 7 | A000 0200 | ORNT000 001 | 1 | 10.50 12.05 | | | 600 | 210 15 | 00000 | |
| | A000 0200 | ORNT000 007 | 1 | 10.50 12.05 | 1 | 18 | 600 | 210 15 | 00000 | |
| 7 | A000 0200 | ORNT000 008 | 1 | 10.50 12.05 | | | 600 | 210 15 | 00000 | |
| 7 | A000 0200 | ORNT000 011 | 1 | 10.50 12.05 | 1 | | 600 | 210 15 | 00000 | |
| | A000 0200 | HOST250 001 | 1 1 1 | 11.00 11.50 | 1 | 4 | 600 | 210 15 | 00000 | |
| | A000 0200 | ENGL040 001 | 1 1 1 | 13.00 13.50 | | 19 | 600 | 210 15 | 00000 | |
| 7 | A000 0200 | CULN430 001 | 1111 | 13.00 13.50 | 1 | | 600 | 210 15 | 00000 | |
| 8 | A000 0201 | CPTR000 001 | 1 1 1 | 8.00 8.50 | | 19 | 576 | 210 12 | 00000 | |
| 8 | A000 0201 | JOBS450 004 | 1 1 | 8.00 9.15 | 1 | 15 | 576 | 210 12 | 00000 | |
| 8 | A000 0201 | CPTR300 001 | 111 | 9.00 9.50 | 1 | 14 | 576 | 210 12 | 00000 | |
| 8 | A000 0201 | CPTR640 001 | 111 | 9.00 9.50 | 1 | 2 | 576 | 210 12 | 00000 | |
| 8 | A000 0201 | ORNT000 005 | 1 | 10.50 12.05 | | 30 | 576 | 210 12 | 00000 | |
| 8 | A000 0201 | OSYS530 001 | 1 1 1 | 11.00 11.50 | 1 | 24 | 576 | 210 12 | 00000 | |
| 8 | A000 0201 | OSYS100 001 | 1 1 1 | 13.00 13.50 | | 20 | 576 | 210 12 | 00000 | |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 7 | A000 0203 | KYBD000 002 | 1 1 1 | 8.00 8.50 | | | 589 | 210 12 | 00000 |
| | A000 0203 | ISYS550 001 | 1111 | 8.00 8.50 | 1 | 17 | 589 | 210 12 | 00000 |
| 8 | A000 0203 | ACCT996 001 | 1 | 8.00 9.50 | 1 | 5 | 589 | 210 12 | 00000 |
| 8 | A000 0203 | CPTR000 005 | 1 1 | 9.25 10.40 | 1 | 22 | 589 | 210 12 | 00000 |
| 8 | A000 0203 | MEDL300 001 | 1 1 1 | 10.00 10.50 | 1 | 21 | 589 | 210 12 | 00000 |
| 8 | A000 0203 | MEDL300 002 | 1 1 | 13.40 14.55 | | 20 | 589 | 210 12 | 00000 |
| | A000 0203 | CPTR000 007 | 1 1 1 | 15.00 15.50 | | 12 | 589 | 210 12 | 00000 |
| | A000 0301 | WKEY070 001 | 1 1 1 | 8.00 8.50 | | 1 | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY071 001 | 1 1 1 | 8.00 8.50 | 1 | 1 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 001 | 1 1 1 | 8.00 8.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 001 | 1 1 1 | 8.00 8.50 | 1 | | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY070 009 | 1 1 | 8.00 8.50 | 1 | 1 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 009 | 1 1 | 8.00 9.15 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 009 | 1 1 | 8.00 9.15 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 009 | 1 1 | 8.00 9.15 | 1 | | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY070 002 | 1 1 1 | 9.00 9.50 | 1 | 2 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 002 | 1 1 1 | 9.00 9.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 002 | 1 1 1 | 9.00 9.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 002 | 1 1 1 | 9.00 9.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY070 001 | 1 1 | 9.25 10.40 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 001 | 1 1 | 9.25 10.40 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 001 | 1 1 | 9.25 10.40 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 001 | 1 1 | 9.25 10.40 | 1 | | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY070 003 | 1 1 1 | 10.00 10.50 | 1 | 4 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 003 | 1 1 1 | 10.00 10.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 003 | 1 1 1 | 10.00 10.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 003 | 1 1 1 | 10.00 10.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY070 011 | 1 1 | 10.50 12.05 | | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 011 | 1 1 | 10.50 12.05 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 011 | 1 1 | 10.50 12.05 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 011 | 1 1 | 10.50 12.05 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY070 004 | 1 1 1 | 11.00 11.50 | 1 | | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY071 004 | 1 1 1 | 11.00 11.50 | 1 | 1 | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY080 004 | 1 1 1 | 11.00 11.50 | 1 | 2 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 004 | 1 1 1 | 11.00 11.50 | 1 | | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY070 005 | 1 1 1 | 12.00 12.50 | | 2 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 005 | 1 1 1 | 12.00 12.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 005 | 1 1 1 | 12.00 12.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 005 | 1 1 1 | 12.00 12.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY070 012 | 1 1 | 12.15 13.30 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 012 | 1 1 | 12.15 13.30 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 012 | 1 1 | 12.15 13.30 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 012 | 1 1 | 12.15 13.30 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY070 006 | 1 1 1 | 13.00 13.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 006 | 1 1 1 | 13.00 13.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 006 | 1 1 1 | 13.00 13.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 006 | 1 1 1 | 13.00 13.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY070 013 | 1 1 | 13.40 14.55 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 013 | 1 1 | 13.40 14.55 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 013 | 1 1 | 13.40 14.55 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 013 | 1 1 | 13.40 14.55 | 1 | | 1,000 | 110 15 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| | A000 0301 | WKEY070 007 | 1 1 1 | 14.00 14.50 | 1 | 1 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 007 | 1 1 1 | 14.00 14.50 | 1 | | 1,000 | 110 15 | 00000 |
| | A000 0301 | WKEY080 007 | 1 1 1 | 14.00 14.50 | 1 | 3 | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 007 | 1 1 1 | 14.00 14.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY070 008 | 1 1 1 | 15.00 15.50 | | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY071 008 | 1 1 1 | 15.00 15.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY080 008 | 1 1 1 | 15.00 15.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0301 | WKEY081 008 | 1 1 1 | 15.00 15.50 | 1 | | 1,000 | 110 15 | 00000 |
| 7 | A000 0302 | CPTR000 006 | 1 1 | 9.25 10.40 | | | 459 | 210 9 | 00000 |
| | A000 0302 | CPTR000 018 | 1 1 1 | 15.00 15.50 | | 13 | 459 | 210 9 | 00000 |
| | A000 0402 | MAST210 002 | 11 1 | 8.00 8.50 | | 17 | 704 | 210 14 | 00000 |
| 8 | A000 0402 | ORNT000 004 | 1 | 8.00 8.50 | | 25 | 704 | 210 14 | 00000 |
| 8 | A000 0402 | ORNT000 002 | 1 | 11.00 11.50 | | 42 | 704 | 210 14 | 00000 |
| 8 | A000 0402 | CPTR000 003 | 1 1 | 12.15 13.30 | | 23 | 704 | 210 14 | 00000 |
| 8 | A000 0402 | ACCT250 001 | 1 1 1 | 13.00 13.50 | 1 | 11 | 704 | 210 14 | 00000 |
| 8 | A000 0402 | ORNT000 001 | 1 | 14.00 14.50 | | 51 | 704 | 210 14 | 00000 |
| | A000 0404 | CPTR000 013 | 1 1 1 | 8.00 8.50 | | 17 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | KYBD000 003 | 1 1 | 8.00 9.15 | 1 | 22 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | OSYS250 002 | 1 1 1 | 9.00 9.50 | 1 | 21 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | KYBD210 001 | 1111 | 9.00 9.50 | 1 | 20 | 680 | 210 14 | 00000 |
| 78 | A000 0404 | KYBD310 001 | 1111 | 9.00 9.50 | 1 | | 680 | 210 14 | 00000 |
| | A000 0404 | OSYS250 001 | 1 1 1 | 10.00 10.50 | | 19 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | CPTR640 002 | 1 1 | 10.00 10.50 | 1 | 5 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | CPTR310 001 | 111 | 10.00 10.50 | 1 | 19 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | MATH050 001 | 1 1 1 | 11.00 11.50 | | 28 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | OSYS995 001 | 1 1 1 | 11.00 12.50 | 1 | 1 | 680 | 210 14 | 00000 |
| | A000 0404 | MAST110 001 | 1111 | 13.00 13.50 | | 9 | 680 | 210 14 | 00000 |
| 8 | A000 0404 | MACH350 001 | 1 1 | 13.40 14.55 | 1 | 13 | 680 | 210 14 | 00000 |
| 1 | A000 0406 | CULN991 002 | 11111 | 8.00 12.50 | | 2 | | | 00000 |
| 1 | A000 0406 | CULN993 002 | 11111 | 8.00 12.50 | | 2 | | | 00000 |
| 1 | A000 0406 | CULN996 002 | 11111 | 8.00 12.50 | | 2 | | | 00000 |
| 1 4 7 | A000 0406 | CULN120 001 | 11111 | 8.00 13.50 | | | | | 00000 |
| 1 4 | A000 0406 | CULN120 002 | 11111 | 8.00 13.50 | | 12 | | | 00000 |
| 1 4 | A000 0406 | CULN130 001 | 11111 | 8.00 13.50 | | 1 | | | 00000 |
| 1 4 | A000 0406 | CULN130 002 | 11111 | 8.00 13.50 | | 10 | | | 00000 |
| 1 4 | A000 0406 | CULN140 001 | 11111 | 8.00 13.50 | | 1 | | | 00000 |
| 1 4 | A000 0406 | CULN140 002 | 11111 | 8.00 13.50 | | 10 | | | 00000 |
| 1 4 | A000 0406 | CULN160 002 | 11111 | 8.00 13.50 | | 7 | | | 00000 |
| 1 4 | A000 0406 | CULN210 002 | 11111 | 8.00 13.50 | | 6 | | | 00000 |
| 1 4 | A000 0406 | CULN230 002 | 11111 | 8.00 13.50 | | 2 | | | 00000 |
| 1 4 | A000 0406 | CULN310 001 | 11111 | 8.00 13.50 | | 9 | | | 00000 |
| 1 4 | A000 0406 | CULN310 002 | 11111 | 8.00 13.50 | | 9 | | | 00000 |
| 1 4 | A000 0406 | CULN430 002 | 11111 | 8.00 13.50 | | 4 | | | 00000 |
| 1 4 | A000 0406 | CULN440 001 | 11111 | 8.00 13.50 | | 10 | | | 00000 |
| 1 4 | A000 0406 | CULN440 002 | 11111 | 8.00 13.50 | | 1 | | | 00000 |
| 1 4 | A000 0406 | CULN997 001 | 11111 | 8.00 13.50 | | 1 | | | 00000 |
| 1 4 7 | A000 0406 | ORNT000 015 | 11111 | 8.00 13.50 | | | | | 00000 |
| 1 4 | A000 0406 | ORNT000 016 | 11111 | 8.00 13.50 | | 14 | | | 00000 |
| 1 4 7 | A000 0406 | ORNT000 012 | 111 | 8.00 13.50 | | | | | 00000 |
| 1 4 | A000 0406 | CULN321 002 | 111111 | 8.00 16.50 | | 16 | | | 00000 |
| 1 | A000 0406 | CULN210 001 | 11111 | 9.00 13.50 | | 3 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETING DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|----------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 1 | A000 0406 | CULN220 001 | 11111 | 9.00 13.50 | | 2 | | | 00000 |
| 1 | A000 0406 | CULN997 002 | 1 1 | 11.00 11.50 | | 4 | | | 00000 |
| 1 | 7 A000 0406 | CULN140 003 | 11111 | 11.00 12.50 | | | | | 00000 |
| 1 | A000 0406 | CULN995 001 | 1 1 1 | 13.00 13.50 | | 1 | | | 00000 |
| 1 | A000 0406 | JOBS450 002 | 1 1 | 13.00 13.50 | | 20 | | | 00000 |
| | A000 0407 | HCOR120 001 | 11111 | 8.00 12.50 | | 14 | 459 | 110 18 | 00000 |
| | 8 A000 0407 | HNUR211 001 | 11111 | 8.00 12.50 | 1 | 15 | 459 | 110 18 | 00000 |
| | 8 A000 0407 | MAST210 001 | 11111 | 8.00 12.50 | 1 | 19 | 459 | 110 18 | 00000 |
| | 8 A000 0407 | HMDT170 001 | 1 11 | 8.00 12.50 | 1 | 20 | 459 | 110 18 | 00000 |
| | 8 A000 0407 | HCOR160 001 | 111 | 8.00 12.50 | 1 | 14 | 459 | 110 18 | 00000 |
| | 78 A000 0407 | HCOR110 001 | 111 | 8.00 12.50 | 1 | | 459 | 110 18 | 00000 |
| 4 | 78 A000 0407 | HCOR991 001 | 11111 | 8.00 13.50 | 1 | | 459 | 110 18 | 00000 |
| | 8 A000 0407 | HCOR120 002 | 1 1 | 14.00 14.50 | | 38 | 459 | 110 18 | 00000 |
| | 78 A000 0407 | HCOR120 003 | 1 1 | 14.00 14.50 | 1 | | 459 | 110 18 | 00000 |
| | A000 0408 | MFGJ551 001 | 1 1 1 | 7.30 8.30 | | 9 | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ991 002 | 1 | 7.30 8.30 | 1 | 9 | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ281 003 | 11111 | 8.00 10.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ291 003 | 11111 | 8.00 10.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ330 002 | 11111 | 8.00 10.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ421 002 | 11111 | 8.00 10.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ422 004 | 11111 | 8.00 10.50 | 1 | | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ110 001 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ110 002 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ110 003 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ110 004 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ110 006 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ110 007 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ141 001 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ141 002 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ141 004 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ141 005 | 11111 | 8.00 11.50 | 1 | 3 | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ162 001 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 7 A000 0408 | MFGJ162 002 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ162 003 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ162 004 | 11111 | 8.00 11.50 | 1 | 3 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ162 005 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 78 A000 0408 | MFGJ172 001 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ172 002 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ172 003 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ172 004 | 11111 | 8.00 11.50 | 1 | 3 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ172 005 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ181 001 | 11111 | 8.00 11.50 | 1 | 3 | 1,540 | 210 18 | 00000 |
| | 78 A000 0408 | MFGJ191 001 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 78 A000 0408 | MFGJ202 001 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 78 A000 0408 | MFGJ241 001 | 11111 | 8.00 11.50 | 1 | | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ281 001 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ281 002 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ281 004 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ291 001 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ291 002 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | 8 A000 0408 | MFGJ311 002 | 11111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETING DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|----------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| 8 | A000 0408 | MFGJ322 002 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ330 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ330 003 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ411 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ421 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ421 003 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ422 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ422 002 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ422 003 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ431 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ431 004 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ431 005 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ432 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ432 004 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ441 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ450 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ450 002 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ450 003 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ451 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ451 002 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ521 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ531 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ532 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ541 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ551 002 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ552 002 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ991 001 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ993 002 | 111111 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ421 005 | 1 1 1 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ422 006 | 1 1 1 | 8.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 4 | 8 | A000 0408 | MFGJ141 003 | 111111 | 8.00 14.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| 8 | A000 0408 | MFGJ993 001 | 111111 | 8.30 9.30 | 1 | 9 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ311 004 | 111111 | 9.00 10.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ322 003 | 111111 | 9.00 10.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ441 004 | 111111 | 9.00 10.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ311 001 | 111 1 | 9.00 10.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ322 001 | 111 1 | 9.00 10.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ291 004 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ291 005 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ330 004 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ431 002 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ431 003 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ432 002 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ432 003 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ441 002 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 8 | A000 0408 | MFGJ441 003 | 111111 | 9.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ995 001 | 111111 | 9.30 12.00 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ110 005 | 111111 | 10.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ141 006 | 111111 | 10.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ162 006 | 111111 | 10.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |
| 78 | A000 0408 | MFGJ421 004 | 111111 | 10.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 | |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 8 | A000 0408 | MFGJ422 005 | 111111 | 10.00 11.50 | 1 | 1 | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ552 001 | 111111 | 12.30 14.30 | | 9 | 1,540 | 210 18 | 00000 |
| | A000 0408 | MFGJ997 001 | 111111 | 14.30 16.00 | | 9 | 1,540 | 210 18 | 00000 |
| | A000 0409 | BARB220 002 | 111111 | 8.00 8.50 | | 2 | 1,485 | 210 30 | 00000 |
| | A000 0409 | BARB140 002 | 111111 | 8.00 9.50 | 1 | 2 | 1,485 | 210 30 | 00000 |
| | A000 0409 | BARB150 001 | 111111 | 8.00 9.50 | 1 | 7 | 1,485 | 210 30 | 00000 |
| 7 | A000 0409 | BARB211 003 | 111111 | 8.00 9.50 | 1 | | 1,485 | 210 30 | 00000 |
| 7 | A000 0409 | BARB220 003 | 111111 | 8.00 9.50 | 1 | | 1,485 | 210 30 | 00000 |
| | A000 0409 | BARB410 002 | 111111 | 8.00 9.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| | A000 0409 | BARB430 001 | 111111 | 8.00 9.50 | 1 | 8 | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB110 001 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 7 | A000 0409 | BARB120 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 9 | A000 0409 | BARB120 001 | 111111 | 8.00 14.50 | | 1 | 1,485 | 210 30 | 00000 |
| 4 7 | A000 0409 | BARB131 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 9 | A000 0409 | BARB131 001 | 111111 | 8.00 14.50 | | 1 | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB131 002 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB131 003 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB140 001 | 111111 | 8.00 14.50 | 1 | 5 | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB160 001 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB211 001 | 111111 | 8.00 14.50 | 1 | 6 | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB220 001 | 111111 | 8.00 14.50 | 1 | 6 | 1,485 | 210 30 | 00000 |
| 4 7 | A000 0409 | BARB310 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB310 002 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 7 | A000 0409 | BARB321 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 | A000 0409 | BARB321 002 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 7 | A000 0409 | BARB330 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 7 | A000 0409 | BARB341 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB350 001 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB350 002 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 78 | A000 0409 | BARB350 003 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB410 001 | 111111 | 8.00 14.50 | 1 | 6 | 1,485 | 210 30 | 00000 |
| 4 78 | A000 0409 | BARB420 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB420 002 | 111111 | 8.00 14.50 | 1 | 2 | 1,485 | 210 30 | 00000 |
| 4 78 | A000 0409 | BARB420 003 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB430 002 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 78 | A000 0409 | BARB430 003 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB991 001 | 111111 | 8.00 14.50 | 1 | 2 | 1,485 | 210 30 | 00000 |
| 4 78 | A000 0409 | BARB993 001 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB995 002 | 111111 | 8.00 14.50 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 4 78 | A000 0409 | BARB995 003 | 111111 | 8.00 14.50 | 1 | | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB996 001 | 111111 | 8.00 14.50 | 1 | 2 | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB997 002 | 111111 | 8.00 14.50 | 1 | 3 | 1,485 | 210 30 | 00000 |
| 4 8 | A000 0409 | BARB995 001 | 1 | 8.00 14.50 | 1 | 3 | 1,485 | 210 30 | 00000 |
| 8 | A000 0409 | BARB110 003 | 111111 | 9.00 12.00 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 8 | A000 0409 | BARB120 003 | 111111 | 9.00 12.00 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 8 | A000 0409 | BARB131 003 | 111111 | 9.00 12.00 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 8 | A000 0409 | BARB140 003 | 111111 | 9.00 12.00 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 8 | A000 0409 | BARB160 003 | 111111 | 9.00 12.00 | 1 | 1 | 1,485 | 210 30 | 00000 |
| 8 | A000 0409 | BARB220 004 | 111111 | 9.00 12.00 | 1 | 1 | 1,485 | 210 30 | 00000 |
| | A000 0409 | BARB211 002 | 111111 | 13.00 14.50 | | 1 | 1,485 | 210 30 | 00000 |
| 7 | A000 0413 | AHEN000 001 | 1111 | 8.00 8.50 | | | 1,430 | 210 8 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| | A000 0413 | AHMA000 001 | 1111 | 8.00 8.50 | 1 | 5 | 1,430 | 210 8 | 00000 |
| | A000 0413 | AHRE000 001 | 1111 | 8.00 8.50 | 1 | 4 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHSC000 001 | 1111 | 8.00 8.50 | 1 | 9 | 1,430 | 210 8 | 00000 |
| 78 | A000 0413 | DVEN090 001 | 1111 | 8.00 8.50 | 1 | | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN091 001 | 1111 | 8.00 8.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN092 001 | 1111 | 8.00 8.50 | 1 | 2 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA090 001 | 1111 | 8.00 8.50 | 1 | 12 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA091 001 | 1111 | 8.00 8.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA092 001 | 1111 | 8.00 8.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE090 001 | 1111 | 8.00 8.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE091 001 | 1111 | 8.00 8.50 | 1 | 3 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE092 001 | 1111 | 8.00 8.50 | 1 | 4 | 1,430 | 210 8 | 00000 |
| | A000 0413 | AHEN000 002 | 1111 | 9.00 9.50 | | 3 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHMA000 002 | 1111 | 9.00 9.50 | 1 | 20 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHRE000 002 | 1111 | 9.00 9.50 | 1 | 5 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHSC000 002 | 1111 | 9.00 9.50 | 1 | 16 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN090 002 | 1111 | 9.00 9.50 | 1 | 2 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN091 002 | 1111 | 9.00 9.50 | 1 | 3 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN092 002 | 1111 | 9.00 9.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA090 002 | 1111 | 9.00 9.50 | 1 | 12 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA091 002 | 1111 | 9.00 9.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 78 | A000 0413 | DVMA092 002 | 1111 | 9.00 9.50 | 1 | | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE090 002 | 1111 | 9.00 9.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE091 002 | 1111 | 9.00 9.50 | 1 | 6 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE092 002 | 1111 | 9.00 9.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| | A000 0413 | AHEN000 003 | 1111 | 10.00 10.50 | | 3 | 1,430 | 210 8 | 00000 |
| | A000 0413 | AHMA000 003 | 1111 | 10.00 10.50 | 1 | 6 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHRE000 003 | 1111 | 10.00 10.50 | 1 | 6 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHSC000 003 | 1111 | 10.00 10.50 | 1 | 17 | 1,430 | 210 8 | 00000 |
| 78 | A000 0413 | DVEN090 003 | 1111 | 10.00 10.50 | 1 | | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN091 003 | 1111 | 10.00 10.50 | 1 | 4 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN092 003 | 1111 | 10.00 10.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA090 003 | 1111 | 10.00 10.50 | 1 | 8 | 1,430 | 210 8 | 00000 |
| 78 | A000 0413 | DVMA091 003 | 1111 | 10.00 10.50 | 1 | | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA092 003 | 1111 | 10.00 10.50 | 1 | 2 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE090 003 | 1111 | 10.00 10.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE091 003 | 1111 | 10.00 10.50 | 1 | 2 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE092 003 | 1111 | 10.00 10.50 | 1 | 2 | 1,430 | 210 8 | 00000 |
| | A000 0413 | AHEN000 004 | 1111 | 13.00 13.50 | | 5 | 1,430 | 210 8 | 00000 |
| | A000 0413 | AHMA000 004 | 1111 | 13.00 13.50 | 1 | 3 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHRE000 004 | 1111 | 13.00 13.50 | 1 | 5 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | AHSC000 004 | 1111 | 13.00 13.50 | 1 | 16 | 1,430 | 210 8 | 00000 |
| 78 | A000 0413 | DVEN090 004 | 1111 | 13.00 13.50 | 1 | | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN091 004 | 1111 | 13.00 13.50 | 1 | 4 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVEN092 004 | 1111 | 13.00 13.50 | 1 | 2 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA090 004 | 1111 | 13.00 13.50 | 1 | 5 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA091 004 | 1111 | 13.00 13.50 | 1 | 5 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVMA092 004 | 1111 | 13.00 13.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE090 004 | 1111 | 13.00 13.50 | 1 | 1 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE091 004 | 1111 | 13.00 13.50 | 1 | 6 | 1,430 | 210 8 | 00000 |
| 8 | A000 0413 | DVRE092 004 | 1111 | 13.00 13.50 | 1 | 3 | 1,430 | 210 8 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| | A000 0413 | AHEN000 005 | 1111 | 14.00 14.50 | | 2 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | AHMA000 005 | 1111 | 14.00 14.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | AHRE000 005 | 1111 | 14.00 14.50 | 1 | 2 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | AHSC000 005 | 1111 | 14.00 14.50 | 1 | 7 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVEN090 005 | 1111 | 14.00 14.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVEN091 005 | 1111 | 14.00 14.50 | 1 | 5 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVEN092 005 | 1111 | 14.00 14.50 | 1 | 2 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVMA090 005 | 1111 | 14.00 14.50 | 1 | 4 | 1,430 | 210 8 | 00000 | |
| 78 | A000 0413 | DVMA091 005 | 1111 | 14.00 14.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVMA092 005 | 1111 | 14.00 14.50 | 1 | 4 | 1,430 | 210 8 | 00000 | |
| 78 | A000 0413 | DVRE090 005 | 1111 | 14.00 14.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVRE091 005 | 1111 | 14.00 14.50 | 1 | 3 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVRE092 005 | 1111 | 14.00 14.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 7 | A000 0413 | AHEN000 006 | 1111 | 15.00 15.50 | | 1 | 1,430 | 210 8 | 00000 | |
| 7 | A000 0413 | AHMA000 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | AHRE000 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | AHSC000 006 | 1111 | 15.00 15.50 | 1 | 2 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | DVEN090 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 7 | A000 0413 | DVEN091 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | DVEN092 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | DVMA090 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | DVMA091 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| | A000 0413 | DVMA092 006 | 1111 | 15.00 15.50 | 1 | 4 | 1,430 | 210 8 | 00000 | |
| 7 | A000 0413 | DVRE090 006 | 1111 | 15.00 15.50 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVRE091 006 | 1111 | 15.00 15.50 | 1 | 9 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVRE092 006 | 1111 | 15.00 15.50 | 1 | 5 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVEN091 008 | 1111 | 15.00 17.00 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 8 | A000 0413 | DVRE092 007 | 1111 | 15.00 17.00 | 1 | 1 | 1,430 | 210 8 | 00000 | |
| 4 | A000 0500 | ELEC542 002 | 111111 | 7.00 15.30 | | 1 | 4,709 | 210 11 | 00000 | |
| 4 | A000 0500 | ELEC542 001 | 111111 | 7.30 16.30 | 1 | 3 | 4,709 | 210 11 | 00000 | |
| | A000 0500 | CPTR000 012 | 1 1 1 | 8.00 8.50 | 1 | 5 | 4,709 | 210 11 | 00000 | |
| 7 | A000 0500 | ELEC220 001 | 1 1 1 | 8.00 9.50 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| | A000 0500 | ELEC420 001 | 1 1 1 | 8.00 9.50 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| | A000 0500 | ELEC220 002 | 1 1 | 8.00 10.40 | 1 | 4 | 4,709 | 210 11 | 00000 | |
| 7 | A000 0500 | ELEC230 001 | 1 1 | 8.00 10.40 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| 7 | A000 0500 | ELEC330 002 | 1 1 | 8.00 10.40 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| 8 | A000 0500 | ELEC430 002 | 1 1 | 8.00 10.40 | 1 | 5 | 4,709 | 210 11 | 00000 | |
| 78 | A000 0500 | ELEC460 003 | 1 1 | 8.00 10.40 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| 78 | A000 0500 | ELEC440 003 | 1 1 1 | 8.00 10.50 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| 8 | A000 0500 | ELEC120 001 | 1 1 1 | 8.00 11.50 | 1 | 8 | 4,709 | 210 11 | 00000 | |
| 8 | A000 0500 | ELEC210 002 | 1 1 1 | 8.00 11.50 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| 8 | A000 0500 | ELEC311 001 | 1 1 1 | 8.00 11.50 | 1 | 2 | 4,709 | 210 11 | 00000 | |
| 4 | 8 | A000 0500 | ELEC120 003 | 111111 | 8.00 14.50 | 1 | 1 | 4,709 | 210 11 | 00000 |
| 4 | 78 | A000 0500 | ELEC210 003 | 111111 | 8.00 14.50 | 1 | 1 | 4,709 | 210 11 | 00000 |
| 4 | 8 | A000 0500 | ELEC120 002 | 1 1 | 8.00 14.55 | 1 | 2 | 4,709 | 210 11 | 00000 |
| 4 | 8 | A000 0500 | ELEC210 001 | 1 1 | 8.00 14.55 | 1 | 11 | 4,709 | 210 11 | 00000 |
| 4 | 78 | A000 0500 | ELEC311 003 | 111111 | 8.00 15.30 | 1 | 1 | 4,709 | 210 11 | 00000 |
| 4 | 8 | A000 0500 | ELEC542 005 | 1 1 1 | 8.00 15.55 | 1 | 1 | 4,709 | 210 11 | 00000 |
| | 8 | A000 0500 | ELEC991 001 | 1 1 | 9.00 10.50 | 1 | 3 | 4,709 | 210 11 | 00000 |
| | 8 | A000 0500 | ELEC311 002 | 1 1 1 | 9.00 11.50 | 1 | 1 | 4,709 | 210 11 | 00000 |
| | 78 | A000 0500 | ELEC410 001 | 1 1 1 | 9.00 11.50 | 1 | 1 | 4,709 | 210 11 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 10

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| 8 | A000 0500 | ELEC120 004 | 1 1 1 | 9.00 12.50 | 1 | 2 | 4,709 | 210 11 | 00000 | |
| 8 | A000 0500 | ELEC410 002 | 1 1 1 | 9.00 12.50 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| 78 | A000 0500 | ELEC220 003 | 1 1 | 10.50 12.05 | 1 | | 4,709 | 210 11 | 00000 | |
| 8 | A000 0500 | ELEC230 002 | 1 1 | 10.50 12.05 | 1 | 7 | 4,709 | 210 11 | 00000 | |
| 78 | A000 0500 | ELEC430 001 | 1 1 | 10.50 12.05 | 1 | | 4,709 | 210 11 | 00000 | |
| 8 | A000 0500 | ELEC995 001 | 1 1 | 10.50 14.55 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| 78 | A000 0500 | ELEC230 003 | 1 1 1 | 11.00 11.50 | 1 | | 4,709 | 210 11 | 00000 | |
| | A000 0500 | CPTR000 014 | 1 1 1 | 13.00 13.50 | | 1 | 4,709 | 210 11 | 00000 | |
| | A000 0500 | ELEC460 001 | 1 1 1 | 13.00 13.50 | 1 | 11 | 4,709 | 210 11 | 00000 | |
| | A000 0500 | ELEC220 004 | 1 1 1 | 13.00 14.50 | 1 | 1 | 4,709 | 210 11 | 00000 | |
| | A000 0500 | ELEC330 001 | 1 1 1 | 13.00 14.50 | 1 | 2 | 4,709 | 210 11 | 00000 | |
| 7 | A000 0500 | ELEC460 002 | 1 1 1 | 14.00 14.50 | 1 | | 4,709 | 210 11 | 00000 | |
| | A000 0501 | UPHO001 002 | 1 1 1 | 8.00 11.50 | | 1 | 2,394 | 210 48 | 00000 | |
| 4 | A000 0501 | UPHO000 001 | 11111 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 | |
| 4 | A000 0501 | UPHO001 001 | 11111 | 8.00 14.55 | 1 | 2 | 2,394 | 210 48 | 00000 | |
| 4 | A000 0501 | UPHO011 001 | 11111 | 8.00 14.55 | 1 | 2 | 2,394 | 210 48 | 00000 | |
| 4 | 7 | A000 0501 | UPHO011 002 | 11111 | 8.00 14.55 | 1 | 2,394 | 210 48 | 00000 | |
| 4 | 7 | A000 0501 | UPHO021 001 | 11111 | 8.00 14.55 | 1 | 2,394 | 210 48 | 00000 | |
| 4 | 9 | A000 0501 | UPHO021 001 | 11111 | 8.00 14.55 | | 2 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO031 001 | 11111 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | 7 9 | A000 0501 | UPHO031 001 | 11111 | 8.00 14.55 | | 2,394 | 210 48 | 00000 | |
| 4 | | A000 0501 | UPHO031 002 | 11111 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO041 001 | 11111 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO051 001 | 11111 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO101 001 | 11111 | 8.00 14.55 | 1 | 2 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO111 001 | 11111 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO991 001 | 11111 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | 7 | A000 0501 | UPHO993 001 | 11111 | 8.00 14.55 | 1 | 2,394 | 210 48 | 00000 | |
| 4 | | A000 0501 | UPHO995 002 | 11111 | 8.00 14.55 | 1 | 2 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO000 003 | 1 1 1 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO021 002 | 1 1 1 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO031 003 | 1 1 1 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO993 003 | 1 1 1 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO996 001 | 1 1 1 | 8.00 14.55 | 1 | 2 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO011 001 | 1 11 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO061 001 | 1 11 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | CSRV000 001 | 1 1 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | CSRV000 002 | 1 1 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 4 | 7 | A000 0501 | UPHO000 002 | 1 1 | 8.00 14.55 | 1 | 2,394 | 210 48 | 00000 | |
| 4 | | A000 0501 | UPHO030 001 | 1 1 | 8.00 14.55 | 1 | 2 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO993 002 | 1 1 | 8.00 14.55 | 1 | 2 | 2,394 | 210 48 | 00000 |
| 4 | | A000 0501 | UPHO995 001 | 1 1 | 8.00 14.55 | 1 | 1 | 2,394 | 210 48 | 00000 |
| 1 | | A000 0503 | AUTO430 001 | 11111 | 8.00 11.50 | | 5 | | 00000 | |
| 1 | | A000 0503 | AUTO510 001 | 11111 | 8.00 11.50 | | 4 | | 00000 | |
| 1 | 4 | A000 0503 | AUTO130 006 | 11111 | 8.00 14.50 | | 3 | | 00000 | |
| 1 | 4 | A000 0503 | AUTO600 006 | 11111 | 8.00 14.50 | | 3 | | 00000 | |
| | | A000 0503A | AUTO620 001 | 11111 | 8.00 10.40 | | 13 | 2,080 | 210 85 | 00000 |
| | | A000 0503A | AUTO630 001 | 11111 | 8.00 10.40 | 1 | 12 | 2,080 | 210 85 | 00000 |
| | | A000 0503A | AUTO100 001 | 11111 | 8.00 10.50 | 1 | 3 | 2,080 | 210 85 | 00000 |
| | | A000 0503A | AUTO110 001 | 11111 | 8.00 10.50 | 1 | 3 | 2,080 | 210 85 | 00000 |
| | | A000 0503A | AUTO120 001 | 11111 | 8.00 10.50 | 1 | 2 | 2,080 | 210 85 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 11

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| | A000 0503A | AUTO600 001 | 111111 | 8.00 10.50 | 1 | 11 | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO610 001 | 111111 | 8.00 10.50 | 1 | 11 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO610 002 | 111111 | 8.00 10.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO620 002 | 111111 | 8.00 10.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO630 002 | 111111 | 8.00 10.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO640 001 | 111111 | 8.00 10.50 | 1 | 13 | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO650 001 | 111111 | 8.00 10.50 | 1 | 13 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO650 002 | 111111 | 8.00 10.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO660 001 | 111111 | 8.00 10.50 | 1 | 12 | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO600 002 | 1 1 1 | 8.00 10.50 | 1 | 1 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO640 002 | 1 1 | 8.00 10.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO660 002 | 111111 | 8.00 11.40 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO110 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO120 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO130 006 | 111111 | 8.00 11.50 | 1 | 1 | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO300 001 | 111111 | 8.00 11.50 | 1 | 4 | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO330 001 | 111111 | 8.00 11.50 | 1 | 5 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO420 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO430 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO440 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO500 001 | 111111 | 8.00 11.50 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO510 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO520 001 | 111111 | 8.00 11.50 | 1 | 5 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO520 005 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO530 001 | 111111 | 8.00 11.50 | 1 | 5 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO530 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO540 001 | 111111 | 8.00 11.50 | 1 | 5 | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO540 002 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO600 003 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO610 003 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO620 003 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO630 003 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO640 003 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 7 | A000 0503A | AUTO650 003 | 111111 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO800 001 | 111111 | 8.00 11.50 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| | A000 0503A | AUTO810 001 | 111111 | 8.00 11.50 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO820 001 | 111111 | 8.00 11.50 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO830 001 | 111111 | 8.00 11.50 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO840 001 | 111111 | 8.00 11.50 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO850 001 | 111111 | 8.00 11.50 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO310 001 | 1 1 1 | 8.00 11.50 | 1 | 1 | 2,080 | 210 85 | 00000 | |
| 78 | A000 0503A | AUTO400 002 | 1 1 1 | 8.00 11.50 | 1 | | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO440 001 | 1111 | 8.00 11.50 | 1 | 5 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO320 001 | 111111 | 8.00 12.05 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO340 001 | 111111 | 8.00 12.05 | 1 | 5 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO400 001 | 111111 | 8.00 12.05 | 1 | 6 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO410 001 | 111111 | 8.00 12.05 | 1 | 3 | 2,080 | 210 85 | 00000 | |
| 8 | A000 0503A | AUTO420 001 | 111111 | 8.00 12.05 | 1 | 6 | 2,080 | 210 85 | 00000 | |
| 78 | A000 0503A | AUTO410 002 | 1 1 | 8.00 12.05 | 1 | | 2,080 | 210 85 | 00000 | |
| 4 | 8 | A000 0503A | AUTO100 005 | 111111 | 8.00 14.50 | 1 | 4 | 2,080 | 210 85 | 00000 |
| 4 | 8 | A000 0503A | AUTO110 005 | 111111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 12

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|--------------|
| 4 | 8 | A000 0503A | AUTO120 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO130 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO150 006 | 11111 | 8.00 14.50 | 1 | 3 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO200 005 | 11111 | 8.00 14.50 | 1 | 2 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO210 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO220 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO230 005 | 11111 | 8.00 14.50 | 1 | 2 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO240 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO300 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO310 005 | 11111 | 8.00 14.50 | 1 | 2 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO320 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO330 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO340 005 | 11111 | 8.00 14.50 | 1 | 2 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO600 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO610 005 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO610 006 | 11111 | 8.00 14.50 | 1 | 3 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO620 003 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO620 005 | 11111 | 8.00 14.50 | 1 | 2 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | AUTO630 006 | 11111 | 8.00 14.50 | 1 | 3 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO640 006 | 11111 | 8.00 14.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 8 | A000 0503A | ORNT000 019 | 11111 | 8.00 14.50 | 1 | 3 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO150 005 | 11111 | 8.00 17.00 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO150 007 | 11111 | 8.00 17.00 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO997 005 | 11111 | 8.00 17.00 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO997 006 | 11111 | 8.00 17.00 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO999 005 | 11111 | 8.00 17.00 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | AUTO999 006 | 11111 | 8.00 17.00 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | 78 | A000 0503A | ORNT000 018 | 11111 | 15.00 15.50 | 1 | 1 | 2,080 | 210 85 00000 |
| 4 | | A000 0503K | AUTO130 007 | 11111 | 8.00 14.25 | 1 | 1 | 220 | 210 20 00000 |
| 4 | | A000 0503K | AUTO500 007 | 11111 | 8.00 14.50 | 1 | 1 | 220 | 210 20 00000 |
| 4 | | A000 0503K | AUTO610 007 | 11111 | 8.00 14.50 | 1 | 1 | 220 | 210 20 00000 |
| 4 | | A000 0503K | AUTO630 005 | 11111 | 8.00 14.50 | 1 | 2 | 220 | 210 20 00000 |
| 4 | | A000 0503K | AUTO660 005 | 11111 | 8.00 14.50 | 1 | 1 | 220 | 210 20 00000 |
| 4 | | A000 0503K | AUTO150 008 | 11111 | 8.00 17.00 | 1 | 1 | 220 | 210 20 00000 |
| 4 | | A000 0503K | AUTO670 001 | 11111 | 8.00 17.00 | 1 | 2 | 220 | 210 20 00000 |
| | | A000 0504 | MTTC510 001 | 11111 | 8.00 8.50 | 1 | 2 | 3,528 | 210 20 00000 |
| | 7 | A000 0504 | MTTC710 002 | 11111 | 8.00 9.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC220 004 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | 7 | A000 0504 | MTTC420 001 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC431 001 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | 7 | A000 0504 | MTTC431 002 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC431 005 | 11111 | 8.00 10.50 | 1 | 2 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC510 002 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC710 001 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC710 003 | 11111 | 8.00 10.50 | 1 | 2 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC710 004 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC993 002 | 11111 | 8.00 10.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC110 001 | 11111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC110 002 | 11111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC110 005 | 11111 | 8.00 11.50 | 1 | 5 | 3,528 | 210 20 00000 |
| | | A000 0504 | MTTC120 001 | 11111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 00000 |

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| 7 | A000 0504 | MTTC120 002 | 111111 | 8.00 11.50 | 1 | | 3,528 | 210 20 | 00000 | |
| 7 | A000 0504 | MTTC120 003 | 111111 | 8.00 11.50 | 1 | | 3,528 | 210 20 | 00000 | |
| | A000 0504 | MTTC120 005 | 111111 | 8.00 11.50 | 1 | 6 | 3,528 | 210 20 | 00000 | |
| | A000 0504 | MTTC210 001 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| | A000 0504 | MTTC210 002 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC210 003 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC220 001 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC220 003 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| 78 | A000 0504 | MTTC230 001 | 111111 | 8.00 11.50 | 1 | | 3,528 | 210 20 | 00000 | |
| 78 | A000 0504 | MTTC230 003 | 111111 | 8.00 11.50 | 1 | | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC230 004 | 111111 | 8.00 11.50 | 1 | 4 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC310 002 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 89 | A000 0504 | MTTC310 002 | 111111 | 8.00 11.50 | | 1 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC320 001 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC320 002 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC331 001 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC331 002 | 111111 | 8.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC410 002 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC410 003 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC410 004 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC420 003 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC420 004 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 78 | A000 0504 | MTTC431 003 | 111111 | 8.00 11.50 | 1 | | 3,528 | 210 20 | 00000 | |
| 8 | A000 0504 | MTTC431 004 | 111111 | 8.00 11.50 | 1 | 2 | 3,528 | 210 20 | 00000 | |
| 78 | A000 0504 | MTTC110 003 | 1 1 1 | 8.00 11.50 | 1 | | 3,528 | 210 20 | 00000 | |
| 4 | 8 | A000 0504 | MTTC220 002 | 111111 | 8.00 14.50 | 1 | 1 | 3,528 | 210 20 | 00000 |
| 4 | 8 | A000 0504 | MTTC230 002 | 111111 | 8.00 15.50 | 1 | 1 | 3,528 | 210 20 | 00000 |
| 4 | 78 | A000 0504 | MTTC431 006 | 111111 | 8.00 15.50 | 1 | | 3,528 | 210 20 | 00000 |
| | 78 | A000 0504 | MTTC110 004 | 111111 | 9.00 11.50 | 1 | | 3,528 | 210 20 | 00000 |
| | 78 | A000 0504 | MTTC120 004 | 111111 | 9.00 11.50 | 1 | | 3,528 | 210 20 | 00000 |
| | 8 | A000 0504 | MTTC420 002 | 111111 | 9.00 11.50 | 1 | 1 | 3,528 | 210 20 | 00000 |
| | 78 | A000 0504 | MTTC410 001 | 1111 | 9.00 11.50 | 1 | | 3,528 | 210 20 | 00000 |
| | 78 | A000 0504 | MTTC993 001 | 1111 | 9.00 11.50 | 1 | | 3,528 | 210 20 | 00000 |
| | 7 | A000 0504 | MTTC120 006 | 1 1 1 | 13.00 14.50 | | | 3,528 | 210 20 | 00000 |
| 4 | | A000 0506 | WELD110 001 | 111111 | 8.00 14.50 | | 1 | 3,528 | 210 120 | 00000 |
| 4 | 9 | A000 0506 | WELD110 001 | 111111 | 8.00 14.50 | | 8 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD110 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | 7 9 | A000 0506 | WELD110 002 | 111111 | 8.00 14.50 | | | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD111 001 | 111111 | 8.00 14.50 | 1 | 2 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD111 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD112 001 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD112 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD113 001 | 111111 | 8.00 14.50 | 1 | 3 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD113 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD114 001 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD114 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD120 001 | 111111 | 8.00 14.50 | 1 | 2 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD120 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD130 001 | 111111 | 8.00 14.50 | 1 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD130 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD140 001 | 111111 | 8.00 14.50 | 1 | 8 | 3,528 | 210 120 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 14

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | 7 | A000 0506 | WELD140 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD210 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 9 | A000 0506 | WELD210 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD210 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 9 | A000 0506 | WELD210 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD220 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD220 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD221 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD221 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD222 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 9 | A000 0506 | WELD222 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD230 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD230 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD310 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 9 | A000 0506 | WELD310 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD310 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 9 | A000 0506 | WELD310 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD311 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD311 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD320 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD320 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD321 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD321 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD322 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD322 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD330 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD330 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD410 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD410 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD411 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD411 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD412 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD412 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD420 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD420 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | | A000 0506 | WELD510 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD510 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD511 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD511 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD512 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD512 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD893 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD893 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD895 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD895 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD897 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD897 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD899 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD899 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD991 001 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |
| 4 | 7 | A000 0506 | WELD991 002 | 11111 | 8.00 14.50 | 1 | 3,528 | 210 120 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 15

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | A000 0506 | WELD993 001 | 111111 | 8.00 14.50 | 1 | 1 | 3,528 | 210 120 | 00000 |
| 4 7 9 | A000 0506 | WELD993 001 | 111111 | 8.00 14.50 | | | 3,528 | 210 120 | 00000 |
| 4 7 | A000 0506 | WELD995 001 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 7 | A000 0506 | WELD995 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 7 | A000 0506 | WELD999 001 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| 4 7 | A000 0506 | WELD999 002 | 111111 | 8.00 14.50 | 1 | | 3,528 | 210 120 | 00000 |
| | A000 0601A | INCT2070001 | 1 1 1 | 8.00 9.50 | | 13 | 775 | 110 20 | 00000 |
| | A000 0601A | INCT902 001 | 1 1 | 8.00 10.40 | 1 | 3 | 775 | 110 20 | 00000 |
| 4 8 | A000 0601A | EMTP230 001 | 111111 | 8.00 17.00 | 1 | 20 | 775 | 110 20 | 00000 |
| 8 | A000 0601A | CPTR000 008 | 1 1 | 9.25 10.40 | 1 | 19 | 775 | 110 20 | 00000 |
| 78 | A000 0601A | INCT110 002 | 1 1 1 | 10.00 10.50 | 1 | | 775 | 110 20 | 00000 |
| | A000 0601A | INCT110 001 | 111111 | 10.50 12.05 | | 6 | 775 | 110 20 | 00000 |
| 7 | A000 0601A | CPTR000 011 | 1 1 | 10.50 12.05 | 1 | | 775 | 110 20 | 00000 |
| | A000 0601A | INCT210 001 | 1 1 | 10.50 15.00 | 1 | 20 | 775 | 110 20 | 00000 |
| | A000 0601A | INCT120 001 | 1 | 11.00 11.50 | | 1 | 775 | 110 20 | 00000 |
| 7 | A000 0601A | CPTR000 001 | 1 1 1 | 13.00 13.50 | | | 775 | 110 20 | 00000 |
| 7 | A000 0601A | ORNT000 017 | 1 1 | 14.00 14.50 | | | 775 | 110 20 | 00000 |
| 7 | A000 0601A | CPTR000 018 | 1 1 1 | 15.00 15.50 | | | 775 | 110 20 | 00000 |
| | A000 0601B | INCT800 001 | 1 1 1 | 8.00 9.50 | | 7 | 352 | 210 15 | 00000 |
| | A000 0601B | INCT500 001 | 1 1 | 8.00 10.40 | 1 | 13 | 352 | 210 15 | 00000 |
| 8 | A000 0601B | CPTR000 016 | 1 1 | 9.25 10.40 | 1 | 10 | 352 | 210 15 | 00000 |
| 8 | A000 0601B | CPTR000 002 | 1 1 1 | 10.00 10.50 | 1 | 20 | 352 | 210 15 | 00000 |
| | A000 0601B | KYBD000 005 | 1 1 1 | 13.00 13.50 | | 20 | 352 | 210 15 | 00000 |
| | A000 0601B | JOBS450 006 | 1 1 | 14.00 14.50 | | 13 | 352 | 210 15 | 00000 |
| | A000 0601B | KYBD000 004 | 1 1 | 15.05 15.55 | | 7 | 352 | 210 15 | 00000 |
| | A000 0601D | CPTR000 015 | 1 1 1 | 8.00 8.50 | | 10 | 562 | 215 20 | 00000 |
| 7 | A000 0601D | CPTR870 001 | 1 1 | 8.00 9.15 | 1 | | 562 | 215 20 | 00000 |
| | A000 0601D | INCT200 001 | 1 1 1 | 10.00 11.50 | | 8 | 562 | 215 20 | 00000 |
| | A000 0601E | CPTR860 001 | 1 1 1 | 8.00 9.50 | | 3 | 644 | 215 20 | 00000 |
| 9 | A000 0601E | CPTR860 001 | 1 1 1 | 8.00 9.50 | | 13 | 644 | 215 20 | 00000 |
| 8 | A000 0601E | CPTR010 001 | 1 1 | 8.00 10.40 | 1 | 20 | 644 | 215 20 | 00000 |
| 78 | A000 0601E | CPTR050 001 | 1 1 | 8.00 10.40 | 1 | | 644 | 215 20 | 00000 |
| 78 | A000 0601E | CPTR370 001 | 1 1 1 | 10.00 10.50 | 1 | | 644 | 215 20 | 00000 |
| 8 | A000 0601E | CPTR640 003 | 1 1 | 10.00 11.50 | 1 | 3 | 644 | 215 20 | 00000 |
| 8 | A000 0601E | CPTR300 002 | 1 1 | 10.00 11.50 | 1 | 3 | 644 | 215 20 | 00000 |
| 8 | A000 0601E | INCT900 001 | 1 1 | 10.50 14.55 | 1 | 9 | 644 | 215 20 | 00000 |
| 78 | A000 0601E | CPTR650 001 | 1 1 1 | 13.00 14.50 | 1 | | 644 | 215 20 | 00000 |
| 8 | A000 0601E | INCT320 001 | 1 1 1 | 13.00 14.50 | 1 | 5 | 644 | 215 20 | 00000 |
| 8 | A000 0601E | INCT650 001 | 1 1 1 | 13.00 14.50 | 1 | 7 | 644 | 215 20 | 00000 |
| 78 | A000 0601E | CPTR310 002 | 1 1 | 13.00 14.50 | 1 | | 644 | 215 20 | 00000 |
| | A000 0601E | ORNT000 013 | 1 | 14.00 14.50 | | 20 | 644 | 215 20 | 00000 |
| | A000 0601G | INCT110 001 | 1 1 1 | 8.00 9.50 | | 18 | 748 | 210 20 | 00000 |
| 8 | A000 0601G | INCT060 001 | 1 1 | 8.00 10.40 | 1 | 22 | 748 | 210 20 | 00000 |
| 8 | A000 0601G | INCT100 001 | 1 1 1 | 10.00 11.50 | 1 | 27 | 748 | 210 20 | 00000 |
| 8 | A000 0601G | INCT040 001 | 1 1 | 10.50 14.55 | 1 | 14 | 748 | 210 20 | 00000 |
| 8 | A000 0601G | INCT020 001 | 1 1 1 | 13.00 14.50 | 1 | 16 | 748 | 210 20 | 00000 |
| | A000 0601H | IDEL720 002 | 111111 | 8.00 11.00 | | 1 | 456 | 210 20 | 00000 |
| | A000 0601H | COMM710 001 | 111111 | 8.00 11.50 | 1 | 4 | 456 | 210 20 | 00000 |
| | A000 0601H | ETRN110 001 | 111111 | 8.00 11.50 | 1 | 6 | 456 | 210 20 | 00000 |
| | A000 0601H | ETRN120 001 | 111111 | 8.00 11.50 | 1 | 7 | 456 | 210 20 | 00000 |
| | A000 0601H | ETRN130 001 | 111111 | 8.00 11.50 | 1 | 5 | 456 | 210 20 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 16

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETING DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|----------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| | A000 0601H | ETRN140 001 | 111111 | 8.00 11.50 | 1 | 6 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN230 001 | 111111 | 8.00 11.50 | 1 | 6 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN230 002 | 111111 | 8.00 11.50 | 1 | 2 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN240 001 | 111111 | 8.00 11.50 | 1 | 5 | 456 | 210 20 | 00000 | |
| 78 | A000 0601H | ELTR800 001 | 1 1 1 | 8.00 11.50 | 1 | | 456 | 210 20 | 00000 | |
| 78 | A000 0601H | ELTR840 001 | 1 1 1 | 8.00 11.50 | 1 | | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN220 001 | 1 1 1 | 8.00 11.50 | 1 | 4 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | IDEL720 001 | 1 1 1 | 8.00 11.50 | 1 | 1 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN120 001 | 1 1 1 | 9.00 11.50 | 1 | 13 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN130 001 | 1 1 1 | 9.00 11.50 | 1 | 12 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN210 001 | 1 1 1 | 9.00 11.50 | 1 | 12 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN210 002 | 1 1 1 | 9.00 11.50 | 1 | 2 | 456 | 210 20 | 00000 | |
| 8 | A000 0601H | ETRN220 002 | 1 1 1 | 9.00 11.50 | 1 | 2 | 456 | 210 20 | 00000 | |
| | A000 0603 | CADD310 001 | 111111 | 8.00 9.50 | | 3 | 3,111 | 210 15 | 00000 | |
| | A000 0603 | DRFT310 001 | 111111 | 8.00 9.50 | 1 | 3 | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT320 001 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| | A000 0603 | DRFT330 001 | 111111 | 8.00 9.50 | 1 | 2 | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT411 001 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT421 001 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT511 001 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT521 003 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT531 001 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT611 001 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| 7 | A000 0603 | DRFT621 001 | 111111 | 8.00 9.50 | 1 | | 3,111 | 210 15 | 00000 | |
| | A000 0603 | DRFT631 001 | 111111 | 8.00 9.50 | 1 | 1 | 3,111 | 210 15 | 00000 | |
| | A000 0603 | CADD310 002 | 1 1 1 | 8.00 10.50 | 1 | 3 | 3,111 | 210 15 | 00000 | |
| | A000 0603 | DRFT320 002 | 1 1 1 | 8.00 10.50 | 1 | 1 | 3,111 | 210 15 | 00000 | |
| | A000 0603 | CADD210 001 | 111111 | 8.00 11.50 | 1 | 1 | 3,111 | 210 15 | 00000 | |
| | A000 0603 | DRFT110 001 | 111111 | 8.00 11.50 | 1 | 9 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT120 001 | 111111 | 8.00 11.50 | 1 | 9 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT130 001 | 111111 | 8.00 11.50 | 1 | 10 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT130 002 | 111111 | 8.00 11.50 | 1 | 4 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT140 001 | 111111 | 8.00 11.50 | 1 | 10 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT150 001 | 111111 | 8.00 11.50 | 1 | 5 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT210 001 | 111111 | 8.00 11.50 | 1 | 3 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT220 002 | 111111 | 8.00 11.50 | 1 | 2 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | DRFT230 001 | 111111 | 8.00 11.50 | 1 | 2 | 3,111 | 210 15 | 00000 | |
| 8 | A000 0603 | ORNT000 014 | 111111 | 8.00 11.50 | 1 | 12 | 3,111 | 210 15 | 00000 | |
| 3 | 8 | A000 0603 | DRFT220 001 | 111111 | 8.00 23.50 | 1 | 2 | 3,111 | 210 15 | 00000 |
| | 8 | A000 0603 | DRFT431 001 | 111111 | 9.00 9.50 | 1 | 1 | 3,111 | 210 15 | 00000 |
| | 8 | A000 0603 | CADD210 002 | 111111 | 9.00 11.50 | 1 | 4 | 3,111 | 210 15 | 00000 |
| | 8 | A000 0603 | CADD310 003 | 111111 | 9.00 11.50 | 1 | 1 | 3,111 | 210 15 | 00000 |
| | 8 | A000 0603 | DRFT140 003 | 111111 | 9.00 11.50 | 1 | 2 | 3,111 | 210 15 | 00000 |
| | 8 | A000 0603 | DRFT161 001 | 111111 | 9.00 11.50 | 1 | 2 | 3,111 | 210 15 | 00000 |
| | 8 | A000 0603 | DRFT161 002 | 111111 | 9.00 11.50 | 1 | 4 | 3,111 | 210 15 | 00000 |
| | 8 | A000 0603 | DRFT140 002 | 1 1 1 | 9.00 11.50 | 1 | 1 | 3,111 | 210 15 | 00000 |
| 4 | 8 | A000 0603 | DRFT110 002 | 111111 | 9.00 14.50 | 1 | 3 | 3,111 | 210 15 | 00000 |
| 4 | 8 | A000 0603 | DRFT120 002 | 111111 | 9.00 14.50 | 1 | 3 | 3,111 | 210 15 | 00000 |
| 4 | 8 | A000 0603 | DRFT130 003 | 111111 | 9.00 14.50 | 1 | 1 | 3,111 | 210 15 | 00000 |
| 4 | 78 | A000 0603 | DRFT140 004 | 111111 | 9.00 14.50 | 1 | | 3,111 | 210 15 | 00000 |
| 4 | 8 | A000 0603 | DRFT150 002 | 111111 | 9.00 14.50 | 1 | 2 | 3,111 | 210 15 | 00000 |

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | 78 | A000 0603 | DRFT330 002 | 1 1 1 | 9.00 14.50 | 1 | 3,111 | 210 15 | 00000 |
| 4 | 8 | A000 0603 | DRFT330 003 | 1 1 1 | 9.00 14.50 | 1 | 3,111 | 210 15 | 00000 |
| | | A000 0605 | GRPH000 001 | 11111 | 8.00 8.50 | 9 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH010 001 | 11111 | 8.00 8.50 | 1 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH350 001 | 11111 | 8.00 8.50 | 1 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH440 001 | 11111 | 8.00 8.50 | 1 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH520 001 | 11111 | 8.00 8.50 | 1 | 2,967 | 210 15 | 00000 |
| | 7 | A000 0605 | GRPH993 001 | 1111 | 8.00 8.50 | 1 | 2,967 | 210 15 | 00000 |
| | 7 | A000 0605 | GRPH991 001 | 1 1 | 8.00 9.15 | 1 | 2,967 | 210 15 | 00000 |
| | 8 | A000 0605 | GRPH020 001 | 11111 | 9.00 9.50 | 1 | 2,967 | 210 15 | 00000 |
| | 8 | A000 0605 | GRPH400 001 | 11111 | 9.00 9.50 | 1 | 2,967 | 210 15 | 00000 |
| | 8 | A000 0605 | GRPH530 001 | 11111 | 9.00 9.50 | 1 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH130 001 | 11111 | 10.00 10.50 | 9 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH430 001 | 11111 | 10.00 10.50 | 1 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH450 001 | 11111 | 10.00 10.50 | 1 | 2,967 | 210 15 | 00000 |
| | 7 | A000 0605 | GRPH995 001 | 1 1 1 | 10.00 11.50 | 1 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH040 001 | 11111 | 11.00 11.50 | 1 | 2,967 | 210 15 | 00000 |
| | | A000 0605 | GRPH410 001 | 11111 | 11.00 11.50 | 1 | 2,967 | 210 15 | 00000 |
| | 8 | A000 0605 | GRPH460 001 | 11111 | 11.00 11.50 | 1 | 2,967 | 210 15 | 00000 |
| | 78 | A000 0605 | GRPH997 001 | 11111 | 11.00 11.50 | 1 | 2,967 | 210 15 | 00000 |
| | 78 | A000 0605 | GRPH999 001 | 11111 | 11.00 14.55 | 1 | 2,967 | 210 15 | 00000 |
| | 8 | A000 0605 | GRPH030 001 | 11111 | 13.00 13.50 | 1 | 2,967 | 210 15 | 00000 |
| | 8 | A000 0605 | GRPH340 001 | 11111 | 13.00 13.50 | 1 | 2,967 | 210 15 | 00000 |
| | 8 | A000 0605 | GRPH420 001 | 11111 | 13.00 13.50 | 1 | 2,967 | 210 15 | 00000 |
| 4 | 8 | A000 0607 | EMTP220 001 | 11111 | 8.00 17.00 | 20 | 546 | 110 1 | 00000 |
| 3 | 8 | A000 0607 | HEMS120 001 | 1111 | 18.00 9.00 | 17 | 546 | 110 1 | 00000 |
| | 8 | A000 0607 | HEMS110 001 | 1111 | 18.00 21.00 | 17 | 546 | 110 1 | 00000 |
| | 8 | A000 0607 | HEMS140 001 | 1111 | 18.00 21.00 | 1 | 546 | 110 1 | 00000 |
| | 8 | A000 0607 | HEMS160 001 | 1111 | 18.00 21.00 | 1 | 546 | 110 1 | 00000 |
| | 8 | A000 0607 | HEMS170 001 | 1111 | 18.00 21.00 | 1 | 546 | 110 1 | 00000 |
| | 8 | A000 0607 | HEMS172 001 | 1111 | 18.00 21.00 | 1 | 546 | 110 1 | 00000 |
| | 78 | A000 0607 | ORNT000 009 | 1111 | 18.00 21.00 | 1 | 546 | 110 1 | 00000 |
| 3 | 8 | A000 0607 | EMTP111 001 | 11111 | 19.00 7.00 | 1 | 546 | 110 1 | 00000 |
| 3 | 8 | A000 0607 | EMTP221 001 | 11111 | 19.00 7.00 | 20 | 546 | 110 1 | 00000 |
| | | A000 0609 | HACR150 001 | 11111 | 8.00 10.50 | 5 | 3,055 | 210 61 | 00000 |
| | | A000 0609 | HACR160 001 | 11111 | 8.00 10.50 | 1 | 3,055 | 210 61 | 00000 |
| | | A000 0609 | HACR170 001 | 11111 | 8.00 10.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR210 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR220 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR230 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR240 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR410 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR420 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR510 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR520 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR530 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR540 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | 7 | A000 0609 | HACR550 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | 7 | A000 0609 | HACR560 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | | A000 0609 | HACR810 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |
| 4 | 7 | A000 0609 | HACR820 001 | 11111 | 8.00 14.50 | 1 | 3,055 | 210 61 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 18

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | A000 0609 | HACR820 002 | 111111 | 8.00 14.50 | 1 | 3 | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR830 001 | 111111 | 8.00 14.50 | 1 | 2 | 3,055 | 210 61 | 00000 |
| 4 | 7 A000 0609 | HACR910 001 | 111111 | 8.00 14.50 | 1 | | 3,055 | 210 61 | 00000 |
| 4 | 7 A000 0609 | HACR920 001 | 111111 | 8.00 14.50 | 1 | | 3,055 | 210 61 | 00000 |
| 4 | 7 A000 0609 | HACR930 001 | 111111 | 8.00 14.50 | 1 | | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR993 002 | 111111 | 8.00 14.50 | 1 | 2 | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR993 003 | 111111 | 8.00 14.50 | 1 | 1 | 3,055 | 210 61 | 00000 |
| 4 | 7 A000 0609 | HACR995 001 | 111111 | 8.00 14.50 | 1 | | 3,055 | 210 61 | 00000 |
| 4 | 7 A000 0609 | HACR995 002 | 111111 | 8.00 14.50 | 1 | | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR995 003 | 111111 | 8.00 14.50 | 1 | 1 | 3,055 | 210 61 | 00000 |
| 4 | 7 A000 0609 | HACR995 004 | 111111 | 8.00 14.50 | 1 | | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR420 002 | 1 1 1 | 8.00 14.50 | 1 | 1 | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR520 002 | 1 1 1 | 8.00 14.50 | 1 | 6 | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR530 002 | 1 1 1 | 8.00 14.50 | 1 | 6 | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR540 002 | 1 1 1 | 8.00 14.50 | 1 | 6 | 3,055 | 210 61 | 00000 |
| 4 | A000 0609 | HACR550 002 | 1 1 1 | 8.00 14.50 | 1 | 6 | 3,055 | 210 61 | 00000 |
| 4 | 8 A000 0609 | HACR993 004 | 1 1 1 | 8.00 14.50 | 1 | 7 | 3,055 | 210 61 | 00000 |
| 4 | 8 A000 0609 | HACR510 002 | 1 1 | 8.00 14.55 | 1 | 5 | 3,055 | 210 61 | 00000 |
| 4 | 8 A000 0609 | HACR520 003 | 1 1 | 8.00 14.55 | 1 | 6 | 3,055 | 210 61 | 00000 |
| 4 | 8 A000 0609 | HACR530 003 | 1 1 | 8.00 14.55 | 1 | 2 | 3,055 | 210 61 | 00000 |
| 4 | 8 A000 0609 | HACR993 005 | 1 1 | 8.00 14.55 | 1 | 5 | 3,055 | 210 61 | 00000 |
| 1 | A000 0612 | MATH110 001 | 1 1 1 | 8.00 8.50 | | 33 | | | 00000 |
| 4 | G000 0104 | AMTP210 001 | 111111 | 8.00 14.25 | | 7 | 566 | 110 20 | 00000 |
| 4 | G000 0104 | AMTP220 001 | 111111 | 8.00 14.25 | 1 | 13 | 566 | 110 20 | 00000 |
| 4 | G000 0104 | AMTP240 001 | 111111 | 8.00 14.25 | 1 | 6 | 566 | 110 20 | 00000 |
| 4 | 8 G000 0104 | AMTP260 001 | 111111 | 8.00 14.25 | 1 | 7 | 566 | 110 20 | 00000 |
| 4 | 8 G000 0104 | AMTP300 001 | 111111 | 8.00 14.25 | 1 | 11 | 566 | 110 20 | 00000 |
| 4 | 8 G000 0104 | AMTP310 001 | 111111 | 8.00 14.25 | 1 | 11 | 566 | 110 20 | 00000 |
| 4 | G000 0105 | AMTA010 001 | 111111 | 8.00 14.25 | | 13 | 445 | 110 20 | 00000 |
| 4 | G000 0105 | AMTA020 001 | 111111 | 8.00 14.25 | 1 | 9 | 445 | 110 20 | 00000 |
| 4 | 8 G000 0105 | AMTA050 001 | 111111 | 8.00 14.25 | 1 | 9 | 445 | 110 20 | 00000 |
| 4 | 8 G000 0105 | AMTA060 001 | 111111 | 8.00 14.25 | 1 | 13 | 445 | 110 20 | 00000 |
| 4 | 8 G000 0105 | AMTA070 001 | 111111 | 8.00 14.25 | 1 | 14 | 445 | 110 20 | 00000 |
| 4 | 8 G000 0105 | AMTA080 001 | 111111 | 8.00 14.25 | 1 | 15 | 445 | 110 20 | 00000 |
| 4 | 8 G000 0105 | AMTA090 001 | 111111 | 8.00 14.25 | 1 | 11 | 445 | 110 20 | 00000 |
| 4 | 8 G000 0105 | AMTA120 001 | 111111 | 8.00 14.25 | 1 | 14 | 445 | 110 20 | 00000 |
| 4 | G000 0113 | AMTG010 001 | 111111 | 8.00 14.25 | | 22 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG020 001 | 111111 | 8.00 14.25 | 1 | 18 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG030 001 | 111111 | 8.00 14.25 | 1 | 18 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG060 001 | 111111 | 8.00 14.25 | 1 | 23 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG070 001 | 111111 | 8.00 14.25 | 1 | 21 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG080 001 | 111111 | 8.00 14.25 | 1 | 23 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG090 001 | 111111 | 8.00 14.25 | 1 | 23 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG100 001 | 111111 | 8.00 14.25 | 1 | 22 | 615 | 110 20 | 00000 |
| 4 | 8 G000 0113 | AMTG110 001 | 111111 | 8.00 14.25 | 1 | 22 | 615 | 110 20 | 00000 |
| | G000 0113 | AMTP991 001 | 1 1 | 14.30 15.30 | | 2 | 615 | 110 20 | 00000 |
| 1 | 0A00 0408 | MFGJ291 006 | 1 1 1 | 8.00 11.50 | | 1 | | | 00000 |
| 4 | 0000 0000 | SURG302 001 | 111111 | 6.15 14.45 | 1 | 7 | | | 00000 |
| 4 | 0000 0000 | SURG302 002 | 111111 | 6.15 14.45 | 1 | 10 | | | 00000 |
| 4 | 0000 0000 | SURG402 001 | 1111 | 6.15 14.45 | 1 | 7 | | | 00000 |
| 4 | 0000 0000 | SURG402 002 | 1111 | 6.15 14.45 | 1 | 9 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 19

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | 0000 0000 | HCOR212 001 | 111111 | 7.00 13.00 | 1 | 9 | | | 00000 |
| 4 | 0000 0000 | HCOR212 002 | 111111 | 7.00 13.00 | 1 | 8 | | | 00000 |
| 4 | 0000 0000 | HNUR995 001 | 111111 | 7.00 15.00 | 1 | 9 | | | 00000 |
| 4 | 0000 0000 | HNUR995 002 | 111111 | 7.00 15.00 | 1 | 10 | | | 00000 |
| 4 | 0000 0000 | HNUR995 003 | 111111 | 7.00 15.00 | 1 | 10 | | | 00000 |
| 4 | 0000 0000 | HNUR995 004 | 111111 | 7.00 15.00 | 1 | 8 | | | 00000 |
| | 0000 0000 | HNUR132 001 | 111111 | 7.15 12.15 | 1 | 10 | | | 00000 |
| | 0000 0000 | HNUR132 002 | 111111 | 7.15 12.15 | 1 | 10 | | | 00000 |
| | 0000 0000 | HNUR132 003 | 111111 | 7.15 12.15 | 1 | 9 | | | 00000 |
| 7 | 0000 0000 | HNUR132 004 | 111111 | 7.15 12.15 | 1 | 1 | | | 00000 |
| | 0000 0000 | HNUR222 001 | 111111 | 7.15 12.15 | 1 | 7 | | | 00000 |
| | 0000 0000 | HNUR222 002 | 111111 | 7.15 12.15 | 1 | 9 | | | 00000 |
| | 0000 0000 | HNUR232 001 | 111111 | 7.15 12.15 | 1 | 7 | | | 00000 |
| | 0000 0000 | HNUR232 002 | 111111 | 7.15 12.15 | 1 | 6 | | | 00000 |
| | 0000 0000 | HNUR532 001 | 111111 | 7.15 12.15 | 1 | 7 | | | 00000 |
| | 0000 0000 | HNUR532 002 | 111111 | 7.15 12.15 | 1 | 5 | | | 00000 |
| | 0000 0000 | HNUR532 003 | 111111 | 7.15 12.15 | 1 | 7 | | | 00000 |
| | 0000 0000 | HNUR532 004 | 111111 | 7.15 12.15 | 1 | 5 | | | 00000 |
| | 0000 0000 | HNUR652 001 | 111111 | 7.15 12.15 | 1 | 7 | | | 00000 |
| | 0000 0000 | HNUR652 002 | 111111 | 7.15 12.15 | 1 | 8 | | | 00000 |
| | 0000 0000 | HNUR652 003 | 111111 | 7.15 12.15 | 1 | 7 | | | 00000 |
| | 0000 0000 | HNUR652 004 | 111111 | 7.15 12.15 | 1 | 7 | | | 00000 |
| | 0000 0000 | CLTS912 001 | 1111 | 8.30 11.30 | 1 | 1 | | | 00000 |
| | 0000 0000 | CLTS922 001 | 1111 | 8.30 11.30 | 1 | 1 | | | 00000 |
| | 0000 0000 | CLTS932 001 | 1111 | 8.30 11.30 | 1 | 2 | | | 00000 |
| | 0000 0000 | CLTS942 001 | 1111 | 8.30 11.30 | 1 | 1 | | | 00000 |

| | |
|---|------|
| ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE. | 38 |
| ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. | |
| ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 | 4 |
| ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. | 294 |
| ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL. | |
| ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS | 287 |
| ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE. | 422 |
| ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES. | 15 |
| TOTAL ERRORS (INCLUDING WARNINGS) | 1060 |
| TOTAL NUMBER OF RECORDS READ | 944 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION | 582 |
| NUMBER OF JOINT-CLASS RECORDS | 757 |
| NUMBER OF ALTERATE WEEKS RECORDS | |
| NUMBER OF DIFFERENT TIMES RECORDS | |
| NUMBER OF INCONSISTENT RECORDS | 30 |

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAFAYETTE

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *CLASSROOM FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 22 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 331 |
| WEEKLY STUDENT CONTACT HOURS | 16797 | 1020 | 17817 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1980 | 1100 | 3080 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 1036 | 120 | 1156 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 29790 | 16550 | 46340 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 15727 | 120 | 15847 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 33594 | 2040 | 35634 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 52.3 | 10.9 | 37.5 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 112.8 | 12.3 | 76.9 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 213.6 | 700.0 | 224.9 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASSROOM | | | |
| TOTAL NUMBER OF ROOMS | | | 22 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 331 |
| WEEKLY STUDENT CONTACT HOURS | 16797 | 1020 | 17817 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1980 | 1100 | 3080 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 1036 | 120 | 1156 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 29790 | 16550 | 46340 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 15727 | 120 | 15847 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 33594 | 2040 | 35634 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 52.3 | 10.9 | 37.5 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 112.8 | 12.3 | 76.9 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 213.6 | 700.0 | 224.9 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *LABORATORY FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 55 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 1189 |
| WEEKLY STUDENT CONTACT HOURS | 30957 | | 30957 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 4950 | 2750 | 7700 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 3628 | | 3628 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 107010 | 59450 | 166460 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 81796 | | 81796 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 61915 | | 61915 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 73.3 | .0 | 47.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 57.9 | .0 | 37.2 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 75.7 | .0 | 75.7 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASS LABORATORY | | | |
| TOTAL NUMBER OF ROOMS | | | 55 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 1189 |
| WEEKLY STUDENT CONTACT HOURS | 30957 | | 30957 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 4950 | 2750 | 7700 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 3628 | | 3628 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 107010 | 59450 | 166460 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 81796 | | 81796 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 61915 | | 61915 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 73.3 | .0 | 47.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 57.9 | .0 | 37.2 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 75.7 | .0 | 75.7 |

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAFAYETTE

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *TOTAL TEACHING FACL. | | | |
| TOTAL NUMBER OF ROOMS | | | 77 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 1520 |
| WEEKLY STUDENT CONTACT HOURS | 47754 | 1020 | 48774 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 6930 | 3850 | 10780 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 4664 | 120 | 4784 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 136800 | 76000 | 212800 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 97523 | 120 | 97643 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 95509 | 2040 | 97549 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 67.3 | 3.1 | 44.4 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 69.8 | 2.7 | 45.8 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 97.9 | 700.0 | 99.9 |

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY