

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000 0100	ORNT000 001	11111	7.00 8.00		122	2,372	530 80	00000
	A000 0100	HNUR130 001	1 1	8.00 11.00		28	2,372	530 80	00000
4	A000 0100	AHSC000 001	11111	8.00 13.30	1	22	2,372	530 80	00000
4	A000 0100	AHSC000 999	11111	8.00 13.30	1	6	2,372	530 80	00000
4	A000 0100	AHMA000 001	11111	8.00 15.30	1	1	2,372	530 80	00000
4	A000 0100	AHRE000 001	11111	8.00 15.30	1	3	2,372	530 80	00000
	A000 0100	HCOR993 001	1	10.00 12.00	1	7	2,372	530 80	00000
	A000 0100	HNUR650 001	11	11.00 12.30	1	28	2,372	530 80	00000
	A000 0100	HNUR640 001	1	14.00 15.00		28	2,372	530 80	00000
	A000 0100	ORNT000 010	1	17.00 18.00		27	2,372	530 80	00000
	A000 0100	HNUR460 001	1 1	18.00 19.30		1	2,372	530 80	00000
4	A000 0200	HNUR132 001	11	7.00 15.30		10	920	210 20	00000
4	A000 0200	HNUR132 002	11	7.00 15.30	1	10	920	210 20	00000
4	A000 0200	HNUR132 003	11	7.00 15.30	1	8	920	210 20	00000
4	8 A000 0200	HNUR532 001	11	7.00 15.30	1	11	920	210 20	00000
4	8 A000 0200	HNUR532 002	11	7.00 15.30	1	10	920	210 20	00000
4	8 A000 0200	HNUR532 003	11	7.00 15.30	1	7	920	210 20	00000
4	8 A000 0200	HNUR652 001	1	7.00 15.30	1	11	920	210 20	00000
4	8 A000 0200	HNUR652 002	1	7.00 15.30	1	10	920	210 20	00000
4	8 A000 0200	HNUR652 003	1	7.00 15.30	1	7	920	210 20	00000
8	A000 0200	HNUR300 001	11111	8.00 9.00	1	47	920	210 20	00000
4	8 A000 0200	HNUR530 001	11111	8.00 14.30	1	3	920	210 20	00000
4	8 A000 0200	HNUR995 001	11111	8.00 14.30	1	5	920	210 20	00000
8	A000 0200	HNUR351 001	11111	9.30 10.30	1	47	920	210 20	00000
8	A000 0200	HNUR360 001	11111	9.30 10.30	1	51	920	210 20	00000
8	A000 0200	HNUR411 001	11111	10.30 12.00		47	920	210 20	00000
8	A000 0200	HNUR211 001	11111	10.30 14.30	1	47	920	210 20	00000
8	A000 0200	HNUR330 001	11111	12.30 13.30	1	47	920	210 20	00000
8	A000 0200	HNUR340 001	11111	13.30 14.30		47	920	210 20	00000
2	A000 0200	HNUR300 999		13.30 14.30		1	920	210 20	00000
4	A000 0203	HNUR212 001	11111	7.00 15.00		10	884	210 24	00000
4	A000 0203	HNUR212 002	11111	7.00 15.00	1	14	884	210 24	00000
4	A000 0203	HNUR212 003	11111	7.00 15.00	1	11	884	210 24	00000
4	8 A000 0203	HNUR212 004	11111	7.00 15.00	1	12	884	210 24	00000
4	8 A000 0203	AHEN000 001	11111	8.00 15.30	1	1	884	210 24	00000
	A000 0300	KYBD000 001	1 1 1	8.00 9.00		4	1,113	210 22	00000
4	A000 0300	KYBD110 001	11111	8.00 14.30	1	2	1,113	210 22	00000
	A000 0300	ENGL060 001	1 1 1	9.00 10.00	1	3	1,113	210 22	00000
	A000 0300	ENGL030 002	1 1	9.30 10.50	1	1	1,113	210 22	00000
	A000 0300	ENGL030 001	1 1 1	10.00 11.00	1	17	1,113	210 22	00000
8	A000 0300	OSYS530 001	1 1 1	10.00 11.00	1	15	1,113	210 22	00000
	A000 0300	KYBD210 001	1111	11.40 12.30		1	1,113	210 22	00000
	A000 0300	OSYS999 001	11111	11.40 13.00	1	1	1,113	210 22	00000
	A000 0300	ISYS650 001	1 1	11.40 13.00	1	6	1,113	210 22	00000
	A000 0300	OSYS100 001	1 1 1	12.40 13.30	1	5	1,113	210 22	00000
	A000 0303	ACCT200 001	11111	9.00 10.00		9	786	210 16	00000
	A000 0303	ACCT400 001	11111	10.00 11.00		3	786	210 16	00000
	A000 0303	ACCT999 001	11111	11.00 13.00		1	786	210 16	00000
	A000 0303	MATH050 001	1 1 1	11.40 12.30	1	7	786	210 16	00000
	A000 0306	ISYS450 001	11111	8.00 9.00		15	687	220 14	00000
8	A000 0306	ISYS550 001	11111	8.00 9.00	1	7	687	220 14	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	A000 0306	CPTR000 001	1 1 1	8.00 9.00	1	15	687	220 14	00000	
8	A000 0306	JOBS450 001	1 1	8.00 9.20	1	18	687	220 14	00000	
8	A000 0306	CPTR000 003	1 1	11.40 13.00		24	687	220 14	00000	
78	A000 0306	CPTR300 001	1 1	11.40 13.00	1		687	220 14	00000	
8	A000 0306	MACH350 001	1 1 1	12.40 13.30	1	5	687	220 14	00000	
8	A000 0306	CPTR000 004	1 1	13.10 14.30	1	25	687	220 14	00000	
8	A000 0306	CPTR000 002	1 1 1	13.40 14.30	1	10	687	220 14	00000	
	A000 0306	CPTR310 001	11111	18.00 21.00		7	687	220 14	00000	
	A000 0306	CPTR300 010	1	18.00 21.00	1	4	687	220 14	00000	
4	8	C000 0100	HEKG011 002	11111	7.00 15.00		14	970	210 4	00000
8	C000 0100	MAST120 001	1	8.00 10.00	1	13	970	210 4	00000	
4	8	C000 0100	MAST222 001	1 1	8.00 14.00		8	970	210 4	00000
4	8	C000 0100	MAST210 001	1	8.00 15.00		7	970	210 4	00000
4	8	C000 0100	MAST220 001	1	8.00 15.00		9	970	210 4	00000
8	C000 0100	MAST110 001	1	10.00 11.00		13	970	210 4	00000	
8	C000 0100	MAST110 001	1	10.00 15.00		7	970	210 4	00000	
8	C000 0100	MAST130 001	1	12.00 15.00		13	970	210 4	00000	
4	8	C000 0200	HACR560 001	1 1 1	8.00 14.30		8	5,062	210 6	00000
4	8	C000 0200	HACR999 001	1111	8.00 14.30	1	7	5,062	210 6	00000
4	8	C000 0201	HACR210 001	11111	8.00 13.10		15	480	110 12	00000
4	8	C000 0201	HACR220 001	11111	8.00 13.10	1	15	480	110 12	00000
4	8	C000 0201	HACR230 001	11111	8.00 13.10	1	15	480	110 12	00000
4	8	C000 0201	HACR240 001	11111	8.00 14.30	1	15	480	110 12	00000
4	8	C000 0201	HACR540 001	1 1 1	8.00 14.30	1	8	480	110 12	00000
4	8	C000 0201	HACR550 001	1 1 1	8.00 14.30	1	8	480	110 12	00000
4	8	C000 0300	DVEN090 001	11111	7.00 15.00		11	1,925	210 20	00000
4	8	C000 0300	DVEN091 001	11111	7.00 15.00	1	9	1,925	210 20	00000
4	8	C000 0300	DVEN092 001	11111	7.00 15.00	1	12	1,925	210 20	00000
4	8	C000 0300	DVMA090 001	11111	7.00 15.00	1	37	1,925	210 20	00000
4	8	C000 0300	DVMA091 001	11111	7.00 15.00	1	2	1,925	210 20	00000
4	8	C000 0300	DVMA092 001	11111	7.00 15.00	1	16	1,925	210 20	00000
4	8	C000 0300	DVRE090 001	11111	7.00 15.00	1	10	1,925	210 20	00000
4	8	C000 0300	DVRE091 001	11111	7.00 15.00	1	10	1,925	210 20	00000
4	8	C000 0300	DVRE092 001	11111	7.00 15.00	1	8	1,925	210 20	00000
4	8	C000 0300	ZWKY100 001	11111	8.00 14.30	1	8	1,925	210 20	00000
	C000 0300	DVEN090 010	11111	18.00 21.00		1	1,925	210 20	00000	
	C000 0300	DVEN092 010	11111	18.00 21.00	1	2	1,925	210 20	00000	
	C000 0300	DVRE092 010	11111	18.00 21.00	1	2	1,925	210 20	00000	
8	C000 0300	DVMA090 010	1 1	18.00 21.00	1	37	1,925	210 20	00000	
8	C000 0300	DVMA091 010	1 1	18.00 21.00	1	1	1,925	210 20	00000	
8	C000 0300	DVMA092 010	1 1	18.00 21.00	1	16	1,925	210 20	00000	
8	C000 0300	DVRE091 010	1	18.00 21.00	1	10	1,925	210 20	00000	
4	8	C000 0400	CADD210 001	11111	8.00 14.30		1	1,833	210 40	00000
4	8	C000 0400	CADD310 001	11111	8.00 14.30	1	1	1,833	210 40	00000
4	8	C000 0400	DRFT110 001	11111	8.00 14.30	1	5	1,833	210 40	00000
4	8	C000 0400	DRFT120 001	11111	8.00 14.30	1	6	1,833	210 40	00000
4	8	C000 0400	DRFT130 001	11111	8.00 14.30	1	5	1,833	210 40	00000
4	8	C000 0400	DRFT140 001	11111	8.00 14.30	1	3	1,833	210 40	00000
4	8	C000 0400	DRFT150 001	11111	8.00 14.30	1	1	1,833	210 40	00000
4	8	C000 0400	DRFT150 002	11111	8.00 14.30	1	1	1,833	210 40	00000
4	8	C000 0400	DRFT161 001	11111	8.00 14.30	1	5	1,833	210 40	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	C000 0400	DRFT210 001	111111	8.00 14.30	1	2	1,833	210 40	00000
4	C000 0400	DRFT220 001	111111	8.00 14.30	1	3	1,833	210 40	00000
4	C000 0400	DRFT230 001	111111	8.00 14.30	1	3	1,833	210 40	00000
4	C000 0400	DRFT461 001	111111	8.00 14.30	1	1	1,833	210 40	00000
4	C000 0400	DRFT561 001	111111	8.00 14.30	1	1	1,833	210 40	00000
4	C000 0400	DRFT661 001	111111	8.00 14.30	1	1	1,833	210 40	00000
4	C000 0400	DRFT431 001	1 1	8.00 14.30	1	1	1,833	210 40	00000
4	C000 0400	DRFT531 001	1 1	8.00 14.30	1	1	1,833	210 40	00000
	C000 0500	IMMT121 001	1 1	8.00 11.00		3	3,363	210 67	00000
7	C000 0500	IMMT131 001	1 1	8.00 11.00	1		3,363	210 67	00000
	C000 0500	IMMT231 001	1 1 1	11.30 14.30		4	3,363	210 67	00000
	C000 0500	IMMT241 001	1 1 1	11.30 14.30	1	4	3,363	210 67	00000
	C000 0500	IMMT331 001	1 1	12.30 14.30	1	3	3,363	210 67	00000
4	C000 0502	IMMT999 001	111111	7.00 15.00		2	195	310 1	00000
	C000 0503	IMMT110 001	1 1 1	8.00 9.00		1	450	110 30	00000
	C000 0503	IMMT210 001	1 1 1	8.00 9.00	1	2	450	110 30	00000
	C000 0503	IMMT120 001	111111	9.00 10.00		2	450	110 30	00000
	C000 0503	IMMT230 001	1 1 1	10.00 11.00		4	450	110 30	00000
	C000 0503	IMMT330 001	1 1	11.30 12.30		3	450	110 30	00000
4	C000 0600	IMMT11 001	111111	8.00 14.30		1	2,552	210 51	00000
4	C000 0600	IMMT112 001	111111	8.00 14.30	1	4	2,552	210 51	00000
4	C000 0600	WELD110 001	111111	8.00 14.30	1	3	2,552	210 51	00000
4	C000 0600	WELD130 001	111111	8.00 14.30	1	2	2,552	210 51	00000
4	C000 0600	WELD140 001	111111	8.00 14.30	1	4	2,552	210 51	00000
4	C000 0600	WELD210 001	111111	8.00 14.30	1	3	2,552	210 51	00000
4	C000 0600	WELD220 001	111111	8.00 14.30	1	2	2,552	210 51	00000
4	C000 0600	WELD221 001	111111	8.00 14.30	1	2	2,552	210 51	00000
4	C000 0600	WELD222 001	111111	8.00 14.30	1	3	2,552	210 51	00000
4	7 C000 0600	WELD230 001	111111	8.00 14.30	1		2,552	210 51	00000
4	C000 0600	WELD310 001	111111	8.00 14.30	1	3	2,552	210 51	00000
4	C000 0600	WELD410 001	111111	8.00 14.30	1	3	2,552	210 51	00000
4	C000 0600	WELD411 001	111111	8.00 14.30	1	1	2,552	210 51	00000
4	C000 0600	WELD412 001	111111	8.00 14.30	1	1	2,552	210 51	00000
4	C000 0600	WELD420 001	111111	8.00 14.30	1	1	2,552	210 51	00000
4	C000 0600	WELD510 001	111111	8.00 14.30	1	2	2,552	210 51	00000
4	C000 0600	WELD511 001	111111	8.00 14.30	1	4	2,552	210 51	00000
4	C000 0600	WELD512 001	111111	8.00 14.30	1	3	2,552	210 51	00000
4	C000 0600	WELD991 001	111111	8.00 14.30	1	1	2,552	210 51	00000
	C000 0600	ZWKY100 010	11	18.00 21.00		10	2,552	210 51	00000
8	D000 0102	PTEC010 001	1 1 1	8.00 8.50		31	727	210 1	00000
4	8 D000 0102	PTEC310 001	1 1 1	8.00 14.30	1	39	727	210 1	00000
	8 D000 0102	PTEC010 002	1 1 1	10.30 11.30	1	18	727	210 1	00000
	8 D000 0102	PTEC911 001	1 1 1	15.00 18.00		7	727	210 1	00000
	8 D000 0102	CPTR005 010	1	18.00 21.00		14	727	210 1	00000
	8 D000 0102	PTEC440 010	1	18.00 21.00	1	26	727	210 1	00000
	8 D000 0102	CHEM411 010	1	18.00 21.00		36	727	210 1	00000
	8 D000 0102	PTEC310 010	1	18.00 21.00	1	23	727	210 1	00000
	8 D000 0106	JOBS450 002	1 1	9.30 10.45		31	615	210 15	00000
	D000 0106	CPTR005 001	1	10.00 11.00		12	615	210 15	00000
8	D000 0106	PTEC440 001	1 1	13.15 14.30		28	615	210 15	00000
	D000 0106	PTEC912 010	11	18.00 21.00		9	615	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	D000 0106	PTEC010 010	1	18.00 21.00	1	15	615	210 15	00000
8	D000 0106	PTEC320 010	1	18.00 21.00	1	15	615	210 15	00000
8	D000 0106	PTEC000 010	1	18.00 21.00		44	615	210 15	00000
8	D000 0106	PTEC030 015	1	18.00 21.00		41	615	210 15	00000
	D000 0107	MATH015 001	1 1 1	9.00 10.00		30	633	210 20	00000
8	D000 0107	MATH015 100	1 1	9.30 10.50	1	10	633	210 20	00000
	D000 0107	MATH020 001	1 1 1	11.40 12.30		9	633	210 20	00000
	D000 0107	MATH015 010	1	18.00 21.00		18	633	210 20	00000
	D000 0107	MATH020 010	1	18.00 21.00		12	633	210 20	00000
1	D000 0117	PTEC030 002	111111	7.00 10.00		13			00000
1 4	D000 0117	PTEC400 010	1	7.00 13.00		31			00000
1	D000 0117	PTEC610 001	1 1 1	8.00 9.00		24			00000
1	D000 0117	PTEC000 001	1 1	8.00 9.15		34			00000
1	D000 0117	PTEC010 004	1 1	8.00 9.15		6			00000
1	D000 0117	PTEC030 001	1 1 1	9.00 10.00		32			00000
1	D000 0117	PTEC420 001	1 1 1	9.00 10.30		15			00000
1 4	D000 0117	PTEC630 010	1	9.00 15.00		26			00000
1	D000 0117	PTEC912 001	1 1 1	11.00 12.00		41			00000
1	D000 0117	PTEC010 005	1 1	11.45 13.00		3			00000
1	D000 0117	PTEC010 003	1 1 1	12.30 13.30		10			00000
1	D000 0117	PTEC430 001	1 1 1	12.30 14.00		20			00000
1	D000 0117	PHSC015 010	1	18.00 21.00		37			00000
1	D000 0117	PHSC016 010	1	18.00 21.00		33			00000
1	D000 0117	PTEC420 010	1	18.00 21.00		36			00000
1	D000 0117	CHEM410 010	1	18.00 21.00		40			00000
1	D000 0117	PTEC070 015	1	18.00 21.00		52			00000
1	D000 0117	PTEC610 010	1	18.00 21.00		39			00000
	D000 0200	ETRN130 002	1 1 1	8.00 9.40		1	790	210 16	00000
	D000 0200	ETRN210 001	1 1 1	8.00 9.40	1	11	790	210 16	00000
	D000 0200	INST630 001	1 1 1	9.30 11.30	1	1	790	210 16	00000
8	D000 0200	ETRN120 001	1 1	9.30 12.30	1	19	790	210 16	00000
8	D000 0200	ETRN220 001	1 1 1	9.40 11.20	1	11	790	210 16	00000
8	D000 0200	INST630 002	1 1	10.30 14.30	1	1	790	210 16	00000
8	D000 0200	ETRN240 002	1 1 1	12.00 13.30	1	1	790	210 16	00000
8	D000 0200	ETRN230 001	1 1 1	12.30 13.30	1	7	790	210 16	00000
8	D000 0200	INST430 001	1 1 1	12.30 13.30	1	26	790	210 16	00000
	D000 0200	INST620 009	1 1 1	14.00 16.00		1	790	210 16	00000
	D000 0200	INST620 010	11	18.00 21.00		15	790	210 16	00000
3	D000 0300	INST999 001	1 1	8.00 3.00		10	2,007	210 40	00000
	D000 0300	INST110 001	1 1	8.00 10.30		21	2,007	210 40	00000
	D000 0300	INST720 001	1 1 1	8.00 11.00	1	7	2,007	210 40	00000
	D000 0300	INST995 001	111111	9.00 11.00	1	1	2,007	210 40	00000
	D000 0300	INST820 001	1 1 1	9.00 11.00	1	1	2,007	210 40	00000
	D000 0300	INST830 001	1 1 1	9.00 11.00	1	3	2,007	210 40	00000
	D000 0300	INST840 001	1 1 1	9.00 11.00	1	6	2,007	210 40	00000
	D000 0300	INST810 001	1 1 1	10.00 12.30	1	7	2,007	210 40	00000
	D000 0300	INST730 001	1 1 1	11.40 14.40	1	6	2,007	210 40	00000
8	D000 0300	INST610 001	1 1 1	13.37 15.37	1	15	2,007	210 40	00000
8	D000 0300	PTEC310 002	1 1 1	15.00 17.00	1	20	2,007	210 40	00000
	D000 0300	INST110 010	11	18.00 21.00		8	2,007	210 40	00000
	D000 0300	PTEC310 011	11	18.00 21.00	1	7	2,007	210 40	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	24
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	1
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	1
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	100
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	30
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	85
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	241
TOTAL NUMBER OF RECORDS READ	249
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	193
NUMBER OF JOINT-CLASS RECORDS	138
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	26

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			125
WEEKLY STUDENT CONTACT HOURS	4496		4496
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	534		534
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11250	6250	17500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10120		10120
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8992		8992
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	98.9	.0	63.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	79.9	.0	51.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	88.9	.0	88.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			125
WEEKLY STUDENT CONTACT HOURS	4496		4496
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	534		534
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11250	6250	17500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10120		10120
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8992		8992
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	98.9	.0	63.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	79.9	.0	51.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	88.9	.0	88.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			463
WEEKLY STUDENT CONTACT HOURS	17597	1572	19169
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2070	1150	3220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1882	216	2098
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41670	23150	64820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44787	4272	49059
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	35194	3144	38338
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.9	18.8	65.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	84.5	13.6	59.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	78.6	73.6	78.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			427
WEEKLY STUDENT CONTACT HOURS	17196	1455	18651
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1800	1000	2800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1826	180	2006
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38430	21350	59780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44003	3768	47771
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	34392	2910	37302
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	101.4	18.0	71.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	89.5	13.6	62.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	78.2	77.2	78.1

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			36
WEEKLY STUDENT CONTACT HOURS	401	117	518
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	56	36	92
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	784	504	1288
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	802	234	1036
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	20.7	24.0	21.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	24.8	13.0	20.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	102.3	46.4	80.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
--	------------------------	--------------------------	--------------------------

*TOTAL TEACHING FACL.

TOTAL NUMBER OF ROOMS			29
TOTAL NUMBER OF STATIONS (CAPACITY)			588
WEEKLY STUDENT CONTACT HOURS	22093	1572	23665
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2610	1450	4060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2416	216	2632
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	52920	29400	82320
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	54907	4272	59179
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44186	3144	47330
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	92.6	14.9	64.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	83.5	10.7	57.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	80.5	73.6	80.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY