

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0205	COMP1100A01	11111	8.00 11.20		21	1,051	210 33 00000
	A000	0205	COMP1110A01	11111	8.00 11.20	1	23	1,051	210 33 00000
	A000	0205	ETRN2727A01	11111	12.00 14.00		24	1,051	210 33 00000
	A000	0205	INCT1202A01	11111	12.00 14.00	1	23	1,051	210 33 00000
	A000	0205	INCT2132A01	1 1 1	14.05 15.15		7	1,051	210 33 00000
	A000	0205	INCT2840A01	1 1 1	14.05 15.15	1	10	1,051	210 33 00000
	A000	0205	INCT2122A01	1 1 1	15.20 16.20		6	1,051	210 33 00000
	A000	0205	INCT2822A01	1 1 1	15.20 16.20	1	26	1,051	210 33 00000
	A000	0215	MATH0098A01	1 1	8.00 9.20		13	800	110 22 00000
	A000	0215	MATH0099A01	1 1	8.00 9.20	1	17	800	110 22 00000
	B000	0001	CADD1210A01	11111	8.00 8.55		4	1,694	210 23 00000
	B000	0001	CADD1215A01	11111	8.00 8.55	1	3	1,694	210 23 00000
	B000	0001	DRFT1215A01	11111	8.00 8.55	1	2	1,694	210 23 00000
	B000	0001	DRFT1230A01	11111	8.00 8.55	1	2	1,694	210 23 00000
	B000	0001	DRFT2310A01	11111	8.00 8.55	1	3	1,694	210 23 00000
	B000	0001	DRFT2320A01	11111	8.00 8.55	1	3	1,694	210 23 00000
	B000	0001	DRFT2330A01	11111	8.00 8.55	1	3	1,694	210 23 00000
	B000	0001	DRFT2341A02	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2342A01	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2342A02	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2346A01	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2352A01	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2353A01	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2356A01	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2362A01	11111	8.00 8.55	1	2	1,694	210 23 00000
	B000	0001	DRFT2363A01	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT2366A01	11111	8.00 8.55	1	1	1,694	210 23 00000
	B000	0001	DRFT1110A01	11111	10.00 13.00		5	1,694	210 23 00000
	B000	0001	DRFT1130A01	11111	10.00 13.00	1	5	1,694	210 23 00000
4	B000	0001	DRFT1161A01	11111	10.00 13.00	1	6	1,694	210 23 00000
	B000	0001	DRFT1145A01	11111	10.00 16.00	1	6	1,694	210 23 00000
	B000	0001	CADD1210A01	11111	11.35 16.00	1	4	1,694	210 23 00000
	B000	0001	CADD1215A01	11111	11.35 16.00	1	3	1,694	210 23 00000
	B000	0001	DRFT1215A01	11111	11.35 16.00	1	2	1,694	210 23 00000
	B000	0001	DRFT1230A01	11111	11.35 16.00	1	2	1,694	210 23 00000
8	B000	0001	DRFT2310A01	11111	11.35 16.00	1	3	1,694	210 23 00000
8	B000	0001	DRFT2320A01	11111	11.35 16.00	1	3	1,694	210 23 00000
8	B000	0001	DRFT2330A01	11111	11.35 16.00	1	3	1,694	210 23 00000
8	B000	0001	DRFT2341A02	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2342A01	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2342A02	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2346A01	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2352A01	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2353A01	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2356A01	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2362A01	11111	11.35 16.00	1	2	1,694	210 23 00000
8	B000	0001	DRFT2363A01	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT2366A01	11111	11.35 16.00	1	1	1,694	210 23 00000
8	B000	0001	DRFT1120A01	11111	13.05 15.30	1	5	1,694	210 23 00000
	B000	0010	IMFG1235A01	1 1 1	8.30 10.50		8	640	110 40 00000
	B000	0010	IMFG1260A01	1 1	8.30 11.30		8	640	110 40 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	B000	0010	IMFG2200A01	1 1 1	11.45 14.05		9	640	110 40 00000
	B000	0010	IMFG2100A01	1 1	12.30 15.30		4	640	110 40 00000
	B000	0012	ENGL0095A01	1 1	11.00 11.50		18	540	110 34 00000
	B000	0012	SPAN1010A02	1 1	13.30 14.50		2	540	110 34 00000
	B000	0012	ENGL1010A01	1 1 1	14.00 14.50		22	540	110 34 00000
	B000	0012	BIOL1010A01	1 1 1	16.30 17.20		2	540	110 34 00000
	B000	0012	HIST1010A01	1 1	17.30 18.50		5	540	110 34 00000
	B000	0017	IMFG1150A01	1 1 1	13.00 15.00		4	646	210 20 00000
	B000	0017	IJET2123A01	1 1 1	17.00 19.00		6	646	210 20 00000
	B000	0017	IMFG1215A01	1 1	17.30 20.30		6	646	210 20 00000
	C000	0001	ELEC1120A01	1 1 1	7.30 10.50		19	1,978	210 20 00000
	C000	0001	ELEC1311A01	1 1 1	12.00 15.45		20	1,978	210 20 00000
	C000	0002	ELEC1420A01	1 1	8.00 10.43		7	1,636	210 20 00000
	C000	0002	ELEC1440A01	1 1	11.00 15.00		7	1,636	210 20 00000
	C000	0002	ELEC1220A01	1 1	15.01 17.44		18	1,636	210 20 00000
4	C000	0015	HACR1150A01	11111	7.30 14.00		15	870	210 20 00000
4	8	C000	0015	HACR1160A01	11111	7.30 14.00	1	870	210 20 00000
4	8	C000	0015	HACR1170A01	11111	7.30 14.00	1	870	210 20 00000
4	8	C000	0015	HACR1180A01	11111	7.30 14.00	1	870	210 20 00000
4	8	C000	0015	HACR1410A01	11111	7.30 14.00	1	870	210 20 00000
4	8	C000	0015	HACR1420A01	11111	7.30 14.00	1	870	210 20 00000
4	8	C000	0015	HACR2510A01	11111	7.30 14.00	1	870	210 20 00000
4	8	C000	0015	HACR2510A02	11111	7.30 14.00	1	870	210 20 00000
4	8	C000	0015	HACR2520A01	11111	7.30 14.00	1	870	210 20 00000
8	C000	0015	HACR1150A02	1111	13.30 15.30	1	2	870	210 20 00000
8	C000	0015	HACR2993A01	11111	14.05 15.05	1	1	870	210 20 00000
	D000	0002	IMFG1110A01	1 1	9.00 11.30		7	627	110 40 00000
8	D000	0003	IMFG1120A01	1 1 1	8.00 11.00		18	133	215 00000
8	D000	0003	IMFG1200A01	1 1	8.00 12.00		19	133	215 00000
8	D000	0003	IMFG1100A01	1 1 1	11.05 12.05		18	133	215 00000
8	D000	0003	IMFG1300A01	1 1	12.45 17.15		16	133	215 00000
	E000	0016	HNUR1302A01	1 1 1	8.00 11.00		38	1,791	110 45 00000
89	E000	0016	HNUR1302A01	1	8.00 11.00		38	1,791	110 45 00000
	E000	0016	HNUR1312A01	1	8.00 11.00		34	1,791	110 45 00000
	E000	0016	HNUR1311A01	1	8.00 11.00		36	1,791	110 45 00000
	E000	0016	HNUR1000A01	1	9.00 11.00		33	1,791	110 45 00000
	E000	0016	HNUR1211A01	1111	11.45 14.45		36	1,791	110 45 00000
8	E000	0016	HNUR1311A01	111	11.45 14.45	1	36	1,791	110 45 00000
	E000	0023	HNUR2123A01	1 1	8.00 11.00		27	864	110 36 00000
	E000	0023	HNUR2183A01	1	11.45 14.42		27	864	110 36 00000
	E000	0023	HNUR1460A01	11	11.45 14.45		28	864	110 36 00000
89	E000	0023	HNUR1460A01	1	11.45 14.45		28	864	110 36 00000
	E000	0023	HNUR2183A01	11	11.45 14.45		27	864	110 36 00000
4	E000	0024	HCOR1212A01	11	6.30 13.00		17	840	110 25 00000
	E000	0024	HCOR1210A01	1 1 1	8.00 11.00	1	18	840	110 25 00000
	E000	0024	HCOR1320A01	1	8.00 11.00		18	840	110 25 00000
	E000	0024	HNUR1211A02	1111	11.45 14.45		17	840	110 25 00000
	E000	0025	HCOR1300A01	1 1	9.00 11.00		18	744	110 20 00000
	E000	0025	HNUR1000A02	1	9.00 11.00		17	744	110 20 00000
	F000	0011	WELD1110A01	11111	8.00 11.00		20	529	110 24 00000
8	F000	0011	WELD1120A01	11111	8.00 11.00	1	25	529	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2018  
 RUN DATE 09/25/2018 12:00:06  
 PAGE NUM 3

CLTCC - ALEXANDRIA CAMPUS  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	F000	0011	WELD1130A01	11111	8.00 11.00	1	24	529	110 24 00000
8	F000	0011	WELD1410A01	11111	8.00 11.00	1	23	529	110 24 00000
4 8	F000	0011	WELD1411A01	11111	8.00 14.30	1	2	529	110 24 00000
4 8	F000	0011	WELD1412A01	11111	8.00 14.30	1	2	529	110 24 00000
4 8	F000	0011	WELD1412A02	11111	8.00 14.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2110A01	11111	8.00 14.30	1	7	529	110 24 00000
4 8	F000	0011	WELD2110A02	11111	8.00 14.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2111A01	11111	8.00 14.30	1	8	529	110 24 00000
4 8	F000	0011	WELD2111A02	11111	8.00 14.30	1	2	529	110 24 00000
4 8	F000	0011	WELD2210A01	11111	8.00 14.30	1	4	529	110 24 00000
4 8	F000	0011	WELD2230A01	11111	8.00 14.30	1	3	529	110 24 00000
4 8	F000	0011	WELD2230A05	11111	8.00 14.30	1	3	529	110 24 00000
4 8	F000	0011	WELD2310A01	11111	8.00 14.30	1	2	529	110 24 00000
4 8	F000	0011	WELD2310A02	11111	8.00 14.30	1	9	529	110 24 00000
4 8	F000	0011	WELD2311A01	11111	8.00 14.30	1	1	529	110 24 00000
4 8	F000	0011	WELD1420A01	11111	8.00 15.00	1	1	529	110 24 00000
4 8	F000	0011	WELD1420A02	11111	8.00 15.00	1	5	529	110 24 00000
4 8	F000	0011	WELD1511A01	11111	8.00 15.00	1	2	529	110 24 00000
4 8	F000	0011	WELD1511A03	11111	8.00 15.00	1	1	529	110 24 00000
4 8	F000	0011	WELD1512A01	11111	8.00 15.00	1	2	529	110 24 00000
4 8	F000	0011	WELD2220A01	11111	8.00 15.00	1	1	529	110 24 00000
4 8	F000	0011	WELD2222A01	11111	8.00 15.00	1	3	529	110 24 00000
4 8	F000	0011	WELD2311A06	11111	8.00 15.00	1	5	529	110 24 00000
8	F000	0011	WELD1210A01	11111	11.30 14.30	1	21	529	110 24 00000
8	F000	0011	WELD1310A01	11111	11.30 14.30	1	22	529	110 24 00000
8	F000	0011	WELD1140A01	11111	12.15 14.30	1	23	529	110 24 00000
8	F000	0011	WELD1110A02	11111	14.00 16.55	1	5	529	110 24 00000
8	F000	0011	WELD1120A02	11111	14.00 16.55	1	10	529	110 24 00000
8	F000	0011	WELD1130A02	11111	14.00 16.55	1	8	529	110 24 00000
8	F000	0011	WELD1410A02	11111	14.00 17.00	1	10	529	110 24 00000
4 8	F000	0011	WELD1411A02	11111	14.00 20.30	1	4	529	110 24 00000
4 8	F000	0011	WELD1412A03	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD1512A02	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2110A03	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2110A04	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2220A02	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2222A02	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2230A02	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD2311A04	11111	14.00 20.30	1	1	529	110 24 00000
4 8	F000	0011	WELD1420A03	11111	14.00 21.00	1	2	529	110 24 00000
4 8	F000	0011	WELD1511A02	11111	14.00 21.00	1	1	529	110 24 00000
8	F000	0011	WELD1140A02	11111	17.00 20.30	1	5	529	110 24 00000
8	F000	0011	WELD1210A02	11111	17.00 20.30	1	6	529	110 24 00000
8	F000	0011	WELD1310A02	11111	17.00 20.30	1	4	529	110 24 00000
	F000	0026	CLRP1110A01	11	8.00 8.50		7	484	110 26 00000
	F000	0026	CLRP1311A01	11	8.00 8.50		1	484	110 26 00000
	F000	0026	CLRP1230A01	111	8.30 9.20	1	3	484	110 26 00000
	F000	0026	CLRP1121A01	11	9.00 9.50		7	484	110 26 00000
	F000	0026	CLRP1210A01	11	9.00 9.50		2	484	110 26 00000
	F000	0026	CLRP2140A01	111	9.30 10.20	1	4	484	110 26 00000
	F000	0026	CLRP1131A01	11	10.00 10.50		7	484	110 26 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018  
 RUN DATE 09/25/2018 12:00:06  
 PAGE NUM 4

CLTCC - ALEXANDRIA CAMPUS  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	F000 0026	CLRP1150A01	11	10.00 10.50		3	484	110 26	00000	
	F000 0026	CLRP1220A01	111	10.30 11.20	1	4	484	110 26	00000	
	F000 0026	CLRP2130A01	11	11.00 11.50		7	484	110 26	00000	
	F000 0026	CLRP1140A01	111	11.30 12.20		7	484	110 26	00000	
	F000 0026	CLRP1320A01	11	12.30 13.20		2	484	110 26	00000	
	F000 0026	CLRP2121A01	11	13.30 14.20		1	484	110 26	00000	
	F000 0026	CLRP2111A01	11	14.30 15.20		1	484	110 26	00000	

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	43
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	76
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	2
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		121
TOTAL NUMBER OF RECORDS READ		160
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		158
NUMBER OF JOINT-CLASS RECORDS		102
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/25/2018 12:00:06

PAGE NUM 1

CLTCC - ALEXANDRIA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			470
WEEKLY STUDENT CONTACT HOURS	8,727	277	9,005
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,821	111	2,932
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,300	23,500	65,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	71,178	2,724	73,902
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,455	555	18,010
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	156.7	11.1	104.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.3	2.4	27.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.5	20.4	24.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			470
WEEKLY STUDENT CONTACT HOURS	8,727	277	9,005
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,821	111	2,932
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,300	23,500	65,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	71,178	2,724	73,902
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,455	555	18,010
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	156.7	11.1	104.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.3	2.4	27.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.5	20.4	24.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/25/2018 12:00:06  
 PAGE NUM 2

CLTCC - ALEXANDRIA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	6,395	72	6,467
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,958	24	1,982
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44,310	480	44,790
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,791	144	12,935
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.6	2.0	59.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.9	.6	19.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.9	30.0	28.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	6,395	72	6,467
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,958	24	1,982
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44,310	480	44,790
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,791	144	12,935
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.6	2.0	59.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.9	.6	19.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.9	30.0	28.9

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY