

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018

RUN DATE 11/15/2018 15:59:00

PAGE NUM 1

L.E. FLETCHER TECHNICAL COMM. COLL.

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	LEFA 0114	CPCS2000 A	111	10.00 15.00		17	2,306	210 21	00000
	LEFA 0203	CPCS2220 A	1 1	8.30 10.20		17	825	110 40	00000
	LEFA 0203	CPCS2040 A	1 1	10.30 12.20		17	825	110 40	00000
	LEFA 0203	CPCS2140 A	1 1	13.00 14.20		17	825	110 40	00000
	LEFA 122C	DESL1120 A	1 1 1	7.30 8.50		12	2,526	210 28	00000
	LEFA 122C	DESL1220 A	1 1	7.30 9.10		12	2,526	210 28	00000
	LEFA 122C	DESL1130 A	1 1 1	8.51 10.50		12	2,526	210 28	00000
	LEFA 122C	DESL2500 A	1 1	9.11 11.15		12	2,526	210 28	00000
	LEFA 122C	DESL1140 A	1 1 1	10.51 13.10		12	2,526	210 28	00000
	LEFA 122C	MDET2210 A	1 1	11.16 12.55		12	2,526	210 28	00000
	LEFA 122C	MDET2310 A	1 1	12.56 13.45		12	2,526	210 28	00000
	LEFA 122C	DESL1150 A	1 1 1	13.11 14.50		15	2,526	210 28	00000
	LEFA 122C	MWLD2230 A	1 1	13.46 15.00		7	2,526	210 28	00000
	LEFA 125B	MTTC1110 A	1 1	7.30 8.00		6	480	110 20	00000
	LEFA 125B	MTTC2710 A	1 1 1	8.00 9.20		3	480	110 20	00000
	LEFA 125B	MTTC1130 A	1 1	8.01 9.30		7	480	110 20	00000
	LEFA 125B	MTTC1210 A	1 1	9.31 11.30		5	480	110 20	00000
	LEFA 125B	MTTC1310 A	1 1	11.31 14.30		1	480	110 20	00000
	LEFA 125C	MTTC1341 A	1 1 1	9.21 10.41		4	208	210 15	00000
	LEFA 125C	MTTC2631 A	1 1 1	10.42 12.02		2	208	210 15	00000
	LEFA 125C	MTTC2711 A	1 1 1	12.03 13.20		4	208	210 15	00000
	LEFA 125C	MTTC1441 A	1 1 1	13.21 15.20		1	208	210 15	00000
	SCH1 0101	NURS1000 A	11111	8.30 11.20		19	696	140 28	00000
	SCH1 0101	NURS1310 A	11111	9.30 11.20	1	19	696	140 28	00000
	SCH1 0101	NURS1090 A	1 1 1	12.30 15.20		19	696	140 28	00000
	SCH1 0101	NURS1080 A	1 1	12.30 15.20		19	696	140 28	00000
	SCH1 0102	HNUR2605 A	1 1 1	8.30 11.20		17	696	140 25	00000
	SCH1 0102	HNUR2305 A	11111	12.30 15.20		16	696	140 25	00000
4	SCH1 0111	NRSA1222 A	1	6.30 14.20		16	667	110 35	00000
4	SCH1 0111	HPHL1020 A	1	6.30 16.30		11	667	110 35	00000
	SCH1 0111	HMDT1170 B	1 1	7.30 9.20		11	667	110 35	00000
4	SCH1 0111	NRSA1211 A	1	7.30 14.20		16	667	110 35	00000
	SCH1 0111	HIHC1110 A	1 1	9.30 10.20		11	667	110 35	00000
	SCH1 0111	HPHL1010 A	1 1	10.30 11.20		11	667	110 35	00000
	SCH1 0111	HIHC1500 A	1	12.30 13.20		11	667	110 35	00000
	SCH1 0111	HIHC1160 A	1	12.30 13.20		11	667	110 35	00000
	SCH1 0111	NBAP1120 A	1 1	13.30 14.20		11	667	110 35	00000
	SCH1 0116	BIOL1150 B	1 1	9.00 10.20		31	1,496	210 36	00000
	SCH1 0116	BIOL1170 A	1 1	10.10 11.30		27	1,496	210 36	00000
	SCH1 0116	BIOL1170 B	1 1	10.30 11.50		25	1,496	210 36	00000
	SCH1 0116	BIOL1150 A	1 1	11.50 13.10		33	1,496	210 36	00000
	SCH1 0116	BIOL1150 C	1 1	13.30 14.50		33	1,496	210 36	00000
	SCH1 0116	BIOL1150 ER	1	18.00 20.50		28	1,496	210 36	00000
	SCH1 0120	ENGL1010HBA	1 1	7.30 8.25		28	1,023	140 32	00000
	SCH1 0120	ENGL1010 C	1 1	7.30 8.50		26	1,023	140 32	00000
	SCH1 0120	ENGL1010 F	1 1 1	8.35 9.30		28	1,023	140 32	00000
	SCH1 0120	ENGL1020 A	1 1	9.00 10.20		22	1,023	140 32	00000
	SCH1 0120	ENGL1010HBB	1 1	9.40 10.35		25	1,023	140 32	00000
	SCH1 0120	ENGL1010 D	1 1	10.30 11.50		25	1,023	140 32	00000
	SCH1 0120	SPCH1200 EM	1	18.00 20.45		24	1,023	140 32	00000
	SCH1 0120	SPCH1200 ET	1	18.00 20.45		24	1,023	140 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018
 RUN DATE 11/15/2018 15:59:00
 PAGE NUM 2

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0121	ENGL1020 B	1 1 1	8.35 9.30	22	1,023	140 35	00000
	SCH1	0121	READ0099 A	1 1	9.00 10.20	29	1,023	140 35	00000
	SCH1	0121	READ0099HBA	1 1	9.40 10.35	29	1,023	140 35	00000
	SCH1	0121	ELAB1000 B	1 1	10.30 11.50	27	1,023	140 35	00000
	SCH1	0121	ENGL1000 B	1 1 1	10.45 11.40	27	1,023	140 35	00000
	SCH1	0121	READ0099HBB	1 1	11.50 12.45	30	1,023	140 35	00000
	SCH1	0121	READ0099 B	1 1	12.00 13.20	32	1,023	140 35	00000
	SCH1	0121	ENGL1020 C	1 1 1	12.55 14.15	10	1,023	140 35	00000
	SCH1	0121	MATH1100 EW	1	18.00 20.50	19	1,023	140 35	00000
	SCH1	0122	BIOL1140 A	1 1	8.35 9.55	39	1,044	110 48	00000
	SCH1	0122	BIOL1160 B	1 1	9.00 10.20	36	1,044	110 48	00000
	SCH1	0122	BIOL2030 A	1 1	10.30 11.50	8	1,044	110 48	00000
	SCH1	0122	BIOL1140 B	1 1 1	10.45 11.40	45	1,044	110 48	00000
	SCH1	0122	BIOL1140 C	1 1	12.00 13.20	48	1,044	110 48	00000
	SCH1	0122	BIOL1160 A	1 1 1	12.55 13.50	24	1,044	110 48	00000
	SCH1	0122	BIOL1140 ET	1	18.00 20.50	32	1,044	110 48	00000
	SCH1	0123	CRJU1010 A	1 1	9.00 10.20	25	667	110 36	00000
	SCH1	0123	CRJU2030 A	1 1 1	9.40 10.35	17	667	110 36	00000
	SCH1	0123	CRJU2640 A	1 1	10.30 11.50	13	667	110 36	00000
	SCH1	0123	CRJU2600 A	1 1 1	10.45 11.40	16	667	110 36	00000
	SCH1	0123	CRJU2040 A	1 1 1	11.50 12.45	16	667	110 36	00000
	SCH1	0123	CRJU2200 A	1 1	12.00 13.20	8	667	110 36	00000
	SCH1	0123	POLI2520 EM	1	17.30 20.20	9	667	110 36	00000
	SCH1	0131	CLCR1001 A	1	7.30 8.25	18	696	140 25	00000
	SCH1	0131	CLCR1001 B	1	11.50 12.45	20	696	140 25	00000
	SCH1	0131	CLCR1001 D	1	12.00 12.55	18	696	140 25	00000
	SCH1	0131	CLCR1001 E	1	12.00 12.55	20	696	140 25	00000
	SCH1	0131	CLCR1001 C	1	12.55 13.50	20	696	140 25	00000
	SCH1	0131	CLCR1001 F	1	13.30 14.25	23	696	140 25	00000
	SCH1	0201	BIOL1010 A	1 1 1	8.35 9.30	32	780	110 40	00000
	SCH1	0201	BIOL1010 B	1 1	9.00 10.20	23	780	110 40	00000
	SCH1	0202	BUSN1100HBB	1 1	8.35 9.30	21	667	110 32	00000
	SCH1	0202	ACCT2300 A	1 1	9.00 10.20	12	667	110 32	00000
	SCH1	0202	ACCT2100HBA	1 1	9.40 10.35	24	667	110 32	00000
	SCH1	0202	ACCT2100 A	1 1	10.30 11.50	25	667	110 32	00000
	SCH1	0202	ACCT2250HBA	1 1	10.45 11.40	12	667	110 32	00000
	SCH1	0202	BUSN2230HDA	1	11.50 12.45	10	667	110 32	00000
	SCH1	0203	ENGL1000 A	1 1 1	8.35 9.30	27	1,073	140 33	00000
	SCH1	0203	ENGL2010 A	1 1	9.00 10.20	17	1,073	140 33	00000
	SCH1	0203	ELAB1000 A	1 1 1	9.40 10.35	27	1,073	140 33	00000
	SCH1	0203	ENGL1020 F	1 1	10.30 11.50	21	1,073	140 33	00000
	SCH1	0203	ENGL1010 G	1 1 1	10.45 11.40	27	1,073	140 33	00000
	SCH1	0203	ENGL1010 H	1 1 1	11.50 12.45	25	1,073	140 33	00000
	SCH1	0203	ENGL1020 D	1 1	12.00 13.20	13	1,073	140 33	00000
	SCH1	0203	ENGL1010 E	1 1	15.30 16.50	23	1,073	140 33	00000
	SCH1	0207	HMDT1170 A	1	7.30 9.20	12	696	110 15	00000
	SCH1	0207	HNUR1211 A	1111	7.30 10.20	18	696	110 15	00000
8	SCH1	0207	HNUR1105 A	1111	8.30 10.20	18	696	110 15	00000
	SCH1	0207	HBI01200 A	11111	10.30 11.20	20	696	110 15	00000
	SCH1	0207	HNUR1152 A	1	12.30 13.30	18	696	110 15	00000
	SCH1	0207	HNUR1180 A	11	12.30 14.20	18	696	110 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018

RUN DATE 11/15/2018 15:59:00

PAGE NUM 3

L.E. FLETCHER TECHNICAL COMM. COLL.

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0213	ARTS2010 A	1 1 1	10.45 12.45		10	1,350	210 54 00000
	SCH1	0214	DRFT2400 A	1 1	7.30 10.20		11	1,023	210 24 00000
	SCH1	0214	DRFT2400 A	1 1 1	7.30 10.35		11	1,023	210 24 00000
	SCH1	0214	CADD2300 A	1 1	12.00 14.50		4	1,023	210 24 00000
	SCH1	0214	CADD1200 A	1 1 1	12.55 14.55		5	1,023	210 24 00000
	SCH1	0217	MUSC1010HBA	1 1	8.35 9.30		25	1,350	210 48 00000
	SCH1	0217	MUSC1010 A	1 1	9.00 10.20		21	1,350	210 48 00000
	SCH1	0217	MUSC1010HBB	1 1	10.45 11.40		31	1,350	210 48 00000
	SCH1	0217	MUSC1010 B	1 1	12.00 13.20		26	1,350	210 48 00000
	SCH1	0218	DRFT1200 A	1 1	7.30 10.20		4	899	210 15 00000
	SCH1	0218	DRFT1200 A	1 1 1	8.35 10.35		4	899	210 15 00000
	SCH1	0218	DRFT1100 A	1 1 1	11.50 14.55		10	899	210 15 00000
	SCH1	0218	DRFT1100 A	1 1	12.00 14.50		10	899	210 15 00000
	SCH1	0219	CHEM1010 A	1 1 1	7.30 8.25		5	874	110 44 00000
	SCH1	0219	PHSC1000 B	1 1	7.30 8.50		18	874	110 44 00000
	SCH1	0219	PHSC1200 A	1 1 1	8.35 9.30		15	874	110 44 00000
	SCH1	0219	CHEM1010 B	1 1	10.30 11.50		17	874	110 44 00000
	SCH1	0219	PHSC1000 A	1 1 1	10.45 11.40		33	874	110 44 00000
	SCH1	0220	HIST1010 A	1 1 1	8.35 9.30		23	874	110 44 00000
	SCH1	0220	HIST1010 B	1 1	9.00 10.20		20	874	110 44 00000
	SCH1	0220	HIST1500 A	1 1 1	9.40 10.35		33	874	110 44 00000
	SCH1	0220	HIST1510 A	1 1	10.30 11.50		24	874	110 44 00000
	SCH1	0220	HIST2010 A	1 1 1	11.50 12.45		33	874	110 44 00000
	SCH1	0220	HIST1500 B	1 1	12.00 13.20		32	874	110 44 00000
	SCH1	0220	HIST2030 A	1 1	12.55 14.15		18	874	110 44 00000
	SCH1	0220	HIST2020 A	1 1	13.30 14.50		12	874	110 44 00000
	SCH1	0221	MATH0097 A	1 1 1	7.30 8.25		29	775	110 36 00000
	SCH1	0221	MATH0098 E	1 1	7.30 8.50		27	775	110 36 00000
	SCH1	0221	MATH0099 A	1 1 1	8.35 9.30		29	775	110 36 00000
	SCH1	0221	MATH0097 C	1 1	9.00 10.20		29	775	110 36 00000
	SCH1	0221	MATH0098 B	1 1 1	9.40 10.35		28	775	110 36 00000
	SCH1	0221	MATH0099 E	1 1	10.30 11.50		28	775	110 36 00000
	SCH1	0221	MATH0099 B	1 1 1	10.45 11.40		30	775	110 36 00000
	SCH1	0221	MATH1170 A	1 1	12.00 13.20		19	775	110 36 00000
	SCH1	0221	MATH0098 D	1 1	12.55 14.15		16	775	110 36 00000
	SCH1	0221	MATH0099 EW	1	18.00 20.50		11	775	110 36 00000
	SCH1	0222	ARTS1200 B	1 1	9.00 10.20		27	696	110 24 00000
	SCH1	0222	ARTS1200 A	1 1 1	9.40 10.35		26	696	110 24 00000
	SCH1	0222	ARTS2300HBA	1 1	12.00 14.50		19	696	110 24 00000
	SCH1	0223	PSYC2010 A	1 1	7.30 8.50		20	868	110 46 00000
	SCH1	0223	PSYC20101HA	1	9.00 10.20		36	868	110 46 00000
	SCH1	0223	PSYC21202HA	1	9.00 10.20	1	16	868	110 46 00000
	SCH1	0223	PSYC2200HBA	1 1	10.45 11.40		11	868	110 46 00000
	SCH1	0223	APMA1030HBA	1 1	11.50 12.45		17	868	110 46 00000
	SCH1	0223	PSYC2120 A	1 1	12.00 13.20		21	868	110 46 00000
	SCH1	0224	CPTR1100HBC	1	7.30 8.50		19	693	110 25 00000
	SCH1	0224	CPTR1100HBD	1	9.00 10.20		25	693	110 25 00000
	SCH1	0224	CINS1750 A	1 1	10.30 11.50		10	693	110 25 00000
	SCH1	0224	BUSN1100HDA	1	10.45 11.40		23	693	110 25 00000
	SCH1	0224	OSYS2530HDA	1 1	10.45 11.40		14	693	110 25 00000
	SCH1	0224	BUSN2100HDA	1 1	11.50 12.45		15	693	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 15:59:00
 PAGE NUM 4

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0224	CINS1550HDA	1	12.00 13.20		10	693	110 25 00000
	SCH1	0225	MATH2100 C	1 1	9.00 10.20		25	660	110 32 00000
	SCH1	0225	MATH2100 A	1 1 1	9.40 10.35		19	660	110 32 00000
	SCH1	0225	MATH2100 B	1 1 1	11.50 12.45		13	660	110 32 00000
	SCH1	0227	PSYC2010HBA	1 1	7.30 8.25		20	1,116	140 38 00000
	SCH1	0227	MATH0099 1A	1 1	9.00 10.20		12	1,116	140 38 00000
	SCH1	0227	MATH1100 2A	1 1	9.00 10.20	1	19	1,116	140 38 00000
	SCH1	0227	MATH0099 1A	1 1 1	9.40 10.35		12	1,116	140 38 00000
	SCH1	0227	MATH1100 2A	1 1 1	9.40 10.35	1	19	1,116	140 38 00000
	SCH1	0227	ENGL0098 1A	1 1 1	11.50 12.45		14	1,116	140 38 00000
	SCH1	0227	ENGL0099 2A	1 1 1	11.50 12.45	1	11	1,116	140 38 00000
	SCH1	0227	ENGL0098 1A	1 1	12.00 13.20		14	1,116	140 38 00000
	SCH1	0227	ENGL0099 2A	1 1	12.00 13.20	1	11	1,116	140 38 00000
	SCH1	0227	SOCI2010 A	1	15.00 17.50		20	1,116	140 38 00000
	SCH1	0228	MATH1000 A	1 1 1	7.30 8.25		30	744	110 36 00000
	SCH1	0228	MLAB1000 A	1 1	7.30 8.50		30	744	110 36 00000
	SCH1	0228	MATH1000 B	1 1 1	8.35 9.30		31	744	110 36 00000
	SCH1	0228	MATH1100 C	1 1	9.00 10.20		30	744	110 36 00000
	SCH1	0228	MLAB1000 B	1 1 1	9.40 10.35		31	744	110 36 00000
	SCH1	0228	MATH0097HDA	1 1	10.30 11.50		33	744	110 36 00000
	SCH1	0228	MATH1110 A	1 1 1	10.45 11.40		19	744	110 36 00000
	SCH1	0228	MATH0097 B	1 1 1	11.50 12.45		26	744	110 36 00000
	SCH1	0228	MATH1100 D	1 1	12.00 13.20		27	744	110 36 00000
	SCH1	0228	MATH0099 C	1 1	12.55 14.15		20	744	110 36 00000
	SCH1	0229	DVKB09001HA	1 1	9.00 10.20		23	990	140 36 00000
	SCH1	0229	KYBD11002HA	1 1	9.00 10.20	1	19	990	140 36 00000
	SCH1	0229	BUSI1050 A	1 1	10.30 11.50		16	990	140 36 00000
	SCH1	0229	CPTR1100HBA	1 1	10.45 11.40		27	990	140 36 00000
	SCH1	0229	CPTR1100HBB	1 1	11.50 12.45		24	990	140 36 00000
	SCH1	0229	CPTR1100 A	1 1	12.00 13.20		25	990	140 36 00000
	SCH1	0229	CPTR1100EHT	1	17.30 19.00		17	990	140 36 00000
	SCH1	0230	MATH0098 A	1 1 1	8.35 9.30		24	667	110 32 00000
	SCH1	0230	MATH0099 D	1 1	9.00 10.20		30	667	110 32 00000
	SCH1	0230	MATH1100 A	1 1 1	9.40 10.35		32	667	110 32 00000
	SCH1	0230	MATH0098 F	1 1	10.30 11.50		31	667	110 32 00000
	SCH1	0230	MATH0098 C	1 1 1	10.45 11.40		28	667	110 32 00000
	SCH1	0230	MATH1100 E	1 1 1	11.50 12.45		27	667	110 32 00000
	SCH1	0230	MATH2100 EW	1	18.00 20.50		14	667	110 32 00000
	SCH1	0231	ENGL0098 A	1 1 1	8.35 9.30		21	1,073	140 33 00000
	SCH1	0231	ENGL0098 B	1 1	9.00 10.20		27	1,073	140 33 00000
	SCH1	0231	ENGL0099 A	1 1 1	9.40 10.35		27	1,073	140 33 00000
	SCH1	0231	ENGL0099 C	1 1	10.30 11.50		27	1,073	140 33 00000
	SCH1	0231	ELAB1000 C	1 1	12.00 13.20		23	1,073	140 33 00000
	SCH1	0231	ENGL1000 C	1 1	12.55 14.15		23	1,073	140 33 00000
	SCH1	0231	ENGL0099 B	1 1	13.30 14.50		21	1,073	140 33 00000
	SCH1	0231	ENGL0098 ER	1	18.00 20.50		18	1,073	140 33 00000
	SCH1	0232	MATH2010 A	1 1 1	8.35 9.30		14	667	110 30 00000
	SCH1	0232	MATH0098 1A	1 1	9.00 10.20		24	667	110 30 00000
8	SCH1	0232	MATH0099 2A	1 1	9.00 10.20	1	26	667	110 30 00000
	SCH1	0232	MATH0098 1A	1 1 1	9.40 10.35		24	667	110 30 00000
8	SCH1	0232	MATH0099 2A	1 1 1	9.40 10.35	1	26	667	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018

RUN DATE 11/15/2018 15:59:00

PAGE NUM 5

L.E. FLETCHER TECHNICAL COMM. COLL.

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0232	MATH1000 C	1 1 1	11.50 12.45		26	667	110 30 00000
	SCH1	0232	MLAB1000 C	1 1	12.00 13.20		26	667	110 30 00000
	SCH1	0232	MATH1100 B	1 1	12.55 14.15		24	667	110 30 00000
	SCH1	0232	MATH0098 EW	1	18.00 20.50		8	667	110 30 00000
	SCH2	0102	IPTN2600 A	1	10.00 12.00		4	721	140 24 00000
	SCH2	0102	IPTN1600 B	1	13.30 16.30		13	721	140 24 00000
	SCH2	0102	IPTN2500 ER	1	17.30 19.30		6	721	140 24 00000
	SCH2	0102	IPTN2000 ET	1	17.30 20.30		7	721	140 24 00000
	SCH2	0103	IPTN2200 A	1	8.35 11.35		10	721	140 24 00000
	SCH2	0103	IPTN1310 A	1	13.30 16.30		17	721	140 24 00000
	SCH2	0103	IPTN1500 B	1	13.30 16.30		10	721	140 24 00000
	SCH2	0103	IPTN1610 B	1	17.30 20.30		2	721	140 24 00000
	SCH2	0103	IPTN1400 ER	1	17.30 20.30		6	721	140 24 00000
	SCH2	0202	IPTN1030 A	1	8.30 11.30		16	721	110 24 00000
	SCH2	0203	IPTN1050HDA	1	13.30 14.50		13	721	140 24 00000
	SCH2	0203	IPTN1050 ET	1	17.30 20.30		8	721	140 24 00000
	SCH2	0205	IPTN2300 EM	1	17.30 20.30		14	687	110 24 00000
	SCH2	0205	IPTN1300 ET	1	17.30 20.30		8	687	110 24 00000
	THI1	0114	SURG2215 A	11111	8.15 10.55		10	770	240 24 00000
	THI1	0122	SURG1033 A	1 1 1	8.15 10.15		12	972	110 12 00000
	THI1	0122	SURG1032 A	1 1	10.00 11.30		12	972	110 12 00000
	THI1	0122	SURG1133 A	11111	12.00 13.00		12	972	110 12 00000
	THI1	0131	HACR1410 A	11111	7.15 8.15		2	480	140 16 00000
	THI1	0131	HACR1150 A	11111	7.15 8.35	1	3	480	140 16 00000
	THI1	0131	HACR1210 A	11111	7.15 8.35	1	1	480	140 16 00000
	THI1	0131	HACR2550 A	11111	8.40 10.15		2	480	140 16 00000
	THI1	0131	HACR2510 A	11111	10.30 11.30		2	480	140 16 00000
	THI1	0131	HACR1170 A	11111	11.20 12.55	1	3	480	140 16 00000
	THI1	0131	HACR1230 A	11111	11.20 12.55	1	1	480	140 16 00000
	THI1	0131	HACR2530 A	11111	13.50 14.50		2	480	140 16 00000
	THI1	0132	AUTO1100 A	1 1 1	7.30 8.25		21	130	110 15 00000
8	THI1	0132	AUTO1800 A	1 1	7.30 8.30		25	130	110 15 00000
	THI1	0132	AUTO1101 A	1 1 1	8.35 10.35		21	130	110 15 00000
8	THI1	0132	AUTO1821 B	1 1 1	8.35 10.35	1	3	130	110 15 00000
	THI1	0132	AUTO1821 A	1 1	8.35 11.00		4	130	110 15 00000
8	THI1	0132	AUTO1801 A	1 1	9.00 11.50	1	21	130	110 15 00000
	THI1	0132	AUTO1810 A	1 1 1	10.45 11.40		22	130	110 15 00000
	THI1	0132	AUTO1811 A	1 1 1	11.50 13.50		16	130	110 15 00000
	THI1	0132	AUTO1820 A	1 1	12.00 13.20		7	130	110 15 00000
	THI1	0135	HACR1420 A	11111	8.20 9.55		2	2,990	210 24 00000
	THI1	0135	HACR1160 A	11111	8.40 10.15	1	3	2,990	210 24 00000
	THI1	0135	HACR1220 A	11111	8.40 10.15	1	1	2,990	210 24 00000
	THI1	0135	HACR1240 B	11111	11.31 12.45		1	2,990	210 24 00000
	THI1	0135	HACR2540 B	11111	11.31 12.45	1	1	2,990	210 24 00000
	THI1	0135	HACR2560 A	11111	12.25 13.25	1	2	2,990	210 24 00000
	THI1	0135	HACR2520 A	11111	12.25 13.45	1	2	2,990	210 24 00000
	THI1	0135	HACR1180 A	11111	13.00 14.40	1	3	2,990	210 24 00000
	THI1	0135	HACR1240 A	11111	13.00 14.40	1	1	2,990	210 24 00000
	THI1	0136	WELD2114 A	1	7.30 9.30		2	3,025	210 16 00000
	THI1	0136	WELD2114 B	1	7.30 9.30	1	1	3,025	210 16 00000
	THI1	0136	WELD2114 C	1	7.30 9.30	1	2	3,025	210 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 15:59:00
 PAGE NUM 6

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	THI1	0136	WELD2111	B	1	7.30 9.45	1	3,025	210 16 00000
	THI1	0136	WELD2111	C	1	7.30 9.45	1	3,025	210 16 00000
	THI1	0136	WELD2111	D	1	7.30 9.45	1	3,025	210 16 00000
	THI1	0136	WELD1511	A	11111	7.30 11.15	1	3,025	210 16 00000
	THI1	0136	WELD1511	C	11111	7.30 11.15	1	3,025	210 16 00000
	THI1	0136	WELD1511	D	11111	7.30 11.15	1	3,025	210 16 00000
	THI1	0136	WELD2110	A	11111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2110	B	11111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2110	C	11111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2110	E	11111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2222	B	11111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2114	A	1111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2114	B	1111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2114	C	1111	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1310	B	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1310	C	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1310	E	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1310	F	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1411	A	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1411	D	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1411	E	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1412	D	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD1412	E	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2310	C	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2310	D	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2310	E	1	7.30 11.30	1	3,025	210 16 00000
	THI1	0136	WELD2995	B	1	7.30 11.30	1	3,025	210 16 00000
8	THI1	0136	WELD1110	A	11111	7.30 12.00	1	3,025	210 16 00000
8	THI1	0136	WELD1210	B	11 1	7.30 12.00	1	3,025	210 16 00000
8	THI1	0136	WELD1210	D	11 1	7.30 12.00	1	3,025	210 16 00000
8	THI1	0136	WELD2311	D	1 1	7.30 12.00	1	3,025	210 16 00000
8	THI1	0136	WELD2311	E	1 1	7.30 12.00	1	3,025	210 16 00000
8	THI1	0136	WELD1110	C	1	7.30 12.00	1	3,025	210 16 00000
8	THI1	0136	WELD1210	E	1	7.30 12.00	1	3,025	210 16 00000
8	THI1	0136	WELD1512	B	11111	7.30 12.30	1	3,025	210 16 00000
8	THI1	0136	WELD1512	D	11111	7.30 12.30	1	3,025	210 16 00000
8	THI1	0136	WELD2310	C	1 1	7.30 12.30	1	3,025	210 16 00000
8	THI1	0136	WELD2310	D	1 1	7.30 12.30	1	3,025	210 16 00000
8	THI1	0136	WELD2310	E	1 1	7.30 12.30	1	3,025	210 16 00000
	THI1	0136	WELD2210	A	1	7.30 12.30	1	3,025	210 16 00000
4	THI1	0136	WELD1411	A	1111	7.30 12.45	1	3,025	210 16 00000
4	THI1	0136	WELD1411	D	1111	7.30 12.45	1	3,025	210 16 00000
4	THI1	0136	WELD1411	E	1111	7.30 12.45	1	3,025	210 16 00000
4	THI1	0136	WELD1412	D	1111	7.30 12.45	1	3,025	210 16 00000
4	THI1	0136	WELD1412	E	1111	7.30 12.45	1	3,025	210 16 00000
4	THI1	0136	WELD2310	C	1 1	7.30 13.00	1	3,025	210 16 00000
4	THI1	0136	WELD2310	D	1 1	7.30 13.00	1	3,025	210 16 00000
4	THI1	0136	WELD2310	E	1 1	7.30 13.00	1	3,025	210 16 00000
4	THI1	0136	WELD2111	B	1111	7.30 13.30	1	3,025	210 16 00000
4	THI1	0136	WELD2111	C	1111	7.30 13.30	1	3,025	210 16 00000
4	THI1	0136	WELD2111	D	1111	7.30 13.30	1	3,025	210 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018
 RUN DATE 11/15/2018 15:59:00
 PAGE NUM 7

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	THI1 0136	WELD2111 F	1111	7.30 13.30	1	2	3,025	210 16	00000
4	THI1 0136	WELD1110 C	1111	7.30 14.00	1	1	3,025	210 16	00000
4	THI1 0136	WELD1210 E	1111	7.30 14.00	1	1	3,025	210 16	00000
4 8	THI1 0136	WELD1310 B	1111	7.30 14.00	1	2	3,025	210 16	00000
4 8	THI1 0136	WELD1310 C	1111	7.30 14.00	1	1	3,025	210 16	00000
4 8	THI1 0136	WELD1310 E	1111	7.30 14.00	1	1	3,025	210 16	00000
4 8	THI1 0136	WELD1310 F	1111	7.30 14.00	1	1	3,025	210 16	00000
4 8	THI1 0136	WELD2995 B	1111	7.30 14.00	1	1	3,025	210 16	00000
4 8	THI1 0136	WELD2210 A	1111	7.30 15.00	1	1	3,025	210 16	00000
8	THI1 0136	WELD1410 A	11111	8.30 11.30	1	3	3,025	210 16	00000
8	THI1 0136	WELD1410 C	11111	8.30 11.30	1	3	3,025	210 16	00000
4 8	THI1 0136	WELD2111 F	1	9.30 9.45	1	2	3,025	210 16	00000
	THI1 0136	WELD1411 B	1 1	14.26 18.10		1	3,025	210 16	00000
	THI1 0136	WELD2210 B	1 1 1	16.10 19.35		1	3,025	210 16	00000
	THI1 0139	WELD1110 B	1 1 1	12.00 13.40		1	420	110 16	00000
	THI2 0200	ELEC1204 A	11111	9.00 9.45		6	726	240 20	00000
	THI2 0200	ELEC2305 C	11111	12.00 12.45		1	726	240 20	00000
	THI2 0200	ELEC2305 A	11111	13.05 14.00		2	726	240 20	00000
	THI2 0300	ELEC1010 A	11111	7.30 8.15		14	652	240 20	00000
	THI2 0300	ELEC2301 C	11111	8.00 8.45	1	1	652	240 20	00000
	THI2 0300	ELEC1020 A	11111	8.16 9.20	1	14	652	240 20	00000
8	THI2 0300	ELEC2303 A	11111	8.30 9.15	1	2	652	240 20	00000
	THI2 0300	ELEC1101 A	11111	9.21 10.10		20	652	240 20	00000
	THI2 0300	ELEC1201 A	11111	11.01 11.50		11	652	240 20	00000
	THI2 0300	ELEC2301 A	11111	13.15 14.00		3	652	240 20	00000
	THI2 0400	ELEC1102 A	11111	10.11 11.00		19	1,218	210 20	00000
	THI2 0400	ELEC1202 A	11111	11.51 12.45		12	1,218	210 20	00000
	THI2 0400	ELEC1010 B	11111	12.00 12.30	1	12	1,218	210 20	00000
	THI2 0400	ELEC1020 B	11111	12.31 13.10		12	1,218	210 20	00000
	THI2 0400	ELEC1203 A	11111	12.46 13.30	1	6	1,218	210 20	00000
	THI2 0400	ELEC1101 B	11111	13.11 13.50	1	12	1,218	210 20	00000
	THI2 0400	ELEC1102 B	11111	13.51 14.30		13	1,218	210 20	00000
	THI2 0400	ELEC2302 A	11111	14.01 14.46	1	5	1,218	210 20	00000
	THI2 0400	ELEC1201 B	11111	14.31 15.40	1	4	1,218	210 20	00000
	THI2 0400	ELEC1202 B	11111	15.41 16.40		5	1,218	210 20	00000
	THI2 0400	ELEC1203 B	11111	16.41 17.20		4	1,218	210 20	00000
4	THI2 0400	ELEC2301 B	11111	17.21 17.50		12	1,218	210 20	00000
	THI2 0400	ELEC2302 B	11111	17.51 18.30		12	1,218	210 20	00000
4	THI2 0400	ELEC2303 B	11111	18.31 19.00		12	1,218	210 20	00000
	THI2 0400	ELEC2305 B	11111	19.01 19.50		12	1,218	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2018
RUN DATE 11/15/2018 15:59:00

L.E. FLETCHER TECHNICAL COMM. COLL.

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	26
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	28
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	54
TOTAL NUMBER OF RECORDS READ	- - - - -	346
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	346
NUMBER OF JOINT-CLASS RECORDS	- - - - -	93
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2018 15:59:00

PAGE NUM 1

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			68
TOTAL NUMBER OF STATIONS (CAPACITY)			1,892
WEEKLY STUDENT CONTACT HOURS	12,117	649	12,766
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,120	3,400	9,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,346	97	1,443
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	170,280	94,600	264,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	39,688	2,952	42,640
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,234	1,299	25,533
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.0	2.9	15.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.2	1.4	9.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.1	44.0	59.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			50
TOTAL NUMBER OF STATIONS (CAPACITY)			1,409
WEEKLY STUDENT CONTACT HOURS	7,730	288	8,018
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,500	2,500	7,000
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	796	42	838
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	126,810	70,450	197,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,289	1,380	25,669
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,461	576	16,037
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	17.7	1.7	12.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.2	.8	8.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.7	41.7	62.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2018 15:59:00
 PAGE NUM 2

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	4,386	361	4,748
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,620	900	2,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	550	55	605
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,399	1,572	16,971
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,773	723	9,496
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.0	6.1	24.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.2	3.0	14.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.0	46.0	56.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			658
WEEKLY STUDENT CONTACT HOURS	4,155	264	4,419
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,430	1,350	3,780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,464	36	2,500
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	59,220	32,900	92,120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44,318	816	45,134
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,311	528	8,839
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	101.4	2.7	66.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.0	1.6	9.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.8	64.7	19.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2018 15:59:00

PAGE NUM 3

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			26
TOTAL NUMBER OF STATIONS (CAPACITY)			650
WEEKLY STUDENT CONTACT HOURS	4,155	264	4,419
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,340	1,300	3,640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,464	36	2,500
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	58,500	32,500	91,000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44,318	816	45,134
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,311	528	8,839
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	105.3	2.8	68.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.2	1.6	9.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.8	64.7	19.6

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY