

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.		
	MEAA	A0101	BARB1420E01	11111	8.00 9.15		3	630	23	00000	
	MEAA	A0101	BARB1131E01	1 1	8.00 9.55	1	12	630	23	00000	
	MEAA	A0101	BARB1120E01	1 1 1	8.00 10.30		12	630	23	00000	
4	MEAA	A0101	BARB1441E01	11111	8.30 14.30	1	3	630	23	00000	
	MEAA	A0101	BARB2630E01	1 1	10.00 11.00	1	12	630	23	00000	
	MEAA	A0101	BARB1160E01	1 1 1	10.35 13.05		12	630	23	00000	
	MEAA	A0101	BARB1350E01	11111	11.50 12.35	1	3	630	23	00000	
	MEAA	A0101	BARB1110E01	1 1 1	12.00 14.30	1	12	630	23	00000	
	MEAA	A0101	BARB1321E01	11111	12.40 15.00	1	3	630	23	00000	
	MEAA	A0104	BARB1310E01	11111	9.20 11.00		3	110	32	00000	
	MEAA	A0207	INTE2200E01	1111	12.00 15.00		3	210	14	00000	
8	MEAA	A0209	LEAD1003E01	1111	8.00 9.30		65	220	22	00000	
8	MEAA	A0209	LEAD1003E03	1	8.00 10.00	1	15	220	22	00000	
8	MEAA	A0209	CPTR1002E01	1111	9.35 11.05	1	15	220	22	00000	
8	MEAA	A0209	WKSF1003E01	1111	9.35 11.05	1	39	220	22	00000	
8	MEAA	A0209	WKSF1003E02	1111	9.35 11.05	1	6	220	22	00000	
	MEAA	A0209	CPTR1002E02	1	11.30 15.00		3	220	22	00000	
	MEAA	A0209	CPTR1000E01	1111	15.00 16.30		11	220	22	00000	
	MEAA	A0209	CPTR1010E01	1 1	15.03 16.05	1	4	220	22	00000	
	MEAA	A0209	WKSF1003EN1	1 1	17.30 19.00		9	220	22	00000	
8	MEAA	A0209	LEAD1003EN1	1 1	19.05 20.35		40	220	22	00000	
	MECC	C0102	HACR1410E01	1111	8.00 10.30		5	110	13	00000	
	MECC	C0102	HACR2510E01	1111	8.00 10.30	1	6	110	13	00000	
	MECC	C0102	HACR2530EN1	1111	8.00 10.30	1	6	110	13	00000	
8	MECC	C0102	HACR2550E01	1111	8.00 10.30	1	4	110	13	00000	
8	MECC	C0102	HACR1210E01	1111	8.00 11.10	1	2	110	13	00000	
8	MECC	C0102	HACR1160E01	1111	8.00 12.45	1	7	110	13	00000	
4	8	MECC	C0102	HACR1230E01	1111	8.00 15.00	1	5	110	13	00000
4	8	MECC	C0102	HACR1240E01	11	8.00 15.00	1	4	110	13	00000
8	MECC	C0102	HACR1420E01	1111	11.00 14.30	1	5	110	13	00000	
8	MECC	C0102	HACR2520E01	1111	11.00 14.30	1	2	110	13	00000	
8	MECC	C0102	HACR2540E01	1111	11.00 14.30	1	5	110	13	00000	
8	MECC	C0102	HACR2560E01	1111	11.00 14.30	1	5	110	13	00000	
8	MECC	C0102	HACR1150E01	1111	11.10 15.55	1	6	110	13	00000	
8	MECC	C0102	HACR1220E01	1111	11.20 14.45	1	3	110	13	00000	
8	MECC	C0102	HACR1210E02	1111	12.50 14.45	1	7	110	13	00000	
	MECC	C0102	HACR1150EN1	111	16.00 18.05		3	110	13	00000	
	MECC	C0102	HACR2520EN1	11	16.00 18.25	1	1	110	13	00000	
	MECC	C0102	HACR2510EN1	11	16.00 18.50	1	2	110	13	00000	
	MECC	C0102	HACR1410EN1	1	16.00 19.45	1	2	110	13	00000	
	MECC	C0102	HACR1420EN1	1	16.00 19.45		1	110	13	00000	
	MECC	C0102	HACR1160EN1	111	18.00 21.00	1	3	110	13	00000	
	MEDD	D0102	WELD1411E01	11111	8.00 10.15		33	110	43	00000	
	MEDD	D0102	WELD1122E01	1 1 1	8.00 10.30	1	4	110	43	00000	
	MEDD	D0102	WELD1510E01	11111	8.00 11.00	1	12	110	43	00000	
	MEDD	D0102	WELD1512E01	11111	8.00 11.00	1	13	110	43	00000	
8	MEDD	D0102	WELD1421E01	11111	10.20 13.20	1	37	110	43	00000	
8	MEDD	D0102	WELD1131E01	1 1	10.35 13.25	1	6	110	43	00000	
8	MEDD	D0102	WELD1511E01	11111	11.05 14.05	1	15	110	43	00000	
8	MEDD	D0102	WELD2211E01	11111	11.05 14.50	1	13	110	43	00000	
8	MEDD	D0102	WELD2100E01	11111	11.15 14.40	1	10	110	43	00000	

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MEDD D0102	WELD1413E01	11111	12.00 14.15	1	30	1,040	110 43	00000
8	MEDD D0102	WELD2312E01	11111	12.00 15.00	1	13	1,040	110 43	00000
4	MEDD D0102	WELD1413EN1	1 1	15.30 21.00		8	1,040	110 43	00000
	MEDD D0102	WELD1411EN1	111	16.00 19.45	1	8	1,040	110 43	00000
	MEDD D0102	WELD1211E01	111	16.00 20.50	1	1	1,040	110 43	00000
	MEDD D0102	WELD1421EN1	111	16.00 21.00	1	11	1,040	110 43	00000
	MEDD D0102	WELD1510EN1	111	16.00 21.00	1	2	1,040	110 43	00000
	MEDD D0102	WELD2100EN1	111	16.00 21.00	1	5	1,040	110 43	00000
	MEDD D0102	WELD2211EN1	111	16.00 21.00	1	7	1,040	110 43	00000
4	MEDD D0107	DPET1130E01	1 1 1	9.40 15.00		8	1,595	110 16	00000
	MEDD D0108	DPET1231E01	1 1	8.00 11.45		4	4,845	210 45	00000
	MEDD D0108	DPET2210E01	1 1	8.00 12.45	1	1	4,845	210 45	00000
4	MEDD D0108	DPET1150E01	1 1 1	8.00 14.15		4	4,845	210 45	00000
4	MEDD D0108	DPET1120E01	1 1	8.00 14.35		7	4,845	210 45	00000
	MEEE E0147	HNUR2118E01	11111	8.00 11.50		24	739	110 49	00000
	MEEE E0147	HNUR2722E01	1 1	12.30 14.30		17	739	110 49	00000
	MEEE E0147	HNUR2712E01	1 1	12.30 14.30		41	739	110 49	00000
	MEEE E0167	CULN1130E01	1	8.00 9.00		7	1,556	110 30	00000
	MEEE E0167	CULN1140E01	1111	8.00 12.00		8	1,556	110 30	00000
	MEEE E0167	CULN1321E01	1111	8.00 12.00	1	2	1,556	110 30	00000
	MEEE E0167	CULN2310E01	1111	8.00 12.00	1	3	1,556	110 30	00000
	MEEE E0167	CULN2410E01	1111	8.00 12.00	1	2	1,556	110 30	00000
	MEEE E0167	CULN2420E01	1111	8.00 12.00	1	2	1,556	110 30	00000
	MEEE E0167	CULN2430E01	1111	8.00 12.00	1	3	1,556	110 30	00000
	MEEE E0167	CULN1110E01	1	9.00 10.00		7	1,556	110 30	00000
	MEEE E0167	CULN1170E01	1	11.00 12.00		6	1,556	110 30	00000
	MEEE E0167	CULN1160E01	1 1	12.00 13.00		2	1,556	110 30	00000
	MEEE E0167	CULN1220E01	1 1	12.00 13.30		5	1,556	110 30	00000
	MEEE E0167	CULN1130E01	1 1	13.00 14.00		7	1,556	110 30	00000
	MEEE E0167	CULN1110E01	1 1	14.00 15.00		7	1,556	110 30	00000
	MEEE E0167	CULN1170E01	1 1	14.30 15.00		6	1,556	110 30	00000
	MEEE E0170	HNUR1100E01	1 1 1	8.00 9.50		54	1,163	210 37	00000
8	MEEE E0170	HNUR2128E01	11111	8.00 11.50	1	17	1,163	210 37	00000
8	MEEE E0170	HNUR1000E01	1 1 1	10.00 11.50	1	37	1,163	210 37	00000
	MEEE E0170	HNUR1322E01	1 1	10.00 11.50		41	1,163	210 37	00000
	MEEE E0170	HNUR1211E01	1 1 1	12.30 14.30		39	1,163	210 37	00000
8	MEEE E0170	HNUR1460E01	1 1 1	12.30 14.30	1	24	1,163	210 37	00000
	MEEE E0170	HNUR1363E01	1 1	12.30 14.30		39	1,163	210 37	00000
8	MEEE E0170	HNUR2522E01	1 1	12.30 14.30	1	24	1,163	210 37	00000
	MEEE E0170	HNUR1212E01	11111	14.45 15.30		39	1,163	210 37	00000
	MEFF F0108	AUTO1671E01	11111	8.00 9.55		35	583	110 31	00000
4	MEFF F0108	AUTO1002E01	11111	13.00 13.25		18	583	110 31	00000
	MEFF F0108	AUTO1542E01	11111	13.00 14.35	1	15	583	110 31	00000
	MEFF F0108	AUTO1002EN1	1	16.00 19.45		3	583	110 31	00000
	MEFF F0108	AUTO1671EN1	111	16.00 19.45		3	583	110 31	00000
	MEFF F0109	AUTO1750E01	11111	13.00 14.35		4	583	110 20	00000
	MEFF F0109	AUTO1542EN1	1111	20.00 21.00		3	583	110 20	00000
	MEFF F0115	ELEC1111E01	1 1	8.00 9.55		7	782	110 30	00000
	MEFF F0115	ELEC1210E01	1111	8.00 11.00	1	1	782	110 30	00000
	MEFF F0115	ELEC1311E01	1111	8.00 13.00	1	2	782	110 30	00000
	MEFF F0115	ELEC2460E01	1 1 1	12.00 14.35	1	6	782	110 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018
 RUN DATE 10/15/2018 15:53:12
 PAGE NUM 3

NWLTC - SHREVEPORT-BOSSIER CAMPUS

BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MEFF F0118	AUTO1680E01	11111	10.00 11.55		36	12,500	210 100	00000
	MEFF F0118	AUTO1542EH1	11111	13.00 14.35		2	12,500	210 100	00000
4	MEFF F0119	ELEC1410E01	1111	8.00 15.00		1	170	210 150	00000
	MEFF F0119	ELEC1131E01	1 1 1	10.00 14.25	1	7	170	210 150	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -
 THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
 THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.
- 2 = ERROR - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -
- 3 = ERROR - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -
- 4 = WARNING - CLASS TIME EXCEEDS 5 HOURS. - - - - - 9
- 5 = ERROR - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -
 CIRCULATION, CUSTODIAL OR MECHANICAL.
- 7 = ERROR - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -
- 8 = WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - 29
 PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.
- 9 = WARNING - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -
 THERE SHOULD BE NO DUPLICATES.

----- T O T A L S -----

TOTAL ERRORS	- - - - -	-
TOTAL WARNINGS	- - - - -	38
TOTAL NUMBER OF RECORDS READ	- - - - -	106
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	106
NUMBER OF JOINT-CLASS RECORDS	- - - - -	60
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/15/2018 15:53:12
 PAGE NUM 1

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			37
TOTAL NUMBER OF STATIONS (CAPACITY)			1,183
WEEKLY STUDENT CONTACT HOURS	6,328	39	6,367
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,330	1,850	5,180
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,493	26	1,519
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	106,470	59,150	165,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	43,606	394	44,000
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,656	78	12,734
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.8	1.4	29.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.9	.1	7.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.0	19.8	28.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			34
TOTAL NUMBER OF STATIONS (CAPACITY)			1,117
WEEKLY STUDENT CONTACT HOURS	6,328	39	6,367
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,060	1,700	4,760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,493	26	1,519
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	100,530	55,850	156,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	43,606	394	44,000
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,656	78	12,734
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	48.8	1.5	31.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.6	.1	8.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.0	19.8	28.9

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/15/2018 15:53:12

PAGE NUM 2

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			658
WEEKLY STUDENT CONTACT HOURS	3,500	147	3,647
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	449	12	461
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	59,220	32,900	92,120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,629	264	27,893
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,000	294	7,294
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	29.3	1.4	19.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.8	.9	7.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.3	111.4	26.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			616
WEEKLY STUDENT CONTACT HOURS	2,631		2,631
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	372		372
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	55,440	30,800	86,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,935		25,935
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,263		5,263
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.6	.0	17.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.5	.0	6.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.3	.0	20.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/15/2018 15:53:12
 PAGE NUM 3

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			42
WEEKLY STUDENT CONTACT HOURS	868	147	1,015
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	77	12	89
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,780	2,100	5,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,694	264	1,958
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,737	294	2,031
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	42.8	12.0	31.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	46.0	14.0	34.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	102.5	111.4	103.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY