

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 1

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	CALC	0309	ZROD0101 01	11111	7.30 16.30		10	1,145	210 25 00000
4	CALC	0309X	ZROD0101 01	11111	7.30 16.30		10	1,130	210 25 00000
	CALC	0310	PHSC1000 01	1 1 1	9.00 9.50		18	1,756	210 25 00000
	CALC	0310	BIOL1010 05	1 1	9.25 10.40		28	1,756	210 25 00000
	CALC	0310	PHSC1000 02	1 1 1	10.00 10.50		20	1,756	210 25 00000
	CALC	0310	PHYS2100 01	1 1	12.00 13.15		11	1,756	210 25 00000
	CALC	0310	PHSC1100 02	1	12.15 14.45		15	1,756	210 25 00000
	CALC	0310	PHYS2110 01	1	13.30 16.00		6	1,756	210 25 00000
	CALC	0310	PHSC1100 01	1	13.30 16.30		10	1,756	210 25 00000
	CALC	0312	BIOL1010 04	1 1	8.00 9.15		28	1,177	110 36 00000
	CALC	0312	CHEM1010 01	1 1 1	9.00 9.50		21	1,177	110 36 00000
	CALC	0312	CHEM1010 03	1 1	9.25 10.40		33	1,177	110 36 00000
	CALC	0312	CHEM1010 02	1 1 1	11.00 11.50		28	1,177	110 36 00000
	CALC	0312	CSSK1010 05	1	11.00 11.50		15	1,177	110 36 00000
	CALC	0312	CSSK1010 06	1	11.00 11.50		15	1,177	110 36 00000
	CALC	0312	BIOL1010 07	1 1	12.15 13.30		27	1,177	110 36 00000
	CALC	0312	CHEM1020 01	1 1	13.25 14.40		6	1,177	110 36 00000
	CALC	0315	ZLTC0101 01	1111	8.00 13.00		12	596	210 25 00000
	CALC	0315	ZLTC0101 02	1111	8.00 13.00	1	12	596	210 25 00000
	CALC	0315	ZLTC0101 03	1111	8.00 13.00	1	12	596	210 25 00000
	CALC	0315	ZLTC0101 04	111	16.00 20.00		12	596	210 25 00000
	CALC	0315	ZLTC0101 05	111	16.00 20.00	1	12	596	210 25 00000
	CALC	0315	ZLTC0101 06	111	16.00 20.00	1	12	596	210 25 00000
	CALC	0316	ZLTC0101 01	1111	8.00 13.00		12	587	210 25 00000
	CALC	0316	ZLTC0101 04	111	16.00 20.00		12	587	210 25 00000
	CALC	0319	ZLTC0101 03	1111	8.00 13.00		12	619	110 20 00000
	CALC	0319	ZLTC0101 06	111	16.00 20.00		12	619	110 20 00000
	CALC	0320	ZLTC0101 02	1111	8.00 13.00		12	619	110 22 00000
	CALC	0320	ZLTC0101 05	111	16.00 20.00		12	619	110 22 00000
4	CHAR	1142	CULN1603 01	1	6.00 13.50		7	715	210 25 00000
4	CHAR	1142	CULN1323 01	1	6.35 14.50		10	715	210 25 00000
4	CHAR	1142	CULN2413 01	1	6.35 14.50		8	715	210 25 00000
4	CHAR	1142	CULN1233 01	1	7.00 12.50		8	715	210 25 00000
4	CHAR	1142	CULN1953 01	1	7.00 13.50		12	715	210 25 00000
4	CHAR	1142	CULN2037 01	1 1 1	7.00 14.30	1	3	715	210 25 00000
4	CHAR	1142	CULN1023 01	1	7.00 15.50		6	715	210 25 00000
4	CHAR	1142	CULN2013 01	1	7.00 15.50	1	3	715	210 25 00000
4	CHAR	1142	CULN1033 01	1	7.00 15.50		8	715	210 25 00000
4	CHAR	1142	CULN1043 01	1	7.00 15.50	1	6	715	210 25 00000
4	CHAR	1142	CULN1506 01	1 1	8.00 13.50		21	715	210 25 00000
4	CHAR	1142	CULN1172 01	1	9.25 14.50		25	715	210 25 00000
4	CHAR	1144	CULN1603 01	1	6.00 13.50		7	981	210 40 00000
4	CHAR	1144	CULN2413 01	1	6.35 14.50		8	981	210 40 00000
4	CHAR	1144	CULN1233 01	1	7.00 12.50		8	981	210 40 00000
4	CHAR	1144	CULN1953 01	1	7.00 13.50		12	981	210 40 00000
4	CHAR	1144	CULN2037 01	11111	7.00 14.30	1	3	981	210 40 00000
4	CHAR	1144	CULN1023 01	1	7.00 15.50	1	6	981	210 40 00000
4	CHAR	1144	CULN2013 01	1	7.00 15.50	1	3	981	210 40 00000
4	CHAR	1144	CULN1506 01	1 1	8.00 13.50		21	981	210 40 00000
4	CHAR	1144	CULN1172 01	1	9.25 14.50		25	981	210 40 00000
4	CHAR	1147	CULN1603 01	1	6.00 13.50		7	160	210 5 00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	CHAR 1147	CULN1323 01	1	6.35 14.50		10	160	210 5 00000
4		CHAR 1147	CULN2413 01	1	6.35 14.50		8	160	210 5 00000
4		CHAR 1147	CULN1233 01	1	7.00 12.50		8	160	210 5 00000
4	8	CHAR 1147	CULN1953 01	1	7.00 13.50		12	160	210 5 00000
4	8	CHAR 1147	CULN2037 01	1 1 1	7.00 14.30	1	3	160	210 5 00000
4		CHAR 1147	CULN1023 01	1	7.00 15.50		6	160	210 5 00000
4	8	CHAR 1147	CULN2013 01	1	7.00 15.50	1	3	160	210 5 00000
4		CHAR 1147	CULN1033 01	1	7.00 15.50		8	160	210 5 00000
4	8	CHAR 1147	CULN1043 01	1	7.00 15.50	1	6	160	210 5 00000
4	8	CHAR 1147	CULN1506 01	1 1	8.00 13.50		21	160	210 5 00000
4	8	CHAR 1147	CULN1172 01	1	9.25 14.50		25	160	210 5 00000
4		CHAR 1149	CULN1603 01	1	6.00 13.50		7	512	210 15 00000
4		CHAR 1149	CULN1323 01	1	6.35 14.50		10	512	210 15 00000
4		CHAR 1149	CULN2413 01	1	6.35 14.50		8	512	210 15 00000
4		CHAR 1149	CULN1233 01	1	7.00 12.50		8	512	210 15 00000
4		CHAR 1149	CULN1953 01	1	7.00 13.50		12	512	210 15 00000
4		CHAR 1149	CULN2037 01	1 1 1	7.00 14.30	1	3	512	210 15 00000
4		CHAR 1149	CULN1023 01	1	7.00 15.50		6	512	210 15 00000
4		CHAR 1149	CULN2013 01	1	7.00 15.50	1	3	512	210 15 00000
4		CHAR 1149	CULN1033 01	1	7.00 15.50		8	512	210 15 00000
4		CHAR 1149	CULN1043 01	1	7.00 15.50	1	6	512	210 15 00000
4		CHAR 1149	CULN1103 01	1	8.00 12.05		15	512	210 15 00000
4		CHAR 1149	CULN1506 01	1 1	8.00 13.50		21	512	210 15 00000
4	8	CHAR 1149	CULN1172 01	1	9.25 14.50		25	512	210 15 00000
4		CHAR 1151	CULN1603 01	1	6.00 13.50		7	1,900	210 50 00000
4		CHAR 1151	CULN1223 01	1	6.35 7.50		8	1,900	210 50 00000
4		CHAR 1151	CULN1323 01	1	6.35 14.50	1	10	1,900	210 50 00000
4		CHAR 1151	CULN2413 01	1	6.35 14.50		8	1,900	210 50 00000
4		CHAR 1151	CULN1223 01	1 1 1	7.00 7.50	1	8	1,900	210 50 00000
4		CHAR 1151	CULN1233 01	1	7.00 12.50		8	1,900	210 50 00000
4		CHAR 1151	CULN1953 01	1	7.00 13.50		12	1,900	210 50 00000
4		CHAR 1151	CULN2037 01	1 1 1	7.00 14.30	1	3	1,900	210 50 00000
4		CHAR 1151	CULN1023 01	1	7.00 15.50		6	1,900	210 50 00000
4		CHAR 1151	CULN2013 01	1	7.00 15.50	1	3	1,900	210 50 00000
4		CHAR 1151	CULN1033 01	1	7.00 15.50		8	1,900	210 50 00000
4		CHAR 1151	CULN1043 01	1	7.00 15.50	1	6	1,900	210 50 00000
4		CHAR 1151	CULN1103 01	1	8.00 12.05		15	1,900	210 50 00000
4		CHAR 1151	CULN1506 01	1 1	8.00 13.50		21	1,900	210 50 00000
4		CHAR 1151	CULN1172 01	1	9.25 14.50		25	1,900	210 50 00000
4		CHAR 1151	CULN2110 01	1 1 1	14.00 21.50		10	1,900	210 50 00000
4		CHAR 1152	CULN1603 01	1	6.00 13.50		7	703	210 15 00000
4		CHAR 1152	CULN1323 01	1	6.35 14.50		10	703	210 15 00000
4		CHAR 1152	CULN2413 01	1	6.35 14.50		8	703	210 15 00000
4		CHAR 1152	CULN1233 01	1	7.00 12.50		8	703	210 15 00000
4		CHAR 1152	CULN1953 01	1	7.00 13.50		12	703	210 15 00000
4		CHAR 1152	CULN2037 01	1 1 1	7.00 14.30	1	3	703	210 15 00000
4		CHAR 1152	CULN1023 01	1	7.00 15.50		6	703	210 15 00000
4		CHAR 1152	CULN2013 01	1	7.00 15.50	1	3	703	210 15 00000
4		CHAR 1152	CULN1033 01	1	7.00 15.50		8	703	210 15 00000
4		CHAR 1152	CULN1043 01	1	7.00 15.50	1	6	703	210 15 00000
4		CHAR 1152	CULN1103 01	1	8.00 12.05		15	703	210 15 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	CHAR	1152	CULN1506 01	1 1	8.00 13.50		21	703	210 15 00000
4 8	CHAR	1152	CULN1172 01	1	9.25 14.50		25	703	210 15 00000
	CHAR	1200	MATH1100 01	1 1	8.00 9.15		24	514	110 32 00000
	CHAR	1200	MATH0098 19	1	9.00 9.50		20	514	110 32 00000
	CHAR	1200	MATH0099 07	1 1	9.25 10.40		22	514	110 32 00000
	CHAR	1200	MATH2100 01	1 1	10.50 12.05		23	514	110 32 00000
	CHAR	1202	MATH1110 01	1 1 1	9.00 9.50		16	514	110 27 00000
	CHAR	1202	MATH0099 11	11111	11.00 11.50		25	514	110 27 00000
8	CHAR	1202	MATH1100 11	11111	11.00 11.50	1	17	514	110 27 00000
	CHAR	1204	MATH1100 08	1 1 1	8.00 8.50		25	514	110 30 00000
	CHAR	1204	MATH1100 09	1 1	9.25 10.40		23	514	110 30 00000
	CHAR	1204	MATH1100 05	1 1 1	10.00 10.50		22	514	110 30 00000
	CHAR	1204	MATH0098 15	11111	11.00 11.50		26	514	110 30 00000
8	CHAR	1204	MATH0099 12	11111	11.00 11.50	1	22	514	110 30 00000
	CHAR	1205	ITEC2995 01				1	1,597	240 40 00000
	CHAR	1205	ITEC2110 01	1 1 1	8.30 9.50	1	5	1,597	240 40 00000
	CHAR	1205	ITEC1016 01	1 1 1	10.00 10.50		24	1,597	240 40 00000
	CHAR	1205	ITEC1200 01	1 1	10.50 12.05		25	1,597	240 40 00000
	CHAR	1205	ITEC1100 01	1 1 1	11.00 11.50		23	1,597	240 40 00000
	CHAR	1205	ITEC1101 01	1 1	12.00 12.50		23	1,597	240 40 00000
	CHAR	1206	MATH0098 16	1 1	8.00 9.15		28	1,001	110 50 00000
	CHAR	1206	MATH0099 03	1 1 1	9.00 9.50		28	1,001	110 50 00000
	CHAR	1206	MATH1100 10	1 1	9.25 10.40		24	1,001	110 50 00000
	CHAR	1206	MATH0098 07	1 1	10.50 12.05		28	1,001	110 50 00000
	CHAR	1206	MATH0098 05	1 1 1	11.00 11.50		29	1,001	110 50 00000
	CHAR	1206	MATH0098 03	1 1	12.00 13.15		26	1,001	110 50 00000
	CHAR	1206	MATH0099 06	1 1	12.15 13.30		27	1,001	110 50 00000
	CHAR	1207	BUSI1030 01	1 1 1	9.00 9.50		24	1,137	210 35 00000
	CHAR	1207	ITEC1000 03	1 1	9.25 10.40		26	1,137	210 35 00000
	CHAR	1207	BUSI1090 01	1 1 1	10.00 10.50		25	1,137	210 35 00000
	CHAR	1207	ITEC1210 01	1 1 1	11.00 11.50		24	1,137	210 35 00000
	CHAR	1207	ITEC1020 01	1	12.00 13.15		5	1,137	210 35 00000
	CHAR	1207	ITEC1250 02	1	12.00 13.15		3	1,137	210 35 00000
	CHAR	1208	CULN1223 01	1	6.35 7.50		8	1,032	110 45 00000
	CHAR	1208	CULN1223 01	1 1 1	7.00 7.50		8	1,032	110 45 00000
	CHAR	1208	MATH0099 04	1 1 1	9.00 9.50		25	1,032	110 45 00000
	CHAR	1208	MATH0098 20	1 1	9.25 10.40		26	1,032	110 45 00000
	CHAR	1208	MATH1100 04	1 1 1	10.00 10.50		28	1,032	110 45 00000
	CHAR	1208	MATH1100 02	1 1	10.50 12.05		30	1,032	110 45 00000
	CHAR	1208	MATH0099 13	1 1	12.00 13.15		30	1,032	110 45 00000
	CHAR	1208	MATH0098 02	1 1	12.15 13.30		28	1,032	110 45 00000
	CHAR	1208	MATH0099 10	1 1	17.30 18.45		21	1,032	110 45 00000
	CHAR	1208	MATH1100 15	1	18.50 20.05		17	1,032	110 45 00000
	CHAR	1209	ITEC2995 02			1	10	1,337	210 32 00000
	CHAR	1209	ITEC1000 02	1 1 1	8.00 8.50		27	1,337	210 32 00000
	CHAR	1209	ITEC1016 02	1 1 1	9.00 9.50		24	1,337	210 32 00000
	CHAR	1209	ITEC1010 01	1 1	9.25 10.40		25	1,337	210 32 00000
	CHAR	1209	ITEC1550 01	1 1	10.00 10.50		10	1,337	210 32 00000
	CHAR	1209	ITEC1320 01	1 1	10.50 12.05		9	1,337	210 32 00000
	CHAR	1209	ITEC2680 01	1 1	11.00 11.50		9	1,337	210 32 00000
	CHAR	1209	ITEC1000 01	1 1	12.00 12.50		27	1,337	210 32 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHAR	1210	BUSI2310 02	1 1	9.25 10.40		14	480	110 25 00000
	CHAR	1210	BUSI2330 02	1 1	10.50 12.05		15	480	110 25 00000
	CHAR	1212	ACCT1250 01	1 1 1	9.00 9.50		17	504	110 24 00000
	CHAR	1212	BUSI1030 02	1 1	10.50 12.05		24	504	110 24 00000
	CHAR	1214	ACCT2995 01			1	528	110 25 00000	
	CHAR	1214	ACCT2995 02			1	528	110 25 00000	
	CHAR	1214	ACCT1110 01	1 1 1	8.00 8.50		16	528	110 25 00000
	CHAR	1214	ACCT1110 03	1 1	8.00 9.15		13	528	110 25 00000
	CHAR	1214	ACCT2040 01	1 1	9.25 10.40		13	528	110 25 00000
	CHAR	1214	ACCT2030 01	1 1 1	10.00 10.50		22	528	110 25 00000
	CHAR	1214	ACCT1120 01	1 1	10.50 12.05		10	528	110 25 00000
	CHAR	1214	ACCT1110 02	1 1 1	11.00 11.50		14	528	110 25 00000
	CHAR	1215	OADM1550 02			1	651	210 25 00000	
	CHAR	1215	ACCT1210 01	1 1 1	8.00 8.50		13	651	210 25 00000
	CHAR	1215	OADM2640 01	1 1	8.00 9.15		12	651	210 25 00000
	CHAR	1215	OADM1650 01	1 1 1	9.00 9.50		5	651	210 25 00000
	CHAR	1215	OADM1330 01	1 1	9.25 10.40		17	651	210 25 00000
	CHAR	1215	OADM1450 01	1 1 1	10.00 10.50		15	651	210 25 00000
	CHAR	1215	OADM1550 01	1 1 1	11.00 11.50		8	651	210 25 00000
	CHAR	1217	BUSI2300 01	1 1 1	8.00 8.50		16	718	210 30 00000
	CHAR	1217	OADM1100 02	1 1 1	9.00 9.50		12	718	210 30 00000
	CHAR	1217	BUSI1080 01	1 1	9.25 10.40		19	718	210 30 00000
	CHAR	1217	OADM1100 01	1 1	10.50 12.05		12	718	210 30 00000
	CHAR	1234A	MATH0098 09	1 1 1	8.00 8.50		29	873	210 30 00000
	CHAR	1234A	MATH0099 05	1 1	8.00 9.15		30	873	210 30 00000
	CHAR	1234A	MATH1100 03	1 1 1	9.00 9.50		29	873	210 30 00000
	CHAR	1234A	MATH0098 06	1 1	9.25 10.40		26	873	210 30 00000
	CHAR	1234A	MATH0098 13	1 1 1	10.00 10.50		26	873	210 30 00000
	CHAR	1234A	MATH0099 08	1 1	10.50 12.05		30	873	210 30 00000
	CHAR	1234A	MATH1100 06	1 1 1	11.00 11.50		30	873	210 30 00000
	CHAR	1234B	MATH0099 01	1 1 1	8.00 8.50		31	1,065	210 30 00000
	CHAR	1234B	MATH0098 01	1 1	8.00 9.15		30	1,065	210 30 00000
	CHAR	1234B	MATH0098 10	1 1 1	9.00 9.50		26	1,065	210 30 00000
	CHAR	1234B	MATH2100 03	1 1	9.25 10.40		20	1,065	210 30 00000
	CHAR	1234B	MATH0099 09	1 1 1	10.00 10.50		31	1,065	210 30 00000
	CHAR	1234B	MATH0098 11	1 1	10.50 12.05		26	1,065	210 30 00000
	CHAR	1234B	MATH2100 02	1 1	12.00 13.15		19	1,065	210 30 00000
	CHAR	1234B	MATH1100 19	1 1	12.15 13.30		26	1,065	210 30 00000
	CHAR	1234B	MATH0098 12	1	17.30 18.45		25	1,065	210 30 00000
	CHAR	1238	MATH0098 09	1 1 1	8.00 8.50		29	830	240 40 00000
	CHAR	1238	MATH0098 01	1 1	8.00 9.15		30	830	240 40 00000
	CHAR	1238	MATH0098 10	1 1 1	9.00 9.50		26	830	240 40 00000
	CHAR	1238	MATH0098 20	1 1	9.25 10.40		26	830	240 40 00000
	CHAR	1238	MATH0098 13	1 1 1	10.00 10.50		26	830	240 40 00000
	CHAR	1238	MATH0099 08	1 1	10.50 12.05		30	830	240 40 00000
	CHAR	1238	MATH0098 05	1 1 1	11.00 11.50		29	830	240 40 00000
	CHAR	1238	MATH0098 03	1 1	12.00 13.15		26	830	240 40 00000
	CHAR	1238	MATH0099 06	1 1	12.15 13.30		27	830	240 40 00000
	CHAR	1238	MATH0099 10	1 1	17.30 18.45		21	830	240 40 00000
	CHAR	1238	MATH1100 15	1	18.50 20.05		17	830	240 40 00000
	CHEN	0400	AMTA2020 01	11111	8.00 11.30		3	19,594	210 49 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHEN	0400	AMTA2030 01	11111	8.00 11.30	1	7	19,594	210 49 00000
	CHEN	0400	AMTA2040 01	11111	8.00 11.30	1	6	19,594	210 49 00000
	CHEN	0400	AMTA2050 01	11111	8.00 11.30	1	8	19,594	210 49 00000
	CHEN	0400	AMTA2060 01	11111	8.00 11.30	1	8	19,594	210 49 00000
	CHEN	0400	AMTA2070 01	11111	8.00 11.30	1	8	19,594	210 49 00000
	CHEN	0400	AMTA2080 01	11111	8.00 11.30	1	8	19,594	210 49 00000
	CHEN	0400	AMTA2010 01	11	8.00 11.30	1	3	19,594	210 49 00000
	CHEN	0400	AMTA2010 01	11	12.00 14.30		3	19,594	210 49 00000
	CHEN	0400	AMTA2020 01	11111	12.00 15.00	1	3	19,594	210 49 00000
	CHEN	0400	AMTA2030 01	11111	12.00 15.00	1	7	19,594	210 49 00000
	CHEN	0400	AMTA2040 01	11111	12.00 15.00	1	6	19,594	210 49 00000
	CHEN	0400	AMTA2050 01	11111	12.00 15.00	1	8	19,594	210 49 00000
	CHEN	0400	AMTA2060 01	11111	12.00 15.00	1	8	19,594	210 49 00000
	CHEN	0400	AMTA2070 01	11111	12.00 15.00	1	8	19,594	210 49 00000
	CHEN	0400	AMTA2080 01	11111	12.00 15.00	1	8	19,594	210 49 00000
	CHEN	0401	AMTA2060 01	11111	12.00 15.00		8	416	210 8 00000
8	CHEN	0401	AMTG1030 01	11111	12.00 15.00	1	13	416	210 8 00000
8	CHEN	0401	AMTG1040 01	11111	12.00 15.00	1	13	416	210 8 00000
8	CHEN	0401	AMTP2220 01	11111	12.00 15.00	1	4	416	210 8 00000
8	CHEN	0401	AMTP2270 01	11 11	12.00 15.00	1	14	416	210 8 00000
	CHEN	0404	AMTG1010 01	11111	12.00 15.00		13	647	210 13 00000
8	CHEN	0404	AMTG1020 01	11111	12.00 15.00	1	13	647	210 13 00000
8	CHEN	0404	AMTG1070 01	11111	12.00 15.00	1	13	647	210 13 00000
8	CHEN	0404	AMTG1080 01	11111	12.00 15.00	1	13	647	210 13 00000
	CHEN	0408	AMTA2070 01	11111	12.00 15.00		8	508	110 15 00000
	CHEN	0409	AMTA2080 01	11111	12.00 15.00		8	497	210 12 00000
	CHEN	0412	AMTG1050 01	11111	12.00 15.00		13	471	210 9 00000
	CHEN	0413	AMTA2020 01	11111	12.00 15.00		3	365	210 6 00000
8	CHEN	0414	AMTG1060 01	11111	12.00 15.00		13	277	210 6 00000
	CHEN	0415	AMTP2240 01	11111	12.00 15.00		2	1,271	210 8 00000
8	CHEN	0415	AMTP2260 01	11111	12.00 15.00	1	15	1,271	210 8 00000
8	CHEN	0415	AMTP2290 01	11111	12.00 15.00	1	15	1,271	210 8 00000
8	CHEN	0416	AMTP2250 01	11111	12.00 15.00		13	603	210 6 00000
	CHEN	0417	AMTP2280 01	11111	12.00 15.00		5	471	210 9 00000
	CHEN	0418	AMTA2010 01	11	12.00 14.30		3	753	210 15 00000
	CHEN	0418	AMTA2030 01	11111	12.00 15.00	1	7	753	210 15 00000
	CHEN	0418	AMTA2040 01	11111	12.00 15.00	1	6	753	210 15 00000
	CHEN	0419	AMTA2050 01	11111	12.00 15.00		8	556	210 11 00000
8	CHEN	0419	AMTG1090 01	11111	12.00 15.00	1	12	556	210 11 00000
	CHEN	0421	AMTG1010 01	11111	8.00 11.30		13	13,140	210 50 00000
	CHEN	0421	AMTG1020 01	11111	8.00 11.30	1	13	13,140	210 50 00000
	CHEN	0421	AMTG1030 01	11111	8.00 11.30	1	13	13,140	210 50 00000
	CHEN	0421	AMTG1040 01	11111	8.00 11.30	1	13	13,140	210 50 00000
	CHEN	0421	AMTG1050 01	11111	8.00 11.30	1	13	13,140	210 50 00000
8	CHEN	0421	AMTG1060 01	11111	8.00 11.30	1	13	13,140	210 50 00000
8	CHEN	0421	AMTG1070 01	11111	8.00 11.30	1	13	13,140	210 50 00000
8	CHEN	0421	AMTG1080 01	11111	8.00 11.30	1	13	13,140	210 50 00000
8	CHEN	0421	AMTG1090 01	11111	8.00 11.30	1	12	13,140	210 50 00000
	CHEN	0422	AMTG1010 01	11111	12.00 15.00		13	18,750	110 50 00000
	CHEN	0422	AMTG1020 01	11111	12.00 15.00	1	13	18,750	110 50 00000
	CHEN	0422	AMTG1030 01	11111	12.00 15.00	1	13	18,750	110 50 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHEN	0422	AMTG1040 01	11111	12.00 15.00	1	13	18,750	110 50 00000
	CHEN	0422	AMTG1050 01	11111	12.00 15.00	1	13	18,750	110 50 00000
8	CHEN	0422	AMTG1060 01	11111	12.00 15.00	1	13	18,750	110 50 00000
8	CHEN	0422	AMTG1070 01	11111	12.00 15.00	1	13	18,750	110 50 00000
8	CHEN	0422	AMTG1080 01	11111	12.00 15.00	1	13	18,750	110 50 00000
8	CHEN	0422	AMTG1090 01	11111	12.00 15.00	1	12	18,750	110 50 00000
	CYPR	0602	ZMOT0101 01			1	5	432	225 00000
	CYPR	0603	ZSTW0101 01			1	5	744	210 13 00000
	GRST	0805	AMTP2220 01	11111	8.00 11.30		4	742	110 24 00000
	GRST	0805	AMTP2240 01	11111	8.00 11.30	1	2	742	110 24 00000
	GRST	0805	AMTP2250 01	11111	8.00 11.30	1	13	742	110 24 00000
	GRST	0805	AMTP2260 01	11111	8.00 11.30	1	15	742	110 24 00000
8	GRST	0805	AMTP2280 01	11111	8.00 11.30	1	5	742	110 24 00000
8	GRST	0805	AMTP2290 01	11111	8.00 11.30	1	15	742	110 24 00000
8	GRST	0805	AMTP2270 01	11 11	8.00 11.30	1	14	742	110 24 00000
	GRST	0805	GAPC1100 01	11	18.00 19.30		10	742	110 24 00000
	GRST	0805	GAPC1110 01	11	19.35 21.00		10	742	110 24 00000
	GRST	0814	AMTP2220 01	11111	8.00 11.30		4	600	210 25 00000
	GRST	0814	AMTP2240 01	11111	8.00 11.30	1	2	600	210 25 00000
	GRST	0814	AMTP2250 01	11111	8.00 11.30	1	13	600	210 25 00000
	GRST	0814	AMTP2260 01	11111	8.00 11.30	1	15	600	210 25 00000
8	GRST	0814	AMTP2280 01	11111	8.00 11.30	1	5	600	210 25 00000
8	GRST	0814	AMTP2290 01	11111	8.00 11.30	1	15	600	210 25 00000
89	GRST	0814	AMTP2290 01	11111	8.00 11.30		15	600	210 25 00000
8	GRST	0814	AMTP2270 01	11 11	8.00 11.30	1	14	600	210 25 00000
	GRST	0814	AMTP2220 01	11111	12.00 15.00		4	600	210 25 00000
	GRST	0814	AMTP2240 01	11111	12.00 15.00	1	2	600	210 25 00000
	GRST	0814	AMTP2250 01	11111	12.00 15.00	1	13	600	210 25 00000
	GRST	0814	AMTP2260 01	11111	12.00 15.00	1	15	600	210 25 00000
8	GRST	0814	AMTP2280 01	11111	12.00 15.00	1	5	600	210 25 00000
8	GRST	0814	AMTP2270 01	11 11	12.00 15.00	1	14	600	210 25 00000
	GRST	0818	AMTG1010 01	11111	8.00 11.30		13	720	110 15 00000
8	GRST	0818	AMTG1020 01	11111	8.00 11.30	1	13	720	110 15 00000
8	GRST	0818	AMTG1030 01	11111	8.00 11.30	1	13	720	110 15 00000
8	GRST	0818	AMTG1040 01	11111	8.00 11.30	1	13	720	110 15 00000
8	GRST	0818	AMTG1050 01	11111	8.00 11.30	1	13	720	110 15 00000
8	GRST	0818	AMTG1060 01	11111	8.00 11.30	1	13	720	110 15 00000
8	GRST	0818	AMTG1070 01	11111	8.00 11.30	1	13	720	110 15 00000
8	GRST	0818	AMTG1080 01	11111	8.00 11.30	1	13	720	110 15 00000
8	GRST	0818	AMTG1090 01	11111	8.00 11.30	1	12	720	110 15 00000
	GRST	0818	GAPC1200 01	11	18.00 19.30		12	720	110 15 00000
	GRST	0818	GAPC1210 01	11	19.35 21.00		12	720	110 15 00000
	GRST	0820	AMTA2020 01	11111	8.00 11.30		3	720	110 28 00000
	GRST	0820	AMTA2030 01	11111	8.00 11.30	1	7	720	110 28 00000
	GRST	0820	AMTA2040 01	11111	8.00 11.30	1	6	720	110 28 00000
	GRST	0820	AMTA2050 01	11111	8.00 11.30	1	8	720	110 28 00000
	GRST	0820	AMTA2060 01	11111	8.00 11.30	1	8	720	110 28 00000
	GRST	0820	AMTA2070 01	11111	8.00 11.30	1	8	720	110 28 00000
8	GRST	0820	AMTA2080 01	11111	8.00 11.30	1	8	720	110 28 00000
8	GRST	0820	AMTA2010 01	11	8.00 11.30	1	3	720	110 28 00000
	GRST	0820	GAPC1300 01	11	18.00 21.00		9	720	110 28 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	JMSC	0110	CULN1603 30	1	6.00 13.50		2	400	210 50 00000	
4	JMSC	0110	CULN2413 30	1	6.35 14.50		2	400	210 50 00000	
4	JMSC	0110	CULN1233 30	1	7.00 12.50		2	400	210 50 00000	
	JMSC	0116	CULN1103 51	1 1 1	8.00 10.00		12	750	110 35 00000	
	JMSC	0116	CULN1172 52	1 1	8.00 10.00		12	750	110 35 00000	
	JMSC	0116	ENGL0098 31	1 1	10.50 12.05		7	750	110 35 00000	
	JMSC	0116	CULN1133 50	1 1 1	12.00 14.00		3	750	110 35 00000	
	JMSC	0117	ELEC1230 50	11111	8.00 8.55		14	750	110 35 00000	
	JMSC	0117	ELEC1122 50	11111	9.00 9.55		14	750	110 35 00000	
	JMSC	0117	ELEC1122 30	1 1 1	10.00 11.20		17	750	110 35 00000	
	JMSC	0117	ELEC1000 30	1 1	10.00 11.35		22	750	110 35 00000	
	JMSC	0117	INST1010 50	11111	12.00 12.55		20	750	110 35 00000	
	JMSC	0117	ELEC1000 50	11111	13.00 13.55		20	750	110 35 00000	
	JMSC	0118	INST2722 03	1 1	9.00 10.20		9	750	110 35 00000	
	JMSC	0118	INST1111 03	1 1	12.00 14.00		19	750	110 35 00000	
	JMSC	0118	INST1010 03	1 1	12.00 14.00		27	750	110 35 00000	
4	JMSC	0119	WELD1110 30	11111	7.00 16.00		22	2,124	210 24 00000	
4	JMSC	0119	WELD1120 31	11111	7.00 16.00	1	6	2,124	210 24 00000	
4	JMSC	0119	WELD1130 32	11111	7.00 16.00	1	7	2,124	210 24 00000	
4	8	JMSC	0119	WELD1210 33	11111	7.00 16.00	1	6	2,124	210 24 00000
4	8	JMSC	0119	WELD1310 34	11111	7.00 16.00	1	7	2,124	210 24 00000
4	8	JMSC	0119	WELD1410 35	11111	7.00 16.00	1	33	2,124	210 24 00000
4	8	JMSC	0119	WELD1411 36	11111	7.00 16.00	1	17	2,124	210 24 00000
	JMSC	0125	INST2722 03	1 1	9.00 10.20		9	750	210 35 00000	
	JMSC	0125	OADM1450 31	1 1	10.00 11.15		19	750	210 35 00000	
	JMSC	0125	INST1111 03	1 1	12.00 14.00		19	750	210 35 00000	
	JMSC	0125	INST1010 03	1 1	12.00 14.00		27	750	210 35 00000	
	JMSC	0126	MATH1100 30	1 1 1	8.00 8.50		15	750	110 35 00000	
	JMSC	0126	MATH0098 30	1 1 1	10.00 10.50		19	750	110 35 00000	
	JMSC	0126	ACCT1110 31	1 1	10.00 11.15		18	750	110 35 00000	
	JMSC	0126	MATH0099 30	1 1 1	11.00 11.50		18	750	110 35 00000	
4	JMSC	0132	WELD1420 37	11111	7.00 16.00		7	2,124	210 25 00000	
4	JMSC	0132	WELD1510 38	11111	7.00 16.00	1	2	2,124	210 25 00000	
4	JMSC	0132	WELD1514 39	11111	7.00 16.00	1	3	2,124	210 25 00000	
4	JMSC	0132	WELD1515 40	11111	7.00 16.00	1	2	2,124	210 25 00000	
4	JMSC	0132	WELD1516 41	11111	7.00 16.00	1	1	2,124	210 25 00000	
4	JMSC	0132	WELD2110 43	11111	7.00 16.00	1	1	2,124	210 25 00000	
4	JMSC	0132	WELD2111 44	11111	7.00 16.00	1	1	2,124	210 25 00000	
4	JMSC	0132	WELD2230 49	11111	7.00 16.00	1	1	2,124	210 25 00000	
4	JMSC	0132	WELD2312 50	11111	7.00 16.00	1	2	2,124	210 25 00000	
4	JMSC	0138	WELD1110 30	11111	7.00 16.00		22	750	110 35 00000	
4	JMSC	0138	WELD1120 31	11111	7.00 16.00	1	6	750	110 35 00000	
4	JMSC	0138	WELD1130 32	11111	7.00 16.00	1	7	750	110 35 00000	
4	JMSC	0138	WELD1210 33	11111	7.00 16.00	1	6	750	110 35 00000	
4	JMSC	0138	WELD1310 34	11111	7.00 16.00	1	7	750	110 35 00000	
4	8	JMSC	0138	WELD1410 35	11111	7.00 16.00	1	33	750	110 35 00000
4	8	JMSC	0138	WELD1411 36	11111	7.00 16.00	1	17	750	110 35 00000
4	8	JMSC	0138	WELD1420 37	11111	7.00 16.00	1	7	750	110 35 00000
4	8	JMSC	0138	WELD1510 38	11111	7.00 16.00	1	2	750	110 35 00000
4	8	JMSC	0138	WELD1514 39	11111	7.00 16.00	1	3	750	110 35 00000
4	8	JMSC	0138	WELD1515 40	11111	7.00 16.00	1	2	750	110 35 00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	JMSC 0138	WELD1516 41	11111	7.00 16.00	1	750	110 35	00000
4	8	JMSC 0138	WELD2110 43	11111	7.00 16.00	1	750	110 35	00000
4	8	JMSC 0138	WELD2111 44	11111	7.00 16.00	1	750	110 35	00000
4	8	JMSC 0138	WELD2230 49	11111	7.00 16.00	1	750	110 35	00000
4	8	JMSC 0138	WELD2312 50	11111	7.00 16.00	1	750	110 35	00000
		JMSC 0166	BUSI2300 01	1 1 1	8.00 8.50		750	210 35	00000
		JMSC 0166	OADM1150 30	1 1	8.00 9.15		750	210 35	00000
		JMSC 0166	BUSI2330 30	1 1 1	9.00 9.50		750	210 35	00000
		JMSC 0166	BUSI1030 30	1 1 1	10.00 11.15		750	210 35	00000
		JMSC 0166	BUSI1090 30	1 1	10.00 11.15		750	210 35	00000
		JMSC 0166	CSSK1010 13	1	13.00 13.50		750	210 35	00000
		JMSC 0167	STEC1150 30	1	8.00 11.00		750	110 35	00000
4		JMSC 0167	STEC1110 30	11	8.00 17.30		750	110 35	00000
		JMSC 0167	ENGL0098 30	1 1 1	9.00 9.50	1	750	110 35	00000
		JMSC 0167	MATH0098 04	1 1	9.25 10.40		750	110 35	00000
		JMSC 0167	ENGL0099 30	1 1 1	10.00 10.50		750	110 35	00000
		JMSC 0167	MATH0099 02	1 1	10.50 12.05		750	110 35	00000
		JMSC 0167	ENGL1010 28	1	12.15 13.30		750	110 35	00000
4		JMSC 0168	ANUR2212 01	11	5.30 16.00		750	210 35	00000
		JMSC 0168	ANUR2210 01	11	8.00 10.20		750	210 35	00000
		JMSC 0168	STEC1100 30	1	8.00 11.00		750	210 35	00000
		JMSC 0168	ANUR2223 01	11	10.30 11.50		750	210 35	00000
		JMSC 0168	ANUR2230 01	11	12.30 13.20		750	210 35	00000
		JMSC 0168	ANUR2323 01	11	13.30 14.20		750	210 35	00000
		JMSC 0169	ZLTC0101 07	1111	8.00 13.00		750	110 35	00000
		JMSC 0169	ZLTC0101 08	11	15.30 18.30		750	110 35	00000
		JMSC 0170	ANUR123A 52	11111	12.00 14.00		750	110 35	00000
4		JMSC 0171	STPR1263 30	11	7.00 16.30		750	210 35	00000
		JMSC 0171	STPR1041 30	11	8.00 9.50		750	210 35	00000
4		JMSC 0171	STPR1142 30	11	8.00 14.30		750	210 35	00000
		JMSC 0171	STPR1253 30	11	9.00 12.15		750	210 35	00000
		JMSC 0171	STPR1143 30	11	12.00 15.00	1	750	210 35	00000
4		JMSC 0176	STEC1150 30	1	8.00 15.30		165	210 5	00000
		JMSC 0176	STEC1110 30	111	13.00 15.30		165	210 5	00000
		JMSC 0179	ANUR2210 01	11	8.00 10.20		2,000	210 50	00000
4		JMSC 0179	STEC1110 30	11	8.00 17.30	1	2,000	210 50	00000
	9	JMSC 0179	STEC1110 30	111	13.00 15.30		2,000	210 50	00000
		MAGN 0100	DRFT1201 01	1 1 1	12.35 13.50		696	210 20	00000
		MAGN 0100	DRFT1205 01	1 1 1	14.00 14.50		696	210 20	00000
		MAGN 0101	BIOL1010 01	1 1 1	8.00 8.50		638	110 32	00000
		MAGN 0101	BIOL1020 01	1 1	8.00 9.15		638	110 32	00000
		MAGN 0101	CHEM2030 01	1 1 1	9.00 9.50		638	110 32	00000
	9	MAGN 0101	CHEM2030 01	1 1 1	9.00 9.50		638	110 32	00000
		MAGN 0101	BIOL1010 06	1 1	9.25 10.40		638	110 32	00000
		MAGN 0101	BIOL1020 02	1 1 1	10.00 10.50		638	110 32	00000
		MAGN 0101	BIOL1010 02	1 1	12.00 13.15		638	110 32	00000
		MAGN 0101	BIOL1010 03	1 1	12.15 13.30		638	110 32	00000
		MAGN 0101	CHEM1010 10	1 1	16.30 17.45		638	110 32	00000
		MAGN 0103	GART1010 01	1 1	8.00 9.15		696	210 20	00000
		MAGN 0103	GART1240 01	1 1	8.00 9.50		696	210 20	00000
		MAGN 0103	GART1230 01	1 1 1	9.25 10.40		696	210 20	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MAGN	0103	GART1210 01	1 1	10.00 11.50		8	696	210 20 00000
	MAGN	0103	GART1040 01	1 1 1	12.00 13.15		21	696	210 20 00000
	MAGN	0108	CADD1101 01	1 1	7.50 10.45		17	705	210 20 00000
	MAGN	0108	DRFT1101 01	1 1 1	8.00 9.50		16	705	210 20 00000
8	MAGN	0108	DRFT1103 01	1 1 1	8.00 9.50	1	16	705	210 20 00000
	MAGN	0108	DRFT1102 01	1 1 1	10.00 11.50		16	705	210 20 00000
8	MAGN	0108	DRFT1104 01	1 1 1	10.00 11.50	1	18	705	210 20 00000
	MAGN	0108	DRFT2301 01	1 1	12.15 13.25		5	705	210 20 00000
	MAGN	0109	CADD1201 01	1 1 1	7.50 9.50		3	686	210 20 00000
	MAGN	0109	DRFT2305 01	1 1	7.50 9.50		20	686	210 20 00000
	MAGN	0109	DRFT2303 01	1 1	10.00 11.55		18	686	210 20 00000
	MAGN	0109	DRFT2404 01	1 1	12.30 14.30		9	686	210 20 00000
	MAGN	0109	DRFT2302 01	1 1	12.30 14.30		18	686	210 20 00000
	MAGN	0110	CADD1101 01	1 1	7.50 10.45		17	704	210 20 00000
	MAGN	0110	DRFT1101 01	1 1 1	8.00 9.50		16	704	210 20 00000
8	MAGN	0110	DRFT1103 01	1 1 1	8.00 9.50	1	16	704	210 20 00000
	MAGN	0110	DRFT1102 01	1 1 1	10.00 11.50		16	704	210 20 00000
8	MAGN	0110	DRFT1104 01	1 1 1	10.00 11.50	1	18	704	210 20 00000
	MAGN	0110	DRFT2301 01	1 1	12.15 13.25		5	704	210 20 00000
	MAGN	0111	BIOL1031 01	1	12.15 14.45		8		210 20 00000
	MAGN	0114	CHEM1011 03	1	10.50 13.20		21	1,160	210 23 00000
	MAGN	0114	CHEM1011 02	1	12.00 14.30		21	1,160	210 23 00000
	MAGN	0114	CHEM1011 01	1	12.15 14.45		19	1,160	210 23 00000
	MAGN	0114	CHEM1011 21	1	17.50 20.10		20	1,160	210 23 00000
	MAGN	0114	CHEM1011 22	1	17.50 20.10		12	1,160	210 23 00000
	MAGN	0300	GART2260 01			1	4	2,507	210 20 00000
	MAGN	0300	GART2240 01	1 1	10.00 11.50		5	2,507	210 20 00000
	MAGN	0300	GART2110 01	1 1	12.45 14.35		15	2,507	210 20 00000
	MAGN	0302	GART1220 01	1 1 1	8.00 9.15		9	2,725	210 24 00000
	MAGN	0302	GART1030 01	1 1	8.00 9.50		22	2,725	210 24 00000
	MAGN	0302	GART2130 01	1 1	8.00 9.50	1	2	2,725	210 24 00000
	MAGN	0302	GART1020 01	1 1 1	9.25 10.40		24	2,725	210 24 00000
	MAGN	0302	GART2210 01	1 1	10.00 11.50		19	2,725	210 24 00000
	MAGN	0302	GART2250 01	1 1 1	12.00 13.15		15	2,725	210 24 00000
	MAGN	0302	GART2500 01	1	12.45 13.35		10	2,725	210 24 00000
	MAGN	0311	GART1030 01	1 1	8.00 9.50		22	1,723	210 30 00000
	MAGN	0311	GART2240 01	1 1	10.00 11.50		5	1,723	210 30 00000
	MAGN	0311	GART2110 01	1 1	12.45 14.35		15	1,723	210 30 00000
	NAAH	0106	NURS2300 01	11	8.30 10.30		23	704	110 32 00000
	NAAH	0107	NURS1100 01	11	8.30 10.30		46	1,328	110 62 00000
	NAAH	0108	BIOL2253 01	1 1 1	10.00 10.50		38	1,328	110 62 00000
	NAAH	0108	BIOL1033 01	1 1	10.50 12.05		12	1,328	110 62 00000
	NAAH	0108	BIOL2253 02	1 1 1	11.00 11.50		38	1,328	110 62 00000
	NAAH	0108	BIOL2263 01	11	13.00 14.15		34	1,328	110 62 00000
	NAAH	0108	BIOL2253 03	1 1	15.25 16.40		50	1,328	110 62 00000
	NAAH	0109A	CSSK1010 01	1	9.00 9.50		15	672	110 32 00000
	NAAH	0109A	MEDL1300 02	1	9.00 11.50	1	10	672	110 32 00000
	NAAH	0109A	CSSK1010 02	1	10.00 10.50	1	14	672	110 32 00000
	NAAH	0109A	CSSK1010 03	1	11.00 11.50		14	672	110 32 00000
	NAAH	0109A	CSSK1010 04	1	12.00 12.50		14	672	110 32 00000
	NAAH	0109A	CSSK1010 12	1	13.00 13.50		12	672	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 10

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	NAAH	0109A	MEDL1300	01	1	17.30 20.05	28	672	110 32 00000	
	NAAH	0109B	ANUR2210	01	11	8.00 10.20	39	672	110 32 00000	
	NAAH	0109B	ANUR2223	01	11	10.30 11.50	27	672	110 32 00000	
	NAAH	0109B	ANUR2230	01	11	12.30 13.20	33	672	110 32 00000	
	NAAH	0109B	ANUR2323	01	11	13.30 14.20	27	672	110 32 00000	
4	8	NAAH	0111A	ANUR2312	01	11	6.30 17.00	15	203	210 2 00000
	NAAH	0111A	ANUR2310	01	11	8.00 10.20	15	203	210 2 00000	
4	8	NAAH	0111A	NURS1110	01	11	8.00 14.30	1	46	210 2 00000
4	8	NAAH	0111A	NURS2310	01	11	8.00 14.30	1	23	210 2 00000
	NAAH	0111A	ANUR2243	01	11	10.30 11.50	1	15	210 2 00000	
	NAAH	0111A	ANUR2340	01	11	13.00 13.50	15	203	210 2 00000	
4	8	NAAH	0111B	NURS1110	01	11	8.00 14.30	46	240	210 10 00000
4	8	NAAH	0111C	NURS1110	01	11	8.00 14.30	46	216	210 10 00000
4	8	NAAH	0111D	NURS1110	01	11	8.00 14.30	46	250	210 12 00000
4		NAAH	0112	NURS1110	01	11	8.00 14.30	46	693	110 32 00000
4	8	NAAH	0112	NURS2310	01	11	8.00 14.30	1	23	110 32 00000
4	8	NAAH	0113	NURS1110	01	11	8.00 14.30	46	1,200	210 24 00000
4	8	NAAH	0114	ANUR2212	01	11	5.30 16.00	39	1,200	210 24 00000
4	8	NAAH	0114	ANUR2312	01	11	6.30 17.00	1	15	210 24 00000
	NAAH	0114	ANUR1350	01	11	8.00 9.50	1	38	210 24 00000	
	NAAH	0114	ANUR2210	01	11	8.00 10.20	39	1,200	210 24 00000	
	NAAH	0114	ANUR2310	01	11	8.00 10.20	1	15	210 24 00000	
4	8	NAAH	0114	NURS1110	01	11	8.00 14.30	1	46	210 24 00000
	NAAH	0114	ANUR1233	01	11	10.00 12.00	29	1,200	210 24 00000	
	NAAH	0114	ANUR2223	01	11	10.30 11.50	27	1,200	210 24 00000	
	NAAH	0114	ANUR2243	01	11	10.30 11.50	1	15	210 24 00000	
	NAAH	0114	ANUR2230	01	11	12.30 13.20	33	1,200	210 24 00000	
	NAAH	0114	ANUR1233	01	1	12.30 14.30	29	1,200	210 24 00000	
	NAAH	0114	ANUR1060	01	11	12.30 15.00	36	1,200	210 24 00000	
8		NAAH	0114	ANUR1240	01	11	12.30 15.00	37	1,200	210 24 00000
8		NAAH	0114	ANUR2323	01	11	13.30 14.20	1	27	210 24 00000
	NAAH	0202	BIOL2251	06	1	9.00 11.50	15	672	680 28 00000	
	NAAH	0202	BIOL2251	07	1	9.00 11.50	15	672	680 28 00000	
	NAAH	0202	BIOL2251	03	1	9.25 12.10	20	672	680 28 00000	
	NAAH	0202	BIOL2251	04	1	9.25 12.10	18	672	680 28 00000	
	NAAH	0202	BIOL2251	01	1	12.00 14.50	19	672	680 28 00000	
	NAAH	0202	BIOL2251	02	1	12.00 14.50	20	672	680 28 00000	
	NAAH	0202	BIOL2251	05	1	12.30 15.20	19	672	680 28 00000	
	NAAH	0203	ANUR1350	01	11	8.00 9.50	38	1,407	110 54 00000	
	NAAH	0203	ANUR1040	01	111	8.00 11.50	35	1,407	110 54 00000	
	NAAH	0203	ANUR1233	01	11	10.00 12.00	29	1,407	110 54 00000	
	NAAH	0203	ANUR1233	01	1	12.30 14.30	29	1,407	110 54 00000	
	NAAH	0203	ANUR1060	01	11	12.30 15.00	36	1,407	110 54 00000	
	NAAH	0203	ANUR1240	01	11	12.30 15.00	37	1,407	110 54 00000	
	NAAH	0204	ANUR2310	01	11	8.00 10.20	15	1,375	110 54 00000	
	NAAH	0204	NURS2300	01	11	8.30 10.30	23	1,375	110 54 00000	
	NAAH	0204	ANUR2243	01	11	10.30 11.50	15	1,375	110 54 00000	
	NAAH	0204	ANUR2340	01	11	13.00 13.50	15	1,375	110 54 00000	
	NAAH	0204	ANUR2353	01	11	14.00 14.50	15	1,375	110 54 00000	
	NAAH	0205	BIOL2101	01	1	9.00 11.50	13	1,764	210 32 00000	
	NAAH	0205	BIOL2261	01	1	9.00 12.00	19	1,764	210 32 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 11

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	NAAH	0205	BIOL2101 02	1	13.00 16.00		9	210 32	00000	
	NAAH	0205	BIOL2261 02	1	13.00 16.00		16	210 32	00000	
4	NAAH	0208	ANUR2212 01	11	5.30 16.00		39	240 54	00000	
4	NAAH	0208	ANUR2312 01	11	6.30 17.00	1	15	240 54	00000	
	8	NAAH	0208	ANUR1350 01	11	8.00 9.50	1	38	240 54	00000
	NAAH	0208	ANUR2210 01	11	8.00 10.20		39	240 54	00000	
	NAAH	0208	ANUR2310 01	11	8.00 10.20	1	15	240 54	00000	
	NAAH	0208	ANUR1233 01	11	10.00 12.00		29	240 54	00000	
	NAAH	0208	ANUR2223 01	11	10.30 11.50		27	240 54	00000	
	NAAH	0208	ANUR2243 01	11	10.30 11.50	1	15	240 54	00000	
	NAAH	0208	ANUR2230 01	11	12.30 13.20		33	240 54	00000	
	NAAH	0208	ANUR1233 01	1	12.30 14.30		29	240 54	00000	
	NAAH	0208	ANUR1060 01	11	12.30 15.00		36	240 54	00000	
	NAAH	0208	ANUR1240 01	11	12.30 15.00		37	240 54	00000	
	NAAH	0208	ANUR2340 01	11	13.00 13.50	1	15	240 54	00000	
	NAAH	0208	ANUR2323 01	11	13.30 14.20	1	27	240 54	00000	
	8	NAAH	0208	ANUR2353 01	11	14.00 14.50	1	15	240 54	00000
	OAKD	1031	BUSI1030100	1 1 1	10.00 10.50		1	210 11	00000	
	OAKD	1060	ANUR1233100	11	10.00 12.00		26	210 30	00000	
	OAKD	1060	ANUR1233100	1	12.30 14.30		26	210 30	00000	
	OAKD	1060	ANUR1240100	11	12.30 15.00		27	210 30	00000	
	OAKD	1061	ANUR1233100	11	10.00 12.00		26	210 20	00000	
	OAKD	1061	ANUR1233100	1	12.30 14.30		26	210 20	00000	
	OAKD	1061	ANUR1240100	11	12.30 15.00		27	210 20	00000	
4	OAKD	1080	WELD1110 02	111111	7.00 16.00		27	210 25	00000	
4	8	OAKD	1080	WELD1120 01	111111	7.00 16.00	1	12	210 25	00000
4	8	OAKD	1080	WELD1130 01	111111	7.00 16.00	1	14	210 25	00000
4	8	OAKD	1080	WELD1210 01	111111	7.00 16.00	1	28	210 25	00000
4	8	OAKD	1080	WELD1310 01	111111	7.00 16.00	1	30	210 25	00000
4	8	OAKD	1080	WELD1410 01	111111	7.00 16.00	1	8	210 25	00000
4	8	OAKD	1080	WELD1411 01	111111	7.00 16.00	1	10	210 25	00000
4	8	OAKD	1080	WELD1420 01	111111	7.00 16.00	1	9	210 25	00000
4	8	OAKD	1080	WELD1510 01	111111	7.00 16.00	1	7	210 25	00000
4	8	OAKD	1080	WELD1514 01	111111	7.00 16.00	1	4	210 25	00000
4	8	OAKD	1080	WELD1515 01	111111	7.00 16.00	1	3	210 25	00000
4	8	OAKD	1080	WELD1516 01	111111	7.00 16.00	1	1	210 25	00000
4	8	OAKD	1080	WELD2110 01	111111	7.00 16.00	1	2	210 25	00000
4	8	OAKD	1080	WELD2111 01	111111	7.00 16.00	1	3	210 25	00000
4	8	OAKD	1080	WELD2210 01	111111	7.00 16.00	1	1	210 25	00000
4	8	OAKD	1080	WELD2311 01	111111	7.00 16.00	1	2	210 25	00000
4	8	OAKD	1080	WELD2312 01	111111	7.00 16.00	1	1	210 25	00000
4	8	OAKD	1083	WELD1110 02	111111	7.00 16.00		27	110 20	00000
4	8	OAKD	1083	WELD1120 01	111111	7.00 16.00	1	12	110 20	00000
4	8	OAKD	1083	WELD1130 01	111111	7.00 16.00	1	14	110 20	00000
4	8	OAKD	1083	WELD1210 01	111111	7.00 16.00	1	28	110 20	00000
4	8	OAKD	1083	WELD1310 01	111111	7.00 16.00	1	30	110 20	00000
4	8	OAKD	1083	WELD1410 01	111111	7.00 16.00	1	8	110 20	00000
4	8	OAKD	1083	WELD1411 01	111111	7.00 16.00	1	10	110 20	00000
4	8	OAKD	1083	WELD1420 01	111111	7.00 16.00	1	9	110 20	00000
4	8	OAKD	1083	WELD1510 01	111111	7.00 16.00	1	7	110 20	00000
4	8	OAKD	1083	WELD1514 01	111111	7.00 16.00	1	4	110 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 12

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	OAKD 1083	WELD1515 01	11111	7.00 16.00	1	303	110 20	00000
4	8	OAKD 1083	WELD1516 01	11111	7.00 16.00	1	303	110 20	00000
4	8	OAKD 1083	WELD2110 01	11111	7.00 16.00	1	303	110 20	00000
4	8	OAKD 1083	WELD2111 01	11111	7.00 16.00	1	303	110 20	00000
4	8	OAKD 1083	WELD2210 01	11111	7.00 16.00	1	303	110 20	00000
4	8	OAKD 1083	WELD2311 01	11111	7.00 16.00	1	303	110 20	00000
4	8	OAKD 1083	WELD2312 01	11111	7.00 16.00	1	303	110 20	00000
		OAKD 1093	FRTY1111 01	1 1 1	8.00 8.50	3	475	210 25	00000
		OAKD 1093	HORT1000 01	1 1	8.00 9.50	3	475	210 25	00000
		OAKD 1093	FRTY2510 01	1 1 1	9.00 10.10	3	475	210 25	00000
		OAKD 1093	FRTY2520 01	1 1	9.50 11.30	3	475	210 25	00000
		OAKD 1093	FRTY1210 01	1 1 1	10.15 11.25	3	475	210 25	00000
		OAKD 1130	ANUR1350100	11	8.00 9.50	27	1,270	210 30	00000
		OAKD 1130	ANUR1040100	111	8.00 11.50	28	1,270	210 30	00000
8		OAKD 1130	ANUR1060100	111	8.00 11.50	1	1,270	210 30	00000
		OAKD 1130	ANUR1233100	11	10.00 12.00	26	1,270	210 30	00000
		OAKD 1130	ANUR1233100	1	12.30 14.30	26	1,270	210 30	00000
		OAKD 1130	ANUR1240100	11	12.30 15.00	27	1,270	210 30	00000
		OAKD 1140	ENGL0098 30	1 1 1	9.00 9.50	17	610	110 30	00000
		OAKD 1140	MATH0098 04	1 1	9.25 10.40	26	610	110 30	00000
		OAKD 1140	ENGL0099 30	1 1 1	10.00 10.50	24	610	110 30	00000
		OAKD 1140	MATH0099 02	1 1	10.50 12.05	21	610	110 30	00000
		OAKD 1142	ZLTC0101 09	111	8.00 11.00	12	500	110 30	00000
		OAKD 1142	ZLTC0101 09	111	11.30 14.30	12	500	110 30	00000
		OAKD 1142	ZLTC0101 10	1 1	16.00 19.00	12	500	110 30	00000
4		PELI 0102	WELD1110 01	11111	7.00 16.00	17	441	110 34	00000
4		PELI 0102	WELD1120 02	11111	7.00 16.00	1	441	110 34	00000
4	8	PELI 0102	WELD1130 03	11111	7.00 16.00	1	441	110 34	00000
4	8	PELI 0102	WELD1210 04	11111	7.00 16.00	1	441	110 34	00000
4	8	PELI 0102	WELD1310 05	11111	7.00 16.00	1	441	110 34	00000
4	8	PELI 0102	WELD1410 06	11111	7.00 16.00	1	441	110 34	00000
4	8	PELI 0102	WELD1411 07	11111	7.00 16.00	1	441	110 34	00000
4	8	PELI 0103	WELD1110 01	11111	7.00 16.00	17	340	210 10	00000
4	8	PELI 0103	WELD1120 02	11111	7.00 16.00	1	340	210 10	00000
4	8	PELI 0103	WELD1130 03	11111	7.00 16.00	1	340	210 10	00000
4	8	PELI 0103	WELD1210 04	11111	7.00 16.00	1	340	210 10	00000
4	8	PELI 0103	WELD1310 05	11111	7.00 16.00	1	340	210 10	00000
4	8	PELI 0103	WELD1410 06	11111	7.00 16.00	1	340	210 10	00000
4	8	PELI 0103	WELD1411 07	11111	7.00 16.00	1	340	210 10	00000
4		PELI 0104	WELD1110 01	11111	7.00 16.00	17	530	210 20	00000
4	8	PELI 0104	WELD1120 02	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD1410 06	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD1411 07	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD2210 16	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD2220 17	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD2221R43	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD2222 19	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD2310 22	11111	7.00 16.00	1	530	210 20	00000
4	8	PELI 0104	WELD2311 23	11111	7.00 16.00	1	530	210 20	00000
4		PELI 0105	ZMCH0101 02	11111	8.00 20.00	10	3,915	210 15	00000
4		PELI 0106	WELD1130 03	11111	7.00 16.00	21	4,186	210 36	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 13

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	PELI	0106	WELD1210 04	11111	7.00 16.00	1	19	4,186	210 36 00000	
4	8	PELI	0106	WELD1310 05	11111	7.00 16.00	1	19	4,186	210 36 00000
4	8	PELI	0106	WELD1420 08	11111	7.00 16.00	1	16	4,186	210 36 00000
4	8	PELI	0106	WELD1510 09	11111	7.00 16.00	1	9	4,186	210 36 00000
4	8	PELI	0106	WELD1514 10	11111	7.00 16.00	1	13	4,186	210 36 00000
4	8	PELI	0106	WELD1515 11	11111	7.00 16.00	1	12	4,186	210 36 00000
4	8	PELI	0106	WELD1516 12	11111	7.00 16.00	1	15	4,186	210 36 00000
4	8	PELI	0106	WELD1517 13	11111	7.00 16.00	1	10	4,186	210 36 00000
4	8	PELI	0106	WELD2110 14	11111	7.00 16.00	1	2	4,186	210 36 00000
4	8	PELI	0106	WELD2111 15	11111	7.00 16.00	1	1	4,186	210 36 00000
4	8	PELI	0106	WELD2230 20	11111	7.00 16.00	1	6	4,186	210 36 00000
4	8	PELI	0106	WELD2312 21	11111	7.00 16.00	1	1	4,186	210 36 00000
4		PELI	0107	WELD1420 08	11111	7.00 16.00		16	3,091	210 24 00000
4		PELI	0107	WELD1510 09	11111	7.00 16.00	1	9	3,091	210 24 00000
4	8	PELI	0107	WELD1514 10	11111	7.00 16.00	1	13	3,091	210 24 00000
4	8	PELI	0107	WELD1515 11	11111	7.00 16.00	1	12	3,091	210 24 00000
4		PELI	0111	ZMCH0101 02	11111	8.00 20.00		10	433	110 29 00000
4		PELI	0117	WELD1420 08	11111	7.00 16.00		16	3,210	210 20 00000
4		PELI	0117	WELD1510 09	11111	7.00 16.00	1	9	3,210	210 20 00000
4	8	PELI	0117	WELD1514 10	11111	7.00 16.00	1	13	3,210	210 20 00000
4	8	PELI	0117	WELD1515 11	11111	7.00 16.00	1	12	3,210	210 20 00000
		PTEC	0101	PTEC2430 01	1 1 1	7.40 8.15		17	1,776	210 30 00000
		PTEC	0101	PTEC2911 02	1 1	8.00 12.00		15	1,776	210 30 00000
		PTEC	0101	PTEC2431 01	1 1 1	8.20 9.30		17	1,776	210 30 00000
		PTEC	0101	PTEC2911 01	1 1 1	9.35 12.15		12	1,776	210 30 00000
		PTEC	0101	PTEC2430 02	1 1	12.30 13.20		13	1,776	210 30 00000
		PTEC	0101	PTEC2431 02	1 1	13.25 15.05		13	1,776	210 30 00000
		PTEC	0101	PTEC2430 03	111	16.30 17.05		12	1,776	210 30 00000
		PTEC	0101	PTEC2431 03	111	17.10 18.20		11	1,776	210 30 00000
		PTEC	0101	PTEC2911 03	111	18.25 21.05		9	1,776	210 30 00000
		PTEC	0102	PTEC2421 01	1 1	8.00 8.50		11	590	210 30 00000
		PTEC	0102	PTEC2420 02	1 1	8.00 9.15		8	590	210 30 00000
		PTEC	0102	PTEC2911 02	1 1	8.00 12.00	1	15	590	210 30 00000
		PTEC	0102	PTEC2420 01	1 1 1	9.00 9.50		10	590	210 30 00000
		PTEC	0102	PTEC2421 02	1 1	9.25 10.15		7	590	210 30 00000
		PTEC	0102	PTEC2911 01	1 1 1	9.35 12.15		12	590	210 30 00000
		PTEC	0102	PTEC2420 03	1 1	10.50 12.05		20	590	210 30 00000
		PTEC	0102	PTEC2421 03	1 1	12.15 13.30		19	590	210 30 00000
		PTEC	0102	PTEC2420 04	1 1	17.15 18.30		10	590	210 30 00000
		PTEC	0102	PTEC2911 03	111	18.25 21.05	1	9	590	210 30 00000
		PTEC	0102	PTEC2421 04	1 1	18.35 19.25	1	10	590	210 30 00000
		PTEC	0103	PTEC2912 01	1 1	9.40 12.20		7	590	240 30 00000
		PTEC	0104	PTEC2430 01	1 1 1	7.40 8.15		17	590	210 30 00000
		PTEC	0104	PTEC2431 01	1 1 1	8.20 9.30		17	590	210 30 00000
		PTEC	0104	PTEC1010 06	1 1	9.25 10.40		27	590	210 30 00000
		PTEC	0104	PTEC2620 01	1 1 1	11.00 11.50		19	590	210 30 00000
		PTEC	0104	PTEC2621 01	1 1	12.00 12.50		19	590	210 30 00000
		PTEC	0104	PTEC2430 02	1 1	12.30 13.20		13	590	210 30 00000
		PTEC	0104	PTEC2630 01	1 1	13.00 14.15		18	590	210 30 00000
		PTEC	0104	PTEC2431 02	1 1	13.25 15.05		13	590	210 30 00000
		PTEC	0104	PTEC1631 01	1 1	14.30 16.10		13	590	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 14

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	PTEC 0104	PTEC2430 03	111	16.30 17.05		12	590	210 30	00000
	PTEC 0104	PTEC2431 03	111	17.10 18.20		11	590	210 30	00000
	PTEC 0106	PTEC2421 01	1 1	8.00 8.50		11	590	210 30	00000
	PTEC 0106	PTEC1630 02	1 1	8.00 8.50		18	590	210 30	00000
	PTEC 0106	PTEC2420 01	1 1 1	9.00 9.50		10	590	210 30	00000
	PTEC 0106	PTEC1631 02	1 1	9.00 10.40		21	590	210 30	00000
	PTEC 0106	PTEC1631 04	1 1	13.00 14.40		6	590	210 30	00000
	PTEC 0106	PTEC2440 02	1 1	14.00 15.40		13	590	210 30	00000
	PTEC 0106	PTEC2440 03	1 1	15.05 16.45		15	590	210 30	00000
	PTEC 0106	PTEC2070 03	1 1	17.00 18.15		7	590	210 30	00000
	PTEC 0106	PTEC1010 05	1 1	18.30 19.50		23	590	210 30	00000
	PTEC 0107	PTEC2030 01	1 1 1	9.00 9.50		27	590	210 30	00000
	PTEC 0107	PTEC1010 01	1 1 1	10.00 10.50		28	590	210 30	00000
	PTEC 0107	PTEC2420 03	1 1	10.50 12.05		20	590	210 30	00000
	PTEC 0107	PTEC2421 03	1 1	12.15 13.30		19	590	210 30	00000
	PTEC 0107	PTEC2030 02	1 1	13.00 14.15		24	590	210 30	00000
	PTEC 0107	PTEC1010 02	1 1	13.40 14.55		23	590	210 30	00000
	PTEC 0107	PTEC1630 03	1 1	17.00 17.50		21	590	210 30	00000
	PTEC 0107	PTEC2030 05	1 1	17.00 18.15		22	590	210 30	00000
	PTEC 0107	PTEC1631 05	1 1	17.55 19.35		20	590	210 30	00000
	PTEC 0108	PTEC1630 01	1 1	8.00 8.50		18	590	210 30	00000
	PTEC 0108	PTEC1630 02	1 1	8.00 8.50		18	590	210 30	00000
	PTEC 0108	PTEC2911 02	1 1	8.00 12.00	1	15	590	210 30	00000
	PTEC 0108	PTEC1631 03	1 1	9.00 10.40		19	590	210 30	00000
	PTEC 0108	PTEC1631 02	1 1	9.00 10.40		21	590	210 30	00000
	PTEC 0108	PTEC2911 01	1 1 1	9.35 12.15		12	590	210 30	00000
	PTEC 0108	PTEC1630 03	1 1	17.00 17.50		21	590	210 30	00000
	PTEC 0108	PTEC1631 05	1 1	17.55 19.35		20	590	210 30	00000
	PTEC 0108	PTEC2911 03	111	18.25 21.05	1	9	590	210 30	00000
	PTEC 0124	PTEC1630 01	1 1	8.00 8.50		18	610	210 30	00000
	PTEC 0124	PTEC2420 02	1 1	8.00 9.15		8	610	210 30	00000
	PTEC 0124	PTEC1631 03	1 1	9.00 10.40		19	610	210 30	00000
	PTEC 0124	PTEC2421 02	1 1	9.25 10.15		7	610	210 30	00000
	PTEC 0124	PTEC2070 01	1	10.50 11.40		17	610	210 30	00000
	PTEC 0124	PTEC2440 01	1 1	11.00 12.40		15	610	210 30	00000
	PTEC 0124	PTEC1010 03	1 1	14.00 15.15		22	610	210 30	00000
	PTEC 0124	PTEC2630 03	1 1	15.00 16.15		13	610	210 30	00000
	PTEC 0124	PTEC2630 02	1 1	15.45 17.00		9	610	210 30	00000
	PTEC 0124	PTEC2620 02	1 1	17.00 18.15		20	610	210 30	00000
	PTEC 0124	PTEC2420 04	1 1	17.15 18.30		10	610	210 30	00000
	PTEC 0124	PTEC2621 02	1 1	18.20 19.10		20	610	210 30	00000
	PTEC 0124	PTEC2421 04	1 1	18.35 19.25		10	610	210 30	00000
	PTEC 0125	PTEC1330 04	1 1	8.00 8.50		18	610	210 30	00000
	PTEC 0125	PTEC1331 04	1 1	9.00 10.40		18	610	210 30	00000
	PTEC 0125	PTEC1330 02	1 1	10.50 11.40		19	610	210 30	00000
	PTEC 0125	PTEC1331 02	1 1	11.50 13.30		17	610	210 30	00000
	PTEC 0125	PTEC1330 01	1 1	14.00 14.50		19	610	210 30	00000
	PTEC 0125	PTEC1330 03	1 1	14.00 14.50		17	610	210 30	00000
	PTEC 0125	PTEC1331 01	1 1	15.00 16.40		19	610	210 30	00000
	PTEC 0125	PTEC1331 03	1 1	15.00 16.40		18	610	210 30	00000
	PTEC 0125	PTEC1330 05	1 1	17.00 17.50		13	610	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 15

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	PTEC 0125	PTEC1331 05	1 1	18.00 19.40		14	610	210 30	00000
8	PTEC 0128	PTEC2911 01	1 1 1	9.35 12.15		12	165	210 7	00000
8	PTEC 0140	PTEC2430 01	1 1 1	7.40 8.15		17	825	081	00000
8	PTEC 0140	PTEC2911 02	1 1	8.00 12.00		15	825	081	00000
8	PTEC 0140	PTEC2911 01	1 1 1	9.35 12.15		12	825	081	00000
8	PTEC 0140	PTEC2430 02	1 1	12.30 13.20		13	825	081	00000
8	PTEC 0140	PTEC2430 03	111	16.30 17.05		12	825	081	00000
8	PTEC 0140	PTEC2420 04	1 1	17.15 18.30		10	825	081	00000
8	PTEC 0140	PTEC2911 03	111	18.25 21.05	1	9	825	081	00000
	RAAH 0102	ENGL1020 01	1 1	9.25 10.40		26	756	110 32	00000
	RAAH 0102	ENGL1010 02	1 1 1	10.00 10.50		25	756	110 32	00000
	RAAH 0102	ENGL1020 02	1 1	10.50 12.05		27	756	110 32	00000
	RAAH 0102	ENGL2520 01	1 1 1	11.00 11.50		5	756	110 32	00000
	RAAH 0102	ENGL1010 16	1 1	12.00 13.15		25	756	110 32	00000
	RAAH 0114	HIST1010 01	1 1 1	8.00 8.50		8	1,181	110 36	00000
	RAAH 0114	HIST2010 03	1 1 1	9.00 9.50		31	1,181	110 36	00000
	RAAH 0114	HIST2020 03	1 1 1	10.00 10.50		34	1,181	110 36	00000
	RAAH 0114	HIST2010 02	1 1	10.50 12.05		32	1,181	110 36	00000
	RAAH 0114	HIST1220 02	1 1 1	11.00 11.50		11	1,181	110 36	00000
	RAAH 0114	HIST2010 01	1 1	12.15 13.30		25	1,181	110 36	00000
	RAAH 0114	HIST2020 04	1 1	13.25 14.40		15	1,181	110 36	00000
	RAAH 0114	GAEC2300 01	1 1	18.00 21.00		11	1,181	110 36	00000
	RAAH 0124	ENGL0099 08	1 1	8.00 9.15		12	799	110 32	00000
	RAAH 0124	ENGL1010 01	1 1 1	9.00 9.50		27	799	110 32	00000
	RAAH 0124	ENGL0099 07	1 1	9.25 10.40		20	799	110 32	00000
	RAAH 0124	ENGL0099 01	1 1 1	10.00 10.50		27	799	110 32	00000
	RAAH 0124	ENGL0098 06	1 1	10.50 12.05		27	799	110 32	00000
	RAAH 0124	GAEC2200 01	1 1	18.00 21.00		10	799	110 32	00000
	RAAH 0124	GAEC2200 02	1 1	18.00 21.00	1	6	799	110 32	00000
	RAAH 0125	CRMJ1120 02	1 1	8.00 9.15		16	759	110 32	00000
	RAAH 0125	THEA1013 01	1 1 1	9.00 9.50		4	759	110 32	00000
	RAAH 0125	CRMJ2410 01	1 1	9.25 10.40		12	759	110 32	00000
	RAAH 0125	THEA1013 02	1 1 1	10.00 10.50		9	759	110 32	00000
	RAAH 0125	CRMJ1110 02	1 1	10.50 12.05		22	759	110 32	00000
	RAAH 0125	READ0099 08	1 1	12.15 13.30		29	759	110 32	00000
	RAAH 0125	GAEC1200 01	1 1	18.00 19.30		14	759	110 32	00000
	RAAH 0125	ENGL1010 13	1 1	18.50 20.05		24	759	110 32	00000
	RAAH 0125	GAEC1210 01	1 1	19.35 21.00		14	759	110 32	00000
	RAAH 0126	PSYC2010 07	1	8.00 8.50		19	763	110 32	00000
	RAAH 0126	ARTS1200 01	1 1 1	9.00 9.50		31	763	110 32	00000
	RAAH 0126	ARTS1200 02	1 1 1	10.00 10.50		31	763	110 32	00000
	RAAH 0126	ARTS1200 04	1 1	10.50 12.05		31	763	110 32	00000
	RAAH 0126	ARTS1200 03	1 1	12.00 13.15		32	763	110 32	00000
	RAAH 0126	ARTS1200 05	1 1	12.15 13.30		32	763	110 32	00000
	RAAH 0126	ARTS1200 10	1	17.30 18.45		30	763	110 32	00000
	RAAH 0126	ENGL1010 10	1	18.00 19.15		27	763	110 32	00000
	RAAH 0126	GAEC1100 01	1 1	18.00 19.30		10	763	110 32	00000
	RAAH 0126	GAEC1100 02	1 1	18.00 19.30	1	10	763	110 32	00000
	RAAH 0126	GAEC1110 01	1 1	19.35 21.00		10	763	110 32	00000
	RAAH 0126	GAEC1110 02	1 1	19.35 21.00	1	10	763	110 32	00000
	RAAH 0127	HIST2020 01	1 1 1	8.00 8.50		30	776	110 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 16

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0127	HIST1220 01	1 1	8.00 9.15		30	776	110 32 00000
	RAAH	0127	HIST2020 02	1 1 1	9.00 9.50		33	776	110 32 00000
	RAAH	0127	ENSC2000 01	1 1 1	9.25 10.40		24	776	110 32 00000
	RAAH	0127	ENGL1010 08	1	10.00 10.50		29	776	110 32 00000
	RAAH	0127	ENSC2000 02	1 1 1	10.50 12.05		22	776	110 32 00000
	RAAH	0127	MATH0099 14	1 1 1	16.10 17.25		27	776	110 32 00000
	RAAH	0127	MATH0098 14	1 1 1	17.30 18.45		20	776	110 32 00000
	RAAH	0127	GAEC1300 01	1 1 1	18.00 21.00		10	776	110 32 00000
	RAAH	0144	SPCH1200 02	1 1 1 1	9.00 9.50		24	745	110 30 00000
	RAAH	0144	ENGL1010 09	1 1 1	9.25 10.40		24	745	110 30 00000
	RAAH	0144	SPCH1200 01	1 1 1 1	10.00 10.50		19	745	110 30 00000
	RAAH	0144	ENGL1010 12	1 1 1 1	12.15 13.30		22	745	110 30 00000
	RAAH	0226	PSYC2010 01	1 1 1 1	8.00 8.50		30	1,059	110 40 00000
	RAAH	0226	PSYC2335 01	1 1 1	8.00 9.15		34	1,059	110 40 00000
	RAAH	0226	PSYC2335 02	1 1 1 1	9.00 9.50		33	1,059	110 40 00000
	RAAH	0226	SOCL2010 03	1 1 1	9.25 10.40		34	1,059	110 40 00000
	RAAH	0226	PSYC2010 05	1 1 1	10.50 12.05		33	1,059	110 40 00000
	RAAH	0226	PSYC2010 03	1 1 1 1	11.00 11.50		34	1,059	110 40 00000
	RAAH	0226	PSYC2010 08	1 1 1	12.00 13.15		18	1,059	110 40 00000
	RAAH	0226	PSYC2010 06	1 1 1	12.15 13.30		25	1,059	110 40 00000
	RAAH	0226	PSYC2335 10	1 1 1	16.00 17.15		30	1,059	110 40 00000
	RAAH	0226	PSYC2010 11	1 1 1	17.30 20.10		12	1,059	110 40 00000
	RAAH	0227	CRMJ1120 01	1 1 1 1	8.00 8.50		25	1,059	110 40 00000
	RAAH	0227	SOCL2010 02	1 1 1	8.00 9.15		25	1,059	110 40 00000
	RAAH	0227	CRMJ1220 01	1 1 1 1	9.00 9.50		31	1,059	110 40 00000
	RAAH	0227	CRMJ1110 01	1 1 1	9.25 10.40		30	1,059	110 40 00000
	RAAH	0227	BIOL2103 01	1 1 1	10.50 12.05		21	1,059	110 40 00000
	RAAH	0227	CRMJ2340 01	1 1 1	12.00 12.50		19	1,059	110 40 00000
	RAAH	0227	CRMJ2420 01	1 1 1	12.15 13.30		9	1,059	110 40 00000
	RAAH	0227	CRMJ2552 01	1 1 1	12.15 13.30		2	1,059	110 40 00000
	RAAH	0227	CRMJ1332 20	1 1 1	17.25 20.05		15	1,059	110 40 00000
	RAAH	0227	CRMJ1220 02	1 1 1	17.25 20.05		9	1,059	110 40 00000
	RAAH	0228	ENGL0099 08	1 1 1	8.00 9.15		12	1,097	240 35 00000
	RAAH	0228	ENGL0098 04	1 1 1 1	9.00 9.50		26	1,097	240 35 00000
	RAAH	0228	ENGL0099 03	1 1 1	9.25 10.40		27	1,097	240 35 00000
	RAAH	0228	ENGL0098 05	1 1 1 1	10.00 10.50		27	1,097	240 35 00000
	RAAH	0228	ENGL1020 02	1 1 1	10.50 12.05		27	1,097	240 35 00000
	RAAH	0228	ENGL0098 02	1 1 1 1	11.00 11.50		25	1,097	240 35 00000
	RAAH	0228	ENGL1010 16	1 1 1	12.00 13.15		25	1,097	240 35 00000
	RAAH	0228	ENGL1010 12	1 1 1	12.15 13.30		22	1,097	240 35 00000
	RAAH	0228	MATH0099 14	1 1 1	16.10 17.25		27	1,097	240 35 00000
	RAAH	0228	MATH0098 17	1 1 1	17.00 18.15		13	1,097	240 35 00000
	RAAH	0228	ENGL0099 10	1 1 1	17.30 18.45		23	1,097	240 35 00000
	RAAH	0228	ENGL1010 13	1 1 1	18.50 20.05		24	1,097	240 35 00000
	RAAH	0228	ENGL0098 13	1 1 1	18.50 20.05	1	9	1,097	240 35 00000
	RAAH	0229	CRMJ2510 01	1 1 1	9.00 9.50		13	754	110 32 00000
	RAAH	0229	CSSK1010 10	1 1 1	9.25 10.15		15	754	110 32 00000
	RAAH	0229	CRMJ2422 01	1 1 1 1	10.00 10.50		8	754	110 32 00000
	RAAH	0229	ENGL0099 02	1 1 1	10.50 12.05		24	754	110 32 00000
	RAAH	0229	CRMJ2322 01	1 1 1 1	11.00 11.50		15	754	110 32 00000
	RAAH	0229	CSSK1010 07	1 1 1	12.15 13.05		14	754	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 17

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0229	CSSK1010	08	1	12.15 13.05	15	754	110 32 00000
	RAAH	0230	CRMJ1120	01	1 1 1	8.00 8.50	25	754	110 32 00000
	RAAH	0230	CRMJ1120	02	1 1	8.00 9.15	16	754	110 32 00000
	RAAH	0230	CRMJ1220	01	1 1 1	9.00 9.50	31	754	110 32 00000
	RAAH	0230	CRMJ2410	01	1 1	9.25 10.40	12	754	110 32 00000
	RAAH	0230	CRMJ2422	01	1 1 1	10.00 10.50	8	754	110 32 00000
	RAAH	0230	CRMJ1110	02	1 1	10.50 12.05	22	754	110 32 00000
	RAAH	0230	CRMJ2322	01	1 1 1	11.00 11.50	15	754	110 32 00000
	RAAH	0230	CRMJ2420	01	1	12.15 13.30	9	754	110 32 00000
	RAAH	0230	CRMJ2552	01	1	12.15 13.30	2	754	110 32 00000
	RAAH	0241	ENGL0098	30	1 1 1	9.00 9.50	17	776	110 32 00000
	RAAH	0241	MATH0098	04	1 1	9.25 10.40	26	776	110 32 00000
	RAAH	0241	ENGL0099	30	1 1 1	10.00 10.50	24	776	110 32 00000
	RAAH	0241	MATH0099	02	1 1	10.50 12.05	21	776	110 32 00000
	RAAH	0241	ENGL1010	28	1	12.15 13.30	22	776	110 32 00000
	RAAH	0241	CSSK1010	09	1	17.30 18.20	15	776	110 32 00000
	RAAH	0241	CSSK1010	11	1	17.30 18.20	15	776	110 32 00000
	RAAH	0242	PSYC2010	04	1 1	8.00 9.15	28	763	110 32 00000
	RAAH	0242	ENGL1010	14	1	9.00 9.50	26	763	110 32 00000
	RAAH	0242	ENGL1020	04	1 1	9.25 10.40	27	763	110 32 00000
	RAAH	0242	ENGL0098	01	1 1 1	10.00 10.50	24	763	110 32 00000
	RAAH	0242	ENGL2535	01	1	10.50 12.05	7	763	110 32 00000
	RAAH	0242	ENGL0098	02	1 1 1	11.00 11.50	25	763	110 32 00000
	RAAH	0242	ENGL1010	06	1	12.00 13.15	25	763	110 32 00000
	RAAH	0242	ENGL1010	04	1 1	12.15 13.30	27	763	110 32 00000
	RAAH	0242	ENGL0099	04	1 1	13.40 14.55	22	763	110 32 00000
	RAAH	0242	MATH0098	18	1	17.00 18.15	13	763	110 32 00000
	RAAH	0242	BIOL1010	10	1 1	17.15 18.30	16	763	110 32 00000
	RAAH	0242	ENGL0099	10	1 1	17.30 18.45	23	763	110 32 00000
	RAAH	0243	ENGL1010	07	1	8.00 9.15	27	759	110 32 00000
	RAAH	0243	ENGL0098	04	1 1 1	9.00 9.50	26	759	110 32 00000
	RAAH	0243	ENGL0099	03	1 1	9.25 10.40	27	759	110 32 00000
	RAAH	0243	ENGL0098	05	1 1 1	10.00 10.50	27	759	110 32 00000
	RAAH	0243	SOCL2010	01	1	10.50 12.05	27	759	110 32 00000
	RAAH	0243	ENGL1010	03	1 1 1	11.00 11.50	29	759	110 32 00000
	RAAH	0243	ENGL2010	01	1 1	12.00 13.15	19	759	110 32 00000
	RAAH	0243	ENGL1020	03	1 1	12.15 13.30	26	759	110 32 00000
	RAAH	0243	ENGL2535	02	1	12.15 13.30	13	759	110 32 00000
	RAAH	0243	MATH0098	17	1	17.00 18.15	13	759	110 32 00000
	RAAH	0243	ENGL0098	11	1 1	17.20 18.35	14	759	110 32 00000
	RAAH	0243	ENGL0098	12	1	18.45 20.00	23	759	110 32 00000
	RAAH	0243	ENGL0098	13	1	18.50 20.05	9	759	110 32 00000
	RAAH	0244	READ0099	01	1 1 1	8.00 8.50	27	799	110 35 00000
	RAAH	0244	READ0099	04	1 1	8.00 9.15	29	799	110 35 00000
	RAAH	0244	READ0099	05	1 1	9.25 10.40	31	799	110 35 00000
	RAAH	0244	READ0099	02	1 1 1	10.00 10.50	31	799	110 35 00000
	RAAH	0244	READ0099	06	1 1	10.50 12.05	29	799	110 35 00000
	RAAH	0244	READ0099	03	1 1 1	11.00 11.50	32	799	110 35 00000
	RAAH	0244	READ0099	07	1 1	12.15 13.30	29	799	110 35 00000
	RAAH	0244	READ0099	09	1 1	13.00 14.15	28	799	110 35 00000
	RAAH	0244	READ0099	10	1 1	17.20 18.35	20	799	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 18

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	SRTC 0108	ZSAS0102 01	1 1 1	7.30 16.30		25	2,519	610 250	00000
4	SRTC 0110	ZGLC0101 01	11111	7.00 16.00		20	1,131	680 50	00000
4	SRTC 0303	ZPCL0101 01	1 1 1	7.00 16.00		20	718	680 32	00000
4	SRTC 0304	ZWTC0101 01	11111	7.00 16.00	1	25	723	680 32	00000
4	SRTC 0305	ZWTC0102 01	11111	7.00 16.00	1	30	723	110 32	00000
4	SRTC 0306	ZWTC0103 01	11111	7.00 16.00	1	25	723	680 32	00000
4	SRTC 0307	ZSAS0101 01	11111	7.00 16.00		30	718	240 40	00000
	SRTC 0403	INST1310 01	1 1 1	8.00 9.30		28	720	210 32	00000
	SRTC 0403	INST2812 02	1 1	10.00 12.05		20	720	210 32	00000
	SRTC 0403	INST2722 01	1 1	12.15 14.20		21	720	210 32	00000
	SRTC 0403	INST2420 02	1 1	17.00 19.05		24	720	210 32	00000
	SRTC 0404	INST1010 02	1 1	8.00 9.40		33	722	110 32	00000
	SRTC 0404	ELEC1230 01	1 1 1	10.00 11.25		15	722	110 32	00000
	SRTC 0404	ELEC1430 01	1 1	16.25 18.30		18	722	110 32	00000
	SRTC 0404	ELEC1430 02	1 1	18.35 20.40		18	722	110 32	00000
	SRTC 0405	ELEC1312 01	1 1	8.00 9.15		26	722	110 32	00000
	SRTC 0405	INST1410 01	1 1 1	10.00 11.30		29	722	110 32	00000
	SRTC 0405	ELEC1122 01	1 1	10.10 12.10		28	722	110 32	00000
	SRTC 0405	INST1010 01	1 1	13.00 14.40		31	722	110 32	00000
	SRTC 0405	INST1410 02	1 1	16.30 18.30		23	722	110 32	00000
	SRTC 0406	ELEC1000 02	1 1	8.00 9.30		23	722	110 32	00000
	SRTC 0406	INST2420 01	1 1	8.00 10.05		16	722	110 32	00000
	SRTC 0406	ELEC1230 02	1 1	10.00 12.05		25	722	110 32	00000
	SRTC 0406	INST2732 02	1 1	13.00 14.45		18	722	110 32	00000
	SRTC 0407	INST2812 01	1 1 1	8.00 9.30		17	720	210 32	00000
	SRTC 0407	ELEC1240 01	1 1 1	10.00 11.05		22	720	210 32	00000
	SRTC 0407	ELEC1000 01	1 1	12.00 13.30		27	720	210 32	00000
	SRTC 0407	INST2722 02	1 1	14.30 16.30		19	720	210 32	00000
	SRTC 0502	INST2812 01	1 1 1	8.00 9.30		17	1,425	210 26	00000
	SRTC 0502	INST2812 02	1 1	10.00 12.05		20	1,425	210 26	00000
4	SRTC 0503	ZMIL0101 01	11111	7.30 15.30		5	910	210 25	00000
	SRTC 0504	INST2722 01	1 1	12.15 14.20		21	918	210 25	00000
	SRTC 0504	INST2722 02	1 1	14.30 16.30		19	918	210 25	00000
4	SRTC 0505	ZWTC0104 01	11111	7.00 16.00	1	25	908	210 25	00000
4	SRTC 0507	ZWTC0105 01	11111	7.00 16.00	1	25	908	210 32	00000
8	SRTC 0508	INST1010 02	1 1	8.00 9.40		33	918	210 19	00000
8	SRTC 0508	INST2420 01	1 1	8.00 10.05	1	16	918	210 19	00000
8	SRTC 0508	INST1010 01	1 1	13.00 14.40		31	918	210 19	00000
	SRTC 0508	INST2420 02	1 1	17.00 19.05		24	918	210 19	00000
8	SRTC 0510	INST1010 02	1 1	8.00 9.40		33	202	210 4	00000
8	SRTC 0510	INST2420 01	1 1	8.00 10.05	1	16	202	210 4	00000
8	SRTC 0510	INST1010 01	1 1	13.00 14.40		31	202	210 4	00000
8	SRTC 0510	INST2420 02	1 1	17.00 19.05		24	202	210 4	00000
	SRTC 0510X	INST1010 02	1 1	8.00 9.40		33	2,065	210 50	00000
	SRTC 0510X	INST2420 01	1 1	8.00 10.05	1	16	2,065	210 50	00000
	SRTC 0510X	INST1010 01	1 1	13.00 14.40		31	2,065	210 50	00000
	SRTC 0510X	INST2420 02	1 1	17.00 19.05		24	2,065	210 50	00000
	SRTC 0512	CLTE2002 01	1 1	9.25 12.25		13	1,314	210 25	00000
	SRTC 0512	CLTE1000 01	1 1 1	10.00 10.50		14	1,314	210 25	00000
	SRTC 0512	CLTE2000 01	1 1 1	11.00 11.50		13	1,314	210 25	00000
	SRTC 0512	CHEM2031 01	1	13.30 16.30		8	1,314	210 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2018
 RUN DATE 11/15/2018 14:35:48
 PAGE NUM 19

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SRTC	0513	CLTE2002 01	1 1	9.25 12.25		13	453	210 10 00000
	SRTC	0513	CLTE1000 01	1 1 1	10.00 10.50		14	453	210 10 00000
	SRTC	0513	CLTE2000 01	1 1 1	11.00 11.50		13	453	210 10 00000
	SRTC	0513	CHEM2031 01	1	13.30 16.30		8	453	210 10 00000
	SRTC	0606	INST1310 01	1 1 1	8.00 9.30		28	941	210 20 00000
	SRTC	0606	INST1410 01	1 1 1	10.00 11.30		29	941	210 20 00000
8	SRTC	0606	INST2732 01	1 1	10.15 12.00	1	22	941	210 20 00000
	SRTC	0606	INST2732 02	1 1	13.00 14.45		18	941	210 20 00000
	SRTC	0606	INST1410 02	1 1	16.30 18.30		23	941	210 20 00000
	SRTC	0607	INST1111 02	1 1	8.00 10.05		27	1,416	210 32 00000
	SRTC	0607	INST1111 01	1 1 1	10.00 11.30		25	1,416	210 32 00000
	SRTC	0607	INST1112 02	1 1	11.30 13.35		18	1,416	210 32 00000
	SRTC	0607	INST1112 01	1 1 1	12.30 14.00		27	1,416	210 32 00000
	SRTC	0608	ELEC1220 01	1 1 1	8.00 9.20		15	1,400	210 32 00000
	SRTC	0608	ELEC2220 03	1 1	8.00 10.05		9	1,400	210 32 00000
	SRTC	0608	ELEC1220 02	1 1 1	10.00 11.20		20	1,400	210 32 00000
	SRTC	0608	ELEC2220 02	1 1	10.30 12.35		6	1,400	210 32 00000
	SRTC	0608	ELEC2220 01	1 1	12.30 14.35		15	1,400	210 32 00000
	SRTC	0608	ELEC1220 03	1 1	12.40 14.45		17	1,400	210 32 00000
4	SRTC	0610	ZMIL0101 01	11111	7.30 15.30		5	1,108	210 20 00000
	TRAN	0001	VMRE1702 01	11111	12.05 15.10		24	698	210 30 00000
8	TRAN	0001	VMRE1802 01	11111	12.05 15.10	1	27	698	210 30 00000
8	TRAN	0001	VMRE1812 01	11111	12.05 15.10	1	26	698	210 30 00000
8	TRAN	0001	VMRE2822 01	11111	12.05 15.10	1	26	698	210 30 00000
	TRAN	0100	VMRE1702 01	11111	8.00 10.55		24	4,322	210 40 00000
	TRAN	0100	VMRE1802 01	11111	8.00 10.55	1	27	4,322	210 40 00000
8	TRAN	0100	VMRE1812 01	11111	8.00 10.55	1	26	4,322	210 40 00000
8	TRAN	0100	VMRE2822 01	11111	8.00 10.55	1	26	4,322	210 40 00000
4	TRAN	0200	VMRE1002 01	11111	8.00 14.45		25	4,362	210 40 00000
	TRAN	0300	VMRE1320 01	11111	8.00 11.00		4	3,954	210 40 00000
	TRAN	0300	VMRE1131 01	11111	8.30 11.00	1	3	3,954	210 40 00000
	TRAN	0300	VMRE1141 01	11111	11.30 15.00		4	3,954	210 40 00000
	TRAN	0300	VMRE2130 01	11111	12.00 13.30	1	4	3,954	210 40 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	220
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	181
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	3
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		404
TOTAL NUMBER OF RECORDS READ		951
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		940
NUMBER OF JOINT-CLASS RECORDS		251
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		13

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2018 14:35:48

PAGE NUM 1

SOWELA TECHNICAL COMMUNITY COLLEGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			65
TOTAL NUMBER OF STATIONS (CAPACITY)			2,112
WEEKLY STUDENT CONTACT HOURS	42,329	1,536	43,865
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,850	3,250	9,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,284	221	5,505
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	190,080	105,600	295,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	168,476	7,051	175,527
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	84,658	3,072	87,730
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.3	6.8	60.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	44.5	2.9	29.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.2	43.6	50.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			65
TOTAL NUMBER OF STATIONS (CAPACITY)			2,112
WEEKLY STUDENT CONTACT HOURS	42,329	1,536	43,865
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,850	3,250	9,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,284	221	5,505
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	190,080	105,600	295,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	168,476	7,051	175,527
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	84,658	3,072	87,730
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.3	6.8	60.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	44.5	2.9	29.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.2	43.6	50.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2018 14:35:48
 PAGE NUM 2

SOWELA TECHNICAL COMMUNITY COLLEGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			112
TOTAL NUMBER OF STATIONS (CAPACITY)			2,703
WEEKLY STUDENT CONTACT HOURS	77,752	1,621	79,373
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,080	5,600	15,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,476	209	11,685
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	243,270	135,150	378,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	301,921	6,050	307,971
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	155,504	3,243	158,747
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	113.8	3.7	74.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	63.9	2.4	41.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.5	53.6	51.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			112
TOTAL NUMBER OF STATIONS (CAPACITY)			2,703
WEEKLY STUDENT CONTACT HOURS	77,752	1,621	79,373
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,080	5,600	15,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,476	209	11,685
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	243,270	135,150	378,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	301,921	6,050	307,971
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	155,504	3,243	158,747
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	113.8	3.7	74.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	63.9	2.4	41.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.5	53.6	51.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY