

BOR-ROOM INVENTORY EDIT BY BUILDING  
 FALL DATA 2018  
 RUN DATE 11/15/2018 14:00:16  
 PAGE NUMBER 1

SLCC - LAFAYETTE CAMPUS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION	
				CLASS	OTHER LAB.	FUNC.	ROOM TYPE					CLASS	OTHER LAB.	FUNC.	ROOM TYPE
	A000	0001	12830			00	020		A000	0100	405	18		12	110
	A000	0101	760		20	12	210		A000	0101A	135			82	082
	A000	0101B	561			82	082		A000	0101C	84			82	082
	A000	0101D	180			82	082		A000	0101E	135			82	082
	A000	0101F	81			82	082		A000	0101G	54			82	082
	A000	0101H	160			82	082		A000	0101I	546			82	082
9	A000	0102	1052		20	12	110		A000	0102A	156			00	030
	A000	0102B	144		1	46	310		A000	0102C	38			00	030
	A000	0102D	66		1	00	030		A000	0103	91		1	12	310
	A000	0103A	192		1	12	310		A000	0104	492			00	020
	A000	0104A	78		1	12	310		A000	0104B	120		1	12	310
	A000	0104C	104		1	12	310		A000	0104D	96		1	12	310
	A000	0104F	120		1	12	310		A000	0104G	104		1	12	310
	A000	0105	1156		26	11	410		A000	0105A	184		4	11	410
	A000	0105B	140		1	11	310		A000	0105C	180		1	11	310
	A000	0105D	16		4	00	030		A000	0105E	120		1	11	310
	A000	0105F	120		1	11	310		A000	0105G	140		1	11	310
	A000	0105H	150			11	455		A000	0105J	100		4	11	410
	A000	0105K	100		4	11	410		A000	0105L	132		1	11	310
	A000	0105M	90		4	11	410		A000	0105N	90		4	11	410
	A000	0105P	48			11	455		A000	0106A	96		1	46	315
	A000	0106B	108		1	63	310		A000	0106C	114		1	63	310
	A000	0106D	72			63	315		A000	0106E	108		1	63	310
	A000	0106F	32			00	030		A000	0106G	120		1	63	310
	A000	0106H	120		1	63	310		A000	0106I	168		8	63	350
	A000	0106J	120		1	63	310		A000	0106K	14			00	020

BOR-ROOM INVENTORY EDIT BY BUILDING  
 FALL DATA 2018  
 RUN DATE 11/15/2018 14:00:16  
 PAGE NUMBER 2

SLCC - LAFAYETTE CAMPUS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	A000	0107	620	20		12 210		A000	0108	1134			91 660
	A000	0109A	252			63 215		A000	0110	1034	20		12 210
	A000	0110A	96			63 215		A000	0110B	252			63 215
	A000	0112	2752	120		52 630		A000	0112A	483	15		12 110
	A000	0112B	3648	20		12 210		A000	0114	945	30		12 210
	A000	0116	945	30		12 210		A000	0200	600	20		12 210
	A000	0200A	352			63 215		A000	0200B	98			63 215
	A000	0201	163	20		00 020		A000	0201A	108		1	51 310
	A000	0201B	108	1		51 310		A000	0201C	108		1	51 310
	A000	0201D	80	1		51 310		A000	0203	589	20		12 210
	A000	0300	459	30		12 110		A000	0301	1000	30		12 110
	A000	0301A	210			63 215		A000	0302	459	20		12 210
	A000	0400	700	3		63 310		A000	0400A	120		1	63 310
	A000	0400B	120	1		63 310		A000	0400C	120		1	63 310
	A000	0400D	120	1		63 310		A000	0400E	216		1	63 310
	A000	0400F	280	12		63 350		A000	0400G	147		1	63 310
	A000	0400H	190			63 315		A000	0400I	120		1	63 310
	A000	0400J	90			63 315		A000	0400K	117			63 315
	A000	0401	408	1		53 310		A000	0401A	120		1	63 310
	A000	0401B	168	1		54 310		A000	0401C	108		1	53 310
	A000	0401D	108	1		53 310		A000	0401E	144			53 315
	A000	0402	704	15		12 210		A000	0402A	108		1	46 310
	A000	0402B	192			63 215		A000	0403	2162		2	51 310
	A000	0403A	425	6		12 210		A000	0403B	132		1	51 310
	A000	0403C	132	1		51 310		A000	0403D	132		1	51 310
	A000	0403E	132	1		51 310		A000	0403F	240		1	51 310

BOR-ROOM INVENTORY EDIT BY BUILDING  
 FALL DATA 2018  
 RUN DATE 11/15/2018 14:00:16  
 PAGE NUMBER 3

SLCC - LAFAYETTE CAMPUS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	A000	0403G	385			51	315	A000	0403H	432		1	51 310
	A000	0403I	143	1		51	310	A000	0403J	324	15		12 110
	A000	0404	680	21		12	210	A000	0406	756		40	52 630
	A000	0407	459	15		12	110	A000	0408	1134		42	53 225
	A000	0408A	98			63	315	A000	0408B	238		1	63 313
	A000	0408C	168	1		63	310	A000	0409	1485		12	82 082
	A000	0409A	336			82	082	A000	0409B	192		1	82 082
	A000	0411	1705	40		82	082	A000	0413	1430		30	82 082
	A000	0413A	126			82	082	A000	0415	472	15		12 210
	A000	0417	472	10		12	210	A000	0500	4709		22	15 210
	A000	0500A	228			63	215	A000	0500B	120		1	46 310
	A000	0500C	315	15		12	110	A000	0500D	342			63 215
	A000	0501	2394	20		12	210	A000	0501A	242		1	46 310
	A000	0501B	98			63	215	A000	0501C	112			63 215
	A000	0501D	225			63	215	A000	0502	3168	20		12 210
	A000	0502A	225			63	215	A000	0502B	120		1	46 310
	A000	0502C	450	20		12	110	A000	0503A	2080		20	12 210
	A000	0503B	396	20		12	110	A000	0503C	264			63 215
	A000	0503D	156	1		46	310	A000	0503E	308	20		12 110
	A000	0503F	308			63	215	A000	0503G	5135		20	12 210
	A000	0503H	550	5		12	210	A000	0503I	156		2	46 310
	A000	0503J	242	5		12	210	A000	0503K	220		5	12 210
	A000	0503L	352	15		12	110	A000	0503M	405	15		12 110
	A000	0503N	165			63	215	A000	0503O	2405		20	12 210
	A000	0503P	210			63	215	A000	0503Q	336			71 740
	A000	0503R	360			63	215	A000	0504	3528		20	12 210

BOR-ROOM INVENTORY EDIT BY BUILDING  
 FALL DATA 2018  
 RUN DATE 11/15/2018 14:00:16  
 PAGE NUMBER 4

SLCC - LAFAYETTE CAMPUS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	A000	0504A	168			63 215		A000	0504B	80		1	46 310
	A000	0504C	165			63 215		A000	0504D	300	15		12 110
	A000	0506	3528	40		12 210		A000	0506A	168			63 215
	A000	0506B	80		1	46 310		A000	0601A	775	20		12 110
	A000	0601B	352	15		12 210		A000	0601C	342			63 215
	A000	0601D	562	20		22 215		A000	0601E	644	20		22 215
	A000	0601F	70	1		12 210		A000	0601G	748	15		12 210
	A000	0601H	976	15		12 210		A000	0601I	152			63 215
	A000	0601J	71			63 215		A000	0601K	224			00 030
	A000	0601M	81			00 030		A000	0601N	70			00 030
	A000	0601O	64			74 315		A000	0602	459	15		12 110
	A000	0603	3111	30		12 210		A000	0603A	120			63 215
	A000	0603B	136			63 215		A000	0605	2967	20		12 210
	A000	0605A	744	15		12 210		A000	0605B	620	10		12 210
	A000	0605C	252			63 215		A000	0605D	315			43 530
	A000	0605E	315			63 215		A000	0607	546	20		12 110
	A000	0607A	576	15		12 210		A000	0607B	96			63 215
	A000	0607C	120			63 215		A000	0607D	132			63 215
	A000	0609	3055	20		12 210		A000	0609A	255	12		12 210
	A000	0609B	374	20		12 210		A000	0609C	380			63 215
	A000	0609D	345			63 215		A000	J0001	220			00 010
	A000	J0002	210			00 010		A000	J0003	1280			00 010
	A000	M0001	121			00 030		A000	M0002	108			00 030
	A000	M0003	144			00 030		A000	M0004	90			00 030
	A000	M0005	170			00 030		A000	S0017	366			63 315
	A000	W0001	108			00 030		A000	W0002	121			00 030

BOR-ROOM INVENTORY EDIT BY BUILDING  
 FALL DATA 2018  
 RUN DATE 11/15/2018 14:00:16  
 PAGE NUMBER 5

SLCC - LAFAYETTE CAMPUS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	A000	W0003	144		00 030		A000	W0004	144		00 030
	A000	W0005	90		00 030		A000	W0006	60		00 030
									TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		116,145
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE		98,953
									TOTAL NUMBER CLASSROOMS		17
									TOTAL NUMBER COMPUTER CLASSROOMS		
									TOTAL NUMBER LABS 210		37
									TOTAL NUMBER SPECIAL LABS 220		
	B000	0001	250		75 585				TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		250
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE		250
									TOTAL NUMBER CLASSROOMS		
									TOTAL NUMBER COMPUTER CLASSROOMS		
									TOTAL NUMBER LABS 210		
									TOTAL NUMBER SPECIAL LABS 220		
	D000	0001	1300		00 030				TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		1,300
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE		
									TOTAL NUMBER CLASSROOMS		
									TOTAL NUMBER COMPUTER CLASSROOMS		
									TOTAL NUMBER LABS 210		
									TOTAL NUMBER SPECIAL LABS 220		
	E000	0001	200		63 215				TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		200
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE		200
									TOTAL NUMBER CLASSROOMS		
									TOTAL NUMBER COMPUTER CLASSROOMS		
									TOTAL NUMBER LABS 210		
									TOTAL NUMBER SPECIAL LABS 220		
	F000	0001	125		63 215				TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		125
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE		125
									TOTAL NUMBER CLASSROOMS		
									TOTAL NUMBER COMPUTER CLASSROOMS		
									TOTAL NUMBER LABS 210		
									TOTAL NUMBER SPECIAL LABS 220		
	G000	0101	361	1	63 310		G000	0102	201	3	46 310
	G000	0103	358		63 215		G000	0104	566	15	12 110
	G000	0105	445	15	12 110		G000	0106	201	4	12 410
	G000	0107	44		00 030		G000	0108	35		00 030
	G000	0109	32		00 030		G000	0110	166	4	12 410

BOR-ROOM INVENTORY EDIT BY BUILDING  
 FALL DATA 2018  
 RUN DATE 11/15/2018 14:00:16  
 PAGE NUMBER 6

SLCC - LAFAYETTE CAMPUS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	G000	0111	108	5	12 210		G000	0112	112		63 215
	G000	0113	615	15	12 110		G000	0114	5301	20	12 210
	G000	0115	5301	20	12 210		G000	0116	5301	20	12 210
TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:											19,147
TOTAL NET ASSIGN SQ. FT. IN ROOM FILE											19,036
TOTAL NUMBER CLASSROOMS											3
TOTAL NUMBER COMPUTER CLASSROOMS											
TOTAL NUMBER LABS 210											4
TOTAL NUMBER SPECIAL LABS 220											

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - BLD NUMBER OF THE ROOM FILE DOES NOT MATCH THE BLD NUMBER OF THE BLD FILE. - - - - -  
 THE BUILDING NUMBERS SHOULD BE EXACTLY THE SAME ON THE BUILDING FILE AND THE ROOM FILE.
- 2 = ERROR - DUPLICATE RECORD IN THE ROOM FILE. - - - - -
- 3 = ERROR - NET ASSIGNABLE SQUARE FEET IS BLANK OR IS NOT NUMERIC. - - - - -
- 4 = ERROR - CAPACITY IS NOT ENTERED FOR ROOM TYPE 110, 210, 220, 230, 250, 410, 430, 610, 910, 920. - - - - -
- 5 = ERROR - BUILDING DOES NOT CONTAIN ANY ROOMS. - - - - -  
 IF THE BUILDING IS A WAREHOUSE, BARN, ETC. WITH NO ROOMS, CODE ONE ROOM WITH THE GROSS AND NET EQUAL.
- 6 = ERROR - FUNCTION USE OF ROOMS IS 00 AND ROOM TYPE NOT 010, 020, 030, 051, 052, OR 053. - - - - -
- 7 = ERROR - ROOM TYPE IS NOT A VALID ROOM USE CODE OR PCS FUNCTION USE CODE IS NOT A VALID CODE - - - - -
- 8 = ERROR - ROOM TYPE IS WRONG (000). - - - - -

TOTAL ERRORS - - - - -

- 9 = WARNING -- RATIO OF NET ASSIGN SQ. FT. TO CAPACITY IS NOT 5 TO 50 SQ. FT. FOR ROOM TYPES 110 410 430  
 OR IS NOT 10 TO 400 SQ. FT. FOR ROOM TYPES 210 220 230 250  
 OR IS NOT 5 TO 25 SQ. FT. FOR ROOM TYPE 610. - - - - - 1

TOTAL NUMBER OF ROOM RECORDS - - - - -	232
TOTAL CLASSROOM CAPACITY	363
TOTAL LAB CAPACITY - - - - -	799
TOTAL OTHER CAPACITY	407
TOTAL NON ASSIGN AREA - ROOMS (FUNCT 00) - - - - -	18,603
TOTAL UNASSIGNED AREA - ROOMS (FUNCT 81, 82, 83)	7,210
TOTAL FACIL IN USE - ROOMS (FUNCT 10 THROUGH 70) - - - - -	111,354
TOTAL ASSIGNABLE AREA - ROOMS (FUNCT 10 THROUGH 83)	118,564
TOTAL NUMBER OF NON-ASSIGN ROOMS (FUNCT 00) - - - - -	30
TOTAL NUMBER OF INSTRUCTIONAL, RESEARCH, ACADEMIC SUPPORT, AND STUDENT SERVICE ROOMS (FUNCTS 10, 20, 40 AND 50)	120
TOTAL NUMBER OF PUBLIC SERVICE, INSTITUTIONAL SUPPORT AND INDEPENDENT OPERATIONS ROOMS (FUNCTS 30, 60 AND 70) - - - - -	66
TOTAL NUMBER OF UNASSIGNED ROOMS (FUNCT 81, 82, 83)	15
TOTAL NUMBER OF ASSIGNABLE ROOMS (FUNCT 10 TO 83) - - - - -	202
TOTAL NUMBER OF CLASSROOMS (110)	20
TOTAL NUMBER OF COMPUTER CLASSROOMS (140) - - - - -	
TOTAL NUMBER OF LABS (210)	41
TOTAL NUMBER OF SPECIAL LABS (220) - - - - -	