

BLDGS EDIT-Z235B259
 FALL DATA 2008
 RUN DATE 01/21/2009
 PAGE NUMBER 1

PENNINGTON BIOMEDICAL CENTER
 BRANCH
 PARISH
 RELATION
 E.B.R.
 OTHER

ERRORS

NO.	-----B U I L D I N G----- NAME	STATUS & STATE ID	SQFEET NET	AREAS----- GROSS	DATES OF----- CNST RENOV.	BOOK VALUE-- BLDG. (000)	REPLACE. V/BLDG. (000)	NO. OF FLOORS
0427	SERV BLDG	OWNED BY INST. SATISFACTORY 11110	14,620	14,737	1984	347	364	1
0772	PENNINGTON CTR	OWNED BY INST. SATISFACTORY 00688	262,900	572,746	1986	75,792	96,169	6

BLDGS EDIT-Z235B259
FALL DATA 2008
RUN DATE 01/21/2009
PAGE NUMBER 2

PENNINGTON BIOMEDICAL CENTER
BRANCH
PARISH E.B.R.
RELATION OTHER

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S

ERROR A DUPLICATE BLDG
ERROR B DUPLICATE SUPPLEMENT
ERROR C UNMATCHED BLDG
ERROR D UNMATCHED SUPPLEMENT

ERROR E INVALID OWNERSHIP STATUS CODE
ERROR F INVALID FOUNDATION TYPE
ERROR G INVALID CONDITION STATUS CODE
ERROR H INVALID CONSTRUCTION STATUS CODE (TYPE STRUC)
ERROR I INVALID AIR CONDITIONED STATUS CODE
ERROR J INVALID HEATING STATUS CODE
ERROR K INVALID FLOOR STRUCTURE STATUS CODE
ERROR L INVALID ROOF STRUCTURE STATUS CODE
ERROR M INVALID EXTERIOR WALL FINISH CODE
ERROR N INVALID ROOF MATERIAL STATUS CODE
ERROR O STATE IDENTIFICATION NUMBER IS BLANK

ERROR P GROSS AREA = ZEROS OR BLANK

ERROR Q CONSTRUCTION DATE PRIOR TO 1800 OR BLANK
ERROR R BLDG IS OWNED BUT NO BOOK OR ESTIMATED VALUE IS PROVIDED
ERROR S NET ASSIGNABLE SQ FT + CUSTODIAL, CIRCULATION MECHANICAL > GROSS SQUARE FEET
THE SUM OF THE NET SQ FT OF THE ROOMS IN THIS BUILDING IS GREATER THAN THE REPORTED GROSS SQ FT

ERROR T NET ASSIGNABLE SQUARE FEET = ZEROS OR BLANK (NO ROOMS ASSIGNED TO THIS BUILDING OR BUILDING CONTAINS
ONLY ROOMS WITH ROOM TYPES OF 010, 020, OR 030)

T O T A L S

TOTAL NUMBER OF BLDGS (MATCHED)	2
TOTAL ERRORS	
TOTAL BOOK VALUE OF BLDGS (IN THOUSANDS)	76139
TOTAL EST VALUE OF BLDGS (IN THOUSANDS)	96533
TOTAL GROSS AREA OWNED BY INST.	587483
TOTAL GROSS AREA LEASED BY INST.	
TOTAL GROSS AREA	587483

** PLEASE REFER TO THE FACILITIES MANUAL TO OBTAIN THE CORRECT CODES.