

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0100	INCT1300042	11111	8.00 9.00		4	240 20	00000
	000A	0100	CPTR1100001	1 1 1	8.00 10.00	1	14	240 20	00000
	000A	0100	INCT1300035	11111	9.00 10.00	1	3	240 20	00000
	000A	0100	INCT1900040	11111	12.00 13.00		3	240 20	00000
	000A	0101	HEMS1110001	11 1	17.00 22.00		29	110 35	00000
8	000A	0101	HEMS1120001	11 1	17.00 22.00	1	29	110 35	00000
8	000A	0101	HEMS1140001	11 1	17.00 22.00	1	29	110 35	00000
8	000A	0101	HEMS1160001	11 1	17.00 22.00	1	29	110 35	00000
8	000A	0101	HEMS1170001	11 1	17.00 22.00	1	29	110 35	00000
8	000A	0101	HEMS1172001	11 1	17.00 22.00	1	29	110 35	00000
8	000A	0104	MACH1350001	1 1 1	8.00 9.00		6	240 2	00000
8	000A	0104	CPTR1010B91	11111	9.00 10.00		19	240 2	00000
8	000A	0104	MACH1350002	1 1	10.00 11.30		6	240 2	00000
8	000A	0104	OSYS1100001	1 1	10.00 11.30	1	15	240 2	00000
8	000A	0104	INCT1800002	11111	12.00 13.00		7	240 2	00000
	000A	0104	INCT1800001	11111	13.00 14.00		3	240 2	00000
8	000A	0104	INCT2110001	1 1	17.00 20.00		10	240 2	00000
8	000A	0104	INCT2130001	1 1	17.00 20.00	1	6	240 2	00000
4	000A	0106	AHSC1000001	111	7.00 15.30		17	220 15	00000
4	000A	0106	HNUR1211002	11111	8.00 15.00	1	15	220 15	00000
8	000A	0106	CPTR1010035	11111	9.00 10.00	1	7	220 15	00000
	000A	0106	HNUR1460001	11	15.30 17.00		19	220 15	00000
	000A	0107	HNUR2611001	11111	8.30 10.00		19	110 25	00000
	000A	0107	HNUR1211003	11111	12.00 13.00		10	110 25	00000
	000A	0107	HNUR2123001	1111	17.00 20.30		23	110 25	00000
	000A	0108	ELEC2991006	1 1	18.00 21.00		14	110 25	00000
	000A	0108	ELEC2993006	1 1	18.00 21.00	1	14	110 25	00000
	000A	0109	HNUR2523001	111	8.00 9.30		50	110 50	00000
	000A	0109	HNUR2813001	11111	9.30 11.00		28	110 50	00000
	000A	0109	HNUR2133001	11111	12.00 15.00		29	110 50	00000
	000A	0109	AHMA1000002	11111	13.00 14.00	1	1	110 50	00000
	000A	0109	OSYS2993002	11111	14.00 15.00		4	110 50	00000
	000A	0109	ELEC2991001	1 1	18.00 21.00		15	110 50	00000
	000A	0109	ELEC2993001	1 1	18.00 21.00	1	15	110 50	00000
4	000A	0111	HCOR1212002	11111	7.00 15.30		9	240 26	00000
4	000A	0111	HCOR1212003	11111	7.00 15.30	1	5	240 26	00000
4	000A	0111	HCOR1212004	11111	7.00 15.30	1	1	240 26	00000
	000A	0224	HNUR1211001	11111	8.00 11.00		51	110 50	00000
8	000A	0224	HNUR1361001	11111	8.00 11.00	1	57	110 50	00000
8	000A	0224	HNUR1411001	11111	8.00 11.00	1	56	110 50	00000
	000A	0224	HNUR1300001	111	12.00 15.00		57	110 50	00000
	000A	0224	HNUR1270001	11	12.00 15.00		56	110 50	00000
8	000A	0224	HNUR1320001	11	12.00 15.00	1	55	110 50	00000
	000A	0224	HCOR1120001	11	18.00 21.00		24	110 50	00000
	000A	0224	MAST1230002	1	18.00 21.00		24	110 50	00000
	000A	0225	AHEN1000001	11111	8.00 9.00		8	240 29	00000
	000A	0225	DVEN0090001	11111	8.00 9.00	1	5	240 29	00000
	000A	0225	DVEN0091001	11111	8.00 9.00	1	1	240 29	00000
	000A	0225	DVMA0090001	11111	8.00 9.00	1	7	240 29	00000
	000A	0225	DVMA0091001	11111	8.00 9.00	1	1	240 29	00000
	000A	0225	DVRE0091001	11111	8.00 9.00	1	2	240 29	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	000A	0225	DVRE0092001	11111	8.00 9.00	1	1	875	240 29	00000
	000A	0225	AHSC1000999	11111	8.00 15.00	1	2	875	240 29	00000
	000A	0225	AHMA1000001	11111	9.00 10.00	1	10	875	240 29	00000
8	000A	0225	OSYS2993001	111	9.00 11.00	1	38	875	240 29	00000
	000A	0225	AHSC1000002	11111	11.00 12.00		29	875	240 29	00000
	000A	0225	DVEN0090002	11111	12.00 13.00		3	875	240 29	00000
	000A	0225	DVEN0091002	11111	12.00 13.00	1	5	875	240 29	00000
	000A	0225	DVEN0092002	11111	12.00 13.00	1	1	875	240 29	00000
	000A	0225	DVMA0090002	11111	12.00 13.00	1	14	875	240 29	00000
	000A	0225	DVRE0090002	11111	12.00 13.00	1	1	875	240 29	00000
	000A	0225	DVEN0091003	11111	13.00 14.00		1	875	240 29	00000
	000A	0225	DVRE0090003	11111	13.00 14.00	1	5	875	240 29	00000
	000A	0225	DVRE0091003	11111	13.00 14.00	1	1	875	240 29	00000
	000A	0225	DVEN0091004	11111	14.00 15.00		1	875	240 29	00000
	000A	0225	DVMA0090004	11111	14.00 15.00	1	1	875	240 29	00000
	000A	0225	DVRE0091004	11111	14.00 15.00	1	2	875	240 29	00000
8	000A	0233	ELEC2991005	1 1	18.00 21.00		5	598	310 2	00000
8	000A	0233	ELEC2993005	1 1	18.00 21.00	1	5	598	310 2	00000
	000A	0234	ORNT1000B95	11111	8.00 9.00		11	594	240 20	00000
8	000A	0234	ORNT1000B91	11111	9.00 10.00		139	594	240 20	00000
8	000A	0234	ORNT1000B92	11111	9.00 10.00	1	49	594	240 20	00000
8	000A	0234	ORNT1000B93	11111	9.00 10.00	1	1	594	240 20	00000
	000A	0234	ELEC2991004	1 1	18.00 21.00		8	594	240 20	00000
	000A	0234	ELEC2993004	1 1	18.00 21.00	1	8	594	240 20	00000
	000A	0241	MATH1050035	11111	10.00 11.00		19	656	110 30	00000
	000A	0241	ELEC2991002	1 1	18.00 21.00		13	656	110 30	00000
	000A	0241	ELEC2993002	1 1	18.00 21.00	1	13	656	110 30	00000
	000A	0244	ACCT1100001	11111	8.00 9.00		22	701	110 24	00000
	000A	0244	ACCT1200001	11111	9.00 10.00		7	701	110 24	00000
	000A	0244	ACCT1300001	11111	9.00 10.00	1	2	701	110 24	00000
	000A	0244	ELEC2991003	1 1	18.00 21.00		13	701	110 24	00000
	000A	0244	ELEC2993003	1 1	18.00 21.00	1	13	701	110 24	00000
	000A	0245	ENGL1030001	11111	9.00 10.00		19	685	110 30	00000
	000A	0245	ENGL1040001	11111	9.00 10.00	1	20	685	110 30	00000
	000A	0245	MEDL1300001	1 1 1	10.00 11.00		18	685	110 30	00000
	000A	0245	CSRV1000C91	111	13.00 14.00		17	685	110 30	00000
	000A	0245	PSYC2015C91	1	17.00 20.00		25	685	110 30	00000
	000A	0245	PHSC1015C91	1	17.00 20.00		23	685	110 30	00000
	000A	0245	OSYS2996C91	1	17.30 20.30		13	685	110 30	00000
	000A	0245	MAST1230C91	1	18.00 21.00		26	685	110 30	00000
8	000A	0246	ISYS1450041	11111	8.00 9.00		37	822	240 20	00000
8	000A	0246	KYBD1110001	11111	8.00 9.00	1	11	822	240 20	00000
8	000A	0246	KYBD1210001	11111	8.00 9.00	1	2	822	240 20	00000
8	000A	0246	ENGL1040002	111	8.00 9.00	1	1	822	240 20	00000
8	000A	0246	KYBD1000001	111	8.00 9.00	1	3	822	240 20	00000
8	000A	0246	KYBD1110005	11111	8.00 9.30	1	1	822	240 20	00000
8	000A	0246	CPTR1010035	11111	9.00 10.00	1	7	822	240 20	00000
8	000A	0246	KYBD1210005	11111	9.30 11.00	1	2	822	240 20	00000
8	000A	0246	KYBD1110004	11111	10.00 12.00	1	2	822	240 20	00000
8	000A	0246	KYBD1210004	11111	10.00 12.00	1	2	822	240 20	00000
8	000A	0246	KYBD1110002	11111	11.00 12.00	1	15	822	240 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000A 0246	KYBD1210002	11111	11.00 12.00	1	5	822	240 20	00000
8	000A 0246	KYBD1000002	111	11.00 12.00	1	2	822	240 20	00000
	000A 0246	JOBS2450002	11	13.00 14.00		13	822	240 20	00000
	000A 0246	KYBD1000035	11111	14.00 15.00		2	822	240 20	00000
	000A 0246	KYBD1000003	1 1	15.00 16.30		2	822	240 20	00000
	000A 0247	ISYS1450033	11111	8.00 9.00		8	812	240 25	00000
	000A 0247	MAST2110001	11111	9.00 10.00		4	812	240 25	00000
	000A 0247	MAST1210001	1111	9.00 10.00	1	4	812	240 25	00000
	000A 0247	LEGL1300001	1 1 1	9.00 10.00	1	1	812	240 25	00000
	000A 0247	MAST1210002	1111	10.00 11.00		4	812	240 25	00000
	000A 0247	LEGL1300003	1 1 1	10.00 11.00	1	6	812	240 25	00000
	000A 0247	KYBD1000040	11111	13.00 14.00		6	812	240 25	00000
	000A 0247	KYBD1000999	11111	15.00 16.00		1	812	240 25	00000
	000A 0247	LEGL1300002	1	16.00 19.00		1	812	240 25	00000
	000A 0247	MAST2110003	1 1	17.00 19.30		2	812	240 25	00000
	000A 0247	MAST2110004	1 1	17.00 19.30		1	812	240 25	00000
	000A 0248	ISYS1450039	11111	8.00 9.00		8	596	240 20	00000
	000A 0248	INCT1210001	11111	10.00 11.00		10	596	240 20	00000
	000A 0248	ISYS1450001	11111	11.00 12.00		11	596	240 20	00000
	000A 0248	CPTR1000010	1111	11.00 12.00	1	2	596	240 20	00000
	000A 0248	CPTR1300001	1111	11.00 12.00	1	7	596	240 20	00000
	000A 0248	CPTR1310001	1111	11.00 12.00	1	1	596	240 20	00000
	000A 0248	CPTR2650001	1111	11.00 12.00	1	1	596	240 20	00000
	000A 0248	ISYS1650001	1111	11.00 12.00	1	1	596	240 20	00000
8	000A 0248	CPTR1000001	1 1 1	11.00 12.00	1	20	596	240 20	00000
8	000A 0248	CPTR1600001	1 1 1	11.00 12.00	1	1	596	240 20	00000
	000A 0248	ISYS1450002	11111	12.00 13.00		7	596	240 20	00000
	000A 0248	ISYS1550002	11111	12.00 13.00	1	3	596	240 20	00000
	000A 0248	CPTR1300002	1111	12.00 13.00	1	10	596	240 20	00000
	000A 0248	CPTR1310002	1111	12.00 13.00	1	3	596	240 20	00000
	000A 0248	CPTR2640002	1111	12.00 13.00	1	2	596	240 20	00000
8	000A 0248	CPTR1000002	1 1 1	12.00 13.00	1	10	596	240 20	00000
	000A 0248	ISYS1550003	11111	13.00 14.00		2	596	240 20	00000
	000A 0248	CPTR1300003	1111	13.00 14.00	1	8	596	240 20	00000
	000A 0248	CPTR1310003	1111	13.00 14.00	1	5	596	240 20	00000
	000A 0248	CPTR2640003	1111	13.00 14.00	1	3	596	240 20	00000
	000A 0248	ISYS1650003	1111	13.00 14.00	1	1	596	240 20	00000
	000A 0248	CPTR1000003	1 1 1	13.00 14.00	1	1	596	240 20	00000
	000A 0248	CPTR1000013	1111	14.00 15.00		1	596	240 20	00000
	000A 0248	CPTR1300004	1111	14.00 15.00	1	5	596	240 20	00000
	000A 0248	CPTR1310004	1111	14.00 15.00	1	3	596	240 20	00000
	000A 0248	CPTR2640004	1111	14.00 15.00	1	6	596	240 20	00000
	000A 0248	CPTR2650004	1111	14.00 15.00	1	1	596	240 20	00000
	000A 0248	CPTR1000004	1 1 1	14.00 15.00	1	4	596	240 20	00000
	000A 0248	CPTR1600004	1 1 1	14.00 15.00	1	1	596	240 20	00000
	000A 0248	CPTR1300014	11111	15.00 16.00		1	596	240 20	00000
	000A 0248	ISYS1450005	11111	15.00 16.00	1	3	596	240 20	00000
	000A 0248	ISYS1550005	11111	15.00 16.00	1	1	596	240 20	00000
	000A 0248	CPTR1000014	1111	15.00 16.00	1	3	596	240 20	00000
	000A 0248	CPTR1300005	1111	15.00 16.00	1	3	596	240 20	00000
	000A 0248	CPTR1310005	1111	15.00 16.00	1	2	596	240 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0248	CPTR2640005	1111	15.00 16.00	1	1	596	240 20	00000	
	000A	0248	CPTR2650005	1111	15.00 16.00	1	2	596	240 20	00000	
	000A	0248	ISYS1650005	1111	15.00 16.00	1	1	596	240 20	00000	
8	000A	0248	CPTR1000005	1 1 1	15.00 16.00	1	18	596	240 20	00000	
	000A	0248	CPTR1300015	11111	16.00 17.00		1	596	240 20	00000	
	000A	0248	CPTR2640006	1111	16.00 17.00	1	2	596	240 20	00000	
	000A	0248	CPTR1000006	1 1 1	16.00 17.00	1	17	596	240 20	00000	
	000A	0248	ISYS1450007	11111	17.00 18.00		1	596	240 20	00000	
	000A	0248	CPTR1000016	1111	17.00 18.00	1	1	596	240 20	00000	
	000A	0248	CPTR1000007	1 1 1	17.00 18.00	1	19	596	240 20	00000	
	000A	0248	CPTR1000008	1 1 1	18.00 19.00		13	596	240 20	00000	
	000A	0250	AHRE1000001	1111	10.00 11.00		9	521	110 20	00000	
	000B	0100	AUTO1700002	11111	8.00 11.00		3	800	220 30	00000	
	000B	0100	AUTO1710002	11111	8.00 11.00	1	2	800	220 30	00000	
	000B	0100	AUTO1720002	11111	8.00 11.00	1	3	800	220 30	00000	
	000B	0100	AUTO1730001	11111	8.00 11.00	1	27	800	220 30	00000	
4	000B	0100	AUTO1220001	11111	8.00 15.00	1	1	800	220 30	00000	
4	000B	0100	AUTO1230001	11111	8.00 15.00	1	1	800	220 30	00000	
4	000B	0100	AUTO1240001	11111	8.00 15.00	1	1	800	220 30	00000	
4	000B	0100	AUTO1330001	11111	8.00 15.00	1	1	800	220 30	00000	
4	8	000B	0100	AUTO1400001	11111	8.00 15.00	1	26	800	220 30	00000
4	8	000B	0100	AUTO1410001	11111	8.00 15.00	1	26	800	220 30	00000
4	8	000B	0100	AUTO1420001	11111	8.00 15.00	1	26	800	220 30	00000
4	8	000B	0100	AUTO1430001	11111	8.00 15.00	1	26	800	220 30	00000
4	8	000B	0100	AUTO1440001	11111	8.00 15.00	1	26	800	220 30	00000
4	8	000B	0100	AUTO1530001	11111	8.00 15.00	1	27	800	220 30	00000
4	8	000B	0100	AUTO1540001	11111	8.00 15.00	1	27	800	220 30	00000
4	8	000B	0100	AUTO1600001	11111	8.00 15.00	1	25	800	220 30	00000
4	8	000B	0100	AUTO1700001	11111	8.00 15.00	1	27	800	220 30	00000
4	8	000B	0100	AUTO1710001	11111	8.00 15.00	1	27	800	220 30	00000
4	8	000B	0100	AUTO1720001	11111	8.00 15.00	1	26	800	220 30	00000
4	8	000B	0100	AUTO1740001	11111	8.00 15.00	1	25	800	220 30	00000
	8	000B	0100	AUTO1700003	11111	12.00 15.00	1	9	800	220 30	00000
	8	000B	0100	AUTO1710003	11111	12.00 15.00	1	9	800	220 30	00000
	8	000B	0100	AUTO1720003	11111	12.00 15.00	1	8	800	220 30	00000
4	000B	0106	CTDP1110001	11111	8.00 15.00		6	7,947	220 15	00000	
4	000B	0106	CTDP1110002	11111	8.00 15.00	1	5	7,947	220 15	00000	
4	000B	0106	CTDP1120001	11111	8.00 15.00	1	5	7,947	220 15	00000	
4	000B	0106	CTDP1120002	11111	8.00 15.00	1	5	7,947	220 15	00000	
4	8	000B	0106	CTDP1131001	11111	8.00 15.00	1	5	7,947	220 15	00000
4	8	000B	0106	CTDP1131002	11111	8.00 15.00	1	5	7,947	220 15	00000
4	8	000B	0106	CTDP1140001	11111	8.00 15.00	1	5	7,947	220 15	00000
4	8	000B	0106	CTDP1140002	11111	8.00 15.00	1	5	7,947	220 15	00000
4	8	000B	0106	CTDP1211001	11111	8.00 15.00	1	5	7,947	220 15	00000
4	8	000B	0106	CTDP1211002	11111	8.00 15.00	1	5	7,947	220 15	00000
4	000C	0102	BARB1131001	11111	8.00 15.00		2	494	220 10	00000	
4	000C	0102	BARB1140006	11111	8.00 15.00	1	1	494	220 10	00000	
4	000C	0102	BARB1211001	11111	8.00 15.00	1	2	494	220 10	00000	
4	000C	0102	BARB1211002	11111	8.00 15.00	1	1	494	220 10	00000	
4	000C	0102	BARB1211003	11111	8.00 15.00	1	7	494	220 10	00000	
4	8	000C	0102	BARB1211004	11111	8.00 15.00	1	10	494	220 10	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	000C 0102	BARB1231001	11111	8.00 15.00	1	16	494	220 10	00000
4	8	000C 0102	BARB1321003	11111	8.00 15.00	1	1	494	220 10	00000
4	8	000C 0102	BARB1330005	11111	8.00 15.00	1	1	494	220 10	00000
4	8	000C 0102	BARB1341001	11111	8.00 15.00	1	1	494	220 10	00000
4	8	000C 0102	BARB1341003	11111	8.00 15.00	1	16	494	220 10	00000
		000C 0104	BARB2131002	11111	8.00 11.00		1	497	220 12	00000
4	8	000C 0104	BARB1220001	11111	8.00 15.00	1	25	497	220 12	00000
4	8	000C 0104	BARB1220002	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB1220003	11111	8.00 15.00	1	8	497	220 12	00000
4	8	000C 0104	BARB1220004	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB1220005	11111	8.00 15.00	1	15	497	220 12	00000
4	8	000C 0104	BARB1231002	11111	8.00 15.00	1	8	497	220 12	00000
4	8	000C 0104	BARB1310001	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB1441001	11111	8.00 15.00	1	8	497	220 12	00000
4	8	000C 0104	BARB1441002	11111	8.00 15.00	1	8	497	220 12	00000
4	8	000C 0104	BARB2131001	11111	8.00 15.00	1	11	497	220 12	00000
		000C 0107	BARB1140001	11111	8.00 11.00		17	567	210 30	00000
		000C 0107	BARB1140003	11111	8.00 11.00	1	1	567	210 30	00000
		000C 0107	BARB1150002	11111	8.00 11.00	1	8	567	210 30	00000
		000C 0107	BARB2120002	11111	8.00 11.00	1	1	567	210 30	00000
4		000C 0107	BARB1110001	11111	8.00 15.00	1	10	567	210 30	00000
4	8	000C 0107	BARB1120001	11111	8.00 15.00	1	15	567	210 30	00000
4	8	000C 0107	BARB1120003	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1140004	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1140005	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1150001	11111	8.00 15.00	1	18	567	210 30	00000
4	8	000C 0107	BARB1160001	11111	8.00 15.00	1	17	567	210 30	00000
4	8	000C 0107	BARB1160002	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1330001	11111	8.00 15.00	1	17	567	210 30	00000
4	8	000C 0107	BARB1330002	11111	8.00 15.00	1	8	567	210 30	00000
4	8	000C 0107	BARB1330004	11111	8.00 15.00	1	15	567	210 30	00000
4	8	000C 0107	BARB1410002	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1410003	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1420002	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1420003	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1430001	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB2111001	11111	8.00 15.00	1	16	567	210 30	00000
4	8	000C 0107	BARB2111002	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB2111003	11111	8.00 15.00	1	7	567	210 30	00000
4	8	000C 0107	BARB2111004	11111	8.00 15.00	1	8	567	210 30	00000
4	8	000C 0107	BARB2120001	11111	8.00 15.00	1	8	567	210 30	00000
4	8	000C 0107	BARB2630001	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1150003	11111	12.00 15.00	1	16	567	210 30	00000
		000C 0107	JOBS2450001	1 1	15.00 16.00		24	567	210 30	00000
		000C 0118A	WELD2991001	11	17.00 21.00		10	1,122	220 30	00000
		000C 0118A	WELD2991002	11	17.00 21.00	1	7	1,122	220 30	00000
		000C 0118A	WELD2991003	11	17.00 21.00	1	6	1,122	220 30	00000
		000C 0118A	WELD2991004	11	17.00 21.00	1	1	1,122	220 30	00000
		000C 0118A	WELD2991005	11	17.00 21.00	1	1	1,122	220 30	00000
		000C 0118A	WELD2993001	11	17.00 21.00	1	10	1,122	220 30	00000
		000C 0118A	WELD2993002	11	17.00 21.00	1	7	1,122	220 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	000C	0118A	WELD2993003	11	17.00 21.00	1	6	220 30	00000	
8	000C	0118A	WELD2993004	11	17.00 21.00	1	1	220 30	00000	
8	000C	0118A	WELD2993005	11	17.00 21.00	1	1	220 30	00000	
4	000D	0101	DRFT1210B91	111111	7.30 16.00	1	1	240 25	00000	
4	000D	0101	DRFT1220B93	111111	7.30 16.00	1	1	240 25	00000	
4	000D	0101	DRFT1130B92	1 1 1	7.30 16.00	1	1	240 25	00000	
4	000D	0101	DRFT1150B91	1 1 1	7.30 16.00	1	1	240 25	00000	
	000D	0101	DRFT2561B91	111	8.00 11.00	1	1	240 25	00000	
4	000D	0101	CADD1210001	111111	8.00 15.00	1	2	240 25	00000	
4	000D	0101	CADD1210005	111111	8.00 15.00	1	6	240 25	00000	
4	000D	0101	CADD2300004	111111	8.00 15.00	1	2	240 25	00000	
4	000D	0101	DRFT1110001	111111	8.00 15.00	1	5	240 25	00000	
4	000D	0101	DRFT1110006	111111	8.00 15.00	1	1	240 25	00000	
4	000D	0101	DRFT1120001	111111	8.00 15.00	1	5	240 25	00000	
4	000D	0101	DRFT1120009	111111	8.00 15.00	1	1	240 25	00000	
4	000D	0101	DRFT1130001	111111	8.00 15.00	1	1	240 25	00000	
4	000D	0101	DRFT1130003	111111	8.00 15.00	1	1	240 25	00000	
4	000D	0101	DRFT1130005	111111	8.00 15.00	1	1	240 25	00000	
4	000D	0101	DRFT1140001	111111	8.00 15.00	1	2	240 25	00000	
4	000D	0101	DRFT1140004	111111	8.00 15.00	1	1	240 25	00000	
4	000D	0101	DRFT1140005	111111	8.00 15.00	1	2	240 25	00000	
4	8	000D	0101	DRFT1140006	111111	8.00 15.00	1	6	240 25	00000
4	8	000D	0101	DRFT1150004	111111	8.00 15.00	1	2	240 25	00000
4	8	000D	0101	DRFT1161005	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1161006	111111	8.00 15.00	1	2	240 25	00000
4	8	000D	0101	DRFT1161007	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1210005	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1220002	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1220004	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1230001	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1230002	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT2310001	111111	8.00 15.00	1	2	240 25	00000
4	8	000D	0101	DRFT2320001	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT2320003	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT2330001	111111	8.00 15.00	1	2	240 25	00000
4	8	000D	0101	DRFT2421001	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT2441001	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT2561001	111111	8.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1160002	111	8.00 15.00	1	2	240 25	00000
4	8	000D	0101	CADD2310002	111111	8.00 16.00	1	2	240 25	00000
4	8	000D	0101	DRFT2421003	111111	8.00 16.00	1	2	240 25	00000
	8	000D	0101	CADD1210006	111111	9.00 11.00	1	2	240 25	00000
	8	000D	0101	DRFT1110004	111111	9.00 11.00	1	2	240 25	00000
	8	000D	0101	DRFT1120010	111111	9.00 11.00	1	2	240 25	00000
4	8	000D	0101	DRFT1130004	111111	9.00 15.00	1	2	240 25	00000
4	8	000D	0101	DRFT1150005	111111	9.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1161B91	111111	9.00 15.00	1	1	240 25	00000
4	8	000D	0101	DRFT1161008	111111	9.00 15.00	1	2	240 25	00000
4	8	000D	0101	DRFT1130002	111111	9.00 16.00	1	2	240 25	00000
4	8	000D	0101	DRFT1150006	111111	9.00 16.00	1	2	240 25	00000
4	8	000D	0101	DRFT1161004	111111	9.00 16.00	1	1	240 25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000D 0101	DRFT1210003	11111	9.00 16.00	1	2	603	240 25 00000
4	8	000D 0101	DRFT1220003	11111	9.00 16.00	1	2	603	240 25 00000
4	8	000D 0101	DRFT2320002	11111	9.00 16.00	1	1	603	240 25 00000
4	8	000D 0101	DRFT2330002	11111	9.00 16.00	1	1	603	240 25 00000
4	8	000D 0101	DRFT2421002	11111	9.00 16.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1160001	1 1	15.00 17.00	1	4	603	240 25 00000
	8	000D 0101	CADD2300B92	1111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1140B93	1111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1230B91	1111	16.00 21.00	1	2	603	240 25 00000
	8	000D 0101	DRFT2310B91	1111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT2330B91	1111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT2441B91	1111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	CADD1210B91	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1110B93	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1120008	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1130B91	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1160B91	111	16.00 21.00	1	2	603	240 25 00000
	8	000D 0101	DRFT1210B93	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1220B92	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT1230B92	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT2310B92	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT2320B92	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT2330B92	111	16.00 21.00	1	1	603	240 25 00000
	8	000D 0101	DRFT2421B92	111	16.00 21.00	1	1	603	240 25 00000
		000D 0102	CADD1210003	1 1	8.00 12.00		1	1,613	220 15 00000
		000D 0102	DRFT1110005	1 1	8.00 13.00		1	1,613	220 15 00000
		000D 0102	DRFT1120013	1 1	8.00 13.00	1	1	1,613	220 15 00000
		000D 0102	DRFT1010035	11111	11.00 12.00	1	2	1,613	220 15 00000
		000D 0102	DRFT1110011	11111	12.00 13.00		3	1,613	220 15 00000
		000D 0102	CADD1120011	11111	12.00 15.00	1	3	1,613	220 15 00000
		000D 0102	CADD2310B91	111	16.00 21.00		1	1,613	220 15 00000
		000D 0102	CADD2310B92	111	16.00 21.00	1	1	1,613	220 15 00000
4		000D 0103	CPTR2830001	11111	8.00 15.00		3	1,593	210 30 00000
4		000D 0103	ELEC1120001	11111	8.00 15.00	1	9	1,593	210 30 00000
4		000D 0103	ELEC2700001	11111	8.00 15.00	1	1	1,593	210 30 00000
4		000D 0103	ELTR2800001	11111	8.00 15.00	1	3	1,593	210 30 00000
4		000D 0103	ELTR2840001	11111	8.00 15.00	1	3	1,593	210 30 00000
4		000D 0103	ETRN1120001	11111	8.00 15.00	1	15	1,593	210 30 00000
4	8	000D 0103	ETRN1130001	11111	8.00 15.00	1	14	1,593	210 30 00000
4	8	000D 0103	ETRN1210001	11111	8.00 15.00	1	10	1,593	210 30 00000
4	8	000D 0103	ETRN1220001	11111	8.00 15.00	1	6	1,593	210 30 00000
4	8	000D 0103	ETRN1230001	11111	8.00 15.00	1	3	1,593	210 30 00000
4	8	000D 0103	ETRN1240001	11111	8.00 15.00	1	2	1,593	210 30 00000
4	8	000D 0103	ETRN1420001	11111	8.00 15.00	1	1	1,593	210 30 00000
4	8	000D 0103	ETRN2120001	11111	8.00 15.00	1	2	1,593	210 30 00000
4	8	000D 0103	ETRN2130001	11111	8.00 15.00	1	2	1,593	210 30 00000
4	8	000D 0103	ETRN2140001	11111	8.00 15.00	1	1	1,593	210 30 00000
4	8	000D 0103	IDEL2720001	11111	8.00 15.00	1	2	1,593	210 30 00000
4	8	000D 0103	IDEL2993001	11111	8.00 15.00	1	1	1,593	210 30 00000
4	8	000D 0103	JOBS2450003	11111	8.00 15.00	1	8	1,593	210 30 00000
4	8	000D 0103	MATH1110001	11111	8.00 15.00	1	9	1,593	210 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	000D 0103	ELEC1120004	11111	12.00 15.00	1	2	1,593	210 30	00000	
	000D 0103	CPTR2830002	1111	16.00 21.00		1	1,593	210 30	00000	
	000D 0103	ELEC2700002	1111	16.00 21.00	1	2	1,593	210 30	00000	
	000D 0103	ETLR2800002	1111	16.00 21.00	1	4	1,593	210 30	00000	
	000D 0103	ETRN1120002	1111	16.00 21.00	1	3	1,593	210 30	00000	
	000D 0103	ETRN1130002	1111	16.00 21.00	1	5	1,593	210 30	00000	
	000D 0103	ETRN1210002	1111	16.00 21.00	1	7	1,593	210 30	00000	
	000D 0103	ETRN1220002	1111	16.00 21.00	1	7	1,593	210 30	00000	
	000D 0103	ETRN1230002	1111	16.00 21.00	1	2	1,593	210 30	00000	
	000D 0103	ETRN1240002	1111	16.00 21.00	1	2	1,593	210 30	00000	
	000D 0103	ETRN1420002	1111	16.00 21.00	1	2	1,593	210 30	00000	
	000D 0103	IDEL2720002	1111	16.00 21.00	1	4	1,593	210 30	00000	
	000D 0103	JOBS2450004	1111	16.00 21.00	1	2	1,593	210 30	00000	
	000D 0103	JOBS2450006	1111	16.00 21.00	1	1	1,593	210 30	00000	
4	000D 0104	WELD1110001	11111	8.00 15.00		11	511	110 24	00000	
4	000D 0104	WELD1120001	11111	8.00 15.00	1	10	511	110 24	00000	
4	000D 0104	WELD1130001	11111	8.00 15.00	1	11	511	110 24	00000	
4	8	000D 0104	WELD1140001	11111	8.00 15.00	1	12	511	110 24	00000
	000D 0104	WELD1110003	1111	16.00 20.00		16	511	110 24	00000	
	000D 0104	WELD1120003	1111	16.00 20.00	1	5	511	110 24	00000	
	000D 0104	WELD1130003	1111	16.00 20.00	1	3	511	110 24	00000	
	8	000D 0104	WELD1140003	1111	16.00 20.00	1	16	511	110 24	00000
4	000D 0105	WELD1210001	11111	8.00 15.00		12	3,964	220 28	00000	
4	000D 0105	WELD1310001	11111	8.00 15.00	1	12	3,964	220 28	00000	
4	000D 0105	WELD1410001	11111	8.00 15.00	1	14	3,964	220 28	00000	
4	8	000D 0105	WELD1411001	11111	8.00 15.00	1	10	3,964	220 28	00000
4	8	000D 0105	WELD1412001	11111	8.00 15.00	1	10	3,964	220 28	00000
4	8	000D 0105	WELD1420001	11111	8.00 15.00	1	14	3,964	220 28	00000
4	8	000D 0105	WELD1510001	11111	8.00 15.00	1	15	3,964	220 28	00000
4	8	000D 0105	WELD1511001	11111	8.00 15.00	1	11	3,964	220 28	00000
4	8	000D 0105	WELD1512001	11111	8.00 15.00	1	10	3,964	220 28	00000
4	8	000D 0105	WELD2110001	11111	8.00 15.00	1	8	3,964	220 28	00000
4	8	000D 0105	WELD2111001	11111	8.00 15.00	1	7	3,964	220 28	00000
4	8	000D 0105	WELD2210001	11111	8.00 15.00	1	3	3,964	220 28	00000
4	8	000D 0105	WELD2230001	11111	8.00 15.00	1	1	3,964	220 28	00000
	000D 0105	WELD1210003	1111	16.00 20.00		15	3,964	220 28	00000	
	000D 0105	WELD1310003	1111	16.00 20.00	1	2	3,964	220 28	00000	
	000D 0105	WELD1410003	1111	16.00 20.00	1	15	3,964	220 28	00000	
	000D 0105	WELD1411003	1111	16.00 20.00	1	2	3,964	220 28	00000	
	000D 0105	WELD1412003	1111	16.00 20.00	1	2	3,964	220 28	00000	
	000D 0105	WELD1420003	1111	16.00 20.00	1	5	3,964	220 28	00000	
	8	000D 0105	WELD1510003	1111	16.00 20.00	1	5	3,964	220 28	00000
	8	000D 0105	WELD1511003	1111	16.00 20.00	1	2	3,964	220 28	00000
	8	000D 0105	WELD1512003	1111	16.00 20.00	1	1	3,964	220 28	00000
	8	000D 0105	WELD2110003	1111	16.00 20.00	1	2	3,964	220 28	00000
	8	000D 0105	WELD2111003	1111	16.00 20.00	1	1	3,964	220 28	00000
	8	000D 0105	WELD2210003	1111	16.00 20.00	1	2	3,964	220 28	00000
	8	000D 0105	WELD2310003	1111	16.00 20.00	1	1	3,964	220 28	00000
	8	000D 0105	WELD2311003	1111	16.00 20.00	1	1	3,964	220 28	00000
	8	000D 0105	WELD2991003	11	17.00 21.00	1	2	3,964	220 28	00000
4	000D 0108	ELEC2600001	11111	8.00 15.00		2	2,695	210 30	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000D 0108	ETRN2110001	11111	8.00 15.00	1	6	2,695	210 30	00000
4	000D 0108	IDEL2620001	11111	8.00 15.00	1	5	2,695	210 30	00000
4	000D 0108	INST1110001	11111	8.00 15.00	1	1	2,695	210 30	00000
4	000D 0108	INST1330001	11111	8.00 15.00	1	3	2,695	210 30	00000
4	000D 0108	INST1330004	11111	8.00 15.00	1	1	2,695	210 30	00000
4	000D 0108	INST1420001	11111	8.00 15.00	1	2	2,695	210 30	00000
4	000D 0108	INST1430001	11111	8.00 15.00	1	1	2,695	210 30	00000
4	000D 0108	INST2620001	11111	8.00 15.00	1	6	2,695	210 30	00000
4	000D 0108	INST2630001	11111	8.00 15.00	1	3	2,695	210 30	00000
4	000D 0108	INST2730001	11111	8.00 15.00	1	2	2,695	210 30	00000
4	000D 0108	INST2740001	11111	8.00 15.00	1	4	2,695	210 30	00000
4	000D 0108	INST2820001	11111	8.00 15.00	1	4	2,695	210 30	00000
4	000D 0108	INST2830001	11111	8.00 15.00	1	4	2,695	210 30	00000
4	8 000D 0108	INST2840001	11111	8.00 15.00	1	2	2,695	210 30	00000
4	8 000D 0108	INST2991001	11111	8.00 15.00	1	1	2,695	210 30	00000
4	8 000D 0108	INST1410001	11111	8.00 16.00	1	2	2,695	210 30	00000
	000D 0108	ELEC2600002	1111	16.00 21.00		4	2,695	210 30	00000
	000D 0108	IDEL2620002	1111	16.00 21.00	1	4	2,695	210 30	00000
	000D 0108	INST1110002	1111	16.00 21.00	1	3	2,695	210 30	00000
	000D 0108	INST1330002	1111	16.00 21.00	1	3	2,695	210 30	00000
	000D 0108	INST1410002	1111	16.00 21.00	1	4	2,695	210 30	00000
	000D 0108	INST1420002	1111	16.00 21.00	1	1	2,695	210 30	00000
	000D 0108	INST2610002	1111	16.00 21.00	1	1	2,695	210 30	00000
	000D 0108	INST2620002	1111	16.00 21.00	1	2	2,695	210 30	00000
	000D 0108	INST2630002	1111	16.00 21.00	1	4	2,695	210 30	00000
	000D 0108	INST2730002	1111	16.00 21.00	1	1	2,695	210 30	00000
	000D 0108	INST2830002	1111	16.00 21.00	1	4	2,695	210 30	00000
	000D 0108	INST2840002	1111	16.00 21.00	1	4	2,695	210 30	00000
4	000D 0109	IMMT1110001	11111	8.00 15.00		17	2,438	210 30	00000
4	000D 0109	IMMT1110003	11111	8.00 15.00	1	12	2,438	210 30	00000
4	000D 0109	IMMT1111001	11111	8.00 15.00	1	5	2,438	210 30	00000
4	000D 0109	IMMT1112001	11111	8.00 15.00	1	4	2,438	210 30	00000
4	8 000D 0109	IMMT1120001	11111	8.00 15.00	1	12	2,438	210 30	00000
4	8 000D 0109	IMMT1120003	11111	8.00 15.00	1	12	2,438	210 30	00000
4	8 000D 0109	IMMT1121001	11111	8.00 15.00	1	17	2,438	210 30	00000
4	8 000D 0109	IMMT1121003	11111	8.00 15.00	1	12	2,438	210 30	00000
4	8 000D 0109	IMMT1131001	11111	8.00 15.00	1	5	2,438	210 30	00000
4	8 000D 0109	IMMT2991001	11111	8.00 15.00	1	5	2,438	210 30	00000
	8 000D 0109	IMMT2991003	11111	9.00 10.00	1	16	2,438	210 30	00000
	8 000D 0109	IMMT2993003	11111	9.00 10.00	1	16	2,438	210 30	00000
4	000D 0111	HACR1150B91	11111	8.00 15.00		5	2,340	220 30	00000
4	8 000D 0111	HACR1150B92	11111	8.00 15.00	1	71	2,340	220 30	00000
4	8 000D 0111	HACR1160B91	11111	8.00 15.00	1	61	2,340	220 30	00000
4	8 000D 0111	HACR1170B91	11111	8.00 15.00	1	17	2,340	220 30	00000
4	8 000D 0111	HACR1210B91	11111	8.00 15.00	1	6	2,340	220 30	00000
4	8 000D 0111	HACR1210B92	11111	8.00 15.00	1	17	2,340	220 30	00000
4	8 000D 0111	HACR1210B93	11111	8.00 15.00	1	1	2,340	220 30	00000
4	8 000D 0111	HACR1220B91	11111	8.00 15.00	1	6	2,340	220 30	00000
4	8 000D 0111	HACR1220B92	11111	8.00 15.00	1	1	2,340	220 30	00000
4	8 000D 0111	HACR1230B91	11111	8.00 15.00	1	3	2,340	220 30	00000
4	8 000D 0111	HACR1230B92	11111	8.00 15.00	1	5	2,340	220 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 10

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000D 0111	HACR1230B93	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1240B91	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1240B92	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1240B93	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1240B94	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1410B91	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1410B92	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1410B93	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1410B94	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1420B91	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1420B92	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR1420B93	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR2510B91	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR2510B92	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR2530B91	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR2530B92	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR2540B91	11111	8.00 15.00	1	2,340	220 30	00000
4	8	000D 0111	HACR2550B91	11111	8.00 15.00	1	2,340	220 30	00000
	8	000D 0111	HACR1170002	11111	12.00 15.00	1	2,340	220 30	00000
4		000D 0112	ELEC1210001	11111	8.00 15.00	10	2,390	210 30	00000
4		000D 0112	ELEC1220001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC1230001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC1311001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC1330001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC1410001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC1420001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC1430001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC1440001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC2460001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC2520001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC2540001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC2720001	11111	8.00 15.00	1	2,390	210 30	00000
4		000D 0112	ELEC2720002	11111	8.00 15.00	1	2,390	210 30	00000
	8	000D 0112	ELEC1210004	11111	12.00 15.00	1	2,390	210 30	00000
	8	000D 0112	ELEC1220004	11111	12.00 15.00	1	2,390	210 30	00000
	8	000D 0112	ELEC1311004	11111	12.00 15.00	1	2,390	210 30	00000
	8	000D 0112	ELEC2460004	11111	12.00 15.00	1	2,390	210 30	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 230

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 235
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 465

TOTAL NUMBER OF RECORDS READ 496
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 496
NUMBER OF JOINT-CLASS RECORDS 403
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			503
WEEKLY STUDENT CONTACT HOURS	6080	4069	10149
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	425	346	771
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	45270	25150	70420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14630	11716	26346
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12160	8138	20298
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.9	36.4	29.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.9	32.4	28.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	83.1	69.5	77.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			503
WEEKLY STUDENT CONTACT HOURS	6080	4069	10149
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	425	346	771
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	45270	25150	70420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14630	11716	26346
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12160	8138	20298
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.9	36.4	29.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.9	32.4	28.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	83.1	69.5	77.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			29
TOTAL NUMBER OF STATIONS (CAPACITY)			614
WEEKLY STUDENT CONTACT HOURS	41717	416	42133
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2610	1450	4060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1986	32	2018
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	55260	30700	85960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	43578	960	44538
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	83434	832	84266
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	76.1	2.2	49.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	151.0	2.7	98.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	191.5	86.7	189.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			160
WEEKLY STUDENT CONTACT HOURS	14788		14788
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	660		660
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14400	8000	22400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19800		19800
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	29576		29576
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	122.2	.0	78.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	205.4	.0	132.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	149.4	.0	149.4

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			454
WEEKLY STUDENT CONTACT HOURS	26929	416	27345
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2070	1150	3220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1326	32	1358
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	40860	22700	63560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	23778	960	24738
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	53858	832	54690
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	64.1	2.8	42.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	131.8	3.7	86.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	226.5	86.7	221.1

DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
------------------------	--------------------------	--------------------------

*TOTAL TEACHING FACL.

TOTAL NUMBER OF ROOMS			48
TOTAL NUMBER OF STATIONS (CAPACITY)			1117
WEEKLY STUDENT CONTACT HOURS	47797	4485	52282
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4320	2400	6720
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2411	378	2789
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	100530	55850	156380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58208	12676	70884
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	95594	8970	104564
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	55.8	15.8	41.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	95.1	16.1	66.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	164.2	70.8	147.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY