

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/15/2019 13:41:21

PAGE NUM 1

L.E. FLETCHER TECHNICAL COMM. COLL.

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	LEFA 0122	DESL1120 A	1 1 1	7.30 8.50		14	645	110 28	00000
	LEFA 0122	DESL1220 A	1 1	7.30 9.30		10	645	110 28	00000
	LEFA 0122	DESL1130 A	1 1 1	8.51 10.50		14	645	110 28	00000
	LEFA 0122	DESL2500 A	1 1	9.31 11.15		14	645	110 28	00000
	LEFA 0122	DESL1140 A	1 1 1	10.51 13.10		13	645	110 28	00000
	LEFA 0122	MDET2210 A	1 1	11.16 12.55		10	645	110 28	00000
	LEFA 0122	MDET2310 A	1 1	12.56 13.45		10	645	110 28	00000
	LEFA 0122	DESL1150 A	1 1 1	13.11 14.50		13	645	110 28	00000
	LEFA 0122	MWLD2230 A	1 1	13.46 15.30		10	645	110 28	00000
	LEFA 0125	MTTC1213 A	1 1 1	9.01 12.00		13	2,819	210 20	00000
	LEFA 0125	MTTC1311 A	1 1 1	9.01 12.00	1	5	2,819	210 20	00000
	LEFA 125B	MTTC1130 A	1 1 1	7.30 9.00		14	480	110 20	00000
	LEFA 125B	MTTC1310 A	1 1	7.30 10.30		1	480	110 20	00000
	LEFA 125B	MTTC1212 A	1 1	10.31 13.30		14	480	110 20	00000
	LEFA 125B	MTTC2993 A	1111	14.01 15.30		4	480	110 20	00000
	SCH1 0101	NURS1090 A	1 1 1	8.30 11.20		19	696	140 28	00000
	SCH1 0101	NURS1080 A	1 1	8.30 11.20		19	696	140 28	00000
	SCH1 0101	NURS1310 A	11111	12.30 14.20		17	696	140 28	00000
	SCH1 0101	NURS1000 A	11111	12.30 15.20	1	20	696	140 28	00000
	SCH1 0102	HNUR2605 A	1 1 1	8.30 11.20		17	696	140 25	00000
	SCH1 0102	HNUR2305 A	1111	12.30 15.20		15	696	140 25	00000
4	SCH1 0111	NRSA1222 A	1	6.30 14.20		15	667	110 35	00000
	SCH1 0111	HMDT1170 A	1 1	7.30 9.20		15	667	110 35	00000
	SCH1 0111	HPHL1020 A	1	7.30 9.20		15	667	110 35	00000
	SCH1 0111	NRSA1211 A	1	7.30 11.20		15	667	110 35	00000
	SCH1 0111	HIHC1110 A	1 1	9.30 10.20		13	667	110 35	00000
	SCH1 0111	HPHL1010 A	1 1	10.30 11.20		13	667	110 35	00000
	SCH1 0111	NBAP1120 A	1 1	13.30 14.20		13	667	110 35	00000
	SCH1 0116	BIOL1170 A	1	8.35 11.30		29	1,496	210 36	00000
	SCH1 0116	BIOL1150 A	1	8.35 11.30		16	1,496	210 36	00000
	SCH1 0116	BIOL1031 A	1	9.00 11.50		11	1,496	210 36	00000
	SCH1 0116	BIOL1150 C	1	12.00 14.50		28	1,496	210 36	00000
	SCH1 0116	BIOL1170 B	1	12.00 14.50		15	1,496	210 36	00000
	SCH1 0116	BIOL1150 B	1	12.55 15.50		26	1,496	210 36	00000
	SCH1 0116	BIOL1150 ER	1	18.00 20.50		23	1,496	210 36	00000
	SCH1 0120	ENGL1010HBA	1 1	7.30 8.25		28	1,023	140 32	00000
	SCH1 0120	ENGL1010 C	1 1	7.30 8.50		28	1,023	140 32	00000
	SCH1 0120	ENGL1020 B	1 1 1	8.35 9.30		26	1,023	140 32	00000
	SCH1 0120	ENGL1010 B	1 1	9.00 10.20		28	1,023	140 32	00000
	SCH1 0120	ENGL1010HBB	1 1	9.40 10.35		28	1,023	140 32	00000
	SCH1 0120	ENGL1010 D	1 1	10.30 11.50		28	1,023	140 32	00000
	SCH1 0120	ENGL1000 C	1 1 1	10.45 11.40		14	1,023	140 32	00000
	SCH1 0120	ELAB1000 C	1 1 1	11.50 12.45		14	1,023	140 32	00000
	SCH1 0120	CLCR1001 D	1	12.00 12.55		23	1,023	140 32	00000
	SCH1 0120	CLCR1001 E	1	12.00 12.55		19	1,023	140 32	00000
	SCH1 0120	ENGL0098 B	1 1	12.55 14.15		23	1,023	140 32	00000
	SCH1 0120	CLCR1001 F	1	13.30 14.25		21	1,023	140 32	00000
	SCH1 0120	SPCH1200 EM	1	18.00 20.50		23	1,023	140 32	00000
	SCH1 0120	SPCH1200 ET	1	18.00 20.50		17	1,023	140 32	00000
	SCH1 0121	CLCR1001 A	1	7.30 8.25		29	1,023	140 35	00000
	SCH1 0121	ENGL0098HBA	1 1	8.35 9.30		24	1,023	140 35	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/15/2019 13:41:21

PAGE NUM 2

L.E. FLETCHER TECHNICAL COMM. COLL.

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0121	ENGL1020HBA	1 1	9.40 10.35		16	1,023	140 35 00000
	SCH1	0121	ENGL1020 C	1 1	10.30 11.50		28	1,023	140 35 00000
	SCH1	0121	ENGL1020HBB	1 1	11.50 12.45		10	1,023	140 35 00000
	SCH1	0122	BIOL1030HBA	1 1	8.35 9.30		5	1,044	110 48 00000
	SCH1	0122	GEOL1010 A	1 1 1	9.40 10.35		25	1,044	110 48 00000
	SCH1	0122	BIOL2030 A	1 1	10.30 11.50		8	1,044	110 48 00000
	SCH1	0122	BIOL1140 B	1 1 1	10.45 11.40		38	1,044	110 48 00000
	SCH1	0122	PHSC1200 A	1 1	12.55 14.15		3	1,044	110 48 00000
	SCH1	0122	BIOL1140 ET	1	18.00 20.50		10	1,044	110 48 00000
	SCH1	0123	BIOL1010 A	1 1 1	8.35 9.30		14	667	110 36 00000
	SCH1	0123	BIOL1010 B	1 1	9.00 10.20		16	667	110 36 00000
	SCH1	0123	BIOL1140 C	1 1	10.30 11.50		39	667	110 36 00000
	SCH1	0123	PHSC1000 A	1 1 1	10.45 11.40		29	667	110 36 00000
	SCH1	0123	BIOL1160 A	1 1	12.55 14.15		37	667	110 36 00000
	SCH1	0123	BIOL1030 A	1 1	13.30 14.50		4	667	110 36 00000
8	SCH1	0131	HNUR1211 A	1111	7.30 10.20		18	696	140 25 00000
	SCH1	0131	HNUR1105 A	1111	8.30 10.20	1	23	696	140 25 00000
	SCH1	0131	HNUR1152 A	1	12.30 14.20		23	696	140 25 00000
	SCH1	0131	HNUR1180 A	1 1	12.30 14.30		23	696	140 25 00000
	SCH1	0201	PSYC2120HDA	1	7.30 8.50		7	780	110 40 00000
	SCH1	0201	PSYC20101HA	1	9.00 10.20		30	780	110 40 00000
	SCH1	0201	PSYC21202HA	1	9.00 10.20	1	18	780	110 40 00000
	SCH1	0201	PSYC2200HBA	1 1	10.45 11.40		7	780	110 40 00000
	SCH1	0201	PSYC2120 A	1 1	12.00 13.20		11	780	110 40 00000
	SCH1	0202	MLTS1020 A	1 1	8.00 11.00		5	667	110 32 00000
	SCH1	0202	ACCT2100 A	1 1	9.00 10.20		25	667	110 32 00000
	SCH1	0202	BUSN1100 A	1 1	10.30 11.50		22	667	110 32 00000
	SCH1	0202	MLTS1030 A	1 1	12.00 15.00		5	667	110 32 00000
	SCH1	0203	ENGL1000 A	1 1 1	8.35 9.30		28	1,073	140 33 00000
	SCH1	0203	ENGL1000 B	1 1	9.00 10.20		24	1,073	140 33 00000
	SCH1	0203	ELAB1000 A	1 1 1	9.40 10.35		28	1,073	140 33 00000
	SCH1	0203	ELAB1000 B	1 1	10.30 11.50		24	1,073	140 33 00000
	SCH1	0203	ENGL2110 A	1 1	12.00 13.20		17	1,073	140 33 00000
	SCH1	0203	ENGL1010 A	1 1	13.30 14.50		28	1,073	140 33 00000
	SCH1	0203	ENGL1010 E	1 1	15.30 16.50		26	1,073	140 33 00000
	SCH1	0203	IPTN1050 ET	1	17.30 20.30		6	1,073	140 33 00000
	SCH1	0207	HBIO1210 A	11111	10.30 12.20		23	696	110 15 00000
	SCH1	0214	DRFT2110 A	1 1 1	8.35 9.30		3	1,023	210 24 00000
	SCH1	0214	CADD2150 A	1 1	9.00 11.50		9	1,023	210 24 00000
	SCH1	0214	DRFT2120 A	1 1 1	9.40 10.35		6	1,023	210 24 00000
	SCH1	0214	DRFT2130 A	1 1 1	11.50 12.45		5	1,023	210 24 00000
	SCH1	0218	DRFT1210 A	1 1 1	8.35 10.35		4	899	210 15 00000
	SCH1	0218	CADD1250 A	1 1	9.00 10.20		5	899	210 15 00000
	SCH1	0218	DRFT1110 A	1 1 1	11.50 13.50		15	899	210 15 00000
	SCH1	0218	CADD1150 A	1 1	12.00 13.20		14	899	210 15 00000
	SCH1	0219	MATH1100 A	1 1 1	8.35 9.30		28	874	110 44 00000
	SCH1	0219	MLAB1000 C	1 1	9.00 10.20		18	874	110 44 00000
	SCH1	0219	MATH1000 C	1 1 1	9.40 10.35		18	874	110 44 00000
	SCH1	0219	MATH0097 C	1 1 1	10.45 11.40		32	874	110 44 00000
	SCH1	0219	MATH0097 A	1 1 1	11.50 12.45		35	874	110 44 00000
	SCH1	0220	HIST1010 A	1 1 1	8.35 9.30		13	874	110 44 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019
 RUN DATE 11/15/2019 13:41:21
 PAGE NUM 3

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1 0220	HIST1510 A	1 1	9.00 10.20		22	874	110 44	00000
	SCH1 0220	HIST1500 A	1 1 1	9.40 10.35		35	874	110 44	00000
	SCH1 0220	ENGL2510 A	1 1	10.30 11.50		9	874	110 44	00000
	SCH1 0220	HIST2010 A	1 1 1	11.50 12.45		33	874	110 44	00000
	SCH1 0220	HIST2020 A	1 1	12.00 13.20		11	874	110 44	00000
	SCH1 0220	HIST2030 A	1 1 1	12.55 14.15		17	874	110 44	00000
	SCH1 0221	ARTS2010 A	1 1 1	10.45 12.45		12	775	110 36	00000
	SCH1 0222	ARTS1200 B	1 1	9.00 10.20		27	696	110 24	00000
	SCH1 0222	ARTS1200 A	1 1 1	9.40 10.35		28	696	110 24	00000
	SCH1 0223	MUSC1010HBA	1 1	8.35 9.30		13	868	110 46	00000
	SCH1 0223	MUSC1010 A	1 1	9.00 10.20		25	868	110 46	00000
	SCH1 0223	MUSC1010HBB	1 1	10.45 11.40		21	868	110 46	00000
	SCH1 0223	MUSC1010 B	1 1	12.00 13.20		29	868	110 46	00000
	SCH1 0224	CPTR1000HBA	1 1	9.40 10.35		9	693	110 25	00000
	SCH1 0224	CINS1750HDA	1	9.40 10.35		14	693	110 25	00000
	SCH1 0224	CINS1550HBA	1 1	10.45 11.40		6	693	110 25	00000
	SCH1 0224	OSYS2530HDA	1	10.45 11.40		5	693	110 25	00000
	SCH1 0224	BUSN2130HDA	1	12.00 13.20		6	693	110 25	00000
	SCH1 0224	MATH2100 EW	1	18.00 20.50		11	693	110 25	00000
	SCH1 0225	MATH1160 E	1 1 1	8.35 9.30		32	660	110 32	00000
	SCH1 0225	MATH2100 B	1 1	9.00 10.20		31	660	110 32	00000
	SCH1 0225	MLAB1160 E	1 1 1	9.40 10.35		32	660	110 32	00000
	SCH1 0225	ENGL0098 A	1 1	10.30 11.50		27	660	110 32	00000
	SCH1 0225	MATH1100 B	1 1 1	10.45 11.40		27	660	110 32	00000
	SCH1 0225	MATH1170 A	1 1 1	11.50 12.45		31	660	110 32	00000
	SCH1 0225	MATH2100 C	1 1	12.00 13.20		23	660	110 32	00000
	SCH1 0225	MATH2100 A	1 1	12.55 14.15		15	660	110 32	00000
	SCH1 0227	PSYC2010HBA	1	7.30 8.50		27	1,116	140 38	00000
	SCH1 0227	MLAB1000 B	1 1 1	8.35 9.30		30	1,116	140 38	00000
	SCH1 0227	MATH1000 B	1 1	9.00 10.20		30	1,116	140 38	00000
	SCH1 0227	BUSN1050HBA	1 1	9.40 10.35		26	1,116	140 38	00000
	SCH1 0227	MATH1000 D	1 1	10.30 11.50		16	1,116	140 38	00000
	SCH1 0227	MLAB1000 D	1 1 1	10.45 11.40		16	1,116	140 38	00000
	SCH1 0227	MLAB1160 F	1 1 1	11.50 12.45		35	1,116	140 38	00000
	SCH1 0227	MATH1160 F	1 1	12.00 13.20		35	1,116	140 38	00000
	SCH1 0227	SOCI2010 A	1	15.00 17.50		21	1,116	140 38	00000
	SCH1 0227	MATH1000EMW	1 1	18.00 19.20		28	1,116	140 38	00000
	SCH1 0227	MLAB1000EMW	1 1	19.30 20.50		28	1,116	140 38	00000
	SCH1 0228	MATH1000 A	1 1 1	7.30 8.25		26	744	110 36	00000
	SCH1 0228	MLAB1000 A	1 1	7.30 8.50		26	744	110 36	00000
	SCH1 0228	MATH1000 F	1 1 1	8.35 9.30		25	744	110 36	00000
	SCH1 0228	MATH1100 D	1 1	9.00 10.20		30	744	110 36	00000
	SCH1 0228	MLAB1000 F	1 1 1	9.40 10.35		25	744	110 36	00000
	SCH1 0228	MATH2010 A	1 1	10.30 11.50		19	744	110 36	00000
	SCH1 0228	MATH1000 G	1 1 1	10.45 11.40		26	744	110 36	00000
	SCH1 0228	MLAB1000 G	1 1 1	11.50 12.45		26	744	110 36	00000
	SCH1 0228	MATH1100 E	1 1	12.00 13.20		28	744	110 36	00000
	SCH1 0228	MATH1160 D	1 1	12.55 14.15		35	744	110 36	00000
	SCH1 0228	MLAB1160 D	1 1	13.30 14.50		35	744	110 36	00000
	SCH1 0228	MATH0097 B	1 1	15.00 16.20		33	744	110 36	00000
	SCH1 0228	MATH1100 EW	1	18.00 20.50		16	744	110 36	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/15/2019 13:41:21

PAGE NUM 4

L.E. FLETCHER TECHNICAL COMM. COLL.

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0229	CPTR1100HBB	1 1	8.35 9.30		29	990	140 36 00000
	SCH1	0229	CPTR1100HBA	1 1	9.40 10.35		27	990	140 36 00000
	SCH1	0229	CPTR1000 A	1 1	10.30 11.50		16	990	140 36 00000
	SCH1	0229	CPTR1000HBB	1 1	10.45 11.40		11	990	140 36 00000
	SCH1	0229	KYBD1100HBA	1 1	11.50 12.45		28	990	140 36 00000
	SCH1	0229	CPTR1100 A	1 1	12.00 13.20		31	990	140 36 00000
	SCH1	0229	CPTR1100EHT	1	17.30 19.00		28	990	140 36 00000
	SCH1	0230	MATH1160 A	1 1 1	7.30 8.25		32	667	110 32 00000
	SCH1	0230	MLAB1160 A	1 1	7.30 8.50		32	667	110 32 00000
	SCH1	0230	MATH1160 B	1 1 1	8.35 9.30		31	667	110 32 00000
	SCH1	0230	MLAB1160 B	1 1	9.00 10.20		31	667	110 32 00000
	SCH1	0230	MLAB1160 C	1 1	10.30 11.50		31	667	110 32 00000
	SCH1	0230	MATH1160 C	1 1 1	10.45 11.40		31	667	110 32 00000
	SCH1	0230	MATH1100 C	1 1	12.55 14.15		15	667	110 32 00000
	SCH1	0230	MATH1160EMW	1 1	18.00 19.20		29	667	110 32 00000
	SCH1	0230	MLAB1160EMW	1 1	19.30 20.50		29	667	110 32 00000
	SCH1	0231	ENGL1020 A	1 1	7.30 8.50		13	1,073	140 33 00000
	SCH1	0231	ELAB1000 D	1 1 1	8.35 9.30		26	1,073	140 33 00000
	SCH1	0231	ENGL1000 D	1 1	9.00 10.20		26	1,073	140 33 00000
	SCH1	0231	ENGL1000 F	1 1 1	9.40 10.35		28	1,073	140 33 00000
	SCH1	0231	ENGL1000 E	1 1	10.30 11.50		28	1,073	140 33 00000
	SCH1	0231	ELAB1000 F	1 1 1	10.45 11.40		28	1,073	140 33 00000
	SCH1	0231	CLCR1001 B	1	11.50 12.45		29	1,073	140 33 00000
	SCH1	0231	ELAB1000 E	1 1	12.00 13.20		28	1,073	140 33 00000
	SCH1	0231	CLCR1001 C	1	12.55 13.50		26	1,073	140 33 00000
	SCH1	0232	CRJU2030 A	1 1	7.30 8.50		10	667	110 30 00000
	SCH1	0232	CRJU1010 A	1 1	9.00 10.20		22	667	110 30 00000
	SCH1	0232	CRJU2650 A	1 1 1	9.40 10.35		9	667	110 30 00000
	SCH1	0232	MATH1110 A	1 1 1	10.45 11.40		7	667	110 30 00000
	SCH1	0232	CRJU2040 A	1 1	12.00 13.20		9	667	110 30 00000
	SCH1	0232	POLI2520 EM	1	17.30 20.20		8	667	110 30 00000
	SCH1	0232	CRJU2030 EW	1	17.30 20.50		3	667	110 30 00000
	SCH2	0102	IPTN1030 A	1	8.30 11.30		15	721	140 24 00000
	SCH2	0102	BIOL1160 B	1 1	9.00 10.20		14	721	140 24 00000
	SCH2	0102	IPTN2500 EM	1	17.30 19.30		4	721	140 24 00000
	SCH2	0103	IPTN1310HBA	1	8.30 11.30		26	721	140 24 00000
	SCH2	0103	IPTN2200HBA	1	8.30 11.30		11	721	140 24 00000
	SCH2	0103	IPTN1500HBA	1	13.30 16.30		15	721	140 24 00000
	SCH2	0103	IPTN2100EHM	1	17.30 20.30		13	721	140 24 00000
	SCH2	0202	IPTN1610HBA	1	8.30 11.30		9	721	110 50 00000
	SCH2	0202	BIOL1140 A	1 1 1	8.35 9.30		24	721	110 50 00000
	SCH2	0202	IPTN1600HBA	1	13.30 16.30		23	721	110 50 00000
	SCH2	0202	IPTN1320HBA	1	13.30 16.30		4	721	110 50 00000
	SCH2	0202	IPTN2000HBA	1	13.30 16.30		13	721	110 50 00000
	SCH2	0203	IPTN1050 A	1	14.30 17.30		6	721	140 24 00000
	SCH2	0205	IPTN1300HBA	1	8.30 11.30		11	687	110 24 00000
	SCH2	0205	IPTN2300EHW	1	17.30 20.30		9	687	110 24 00000
	THI1	0112	CPCS2000 A	111	10.00 15.00		12	690	082 21 00000
	THI1	0114	SURG2215 A	11111	8.15 10.55		6	770	240 24 00000
	THI1	0117	CPCS2220 A	1 1	8.30 10.20		12	462	110 20 00000
	THI1	0117	CPCS2140 A	1 1	10.30 12.00		12	462	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/15/2019 13:41:21

PAGE NUM 5

L.E. FLETCHER TECHNICAL COMM. COLL.

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	THI1	0117	CPCS2040 A	1 1	13.00 14.30		12	462	110 20 00000
	THI1	0122	SURG1033 A	1 1 1	8.15 10.15		12	972	110 12 00000
	THI1	0122	SURG1032 A	1 1	10.00 11.30		12	972	110 12 00000
	THI1	0122	SURG1133 A	11111	12.00 13.00		12	972	110 12 00000
	THI1	0131	HACR1410 A	11111	7.15 8.15		3	480	140 16 00000
	THI1	0131	HACR1150 A	11111	7.15 8.35	1	7	480	140 16 00000
	THI1	0131	HACR1210 A	11111	7.15 8.35	1	2	480	140 16 00000
	THI1	0131	HACR1220 A	11111	8.40 10.15		2	480	140 16 00000
	THI1	0131	HACR2550 A	11111	8.40 10.15	1	2	480	140 16 00000
	THI1	0131	HACR2510 A	11111	10.30 11.30		3	480	140 16 00000
	THI1	0131	HACR1170 A	11111	11.20 12.55	1	7	480	140 16 00000
	THI1	0131	HACR1230 A	11111	11.20 12.55	1	2	480	140 16 00000
	THI1	0131	HACR2530 A	11111	13.50 14.50		4	480	140 16 00000
	THI1	0132	AUTO1301 A	1 1	8.00 9.29		8	130	110 15 00000
	THI1	0132	AUTO1300 A	1	8.00 9.58		9	130	110 15 00000
	THI1	0132	AUTO1500 A	1	8.00 9.59		6	130	110 15 00000
	THI1	0132	AUTO1501 A	1	8.00 9.59		6	130	110 15 00000
	THI1	0132	AUTO1401 A	1 1	9.30 10.59		13	130	110 15 00000
	THI1	0132	AUTO1400 A	1	10.00 12.00		10	130	110 15 00000
	THI1	0132	AUTO1100 A	1 1	11.00 11.59		5	130	110 15 00000
	THI1	0132	AUTO1600 A	1	13.30 15.29		10	130	110 15 00000
	THI1	0132	AUTO1000 A	1	15.30 17.00		19	130	110 15 00000
	THI1	0132	AUTO1200 A	1	15.30 17.30		7	130	110 15 00000
	THI1	0134	AUTO1700 A	1	10.00 11.59		5	3,128	210 18 00000
	THI1	0134	AUTO1701 A	1	10.00 12.59		5	3,128	210 18 00000
	THI1	0134	AUTO1101 A	1 1 1	12.30 13.29		6	3,128	210 18 00000
	THI1	0134	AUTO1601 A	1	12.30 15.29		10	3,128	210 18 00000
	THI1	0134	AUTO1811 B	1 1	13.30 14.59		3	3,128	210 18 00000
	THI1	0134	AUTO1810 B	1	13.30 15.29		2	3,128	210 18 00000
4	THI1	0134	AUTO1201 A	1 1	15.00 16.30		7	3,128	210 18 00000
	THI1	0134	AUTO1001 A	1	15.30 15.59		18	3,128	210 18 00000
	THI1	0135	HACR2540 A	11111	7.15 8.35		1	2,990	210 24 00000
	THI1	0135	HACR1420 A	11111	8.20 9.55	1	2	2,990	210 24 00000
	THI1	0135	HACR1160 A	11111	8.40 10.15	1	7	2,990	210 24 00000
	THI1	0135	HACR2540 B	11111	11.31 12.45		1	2,990	210 24 00000
	THI1	0135	HACR2560 A	11111	12.25 13.25	1	2	2,990	210 24 00000
	THI1	0135	HACR2520 A	11111	12.25 13.45	1	2	2,990	210 24 00000
	THI1	0135	HACR1180 A	11111	13.00 14.40	1	7	2,990	210 24 00000
	THI1	0135	HACR1240 A	11111	13.00 14.40	1	2	2,990	210 24 00000
	THI1	0136	WELD2114 A	1	7.30 9.30		4	3,025	210 16 00000
	THI1	0136	WELD2111 C	1	7.30 9.45	1	1	3,025	210 16 00000
	THI1	0136	WELD2111 D	1	7.30 9.45	1	2	3,025	210 16 00000
	THI1	0136	WELD1511 A	11111	7.30 11.15	1	1	3,025	210 16 00000
	THI1	0136	WELD1511 C	11111	7.30 11.15	1	1	3,025	210 16 00000
	THI1	0136	WELD2110 C	11111	7.30 11.30	1	2	3,025	210 16 00000
	THI1	0136	WELD2114 A	1111	7.30 11.30	1	4	3,025	210 16 00000
	THI1	0136	WELD2310 B	1 1	7.30 11.30	1	3	3,025	210 16 00000
	THI1	0136	WELD1310 D	1	7.30 11.30		5	3,025	210 16 00000
	THI1	0136	WELD1411 A	1	7.30 11.30	1	4	3,025	210 16 00000
	THI1	0136	WELD1411 D	1	7.30 11.30	1	9	3,025	210 16 00000
	THI1	0136	WELD1412 B	1	7.30 11.30	1	5	3,025	210 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019
 RUN DATE 11/15/2019 13:41:21
 PAGE NUM 6

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	8	THI1 0136	WELD1412 E	1	7.30 11.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2310 A	1	7.30 11.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2310 B	1	7.30 11.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2310 D	1	7.30 11.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2995 C	1	7.30 11.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2996 D	1	7.30 11.30	1	3,025	210 16	00000
	8	THI1 0136	WELD1110 A	11111	7.30 12.00	1	3,025	210 16	00000
	8	THI1 0136	WELD2311 B	11111	7.30 12.00	1	3,025	210 16	00000
	8	THI1 0136	WELD2311 C	11111	7.30 12.00	1	3,025	210 16	00000
	8	THI1 0136	WELD1210 B	1 1 1	7.30 12.00	1	3,025	210 16	00000
	8	THI1 0136	WELD1512 B	11111	7.30 12.30	1	3,025	210 16	00000
	8	THI1 0136	WELD1512 D	11111	7.30 12.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2222 B	11111	7.30 12.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2310 A	1 1	7.30 12.30	1	3,025	210 16	00000
	8	THI1 0136	WELD2310 D	1 1	7.30 12.30	1	3,025	210 16	00000
		THI1 0136	WELD2210 A	1	7.30 12.30	1	3,025	210 16	00000
		THI1 0136	WELD2210 C	1	7.30 12.30	1	3,025	210 16	00000
4		THI1 0136	WELD1411 A	1111	7.30 12.45	4	3,025	210 16	00000
4		THI1 0136	WELD1411 D	1111	7.30 12.45	1	3,025	210 16	00000
4		THI1 0136	WELD1412 B	1111	7.30 12.45	1	3,025	210 16	00000
4	8	THI1 0136	WELD1412 E	1111	7.30 12.45	1	3,025	210 16	00000
4	8	THI1 0136	WELD2310 A	1 1	7.30 13.00	1	3,025	210 16	00000
4	8	THI1 0136	WELD2310 B	1 1	7.30 13.00	1	3,025	210 16	00000
4	8	THI1 0136	WELD2310 D	1 1	7.30 13.00	1	3,025	210 16	00000
4	8	THI1 0136	WELD2111 C	1111	7.30 13.30	1	3,025	210 16	00000
4	8	THI1 0136	WELD2111 D	1111	7.30 13.30	1	3,025	210 16	00000
4	8	THI1 0136	WELD1310 D	1111	7.30 14.00	1	3,025	210 16	00000
4	8	THI1 0136	WELD2210 A	1111	7.30 14.00	1	3,025	210 16	00000
4	8	THI1 0136	WELD2995 C	1111	7.30 14.00	1	3,025	210 16	00000
4	8	THI1 0136	WELD2996 D	1111	7.30 14.00	1	3,025	210 16	00000
4	8	THI1 0136	WELD2210 C	1111	7.30 15.00	1	3,025	210 16	00000
	8	THI1 0136	WELD1410 C	11111	8.30 11.30	1	3,025	210 16	00000
	8	THI1 0136	WELD1110 A2	1111	11.00 14.00	1	3,025	210 16	00000
	8	THI1 0136	WELD1210 2B	1111	11.00 14.00	1	3,025	210 16	00000
	8	THI1 0136	WELD1410 C2	1111	11.00 14.00	1	3,025	210 16	00000
		THI1 0136	WELD2995 B	1	12.30 16.30	1	3,025	210 16	00000
4		THI1 0136	WELD2995 B	1111	12.30 19.00	1	3,025	210 16	00000
		THI2 0100	ELEC1010 A	1 1 1	8.35 10.00	20	652	081 20	00000
		THI2 0100	ELEC1020 A	1 1	8.35 10.00	20	652	081 20	00000
		THI2 0100	ELEC2303 A	1	11.35 12.30	26	652	081 20	00000
		THI2 0100	ELEC1101 A	1	12.35 13.30	23	652	081 20	00000
		THI2 0100	ELEC1102 A	1	13.31 14.30	23	652	081 20	00000
		THI2 0300	ELEC1201 A	1 1 1	7.30 8.30	22	652	240 20	00000
		THI2 0300	ELEC1202 B	1 1	7.30 8.30	23	652	240 20	00000
		THI2 0300	ELEC1203 B	1	8.35 10.00	21	652	240 20	00000
		THI2 0300	ELEC2301 B	1 1 1	10.05 11.30	26	652	240 20	00000
		THI2 0300	ELEC1204 B	1	10.05 11.30	20	652	240 20	00000
		THI2 0300	ELEC2304 B	1	11.30 13.00	27	652	240 20	00000
		THI2 0300	ELEC2302 B	1 1 1	12.30 14.00	25	652	240 20	00000
		THI2 0300	ELEC2305 B	1	13.05 14.00	26	652	240 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2019
RUN DATE 11/15/2019 13:41:21

L.E. FLETCHER TECHNICAL COMM. COLL.

DESCRIPTION AND SUMMARY OF ERRORS & WARNINGS

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	17
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	31
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS		
TOTAL WARNINGS		48
TOTAL NUMBER OF RECORDS READ		305
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		305
NUMBER OF JOINT-CLASS RECORDS		58
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2019 13:41:21

PAGE NUM 1

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			68
TOTAL NUMBER OF STATIONS (CAPACITY)			1,923
WEEKLY STUDENT CONTACT HOURS	11,863	741	12,604
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,120	3,400	9,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,360	92	1,452
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	173,070	96,150	269,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40,456	2,958	43,414
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	23,726	1,483	25,209
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.2	2.7	15.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.7	1.5	9.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	58.6	50.1	58.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			50
TOTAL NUMBER OF STATIONS (CAPACITY)			1,440
WEEKLY STUDENT CONTACT HOURS	6,774	346	7,120
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,500	2,500	7,000
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	769	49	818
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	129,600	72,000	201,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,496	1,572	26,068
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,548	693	14,241
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	17.1	2.0	11.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	10.5	1.0	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	55.3	44.1	54.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2019 13:41:21

PAGE NUM 2

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	5,089	395	5,484
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,620	900	2,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	591	43	634
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,960	1,386	17,346
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,178	790	10,968
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	36.5	4.8	25.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.4	3.3	16.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.8	57.0	63.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			658
WEEKLY STUDENT CONTACT HOURS	3,314	69	3,383
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,430	1,350	3,780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,714	6	1,720
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	59,220	32,900	92,120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,650	216	29,866
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,629	138	6,767
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	70.5	.4	45.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.2	.4	7.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.4	63.9	22.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2019 13:41:21

PAGE NUM 3

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			26
TOTAL NUMBER OF STATIONS (CAPACITY)			650
WEEKLY STUDENT CONTACT HOURS	3,314	69	3,383
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,340	1,300	3,640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,714	6	1,720
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	58,500	32,500	91,000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,650	216	29,866
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,629	138	6,767
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	73.2	.5	47.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.3	.4	7.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.4	63.9	22.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY